




Salmonellosis by Year Oregon, 1991-2000




Salmonellosis by Onset Month Oregon, 2000




Incidence of Salmonellosis by Age and Sex Oregon, 2000



Incidence of Salmonellosis Oregon vs. Nationwide 1991-2000



Incidence of Salmonellosis by County Oregon, 2000



Salmonella by Serotype

Oregon, 2000

SUBTYPE	No.	%	SUBTYPE	No.	%
Typhimurium	72	24.2	Anatum	1	0.3
Enteritidis	45	15.2	Cerro	1	0.3
Montevideo	20	6.7	Chameleon	1	0.3
Saintpaul	12	4.0	Chester	1	0.3
Heidelberg	10	3.4	Cotham	1	0.3
Other	10	3.4	Colindale	1	0.3
Newport	9	3.0	Dublin	1	0.3
Stanley	9	3.0	Infantis	1	0.3
Oranienburg	7	1.7	Irumu	1	0.3
Poona	7	2.3	Itami	1	0.3
Agona	6	2.0	Kiambu	1	0.3
Muenchen	6	2.0	Litchfield	1	0.3
Javiana	5	1.7	Onderstepoort	1	0.3
Mbandaka	5	1.7	Paratyphi A	1	0.3
Paratyphi B, var. Java	5	1.7	Rubislaw	1	0.3
Derby	4	1.3	Saphra	1	0.3
Muenster	4	1.3	Senftenberg	1	0.3
Paratyphi B	4	1.3	Tennessee	1	0.2
Reading	4	1.3	Virchow	1	0.3
Sandiego	4	1.3			
Schwarzengrund	4	1.3			
Berta	3	1.0			
Hadar	3	1.0			
Braenderup	2	0.7			
Adelaide	2	0.7			
Give	2	0.7			
Hvittingfoss	2	0.7			
Thompson	2	0.7			