



HST Director Education and Experience Requirements: OAR 333-024-0390

EDUCATIONAL REQUIREMENTS

The HST director must meet one of the following qualifications:

1. Medical Doctor (MD) or a Doctor of Osteopathy (DO) licensed to practice in Oregon; (provide the state license number issued by the Physicians Examiners Board); or
2. Earned Doctor of Science (ScD) or Doctor of Public Health (DrPH) or Doctor of Philosophy (PhD) degree in chemistry, biochemistry, or other closely related science from an accredited institution; or
3. Earned Master of Science degree in medical technology, chemistry, biochemistry, or other closely related science from an accredited institution; or
4. Bachelor of Science, Bachelor of Technology, or Bachelor of Arts degree in Medical Technology, Chemistry, or Biochemistry from an accredited institution; or
5. Performed the duties of a director of a health screen testing service for at least six site days during the twelve months prior to 1/1/90. Proof is required.

EXPERIENCE

Individuals meeting one of the requirements above must also have the appropriate clinical laboratory experience as indicated below.

! Meet educational requirements under 1 and 2 above - must have one or more years of pertinent clinical laboratory experience.

! Meet educational requirement under 3 above - must have two or more years of pertinent clinical laboratory experience.

over

! Meet educational requirement under 4 - must have four or more years of pertinent clinical laboratory experience.

Please submit the following items with the AHST Director Qualification Appraisal@ form:

1. A copy of your applicable college or university diploma equivalent to a Bachelors, Masters, or Doctorate degree.
2. A copy of your college or university transcript, (indicating courses taken to obtain your degree), if readily available.
3. An outline of your pertinent experience in the testing of Health Screen Testing analytes (glucose, cholesterol, hemoglobin, hematocrit, etc.). Please include information regarding your experience in preventive maintenance of equipment, quality control performed (number of controls run and how often), action taken when reagents or strips expired, how you handled out of control results, how records were kept on patients and quality control results, how you detected shifts or trends in quality control, and your participation in collection of blood specimens.

Note, if you offer or have offered training to patients or clients regarding home use of glucose or other laboratory instruments, submit a copy of your training materials. This should include written materials provided to clients regarding the items listed in the above paragraph, if pertinent.

4. Any additional items which you feel would be helpful in qualifying you as an HST director. For example, consultation given to clients/patients and additional laboratory training or laboratory courses that you have taken.

In accordance with the ADA this information is available in alternate formats by phoning (503) 693-4100.

I:/LC Files/HST Director requirements