

Uterine Cancer

UTERINE CANCER - FAST FACTS OREGON

	Female
CANCER INCIDENCE	
Total Cancer Cases (2005)	493
RATES	
Oregon Crude Rate (2005)	26.7
Oregon Age-adjusted Rate (2005)	23.2
US Age-adjusted Rate (2004) ¹	23.1
TRENDS - APC	
Oregon Annual Trend (2001-2005)	0.6
CANCER MORTALITY	
Total Cancer Deaths (2005)	83
RATES	
Oregon Crude Rate (2005)	4.5
Oregon Age-adjusted Rate (2005)	3.9
US Age-Adjusted Rate (2004) ²	4.1
TRENDS - APC	
Oregon Annual Trend (2001-2005)	-1.4
US Annual Trend (2000-2004) ²	-0.1
PROGNOSIS AND BURDEN	
Prognosis: M/I Ratio (2001-2005)	0.17
Burden: YPLL (2001-2005)	180

Note: Incidence and mortality rates are per 100,000 population, age-adjusted to the 19-age-group 2000 U.S. standard population. Total column may exceed male/female columns due to coding to other gender.

¹ NPCR. <http://statecancerprofiles.cancer.gov/>

² US Mortality Public Use Data file, National Center for Health Statistics

APC = Average Annual Percent Change.

M/I = Mortality to Incidence Ratio.

YPLL = Years of Potential Life Lost.

* Indicates a statistically significant trend.

In 2005, 493 cancers of the uterus were diagnosed in Oregon women and reported to the central registry. Median age at diagnosis was 63. During the same time period, 83 women died due to uterine cancer. Median age at death was 71.


The majority of uterine cancers (70 percent) were diagnosed at the *in situ* or local stage when they are most treatable.

The age-adjusted incidence rate of uterine cancer in 2005 was 23 per 100,000 matching the U.S. rate in 2004.

The age-adjusted mortality rate for uterine cancer in 2005 was 4 per 100,000 also matching the 2004 national rate.


During the period 2001-2005, there were 17 deaths for every 100 uterine cancer diagnoses. Based on a life expectancy of 65 years, an average of 180 years of life were lost annually due to early deaths from uterine cancer.

During 1996-2005, the incidence of uterine cancer was significantly higher than the state average in Benton and Multnomah counties and significantly lower in Deschutes county. No area of the state had significantly higher or lower mortality than the state. During the same period, incidence declined significantly in Deschutes county. See Uterine Cancer maps.




Uterine Cancer

**Uterine Cancer Incidence and Mortality Rates,
by Age Group, Oregon, 2005**



**Uterine Cancer Incidence and Mortality Rates,
by Race and Ethnicity, Oregon, 1996-2005**




^ Rate not calculated due to instability of small numbers

Uterine Cancer


Rates of Uterine Cancer Incidence, 1996-2005

1996-2005 Oregon Rate = 24.



Rates of Uterine Cancer Mortality, 1996-2005

1996-2005 Oregon Rate = 4.



Rates = Incidence count per 100,000 persons age-adjusted to 2000 U.S. Census 19-age-group standard.

- Statistically Higher than Oregon Average
- Similar to Oregon Average
- Statistically Lower than Oregon Average

Uterine Cancer

Uterine Cancer Incidence and Mortality by County, 1996-2005: Average Count, Annual Rate, and 10-Year Trend

UTERINE	NEW CASES			DEATHS		
1996-2005 Oregon Counties	Cases Per Year	Age-Adjusted Rate	10-Year Trend / APC	Deaths Per Year	Age-Adjusted Rate	10-Year Trend / APC
Total	467	24.4	-0.7	81	4.0	-1.4
Baker	3	27.3	^	1	^	^
Benton	12	32.0 H	3.3	2	4.4	^
Clackamas	44	23.4	-0.5	7	3.8	^
Clatsop	6	26.7	^	1	^	^
Columbia	7	29.0	^	1	4.9	^
Coos	13	28.5	2.2	3	5.4	^
Crook	3	26.4	^	1	^	^
Curry	4	20.3	^	1	^	^
Deschutes	12	18.2 L	-7.5 *	3	4.1	^
Douglas	17	25.2	-0.8	3	4.2	^
Gilliam	1	^	^	0	^	^
Grant	1	25.5	^	0	^	^
Harney	1	^	^	0	^	^
Hood River	2	23.3	^	1	^	^
Jackson	30	25.4	-3.4	5	4.0	^
Jefferson	2	17.1	^	0	^	^
Josephine	14	23.9	4.2	2	3.6	^
Klamath	9	24.7	^	2	4.2	^
Lake	1	28.1	^	0	^	^
Lane	41	22.0	-0.8	7	3.6	^
Lincoln	8	21.6	^	1	3.6	^
Linn	13	21.2	-1.0	3	4.4	^
Malheur	3	17.8	^	1	^	^
Marion	38	25.6	1.8	7	4.1	^
Morrow	2	29.3	^	0	^	^
Multnomah	89	26.0	-1.4	17	4.7	13.2
Polk	9	25.0	^	2	3.5	^
Sherman	0	^	^	0	^	^
Tillamook	4	25.1	^	0	^	^
Umatilla	7	19.8	^	1	3.2	^
Union	4	24.3	^	1	^	^
Wallowa	2	37.5	^	0	^	^
Wasco	4	23.0	^	1	^	^
Washington	50	24.3	-0.3	6	3.2	^
Wheeler	0	^	^	0	^	^
Yamhill	12	26.6	3.1	1	2.9	^

Rates are per 100,000 and age-adjusted to the 19-age-group 2000 U.S. Standard Population.

APC = Annual Percent Change.

Counts may not match Center for Health Statistics data tables due to unknown county of death.

H= Rate is statistically significantly higher (p<.05).

L = Rate is statistically significantly lower (p<.05).

* Indicates a statistically significant trend (p<.05).

^ Rate/Trend is not calculated due to instability of small numbers.