

TABLE 2: CANCER MORTALITY by Site, Sex, and Year (2002-2006)		TOTAL		MALE		FEMALE	
Primary Sites	Year	Rate/ Cancer Deaths	Current Trend	Rate/ Cancer Deaths	Current Trend	Rate/ Cancer Deaths	Current Trend
ALL CAUSES OF DEATH	Annual Average	30,849	785.9	15,177	920.8	15,672	676.8
	<i>5-Year APC Trend</i>		-2.0 *		-2.3 *		-1.8 *
	2002	31,081	828.3	15,286	977.4	15,795	710.9
	2003	30,809	802.8	15,163	940.7	15,646	689.0
	2004	30,201	771.9	14,876	907.4	15,325	664.6
	2005	30,852	764.8	15,138	893.4	15,714	658.8
	2006	31,300	766.3	15,422	891.4	15,878	664.6
ALL MALIGNANT CANCERS	Annual Average	7,355	191.6	3,771	226.6	3,584	167.2
	<i>5-Year APC Trend</i>		-1.8 *		-2.0 *		-1.8 *
	2002	7,334	199.2	3,732	235.1	3,602	174.8
	2003	7,324	194.7	3,748	230.4	3,576	169.8
	2004	7,320	192.1	3,762	228.1	3,558	167.0
	2005	7,396	189.4	3,856	226.8	3,540	162.4
	2006	7,401	184.1	3,759	214.6	3,642	163.2
BONES AND JOINTS	Annual Average	15	0.4	11	0.6	4	0.2
	<i>5-Year APC Trend</i>		+4.4		+14.5		^
	2002	12	0.3	8	^	4	^
	2003	14	0.4	7	^	7	^
	2004	17	0.5	13	0.7	4	^
	2005	16	0.4	13	0.7	3	^
	2006	16	0.4	13	0.7	3	^
BRAIN AND CNS	Annual Average	205	5.4	117	6.5	88	4.3
	<i>5-Year APC Trend</i>		-4.3		-3.9		-3.9
	2002	218	5.9	122	7.0	96	4.9
	2003	195	5.3	114	6.6	81	4.1
	2004	207	5.4	116	6.4	91	4.4
	2005	231	6.0	139	7.7	92	4.6
	2006	175	4.3	95	5.0	80	3.8
BREAST	Annual Average	513	13.2	3	0.2	510	23.9
	<i>5-Year APC Trend</i>		-3.1		^		-3.0
	2002	503	13.6	2	^	501	24.7
	2003	550	14.5	2	^	548	26.1
	2004	515	13.3	3	^	512	24.1
	2005	477	12.1	6	^	471	21.9
	2006	521	12.7	3	^	518	23.1
DIGESTIVE SYSTEM	Annual Average	1,659	43.0	904	53.3	756	34.6
	<i>5-Year APC Trend</i>		-1.1		-1.9 *		-0.4
	2002	1,609	43.3	899	55.8	710	33.4
	2003	1,656	44.0	885	53.4	771	36.2
	2004	1,670	43.7	907	54.5	763	35.1
	2005	1,670	42.4	898	51.7	772	34.7
	2006	1,691	41.7	929	51.5	762	33.6

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

APC=Average Annual Percentage Change

* Indicates a statistically significant trend.

^ Rate is not calculated for counts <11 due to the instability of rates based on small numbers.

n/a = not applicable

TABLE 2: CANCER MORTALITY by Site, Sex, and Year (2002-2006)		TOTAL		MALE		FEMALE	
Primary Sites	Year	Deaths	Rate/ Current Trend	Deaths	Rate/ Current Trend	Deaths	Rate/ Current Trend
Colon and Rectum	Annual Average	654	16.8	325	19.5	329	14.7
	<i>5-Year APC Trend</i>		-3.8 *		-5.6 *		-2.3
	2002	665	17.8	354	22.4	311	14.4
	2003	685	18.0	316	19.4	369	16.9
	2004	637	16.5	329	20.2	308	13.8
	2005	659	16.6	316	18.5	343	15.0
	2006	624	15.3	308	17.2	316	13.7
Esophagus	Annual Average	195	5.1	151	8.8	44	2.0
	<i>5-Year APC Trend</i>		+1.2		+1.8		+0.3
	2002	186	5.0	137	8.3	49	2.3
	2003	177	4.7	143	8.6	34	1.5
	2004	205	5.5	161	9.6	44	2.2
	2005	197	5.1	150	8.8	47	2.1
	2006	209	5.1	162	9.0	47	2.0
Gallbladder	Annual Average	22	0.6	6	0.4	16	0.7
	<i>5-Year APC Trend</i>		+6.1		^		-1.0
	2002	17	0.5	4	^	13	0.6
	2003	23	0.6	4	^	19	0.9
	2004	23	0.6	6	^	17	0.8
	2005	19	0.5	5	^	14	0.6
	2006	28	0.7	12	0.7	16	0.7
Liver/Intrahepatic Bile Duct	Annual Average	171	4.4	111	6.2	60	2.9
	<i>5-Year APC Trend</i>		+2.4		+2.9		+0.7
	2002	147	3.9	91	5.3	56	2.7
	2003	172	4.6	111	6.3	61	3.1
	2004	171	4.6	115	6.7	56	2.8
	2005	182	4.6	118	6.3	64	3.0
	2006	184	4.5	121	6.3	63	2.9
Liver	Annual Average	127	3.3	88	4.8	39	1.9
	<i>5-Year APC Trend</i>		+3.2		+7.5		-5.2
	2002	107	2.9	67	3.8	40	1.9
	2003	127	3.4	81	4.6	46	2.4
	2004	125	3.3	90	5.2	35	1.7
	2005	135	3.3	98	5.2	37	1.7
	2006	142	3.4	103	5.2	39	1.7
Pancreas	Annual Average	419	10.9	208	12.3	211	9.8
	<i>5-Year APC Trend</i>		+1.7		+0.1		+3.4
	2002	402	10.9	203	12.6	199	9.5
	2003	377	10.1	204	12.4	173	8.3
	2004	430	11.2	196	11.7	234	10.6
	2005	424	10.9	209	12.1	215	9.9
	2006	461	11.5	228	12.8	233	10.5

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

APC=Average Annual Percentage Change

* Indicates a statistically significant trend.

^ Rate is not calculated for counts <11 due to the instability of rates based on small numbers.

n/a = not applicable

TABLE 2: CANCER MORTALITY by Site, Sex, and Year (2002-2006)		TOTAL		MALE		FEMALE	
Primary Sites	Year	Rate/ Cancer Deaths	Current Trend	Rate/ Cancer Deaths	Current Trend	Rate/ Cancer Deaths	Current Trend
Small Intestine	Annual Average	15	0.4	7	0.4	7	0.3
	5-Year APC Trend		-3.9		^		^
	2002	13	0.4	5	^	8	^
	2003	18	0.5	7	^	11	0.5
	2004	14	0.4	8	^	6	^
	2005	15	0.4	7	^	8	^
	2006	13	0.3	10	^	3	^
Stomach	Annual Average	120	3.1	69	4.1	51	2.4
	5-Year APC Trend		-5.3 *		-6.9		-2.2
	2002	128	3.5	79	4.9	49	2.4
	2003	122	3.3	68	4.1	54	2.6
	2004	122	3.2	65	3.8	57	2.7
	2005	116	3.0	72	4.1	44	2.0
	2006	113	2.8	60	3.5	53	2.4
ENDOCRINE SYSTEM	Annual Average	30	0.8	14	0.9	16	0.7
	5-Year APC Trend		-4.5		-11.6		+3.3
	2002	36	1.0	18	1.1	18	0.9
	2003	23	0.6	11	0.7	12	0.5
	2004	34	0.9	20	1.3	14	0.7
	2005	25	0.7	13	0.7	12	0.6
	2006	32	0.8	10	0.6	22	1.0
Thyroid	Annual Average	16	0.4	7	0.4	9	0.4
	5-Year APC Trend		-11.8		^		^
	2002	21	0.6	8	^	13	0.7
	2003	17	0.4	8	^	9	^
	2004	14	0.4	8	^	6	^
	2005	12	0.3	6	^	6	^
	2006	16	0.4	6	^	10	^
EYE AND ORBIT	Annual Average	4	0.1	2	^	2	^
	5-Year APC Trend		^		^		^
	2002	9	^	6	^	3	^
	2003	2	^	2	^	0	^
	2004	2	^	2	^	0	^
	2005	5	^	2	^	3	^
	2006	2	^	0	^	2	^
GENITAL SYSTEM FEMALE	Annual Average	356	16.7	n/a	n/a	356	16.7
	5-Year APC Trend		-1.5		n/a		-1.1
	2002	358	17.7	n/a	n/a	358	17.7
	2003	328	15.5	n/a	n/a	328	15.5
	2004	376	17.6	n/a	n/a	376	17.6
	2005	355	16.5	n/a	n/a	355	16.5
	2006	363	16.3	n/a	n/a	363	16.3

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

APC=Average Annual Percentage Change

* Indicates a statistically significant trend.

^ Rate is not calculated for counts <11 due to the instability of rates based on small numbers.

n/a = not applicable

TABLE 2: CANCER MORTALITY by Site, Sex, and Year (2002-2006)		TOTAL		MALE		FEMALE	
Primary Sites	Year	Rate/ Cancer Deaths	Rate/ Current Trend	Rate/ Cancer Deaths	Rate/ Current Trend	Rate/ Cancer Deaths	Rate/ Current Trend
Cervix Uteri	Annual Average	39	2.0	n/a	n/a	39	2.0
	5-Year APC Trend		-7.3		n/a		-7.3
	2002	45	2.4	n/a	n/a	45	2.4
	2003	43	2.1	n/a	n/a	43	2.1
	2004	29	1.5	n/a	n/a	29	1.5
	2005	41	2.0	n/a	n/a	41	2.0
	2006	36	1.7	n/a	n/a	37	1.7
Ovary	Annual Average	214	10.0	n/a	n/a	214	10.0
	5-Year APC Trend		-0.7		n/a		-0.7
	2002	212	10.4	n/a	n/a	212	10.4
	2003	186	8.8	n/a	n/a	186	8.8
	2004	244	11.3	n/a	n/a	244	11.3
	2005	214	9.7	n/a	n/a	214	9.7
	2006	213	9.6	n/a	n/a	213	9.6
Uterus	Annual Average	82	3.8	n/a	n/a	82	3.8
	5-Year APC Trend		+1.8		n/a		+1.8
	2002	79	3.8	n/a	n/a	79	3.8
	2003	77	3.6	n/a	n/a	77	3.6
	2004	78	3.6	n/a	n/a	78	3.6
	2005	83	3.9	n/a	n/a	83	3.9
	2006	91	4.0	n/a	n/a	91	4.0
GENITAL SYSTEM (Male)	Annual Average	427	27.1	427	27.1	n/a	n/a
	5-Year APC Trend		-3.5 *		-3.5 *		n/a
	2002	448	30.1	448	30.1	n/a	n/a
	2003	422	27.5	422	27.5	n/a	n/a
	2004	415	26.4	415	26.4	n/a	n/a
	2005	426	26.3	426	26.3	n/a	n/a
	2006	426	25.8	426	25.8	n/a	n/a
Prostate	Annual Average	419	26.7	419	26.7	n/a	n/a
	5-Year APC Trend		-3.2 *		-3.2 *		n/a
	2002	435	29.4	435	29.4	n/a	n/a
	2003	415	27.1	415	27.1	n/a	n/a
	2004	406	25.9	406	25.9	n/a	n/a
	2005	420	25.9	420	25.9	n/a	n/a
	2006	421	25.5	421	25.5	n/a	n/a
Testis	Annual Average	7	0.4	7	0.4	n/a	n/a
	5-Year APC Trend		^		^		n/a
	2002	12	0.7	12	0.7	n/a	n/a
	2003	6	^	6	^	n/a	n/a
	2004	7	^	7	^	n/a	n/a
	2005	5	^	5	^	n/a	n/a
	2006	4	^	4	^	n/a	n/a

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

APC=Average Annual Percentage Change

* Indicates a statistically significant trend.

^ Rate is not calculated for counts <11 due to the instability of rates based on small numbers.

n/a = not applicable

TABLE 2: CANCER MORTALITY by Site, Sex, and Year (2002-2006)		TOTAL		MALE		FEMALE	
Primary Sites	Year	Rate/ Cancer Deaths	Rate/ Current Trend	Rate/ Cancer Deaths	Rate/ Current Trend	Rate/ Cancer Deaths	Rate/ Current Trend
LEUKEMIA	Annual Average	282	7.4	165	10.0	118	5.4
	<i>5-Year APC Trend</i>		+1.0		1.2		-0.4
	2002	274	7.5	163	10.5	111	5.4
	2003	268	7.1	150	9.4	118	5.6
	2004	268	7.0	156	9.5	112	5.2
	2005	300	7.7	172	10.2	128	5.6
	2006	302	7.6	182	10.7	120	5.3
LYMPHOMA	Annual Average	321	8.3	169	10.2	152	6.9
	<i>5-Year APC Trend</i>		-4.6		-5.2		-3.4
	2002	320	8.6	164	10.3	156	7.3
	2003	340	9.0	181	11.0	159	7.4
	2004	327	8.5	188	11.6	139	6.2
	2005	336	8.5	167	9.9	169	7.4
	2006	282	7.0	145	8.2	137	6.1
Hodgkin Lymphoma	Annual Average	17	0.5	9	0.5	8	0.4
	<i>5-Year APC Trend</i>		-2.3		^		^
	2002	18	0.5	10	^	8	^
	2003	17	0.4	6	^	11	0.5
	2004	11	0.3	8	^	3	^
	2005	23	0.6	13	0.7	10	^
	2006	15	0.4	7	^	8	^
Non-Hodgkin Lymphoma	Annual Average	304	7.9	160	9.7	144	6.4
	<i>5-Year APC Trend</i>		-4.7		-5.4		-3.5
	2002	302	8.1	154	9.7	148	6.8
	2003	323	8.6	175	10.6	148	6.9
	2004	316	8.2	180	11.1	136	6.0
	2005	313	7.9	154	9.2	159	6.8
	2006	267	6.6	138	7.8	129	5.7
MESOTHELIOMA	Annual Average	40	1.0	33	2.0	7	0.3
<i>ICD-10 only</i>	<i>5-Year APC Trend</i>		+2.9		+1.4		^
	2002	28	0.8	22	1.4	6	^
	2003	50	1.3	43	2.7	7	^
	2004	38	1.0	33	2.0	5	^
	2005	36	0.9	30	1.9	6	^
	2006	46	1.2	36	2.1	10	^
MYELOMA	Annual Average	151	4.0	81	4.9	71	3.3
	<i>5-Year APC Trend</i>		-6.6		-7.6		-5.1
	2002	173	4.7	87	5.5	86	4.2
	2003	159	4.3	95	5.9	64	3.0
	2004	139	3.6	70	4.3	69	3.1
	2005	136	3.5	83	4.9	53	2.4
	2006	150	3.7	69	4.0	81	3.5

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

APC=Average Annual Percentage Change

* Indicates a statistically significant trend.

^ Rate is not calculated for counts <11 due to the instability of rates based on small numbers.

n/a = not applicable

TABLE 2: CANCER MORTALITY by Site, Sex, and Year (2002-2006)		TOTAL		MALE		FEMALE	
Primary Sites	Year	Rate/ Cancer Deaths	Current Trend	Rate/ Cancer Deaths	Current Trend	Rate/ Cancer Deaths	Current Trend
ORAL CAVITY AND PHARYNX	Annual Average	98	2.5	63	3.6	35	1.6
	<i>5-Year APC Trend</i>		-1.7		+2.3		-8.7
	2002	98	2.7	60	3.7	38	1.8
	2003	93	2.5	54	3.2	39	1.8
	2004	94	2.5	58	3.4	36	1.7
	2005	110	2.8	73	4.0	37	1.7
	2006	95	2.3	68	3.7	27	1.2
RESPIRATORY SYSTEM	Annual Average	2,129	56.3	1,132	67.9	996	47.7
	<i>5-Year APC Trend</i>		-1.6 *		-1.6		-1.5
	2002	2,109	58.1	1,101	69.0	1,008	50.0
	2003	2,122	57.1	1,144	70.0	978	47.5
	2004	2,123	56.6	1,129	67.9	994	48.0
	2005	2,141	55.9	1,162	68.6	979	46.4
	2006	2,147	54.3	1,124	64.2	1,023	46.9
Larynx	Annual Average	35	0.9	26	1.5	10	0.5
	<i>5-Year APC Trend</i>		-15.3		-17.0 *		^
	2002	46	1.3	35	2.1	11	0.6
	2003	35	0.9	29	1.7	6	^
	2004	43	1.1	26	1.5	17	0.8
	2005	28	0.7	19	1.1	9	^
	2006	25	0.6	20	1.1	5	^
Lung and Bronchus	Annual Average	2,082	55.1	1,099	65.9	983	47.0
	<i>5-Year APC Trend</i>		-1.3 *		-1.2		-1.5
	2002	2,057	56.7	1,061	66.5	996	49.4
	2003	2,069	55.7	1,104	67.6	965	46.9
	2004	2,074	55.3	1,099	66.2	975	47.1
	2005	2,097	54.8	1,131	66.9	966	45.7
	2006	2,114	53.4	1,100	62.8	1,014	46.5
SKIN	Annual Average	155	4.0	102	6.0	53	2.5
<i>Excluding basal and squamous cell carcinoma</i>	<i>5-Year APC Trend</i>		-1.5		-0.1		-3.8
	2002	155	4.2	98	6.0	57	2.8
	2003	159	4.2	108	6.3	51	2.4
	2004	152	3.9	94	5.6	58	2.7
	2005	145	3.8	100	5.7	45	2.2
	2006	163	4.1	111	6.3	52	2.4
Melanoma of the Skin	Annual Average	121	3.1	79	4.6	42	2.0
	<i>5-Year APC Trend</i>		-3.1 *		-2.1		-4.5
	2002	123	3.3	77	4.8	46	2.3
	2003	127	3.4	85	4.8	42	2.0
	2004	120	3.1	74	4.4	46	2.2
	2005	117	3.1	83	4.8	34	1.7
	2006	118	3.0	77	4.3	41	2.0

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

APC=Average Annual Percentage Change

* Indicates a statistically significant trend.

^ Rate is not calculated for counts <11 due to the instability of rates based on small numbers.

n/a = not applicable

TABLE 2: CANCER MORTALITY by Site, Sex, and Year (2002-2006)		TOTAL		MALE		FEMALE	
Primary Sites	Year	Cancer Deaths	Rate/ Current Trend	Cancer Deaths	Rate/ Current Trend	Cancer Deaths	Rate/ Current Trend
SOFT TISSUE	Annual Average	55	1.4	30	1.7	25	1.2
<i>Includes heart</i>	<i>5-Year APC Trend</i>		+0.9		+2.7		-1.7
	2002	52	1.4	23	1.4	29	1.5
	2003	51	1.4	30	1.8	21	1.0
	2004	56	1.5	34	2.0	22	1.1
	2005	56	1.5	33	1.9	23	1.1
	2006	58	1.4	29	1.6	29	1.3
URINARY SYSTEM	Annual Average	357	9.2	238	14.5	119	5.3
	<i>5-Year APC Trend</i>		-3.7 *		-2.7		-5.7
	2002	379	10.2	242	15.3	137	6.4
	2003	346	9.1	231	14.4	115	5.3
	2004	356	9.2	244	14.8	112	5.1
	2005	359	9.1	248	14.9	111	4.7
	2006	344	8.5	226	13.1	118	5.1
Kidney and Renal Pelvis	Annual Average	154	4.0	98	5.8	56	2.5
	<i>5-Year APC Trend</i>		-2.7		-1.0		-5.4
	2002	165	4.4	101	6.0	64	3.0
	2003	143	3.8	91	5.6	52	2.4
	2004	158	4.1	101	6.0	57	2.6
	2005	142	3.6	92	5.3	50	2.2
	2006	161	4.0	106	5.9	55	2.5
Urinary Bladder	Annual Average	191	4.9	134	8.3	57	2.5
	<i>5-Year APC Trend</i>		-4.2		-3.3		-6.3
	2002	200	5.4	133	8.7	67	3.1
	2003	190	5.0	134	8.4	56	2.5
	2004	191	4.9	138	8.5	53	2.4
	2005	205	5.1	152	9.4	53	2.2
	2006	170	4.2	113	6.8	57	2.4
MISCELLANEOUS SITES	Annual Average	557	14.4	280	17.1	277	12.5
	<i>5-Year APC Trend</i>		-0.3		-0.1		-0.5
	2002	553	14.8	269	17.2	284	13.1
	2003	546	14.4	269	17.0	277	12.6
	2004	528	13.8	278	17.3	250	11.5
	2005	572	14.4	291	17.2	281	12.2
	2006	586	14.5	291	17.0	295	12.9

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

APC=Average Annual Percentage Change

* Indicates a statistically significant trend.

^ Rate is not calculated for counts <11 due to the instability of rates based on small numbers.

n/a = not applicable