


# Wheeler County Tobacco Fact Sheet 2009

## Background Information

- 315 youth and 1,255 adults live in Wheeler County, representing less than one percent of Oregon's total population.
- Wheeler County currently receives \$16,644 per year for local tobacco prevention, which meets the recommendation provided by the Centers for Disease Control and Prevention (CDC) for Wheeler County.



## Tobacco's Toll on Wheeler County in One Year

**238 adults** regularly smoke cigarettes. *(Based on statewide smoking prevalence)*

**117 people** suffer from a serious illness caused by tobacco use.

**6 people** die from tobacco use (35 percent of all deaths in this county).


**\$1 million** is spent on medical care for tobacco-related illnesses.

**Over \$1 million** in productivity is lost due to tobacco-related deaths.

## Tobacco Use Among Adults and Youth


In Oregon, 19 percent of adults are current smokers and 6 percent of adult males use smokeless tobacco. Among youth in the state, 9 percent of 8th graders and 17 percent of 11th graders smoke cigarettes.

Current Adult Tobacco Use



\* Data are not presented here due to insufficient sample size.

Current Youth Tobacco Use




\* Data are not presented here due to insufficient sample size.

## Tobacco Use During Pregnancy

Since 1993, the percentage of infants born to mothers in Oregon who used tobacco while pregnant has decreased 37 percent.



Infants Born to Mothers Who Used Tobacco During Pregnancy



Note: County-level data are not presented here due to insufficient sample size.


## Trends in Smoking

Since 2000, cigarette smoking among Oregon adults has declined 19 percent. Since 2001, smoking among 11th graders in Oregon has declined 20 percent.



## Cigarette Consumption in Oregon

Oregon has had a 42 percent decrease in per capita cigarette consumption from 1996 to 2007.




Cigarette consumption data measure the quantity of cigarettes used within a particular area during a specific period of time.

## Deaths in Oregon

Approximately 30,000 Oregonians die each year. Over 22 percent of these deaths are linked to tobacco.

### Actual Causes of Death Among Oregonians



TECHNICAL NOTES AND DOCUMENTATION AVAILABLE AT: [www.healthoregon.org/tobacco](http://www.healthoregon.org/tobacco)

### Suggested Citation

Tobacco Prevention and Education Program. *Wheeler County Tobacco Fact Sheet 2009*. Portland, Oregon: Oregon Department of Human Services, Oregon Public Health Division, 2008.

Tobacco Prevention & Education Program  
Oregon Public Health Division  
800 NE Oregon Street, Suite 730  
Portland, OR 97232  
(971) 673-0984  
[www.healthoregon.org/tobacco](http://www.healthoregon.org/tobacco)