

**Oregon Health Plan Report of Results for** 

InterCommunity Health Network CCO Child Population (Claims Stratum: Non-Chronic)

2020 CAHPS® 5.0H Medicaid with CCC Measure Member Experience Survey

# **Prepared for:**

**Oregon Health Authority** 

# **Prepared by:**

Center for the Study of Services 1625 K Street NW, Suite 800 Washington, DC 20006



# **Table of Contents**

Introduction	
What's New in 2020	5
2020 Survey Fielding Updates	5
Impact of COVID-19 on OHA Reporting	6
Updates to the 2020 OHA CAHPS Survey Results Report	6
Executive Summary	7
Results on Key Survey Measures	7
Top Priorities for Quality Improvement	
Survey Results at a Glance	S
About This Report	10
Survey Methodology	12
Survey Protocol and Timeline	12
Survey Materials	12
Sample Selection	12
Data Capture	13
Member Dispositions and Response Rate	14
Satisfaction with the Experience of Care	
Patient Experience of Care Measures	15
Calculation and Reporting of Results	18
Summary of Survey Results	19
Detailed Performance Charts	21

Memb	per Profile and Analysis of Plan Ratings by Member Segment	42
	Health Status and Demographics	43
	Use of Services	50
Key Dr	river Analysis	53
	Objectives	53
	Technical Approach	53
	Industry Key Driver Model	54
	Opportunities for Plan Quality Improvement	55
	Health Plan Quality Improvement Resources for Key Drivers	
Appen	ıdix	I
	Cross-Tabulations of Survey Responses	
	Survey Instrument	III
	Calculation Guidelines for Global Proportions	IV
	Glossary of Terms	VI

### INTRODUCTION

The Oregon Health Authority (OHA) contracts with managed care organizations, also known as Coordinated Care Organizations (CCOs), to provide health care services. Understanding the experience of people who are Oregon Health Plan (OHP) members is important to clinicians, policy makers, patients and consumers, quality monitors and regulators, provider organizations, health plans, community collaboratives, and those who are responsible for monitoring and evaluating the quality of and access to health care services.

Introduced by the Agency for Healthcare Research and Quality (AHRQ) in the mid-1990s, the Consumer Assessment of Healthcare Providers and Systems (CAHPS) program encompasses the full range of standardized surveys that ask consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers, such as accessibility of services and communication skills of providers.

OHA conducts annual CAHPS surveys asking consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers and focus on aspects of quality that consumers are best qualified to assess, such as the communication skills of providers and ease of access to health care services. The survey results help inform decisions for those involved with providing care to OHP members and to improve the quality of health care services.

The survey measures member satisfaction with the experience of care and gives a general indication of how well the health plan meets members' expectations. Surveyed members are asked to rate various aspects of the health plan based on their experience with the plan during the previous six months.

#### WHAT'S NEW IN 2020

#### **2020 SURVEY FIELDING UPDATES**

#### SAMPLING METHODOLOGY

The sampling methodology consisted of a primary sample for CCOs as well as oversample segments based on race/ethnicity to capture the experience of these members that might not otherwise be captured in the primary sample. Previously, the oversample was drawn independently from the primary sample. However, members sampled as part of the primary sample were counted towards their respective race/ethnicity segments and therefore, we were able to increase the 2020 target sample sizes based on the re-allocation of the oversample.

Two child Medicaid samples were drawn based on the pre-screen status code that identified children that were likely to have a chronic condition (CCC) based on claim and encounter records in the sample frame. However, <u>all</u> child Medicaid sample members received the Child Medicaid with CCC measures instrument regardless of their pre-screen status code to reduce the variation of survey materials and streamline the data collection process.

#### SURVEY INSTRUMENTS

The National Committee for Quality Assurance (NCQA) shortened the 2020 HEDIS/CAHPS 5.0H surveys to reduce the burden for health plan members and sponsors. OHA adopted these changes for the surveys administered to OHP members. The following questions were removed from the survey:

- Shared Decision Making questions and the associated composite measure
- Health Promotion and Education question
- Written Materials or Internet Provided Needed Information question (adult only)
- Chronic conditions (adult only) and proxy questions.

To support the Race, Ethnicity, Language, and Disability (REALD) initiative, OHA implemented additional items in the demographics area of the survey to collect these data from OHP members. Kindergarten readiness items were also removed from the child instrument.

#### IMPACT OF COVID-19 ON OHA REPORTING

The 2020 OHA CAHPS survey fielding timeline overlapped with the COVID-19 outbreak in the United States (US). Survey administration began on January 8, 2020 and data collection closed on April 6, 2020. The pandemic gained more widespread national attention during the second half of survey administration. Oregon's response to the outbreak as outlined in Governor's Executive Order No. 20-12 (<a href="https://www.oregon.gov/gov/Documents/executive orders/eo 20-12.pdf">https://www.oregon.gov/gov/Documents/executive orders/eo 20-12.pdf</a>) demonstrates the overlap of the timelines. A multitude of factors, such as COVID-19 infection rates, consumer experience, stay-at-home orders, social distancing guidelines, and "essential business" designations might affect the data collected. It is unclear how all these changes may have impacted CAHPS survey results for 2020 and CCOs should be mindful of this when interpreting results.

#### **UPDATES TO THE 2020 OHA CAHPS SURVEY RESULTS REPORT**

CSS has made several updates to the 2020 CAHPS Results Reports:

- The Member Profile and Analysis of Plan Ratings by Member Segment section has been updated for revised race and gender survey item. Visiting a dentist's office or clinic for care survey item was also included as a utilization measure.
- The CSS Key Driver Model has been updated to reflect the shortened survey instrument. Areas that are no longer being assessed with the survey were removed from consideration as possible key drivers of plan performance.
- An updated and expanded Health Plan Quality Improvement Resource Guide is included.

#### **EXECUTIVE SUMMARY**

CSS administered the Child Medicaid with CCC Measure version of the 2020 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of InterCommunity Health Network CCO, hereafter referred to as IHN-CCO between January 8 and April 8, 2020. The final Child Medicaid survey sample (Claims Stratum: Non-Chronic) for IHN-CCO included 950 members. 235 members completed the survey, resulting in a response rate of 24.97 percent.

This section highlights some of the key survey findings for IHN-CCO, including trends in CAHPS ratings and composites and comparisons to the State Oregon Health Plan results. Results are based on the rates of members answering 8, 9, or 10 for the ratings questions and Usually or Always for all other measures. Statistical significance tests were conducted at the 95% confidence level. Up to six organizational priorities for quality improvement are also identified based on CSS's Key Driver Analysis.

#### **RESULTS ON KEY SURVEY MEASURES**

#### STATISTICALLY SIGNIFICANT IMPROVEMENTS OR DECLINES COMPARED TO 2019

Reportable Rate IMPROVED	Reportable Rate DECLINED
No statistically significant improvements	No statistically significant declines

#### STATISTICALLY SIGNIFICANT DIFFERENCES FROM STATE OREGON HEALTH PLAN

Reportable	Rate ABOVE Benchmark		Reportable Rate BELOW Benchmark				
2020 State OHP							
None		None					

# TOP PRIORITIES FOR QUALITY IMPROVEMENT

CSS's Key Driver Analysis identifies the areas of health plan performance and aspects of member experience that shape members' overall assessment of their health plan. To the extent that these specific areas or experiences can be improved, the overall rating of the plan should reflect these gains. Up to five quality improvement opportunities with the highest return on investment for IHN-CCO are identified below. Effective interventions in these areas have the greatest potential impact on the *Rating of Health Plan* score.

# **Top Priorities for Quality Improvement**

- 1. Improving the quality of physicians in health plan network (personal doctors)
- 2. Improving the quality of physicians in health plan network (specialists)
- 3. Improving member access to care (ease of getting needed care, tests, or treatment)
- 4. Improving member access to care (getting an appointment for urgent care as soon as needed)
- 5. Removing reasons for members to contact customer service

The remainder of this report examines these and other findings in greater detail.

# **SURVEY RESULTS AT A GLANCE**

An overview of summary measures is presented in Exhibit 1. This includes CAHPS ratings and composites and comparisons to the state Oregon Health Plan results, and prior year data (where available).

EXHIBIT 1. 2020 OHA CAHPS SURVEY FOR IHN-CCO CHILD MEDICAID SAMPLE (CLAIMS STRATUM: NON-CHRONIC): SURVEY RESULTS AT A GLANCE

CAHPS 5.0H Survey Measures		Global Proportions and Question Summary Rates			Valid Responses			
		2018	2019	2020	2018	2019	2020	2020 State OHP
	Q9. Rating of All Health Care	85.48%	87.80%	84.28%	124	123	159	87.09%
Overall Ratings	Q36. Rating of Personal Doctor	89.02%	93.24%	89.27%	173	148	205	89.01%
(% 8, 9, or 10)	Q43. Rating of Specialist Seen Most Often	77.27% (Low n)	81.82% (Low n)	85.71% (Low n)	22	22	28	85.64%
	Q49. Rating of Health Plan	81.48%	85.39%	81.30%	189	178	230	83.48%
Getting Needed Care	Getting Needed Care Composite	77.33%	83.85%	84.94%	75	74	95	82.21%
•	Q10. Easy to get needed care	88.00%	87.70%	91.08%	125	122	157	91.29%
(% Always or Usually)	Q41. Easy to see specialists	66.67% (Low n)	80.00% (Low n)	78.79%	24	25	33	73.13%
Getting Care Quickly	Getting Care Quickly Composite	89.80%	86.51%	87.71%	88	89	115	89.01%
(% Always or Usually)	Q4. Got urgent care as soon as needed	91.67%	90.91%	94.52%	60	55	73	91.31%
(% Always or Usually)	Q6. Got routine care as soon as needed	87.93%	82.11%	80.89%	116	123	157	86.70%
	How Well Doctors Communicate Composite	95.63%	96.38%	95.31%	109	104	144	94.71%
<b>How Well Doctors</b>	Q27. Doctor explained things	95.37%	96.15%	93.75%	108	104	144	94.74%
Communicate*	Q28. Doctor listened carefully	97.25%	97.12%	97.90%	109	104	143	96.04%
(% Always or Usually)	Q29. Doctor showed respect	99.08%	96.15%	97.24%	109	104	145	97.03%
	Q32. Doctor spent enough time	90.83%	96.08%	92.36%	109	102	144	91.03%
Customer Service	Customer Service Composite	88.13%	87.84%	89.36%	47	50	47	89.00%
	Q45. Provided needed information/help	80.43%	83.67%	85.11%	46	49	47	84.08%
(% Always or Usually)	Q46. Treated with courtesy/respect	95.83%	92.00%	93.62%	48	50	47	93.93%
	Q35. Coordination of Care (% Always or Usually)	83.33%	82.22%	88.89%	48	45	45	82.81%
	. Access to Prescription Medicines			94.12%			68	91.48%
Children with Chronic	. Access to Specialized Services			67.19% (Low n)			11	71.04%
Conditions Measures	. Getting Needed Information			87.50%			160	91.67%
Conditions Measures	. Personal Doctor Who Knows Child			90.87%			67	91.72%
	. Coordination of Care for Children With Chronic Conditions			77.96% (Low n)			27	75.10%

If n is less than 30, "Low n" is displayed next to score.

Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the denominator threshold (n=30). All statistical tests are conducted at the 95% confidence level prior to rounding. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as 🛦 when your rate is higher or 🔻 when it is lower.

#### **ABOUT THIS REPORT**

The key features of this 2020 CAHPS report, prepared by CSS for IHN-CCO, are highlighted below.

- Survey results presented in this report were calculated following the NCQA guidelines published in *HEDIS* 2020, *Volume 3: Specifications for Survey Measures* unless otherwise noted. Summary Results are reported regardless of whether the denominator threshold is met, however, any summary measure where the denominator is less than 30 is marked as "Low n".
- Throughout the report, the 2020 IHN-CCO survey results are compared to the 2020 State OHP. The 2020 State OHP is calculated by pooling Child Medicaid survey responses across CCOs surveyed by the Oregon Health Authority who were likely to not have a chronic condition based on claim and encounter records.
- Executive Summary provides a high-level overview of survey findings. This section highlights the areas where IHN-CCO performs significantly above or below the state Oregon Health Plan performance. If prior-year survey results are available, any statistically significant improvements or declines on key survey measures are also noted. Up to five top organizational priorities for quality improvement based on CSS's Key Driver Analysis are identified.
- Summary of Survey Results presents the 2020 IHN-CCO survey scores on key measures, including question summary rates (QSRs), global proportions, and changes in QSR and global proportion scores from the previous year (if applicable); and comparisons to relevant state Oregon Health Plan benchmarks. Statistically significant differences in scores are noted.
- Detailed Performance Charts are provided for the rating questions, composite measures, and individual survey items representing the various CAHPS domains of care. The 2020 IHN-CCO QSRs and global proportions are compared to the 2020 State OHP on all measures. Where available, a three-year trend in scores is also shown.
- Member Profile and Analysis of Plan Ratings by Member Segment compares the 2020 IHN-CCO respondent profile to the appropriate reference distribution (i.e., all plans included in the 2020 State OHP) of demographic characteristics and utilization variables. Variation in Rating of Health Plan measure by member segment is examined.

• Key Driver Analysis identifies those aspects of member experience (key drivers) that are closely related to the overall rating of the plan. The CSS Key Driver Model quantifies the contribution of each key driver to the overall evaluation of the plan. The 2020 IHN-CCO results on each key driver are compared to the highest score among all the Child Medicaid plans contributing to the 2020 State OHP, yielding a measure of available room for improvement in each area. The result is then weighted by the key driver's contribution to the overall Rating of Health Plan score. Opportunities for improvement are prioritized based on the expected improvement in the IHN-CCO Rating of Health Plan score due to improved performance on the key driver. A separate section of the report provides some helpful resources for health plan quality improvement.

# • The *Appendix* includes:

- Detailed cross-tabulations of survey responses for every survey question, with additional tables summarizing performance on key survey measures;
- A copy of the survey instrument;
- Step-by-step guidelines for calculating composite global proportions; and
- A glossary of terms.

#### SURVEY METHODOLOGY

#### SURVEY PROTOCOL AND TIMELINE

CSS administered the Child Medicaid with CCC Measure version of the 2020 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of IHN-CCO using a mixed methodology of internet, mail, and telephone. The Oregon Health Authority's mixed methodology consisted of the following milestones:

- A prenotification letter with an invitation to complete the survey online, which was mailed on January 8;
- An initial questionnaire with cover letter, which was mailed on January 15;
- A replacement questionnaire with cover letter, which was mailed on February 13;
- A telephone follow-up phase targeting non-respondents, with up to four telephone follow-up attempts spaced at different times of the day and on different days of the week, which started on March 9; and
- Close of data collection on April 6, 2020.

#### **SURVEY MATERIALS**

The survey instruments (both English and Spanish) used for IHN-CCO are provided in the Appendix. CSS designed the survey following instructions from OHA and the NCQA specifications detailed in *HEDIS 2020, Volume 3: Specifications for Survey Measures* and *Quality Assurance Plan for HEDIS 2020 Survey Measures*. The materials referred to Oregon Health Plan and included the Oregon Health Authority logo on all the mailing materials. Each survey package included a postage-paid return envelope. Besides the core CAHPS questions, the survey included 25 additional questions added by OHA. These included questions on cultural competency, access to dental care, and REALD demographics. All mailings included a duplex English and Spanish cover letter. Members received either an English or Spanish survey based on language information provided by Oregon Health Authority. Members had the option to request the survey in the other language using a telephone request line.

#### **SAMPLE SELECTION**

CSS followed Oregon Health Authority's instructions to generate the survey sample for IHN-CCO. Sample-eligible members were defined as plan members who were 17 years old or younger as of November 30, 2019; were currently enrolled; had been continuously enrolled for six months (with no more than one enrollment break of 45 days or less); and whose primary coverage was through Medicaid. The sample frame included a pre-screen status code to identify

children that were likely to have a chronic condition (CCC) based on claim and encounter records. Using this code, a sample was drawn from the child Medicaid population. All child Medicaid sample members received the Child Medicaid w/ CCC measures instrument regardless of their pre-screen status code. The results for the CCC population presented in this report are based the pre-screen status code rather than responses to the survey in the NCQA methodology.

Prior to sampling, CSS carefully inspected the member file(s) and informed the Oregon Health Authority of any errors or irregularities found (such as missing address elements or subscriber numbers). Once the quality assurance process had been completed, CSS processed member addresses through the USPS National Change of Address (NCOA) service to ensure that the mailing addresses were up-to-date.

The final sample was generated using a random selection methodology, with no more than one member per household selected to receive the survey. The exception to this rule was any CCO that failed to meet the desired sample size in which case more than one member per household could be selected. CSS assigned each sampled member a unique identification number, which was used to track their progress throughout the data collection process.

The Oregon Health Authority chose to oversample for targeted race and ethnicity groups to ensure these groups were appropriately represented in the state sample. Data for those sample members only appear in the State OHP results and not the individual CCO results. Therefore, the final Child Medicaid survey sample (Claims Stratum: Non-Chronic) for IHN-CCO included 950 members.

#### **DATA CAPTURE**

Questionnaires returned by mail were recorded using either manual data entry or optical scanning. Responses recorded via manual data entry were keyed by two independent data entry operators, and any discrepancies between the two response records were flagged and reconciled by a supervisor. Individual responses on surveys recorded via optical scanning were sent to data entry operators if the scanning technology was unable to identify the specific response option selected with a pre-defined degree of certainty.

Computer Assisted Telephone Interviewing (CATI) technology was used to electronically capture survey responses obtained during telephone interviews. Members were able to complete the survey in either English or Spanish. On-site CATI supervisors maintained quality control by monitoring the telephone interviews and keyboard entry of interviewers in real time. In addition, CSS research staff remotely monitored interviews on a regular basis. Due to the multiple mailings and varied modes of data collection, multiple survey responses could be received from the same sample member. In those cases, CSS included only one survey response (the most complete survey) in the final analysis dataset.

# **MEMBER DISPOSITIONS AND RESPONSE RATE**

Among the IHN-CCO sample members who met final eligibility criteria, 235 completed the survey, resulting in a response rate of 24.97 percent. Additional detail on sample member status at the end of data collection (dispositions) is provided in Exhibit 2.

EXHIBIT 2. 2020 OHA CAHPS SURVEY FOR IHN-CCO CHILD MEDICAID SAMPLE (CLAIMS STRATUM: NON-CHRONIC): SAMPLE MEMBER DISPOSITIONS AND RESPONSE RATE

	To		
Disposition	Number	Number % Initial Sample	
Initial Sample	950	100.00%	
Disposition			
Complete and Eligible - Mail	138	14.53%	13.69%
Complete and Eligible - Phone	96	10.11%	9.56%
Complete and Eligible - Internet	1	0.11%	0.49%
Complete and Eligible - Total	235	24.74%	23.74%
Does not meet Eligible Population criteria	8	0.84%	1.12%
Incomplete (but Eligible)	14	1.47%	1.90%
Ineligible	1	0.11%	0.34%
- Language barrier	1	0.11%	0.11%
- Mentally or physically incapacitated	0	0.00%	0.00%
- Deceased	0	0.00%	0.02%
Refusal	64	6.74%	6.79%
Nonresponse after maximum attempts	617	64.95%	65.73%
Added to Do Not Call (DNC) list	11	1.16%	0.59%
Response Rate*		24.97%	24.04%

41270

<sup>\*</sup>Response rate = Complete and Eligible Surveys/[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts + Added to Do Not Call (DNC) List]

#### SATISFACTION WITH THE EXPERIENCE OF CARE

#### PATIENT EXPERIENCE OF CARE MEASURES

#### **GLOBAL RATINGS**

CAHPS Health Plan Survey (version 5.0H) includes four global rating questions that utilize the scale of 0 to 10, with 0 representing the worst and 10 representing the best possible rating. Results are reported as the proportion of members selecting one of the top three responses (8, 9, or 10).

- Rating of Personal Doctor (0 = worst personal doctor possible; 10 = best personal doctor possible)
- Rating of Specialist Seen Most Often (0 = worst specialist possible; 10 = best specialist possible)
- Rating of All Health Care (0 = worst health care possible; 10 = best health care possible)
- Rating of Health Plan (0 = worst health plan possible; 10 = best health plan possible)

#### **CAHPS COMPOSITES**

In addition to the global ratings, the results for several CAHPS composite measures are also reported. CAHPS composites combine results from related survey questions into a single measure to summarize health plan performance in the areas listed below.

- **Getting Needed Care** combines two survey questions that address member access to care. Both questions use a *Never, Sometimes, Usually*, or *Always* response scale, with *Always* being the most favorable response. Results are based on the proportion of members answering the following questions as *Usually* or *Always*.
  - In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?
  - In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?

- **Getting Care Quickly** combines responses to two survey questions that address timely availability of both urgent and check-up/routine care. The questions use a *Never*, *Sometimes*, *Usually*, or *Always* scale, with *Always* being the most favorable response. Results are based on the proportion of members selecting *Usually* or *Always* in response to the following questions:
  - In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed?
  - In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?
- How Well Doctors Communicate combines responses to four survey questions that address physician communication. The questions use a Never, Sometimes, Usually, or Always scale, with Always being the most favorable response. Results are reported as the proportion of members answering the following questions as Usually or Always:
  - In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?
  - In the last 6 months, how often did your child's personal doctor listen carefully to you?
  - In the last 6 months, how often did your child's personal doctor show respect for what you had to say?
  - In the last 6 months, how often did your child's personal doctor spend enough time with your child?
- **Customer Service** combines responses to two survey questions that ask about member experience with the health plan's customer service. The questions use a *Never*, *Sometimes*, *Usually*, or *Always* scale, with *Always* being the most favorable response. Results are reported as the proportion of members selecting *Usually* or *Always* in response to the following questions:
  - In the last 6 months, how often did customer service staff at your child's health plan give you the information or help you needed?
  - In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?
- **Coordination of Care** is based on a single survey question, which uses a *Never*, *Sometimes*, *Usually*, or *Always* scale (with *Always* being the most favorable response). Results are based on the proportion of members selecting *Usually* or *Always* in response to the question below:
  - In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

NCQA calculates and reports the following measures for the Child Medicaid with CCC Survey:

- Access to Specialized Services combines responses to three survey questions addressing the child's access to special equipment or devices, therapies, treatments, or counseling. The questions use a Never, Sometimes, Usually, or Always scale, with Always being the most favorable response. Results are reported as the proportion of members answering the following questions as Usually or Always:
  - In the last 6 months, how often was it easy to get special medical equipment or devices for your child?
  - In the last 6 months, how often was it easy to get this therapy for your child?
  - In the last 6 months, how often was it easy to get this treatment or counseling for your child?
- **Personal Doctor Who Knows Child** combines responses to three survey questions addressing the doctor's understanding of the child's health issues. The questions use a **Yes** or **No** scale. Results are reported as the proportion of members answering **Yes** to the following questions:
  - In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?
  - Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life?
  - Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your family's day-to-day life?
- Coordination of Care for Children with Chronic Conditions combines responses to two survey items addressing care coordination needs related to the child's chronic condition. The questions use a Yes or No scale. Results are reported as the proportion of members answering Yes to the following questions:
  - In the last 6 months, did you get the help you needed from your child's doctors or other health providers in contacting your child's school or daycare?
  - In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services?
- **Getting Needed Information** is based on a single survey question, which uses a *Never, Sometimes, Usually*, or *Always* scale (with *Always* being the most favorable response). Results are based on the proportion of members selecting *Usually* or *Always* in response to the question below:
  - In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers?

- Access to Prescription Medicines is based on a single survey question, which uses a Never, Sometimes, Usually, or Always scale (with Always being the most favorable response). Results are based on the proportion of members selecting Usually or Always in response to the question below:
  - In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan?

#### CALCULATION AND REPORTING OF RESULTS

#### QUESTION SUMMARY RATES AND COMPOSITE GLOBAL PROPORTIONS

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest from a given question on the survey.

**Composite Global Proportions** express the proportion of respondents selecting the response option(s) of interest from a given group of questions on the survey. They are calculated by first determining the proportion of respondents selecting the reported response(s) on each survey question contributing to the composite and subsequently averaging these proportions across all items in the composite.

Throughout the report, all question summary rates and composite global proportions are rounded to two decimal places for display purposes (e.g., 0.23456 is displayed as 23.46%). However, all calculations involving rates and proportions, including statistical significance testing, are carried out prior to rounding. For more details on the calculations please refer to *HEDIS 2020*, *Volume 3: Specifications for Survey Measures* or consult the Appendix.

#### **DENOMINATOR THRESHOLD**

The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite (note: composite denominators are rounded for display purposes). If the rate denominator is less than 30, a measure result of "Low n" was assigned. This report presents results for all measures, regardless of denominator size. Any result that does not meet the denominator threshold of 30 valid responses is denoted with "Low n" to inform interpretations of results.

#### COMPARISONS TO BENCHMARKS AND PRIOR-YEAR RESULTS

Throughout the report, the 2020 IHN-CCO results are compared to the 2020 State OHP as well as to the highest and lowest performing CCO. The 2020 State OHP is calculated by pooling Child Medicaid survey responses across CCOs surveyed by the Oregon Health Authority who were likely to not have a chronic condition based on claim and encounter records. If available, prior-year survey results are provided for comparison and year-to-year changes in results are tested for statistical significance. All the statistical tests are carried out at the 95% confidence level (i.e., there is a 95% probability that the observed difference is not due to chance).

# **SUMMARY OF SURVEY RESULTS**

Exhibit 3 provides a high-level IHN-CCO performance overview on key survey measures. These include overall ratings, composite global proportions, and QSRs for additional content areas. Where applicable, changes in scores over time and comparisons to benchmarks are reported and tested for statistical significance.

# EXHIBIT 3. 2020 OHA CAHPS SURVEY FOR IHN-CCO CHILD MEDICAID SAMPLE (CLAIMS STRATUM: NON-CHRONIC): SUMMARY OF RESULTS ON KEY MEASURES

			Differenc	e** between 2020 Rate and			
CAHPS 5.0H Survey Measures*		2020 Rate	2019 Rate	2018 Rate	2020 State OHP		
Ratings		,					
Rating of Personal Doctor		89.27%	-3.97%	0.25%	0.26%		
Rating of Specialist Seen Most Often	Low n	85.71%	3.90%	8.44%	0.07%		
Rating of All Health Care		84.28%	-3.53%	-1.21%	-2.81%		
Rating of Health Plan		81.30%	-4.09%	-0.18%	-2.18%		
Composite Measures							
Getting Needed Care		84.94%	1.08%	7.60%	2.73%		
Getting Care Quickly		87.71%	1.19%	-2.09%	-1.30%		
How Well Doctors Communicate		95.31%	-1.06%	-0.32%	0.60%		
Customer Service		89.36%	1.52%	1.23%	0.36%		
Additional Content Areas							
Coordination of Care		88.89%	6.67%	5.56%	6.08%		
Children with Chronic Conditions Measures				•			
Access to Prescription Medicines		94.12%	No data***	No data***	2.64%		
Access to Specialized Services	Low n	67.19%	No data***	No data***	-3.85%		
Getting Needed Information		87.50%	No data***	No data***	-4.17%		
Personal Doctor Who Knows Child		90.87%	No data***	No data***	-0.85%		
Coordination of Care for Children With Chronic Conditions	Low n	77.96%	No data***	No data***	2.86%		

<sup>\*</sup> Results were calculated following NCQA specifications and prior year results may differ from those previously reported.

<sup>\*\*</sup> Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the small denominator threshold (n=30). All differences in rates are calculated prior to rounding and are rounded for display purposes only. All statistical tests are conducted at the 95% confidence level. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as ▲ when your current-year rate is higher or ▼ when it is lower.

<sup>\*\*\*</sup> The result is not available because the measure is new or not trendable, or the organization did not collect survey data in a prior year.

#### **DETAILED PERFORMANCE CHARTS**


This section of the report includes detailed charts for composite global proportions, rating question summary rates (QSRs), as well as additional QSRs for individual survey items. The charts have the following features:

#### TREND IN RESULTS

- IHN-CCO survey scores are trended over three consecutive years of data collection, if available. A result may not be available if the survey was not administered in a given year, if the measure is new, or if the measure is not deemed appropriate for trending. In such cases, "No data" appears in place of the score.
- Where appropriate, changes in the distribution of favorable ratings over time are shown in the *Top Rating Distribution* panel of the chart (i.e., percent responding 8 vs. percent responding 9 or 10, or percent responding *Usually* vs. percent responding *Always*).
- The number of valid responses (*n*) appears above each bar. If the number of responses is less than 30, "Low n" appears next to the value of *n*, indicating that the result does not meet the denominator threshold. CSS calculates all rates regardless of this threshold.
- Statistical comparisons are conducted between the current-year rate and each of the prior-year rates, if available. Where appropriate, differences in both standard (e.g., 8 + 9 + 10 or Usually + Always) as well as top-box (e.g., 9 + 10 or Always) rates are tested for statistical significance at the 95% confidence level. Statistically significant differences are indicated with a ★ symbol next to the comparison score. For example, ★ appearing next to the 2019 rate denotes a statistically significant difference between the 2020 and 2019 rates.


#### COMPARISONS TO BENCHMARKS

• The horizontal lines displayed on the charts correspond to the 2020 State OHP as well as to the highest and lowest performing CCO. If the 2020 IHN-CCO score is significantly different from any of these benchmark scores at the 95% confidence level, \*\* appears next to the relevant score.







Tests of statistical significance were conducted for the following reportable rates: (8+9+10) and (9+10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a  $\bigstar$  symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a  $\star$  symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \*\* symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \*\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \*\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \*\* symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \* symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a 🛨 symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \*\pm\$ symbol next to the comparison rate.



Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a  $\star$  symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \*\pm\$ symbol next to the comparison rate.



Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a  $\star$  symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a 🛨 symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \*\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a  $\star$  symbol next to the comparison rate.



Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \*\pm\$ symbol next to the comparison rate.



Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \*\pi\$ symbol next to the comparison rate.



Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a 🛨 symbol next to the comparison rate.

#### MEMBER PROFILE AND ANALYSIS OF PLAN RATINGS BY MEMBER SEGMENT

This section of the report presents a detailed profile of the IHN-CCO membership. In addition to member demographics and health status, responses to survey items that assess utilization of healthcare services are included.

A health plan's membership mix is shaped by multiple factors, most of which are beyond the scope of this survey. These include benefit design, geography, availability of health plan choices, and member self-selection into products that best meet their needs. CSS's analysis of industry data suggests that there is considerable variation in member demographic makeup and utilization patterns across plans. To the extent that various member segments have distinct healthcare needs, utilization patterns, expectations, experiences, as well as attitudes and perceptions, their ratings of the *same* health plan will likely differ.

Certain member characteristics (e.g., health status) appear to be directly related to differences in healthcare needs and utilization levels. For example, some plans have predominantly healthy members, whose interactions with care providers and the plan tend to be limited. By contrast, other plans serve populations with higher rates of illness. These members tend to have more frequent encounters with the healthcare system and as a result may become more experienced users of health plans. The ways in which members use the plan, the frequency of their interactions with providers and staff, and their overall level of familiarity with how the plan works may affect ratings.

In addition to health care needs and utilization patterns, demographic characteristics have been shown to influence survey responses. For example, all else being equal, older respondents and members of certain ethnic groups (e.g., Hispanic or Latino respondents) tend to rate their health care providers and plans more positively. By contrast, more educated members rate more critically, regardless of age or ethnicity.


While the interplay between these membership variables (often referred to as the plan's "case mix") and health plan ratings is complex, health plan ratings clearly vary across demographic groups and user segments. Understanding the plan's case mix can help managers to gain insight into possible sources of this variation.

The charts on the following pages compare the IHN-CCO membership profile to the relevant state Oregon Health Plan benchmark distribution on demographic characteristics and utilization patterns. The pie chart in the upper half of each panel contrasts the distribution of the IHN-CCO membership on a given member attribute (e.g., gender, education level, number of doctor visits, etc.) with the 2020 state Oregon Health Plan distribution on the same attribute. The bar chart in the lower half of each panel shows how the overall rating of the plan varies by member segment.

# **HEALTH STATUS AND DEMOGRAPHICS**


The following characteristics are profiled in this section:

- Child's age
- Child's current gender identity
- Child's health status
- Child's mental or emotional health status
- Respondent's age
- Respondent's current gender identity
- Respondent's education level
- Respondent's relationship to the child
- Child's racial or ethnic identity




<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.




<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.




<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.



<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.


<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.



<sup>†</sup> The self-reported race and ethnicity responses were aggregated into broader race and ethnic categories to help summarize for reporting purposes.

<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.



<sup>†</sup> The self-reported race and ethnicity responses were aggregated into broader race and ethnic categories to help summarize for reporting purposes.


<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.

# **USE OF SERVICES**

The following utilization measures are included in this section:

- Seeking urgent care
- Making appointments for routine care
- Having a personal doctor
- Receiving care from a provider other than personal doctor
- Making an appointment to see a specialist
- Having a regular dentist
- Number of visits to a doctor's office or clinic
- Number of specialists seen



<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.


Q7. In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?


**Your Organization** 

6% <1%

3% ¬

Q42. How many specialists has your child seen in the last 6 months? (Note: the question applies only to those respondents who had appointments with specialists.)





Note: all percentages are rounded for display. Rating of Health Plan score should be interpreted with caution if the size of the group (pie slice) is small.

State OHP\*

<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.

### **KEY DRIVER ANALYSIS**

#### **OBJECTIVES**

CSS's Key Driver Analysis (KDA) highlights some of the key differences between high- and low-rated health plans at the industry level. The principal objectives of the KDA are:

- To isolate a set of plan attributes, or key drivers, that distinguish high-rated plans from low-rated plans;
- To highlight industry best practices on the key driver measures;
- To compare the current performance of IHN-CCO to industry best practices in these areas; and
- To estimate the impact of improving performance on these measures on the Rating of Health Plan measure.

### **TECHNICAL APPROACH**

#### **INDUSTRY VIEW**

Industry-level analysis, which uses health plans as units of analysis, has several important advantages compared to the alternative approach, which focuses on member experiences within a single plan. Certain plan attributes are strongly related to member satisfaction at the industry level. However, these relationships may be missed if we focus on only one plan at a time. For example, it has been shown that plans that are rated highly on measures of access and availability of care tend to have high overall ratings. Conversely, poor access scores are associated with low overall plan scores. This relationship is clear when ratings are compared across plans. However, within a specific plan, member experiences may not be sufficiently varied to reveal the underlying relationship. That is, if all members are equally dissatisfied with access to care, this measure will show a misleadingly low correlation with the overall rating of the plan. As a result, the plan may underestimate the key role of access to care as a driver of member satisfaction and miss a critical opportunity for improvement.

In addition, expressing every CAHPS survey variable as a plan-level rate yields a complete and rich information set on each plan. This effectively eliminates any "gaps" in respondent-level data from a single plan caused by survey skip patterns and allows every response to be used in the analysis.

Finally, in addition to the standard CAHPS performance measures, other sources of differences between health plans can be explored, increasing the explanatory power of the model and allowing for more precise estimation of the individual key driver effects. These include experience rates, which are based on responses to the CAHPS screener questions. Screeners establish whether a member had a particular type of experience or interaction with the plan (e.g.,

contacted customer service, searched for information in the plan's written materials, etc.) CSS's analysis shows that these experience variables explain a significant portion of the plan's overall satisfaction score. Additional components of the overall score include utilization rates and demographic characteristics of the plan's membership, addressed in more detail in the *Member Profile and Analysis of Plan Ratings by Member Segment* section of this report. Clearly, from the plan's perspective, some of these factors are more actionable than others. However, to yield an accurate model of key drivers of member satisfaction, the analysis must consider any and all measurable influences on the overall rating of the plan.

#### KEY DRIVER MODEL DEVELOPMENT

The CSS *Key Driver Model* was developed using a national plan-level dataset of Child Medicaid CAHPS survey results. The analysis was based on the plans surveyed by CSS in 2020, including their 2020, 2019 and 2018 results for a total 312 units of observation. CSS performed regression analysis of health plan ratings to identify the sources of variation in overall scores across the industry spectrum, using individual health plans as units of analysis. Regression analysis expresses mathematically the relationship between plan attributes (predictors) and the global *Rating of Health Plan* score, controlling for interdependencies among the predictors and other factors that may influence ratings (e.g., member demographics, utilization patterns, etc.) Predictors were chosen carefully to yield a model that is both meaningful and actionable from the health plan's point of view.

All of the plan variables, including potential drivers of satisfaction (i.e., variables that the plan may consider actionable) and control variables (member demographics, health status, utilization rates, product type, and year of data collection) were entered into the regression model, and the independent contribution of each variable was estimated. As in the past, CSS excluded *Rating of All Health Care* from the list of predictors both because of its high correlation with *Rating of Health Plan* and the presence of other survey items that measure more specific aspects of member experience. If included, *Rating of all Health Care* would account for a large portion of the variance and confound coefficient estimates for the remaining variables in the model.

## **INDUSTRY KEY DRIVER MODEL**

The table below lists six key drivers of Child Medicaid member experience in order of importance, from highest to lowest, based on their relative contribution to the *Rating of Health Plan* score. These variables have statistically significant coefficients in the regression model (*p*-value < 0.05). Performance on these variables, together with the control variables, explains 75 percent of the industry variation in Child Medicaid health plan ratings. Note that this ordering reflects *only* the strength of the overall relationship between each key driver and the health plan score at the industry level. It does not take into account how IHN-CCO is currently performing on these measures. Improvement targets identified specifically for IHN-CCO, which consider both the strength of the key driver and the current level of performance in the area, are presented graphically in the next section.

Access to care (Q10, Q4) and providers (Q25, Q36 and Q43) are significant drivers of member experience. Note that Q44 (contacting customer service) is marked with a ▼ symbol because this experience is *negatively* related to the overall health plan score. Plans that have large numbers of members who report contacting customer service to get information or help generally have *lower* overall satisfaction scores.

Key Driver	Interpretation
Q36. Rating of Personal Doctor (percent 9 or 10)	The higher the proportion of members rating their child's personal doctor as $9$ or $10$ , the higher the overall plan score
Q10. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i> )	The higher the proportion of respondents reporting that the necessary care, tests, or treatment were easy to get, the higher the overall plan score
Q43. Rating of Specialist Seen Most Often (percent $9$ or $10$ )	The higher the proportion of members rating their specialist as $9$ or $10$ , the higher the overall plan score
Q25. Child has a personal doctor (percent Yes)	The higher the proportion of respondents who report that their child has a personal doctor, the higher the overall plan score
Q44. ▼ Got information or help from customer service (percent <i>Yes</i> )	The higher the proportion of members reporting that they contacted customer service for information or help, the <u>lower</u> the overall plan score
Q4. Got an appointment for urgent care as soon as needed (percent <i>Always</i> or <i>Usually</i> )	The higher the proportion of members reporting favorably on their experience getting urgent care, the higher the overall plan score

# **OPPORTUNITIES FOR PLAN QUALITY IMPROVEMENT**

Specific improvement opportunities for IHN-CCO are presented in Exhibit 4. The ordering reflects both the strength of each key driver in the broad industry context and how IHN-CCO is currently performing on the measure.

The middle panel of the chart compares how IHN-CCO is performing compared to the *best practice* score on each key driver. CSS defined the best practice score as the highest score among all the Child Medicaid plans contributing to the 2020 State OHP. Room for improvement, represented by the green arrows on the chart, is the difference between the current level of IHN-CCO performance and the best practice score.

The bar chart on the right displays the expected improvement in the overall *Rating of Health Plan* score IHN-CCO could achieve if it performed on par with the best practice plan on each of the key driver measures. Each bar represents room for improvement on the key driver weighted by its contribution to the *Rating of Health Plan* score.

EXHIBIT 4. 2020 OHA CAHPS SURVEY FOR IHN-CCO CHILD MEDICAID SAMPLE (CLAIMS STRATUM: NON-CHRONIC): KEY AREAS AND PRIORITIES FOR IMPROVEMENT

Current Key Driver Performance		Room for Improvement on Key Driver	Overall Improvement Opportunity
2020 Rate		Percentage Point Difference Between Current Key Driver Score and the Best Practice Score*	Expected Percentage Point Improvement in Rating of Health Plan score (percent 9 or 10) if Key Driver Performs at Best Practice Level
Q36. Rating of Personal Doctor (percent 9 or 10)	76.59%	+6.90%	+3.64%
Q43. Rating of Specialist Seen Most Often (percent 9 or 10)	75.00%	+21.43% 96.43%	+2.62%
Q10. Ease of getting needed care, tests, or treatment (percent <i>Usually</i> or <i>Always</i> )	91.08%	+4.82% -> 95.90%	+1.46%
Q4. Got urgent care as soon as needed (percent Usually or Always)	94.52%	+5.48% 100.00%	+0.81%
Q44. Got information or help from customer service (percent <i>Yes</i> )	<b>20.69%</b>	<b>-6.20% → 14.49%</b>	+0.63%
Q25. Child has personal doctor (percent Yes)	91.67%	+2.02% >> 93.69%	+0.36%

<sup>\*</sup>Best score on the key driver measure among all plans included in the 2020 State OHP

# **HEALTH PLAN QUALITY IMPROVEMENT RESOURCES FOR KEY DRIVERS**

CSS's Industry *Key Driver Analysis* lists improvement opportunities and priorities for IHN-CCO. The following is a list of possible interventions and resources related to each of the key drivers. This section is included as a guide to assist you in your quality improvement efforts. Some of these resources may be more applicable to IHN-CCO than others, especially because many of the cited interventions are intended to be implemented at the practice or provider level. For a useful introduction to quality improvement (QI), refer to the Agency for Health Care Research and Quality's (AHRQ) reference guide that includes descriptions of QI strategies in health delivery systems (<a href="https://www.ahrq.gov/sites/default/files/wysiwyg/cahps/quality-improvement/improvement-guide/4-approach-qi-process/cahps-section-4-ways-to-approach-qi-process.pdf">https://www.ahrq.gov/sites/default/files/wysiwyg/cahps/quality-improvement/improvement-guide/4-approach-qi-process/cahps-section-4-ways-to-approach-qi-process.pdf</a>).

#### IMPROVING MEMBER ACCESS TO CARE

Removing barriers to care is central to improving the health care experience of plan members. The following resources suggest ways to improve patient access to care, tests, and treatment.

- Same-Day Appointment Scheduling The Agency for Healthcare Research and Quality (AHRQ) recommends a method of scheduling that leaves part of each physician's day open for same-day appointments, rather than a traditional scheduling model that books appointments weeks or months in advance. Because the method does not differentiate between urgent and routine care, patients with non-urgent concerns are able to schedule appointments sooner than under traditional scheduling methods. For more information, see <a href="http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/access/strategy6a-openaccess.html">http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/access/strategy6a-openaccess.html</a>.
- Implement Process Improvements to Streamline Patient Flow Delays experienced by patients while waiting for care, tests, or treatment can be minimized through a variety of mechanisms. For example, reallocating tasks such as physical exams and ordering x-rays to physician's assistants and nurse practitioners frees up physicians' time to attend to more pressing patient concerns. The exact form of these improvements will vary widely by practice. See <a href="http://www.ahrq.gov/research/findings/final-reports/ptflow/index.html">http://www.ahrq.gov/research/findings/final-reports/ptflow/index.html</a> for AHRQ's guide to plan and implement patient flow improvement strategies.
- Patient-Centered Medical Homes (PCMH) This model increases patient access to physicians, reducing barriers to receiving care
   (<a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2869425/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2869425/</a>). There are many valuable sources of information on the medical home model of care and health equity. To start, see this Institute of Medicine report: <a href="https://nam.edu/wp-content/uploads/2015/06/PatientCenteredMedicalHome.pdf">https://nam.edu/wp-content/uploads/2015/06/PatientCenteredMedicalHome.pdf</a>. Family Medicine for America's Health is a collaboration of family medicine organizations dedicated to improving health care by expanding and emphasizing primary care, particularly through the use of patient-centered medical homes. For AHRQ's resources detailing transitioning a practice to a patient-centered medical home model, see <a href="http://www.pcmh.ahrq.gov/">http://www.pcmh.ahrq.gov/</a>.

• Alternative Access Centers – This brief (<a href="http://www.rwjf.org/content/dam/farm/reports/issue\_briefs/2015/rwjf419415">https://www.rwjf.org/content/dam/farm/reports/issue\_briefs/2015/rwjf419415</a>) from the Robert Wood Johnson Foundation highlights the growing capacity of retail clinics and telemedicine to meet patient medical needs, particularly in rural and underserved communities and for patients with acute but non-serious conditions who need care quickly. Providing patients with alternative venues to access health care, rather than the traditional doctor's office or hospital, lowers barriers to care (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4795318/).

#### IMPROVING QUALITY OF PHYSICIANS IN HEALTH PLAN NETWORK

These resources concentrate on improving the physician-patient relationship, with a focus on communication. Implementing the solutions proposed here may result in patients' increased rating of doctors.

- Help Patients Communicate Patients who can effectively communicate their needs tend to have higher satisfaction with their care. AHRQ recommends four interventions that prepare patients to better communicate with their providers, including record sharing, writing down talking points prior to visits, and "coached care" programs. See <a href="http://www.ahrq.gov/cahps/quality-improvement-guide/6-strategies-for-improving/communication/strategy6i-shared-decisionmaking.html">http://www.ahrq.gov/cahps/quality-improvement-guide/6-strategies-for-improving/communication/strategy6i-shared-decisionmaking.html</a> and <a href="http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6htools.html">http://www.ahrq.gov/cahps/quality-improvement/improvement/improvement-guide/6-strategies-for-improving/communication/strategy6htools.html</a>. For a sample communication document that providers can distribute to patients before or during visits, see <a href="http://www.rwjf.org/content/dam/farm/toolkits/toolkits/2013/rwjf404048">http://www.rwjf.org/content/dam/farm/toolkits/toolkits/2013/rwjf404048</a>.
- Build Physician-Patient Relationships An article published in the British Journal of General Practice found that patients seeing their preferred doctor rated their satisfaction with visits significantly higher than patients who did not have a doctor preference or those who would have preferred to see a different doctor. A study of English National Health Service data found that confidence and trust in a doctor is an important predictor of overall patient satisfaction (<a href="http://www.ncbi.nlm.nih.gov/pubmed/18416910/">http://www.ncbi.nlm.nih.gov/pubmed/18416910/</a>), while a Harvard study found that a positive physician-patient relationship correlates with better healthcare outcomes (<a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3981763/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3981763/</a>).

• Improve Referral Communication – The coordination of care between primary and specialist providers can be a challenge and may affect patient perceptions of their specialist care. Improving the coordination of care and case management can increase patient satisfaction with their specialist. For examples of interventions that improve care coordination efficiency and quality, see <a href="https://innovations.ahrq.gov/profiles/electronic-referrals-and-communications-reduce-wait-times-specialty-appointments-and">https://innovations.ahrq.gov/profiles/electronic-referrals-and-communications-reduce-wait-times-specialty-appointments-and</a> as well as <a href="https://innovations.ahrq.gov/profiles/referring-physicians-send-electronic-handoff-note-pertinent-patient-information-emergency">https://innovations.ahrq.gov/profiles/referring-physicians-send-electronic-handoff-note-pertinent-patient-information-emergency</a>.

#### IMPROVING CUSTOMER SERVICE AND HEALTH PLAN-RELATED INFORMATION

It is important that health plan information be provided to members and that the information addresses member concerns. As representatives of the plan, customer service staff must ensure that members have confidence and trust in their ability to address their concerns. The following resources contain recommendations for improving customer service.

- Develop Customer Service Standards To improve customer service, the Agency for Healthcare Research and Quality suggests first articulating which aspects of customer service are most important to your organization. After developing these standards, monitor performance and promote accountability among staff. For more information, see <a href="http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6q-custservice-standards.html">http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6q-custservice-standards.html</a>.
- Iterative Improvement for Member Services This RAND paper details a case study in which a health plan used additional surveys to supplement CAHPS results and thoroughly assess member dissatisfaction with customer service. Throughout the process, plan leadership continually examined and adjusted improvement goals. The intervention resulted in a reduction of wait time for customer service calls and increased member satisfaction with customer service, as measured on the CAHPS survey. See <a href="http://www.rand.org/pubs/working\_papers/WR517.html">http://www.rand.org/pubs/working\_papers/WR517.html</a>.
- Implement Service Recovery Procedures When customers have a complaint, service recovery programs support customer service personnel in identifying and remedying the problem. While complaints may be inevitable, proper handling of complaints can reassure patients and restore loyalty to the health plan. For more information, see <a href="http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6p-service-recovery.html">http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service-recovery.html</a>.
- Make Plan Information Accessible to All Members A Health Research and Educational Trust study found that demographic characteristics, including
  education, age, gender, and income, significantly impacted use of an Internet-based decision tool. The tool provided cost information as well as a health
  and wellness assessment. The study suggests that effort beyond Internet-based tools is necessary to reach certain demographics. For further information,
  see <a href="http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3447236/">http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3447236/</a>.

- Increase Access to Trusted Health Information Many people look to their health plan for information not only on how the health plan works, but also on resources to help them improve their health, particularly when dealing with chronic illnesses. A recent meta-analysis confirmed that improved access to trusted health information leads to improved outcomes (<a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5818676/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5818676/</a>). Also, the Office of the National Coordinator for Health Information Technology (ONC) created the ONC Patient Engagement (PE) Playbook (<a href="https://www.healthit.gov/playbook/pe/">https://www.healthit.gov/playbook/pe/</a>) to help healthcare providers use health information technology (health IT) to provide better care to patients by specifically focusing on electronic health record (EHR) patient portals. This tool would allow both patients and healthcare teams, concurrent with patients' privacy preferences, to easily access patient health information which may lead to increased benefits for healthcare, such as improved health outcomes and lower costs.
- Evaluate the Organization's Health Literacy Programs The CDC has developed guidance on evaluating an organization's health literacy program, including recommended sources of communication and health literacy measures. See <a href="http://www.cdc.gov/healthliteracy/researchevaluate/program-evaluation.html">http://www.cdc.gov/healthliteracy/researchevaluate/program-evaluation.html</a>. The CDC's National Prevention Information Network also offers tools to create health materials in plain language to reduce health disparities (<a href="https://npin.cdc.gov/pages/health-communication-language-and-literacy">https://npin.cdc.gov/pages/health-communication-language-and-literacy</a>).
- Improve Patient Health Literacy This guide by the Office of Disease Prevention and Health Promotion outlines steps to improve health literacy, which may help patients to better absorb the information they obtain from written materials or the Internet. For detailed steps, see <a href="https://health.gov/ourwork/health-literacy/resources">https://health.gov/ourwork/health-literacy/resources</a>. AHRQ has also developed its own health literacy toolkit to support physicians (https://www.ahrq.gov/professionals/quality-patient-safety/quality-resources/tools/literacy-toolkit/healthlittoolkit2.html).

# APPENDIX

# **CROSS-TABULATIONS OF SURVEY RESPONSES**

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

# **Satisfaction With the Experience of Care**

		Global Pr	oportions	
	2020 State		Plan Rate	
Survey Measures*	ОНР	2020	2019	2018
Ratings				
Rating of Personal Doctor	89.01%	89.27%	93.24%	89.02%
Rating of Specialist	85.64%	85.71%	81.82%	77.27%
Rating of All Health Care	87.09%	84.28%	87.80%	85.48%
Rating of Health Plan	83.48%	81.30%	85.39%	81.48%
Composites				
Getting Needed Care	82.21%	84.94%	83.85%	77.33%
Getting Care Quickly	89.01%	87.71%	86.51%	89.80%
How Well Doctors Communicate	94.71%	95.31%	96.38%	95.63%
Customer Service	89.00%	89.36%	87.84%	88.13%
Additional Content Areas				
Coordination of Care	82.81%	88.89%	82.22%	83.33%
Children with Chronic Conditions Composites				
Access to Prescription Medicine	91.48%	94.12%	NA	NA
Access to Specialized Services	71.04%	67.19%	NA	NA
Getting Needed Information	91.67%	87.50%	NA	NA
Personal Doctor or Nurse Who Knows Child	91.72%	90.87%	NA	NA
Coordination of Care w/CCC (Q16 & Q27)	75.10%	77.96%	NA	NA

<sup>\*</sup> Results were calculated by CSS following NCQA specifications. A lighter display is used to indicate that the measure does not meet the denominator threshold (n=30).

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 3

In the last 6 months, did your child have an illness, injury, or condition that needed care right away in a clinic, emergency room, or doctor's office?

Base: All respondents

	ОНР					ndent's ( Identity (Q73)		C	hild's Ag	е		sponden ducation (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern * African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	C	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233	187	196	31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	50	2	0	0	0	2	0	0	2	0	0	0	2	2	0	0	0	0	0	0	0	0	1	0	1	0	1	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,881	231	187	196	31	188	0	75	108	44	44	59			29	6	7	6	3	31	1	0	88	3	55	68	144	14
	98.7%	99.1%	100.0%	100.0%	100.0%	98.9%		100.0%	98.2%	100.0%	100.0%	100.0%	98.3%	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		98.9%	0.0%	98.2%	100.0%	99.3%	93.3%
Yes	1,009	74	57	64	7	62	0	28	29	13	7	22	39	57	9	5	1	3	0	6	0	0	33	1	17	3	59	10
	26.0%	32.0%	30.5%	32.7%	22.6%	33.0%		37.3%	26.9%	29.5%	15.9%	37.3%	34.5%	29.7%	31.0%	83.3%	14.3%	50.0%	0.0%	19.4%	0.0%		37.5%	33.3%	30.9%	4.4%	41.0%	71.4%
No	2,872	157	130	132	24	126	0	47	79	31	37	37	74	135	20	1	6	3	3	25	1	0	55	2	38	65	85	4
	74.0%	68.0%	69.5%	67.3%	77.4%	67.0%		62.7%	73.1%	70.5%	84.1%	62.7%	65.5%	70.3%	69.0%	16.7%	85.7%	50.0%	100.0%	80.6%	100.0%		62.5%	66.7%	69.1%	95.6%	59.0%	28.6%
Significantly different from column:*		Α									LM	K	K													AA	ZAB	AA

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 4

In the last 6 months, when your child <u>needed care right away</u>, how often did your child get care as soon as he or she needed?

Base: All respondents whose child need care right away (Q3)

base. All respondents whose child need care i	4					ndent's G	Gender	C	Child's Ag	je		esponder		Child's	Health	Status					Race						Doctor \	
	ò					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,009	74	57	60	7	62	0	28	29	13	7	22	39	57	9	5	1	3	0	6	0	0	33	1	17	3	59	10
Number missing or multiple answer	19	1	2	0	0	1	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA
Usable responses	990	73	55	60	7	61	0	28	28	13	7	22	38	56	9	5	1	3	0	6	0	0	32	1	17	3	59	10
	98.1%	98.6%	96.5%	100.0%	100.0%	98.4%		100.0%	96.6%	100.0%	100.0%	100.0%	97.4%	98.2%	100.0%	100.0%	100.0%	100.0%		100.0%			97.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	16 1.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	70	4	5	5	0	4	0	2	2	0	0	1	2	3	1	0	0	1	0	0	0	0	0	0	3	0	4	0
	7.1%	5.5%	9.1%	8.3%	0.0%	6.6%		7.1%	7.1%	0.0%	0.0%	4.5%	5.3%	5.4%	11.1%	0.0%	0.0%	33.3%		0.0%			0.0%	0.0%	17.6%	0.0%	6.8%	0.0%
Usually	153 15.5%	10 13.7%	9 16.4%	10 16.7%	0.0%	9 14.8%	0	3 10.7%	7.1%	3 23.1%	2 28.6%	3 13.6%	4 10.5%	5 8.9%	1 11.1%	2 40.0%	0.0%	0.0%	0	50.0%	0	0	9.4%	0.0%	2 11.8%	0.0%	7 11.9%	3 30.0%
Always	751	59	41	45	7	48	0	23	24	10	5	18			7	3	1	2	0	3	0	0	29	1	12	3	48	7
	75.9%	80.8%	74.5%	75.0%	100.0%	78.7%		82.1%	85.7%	76.9%	71.4%	81.8%	84.2%	85.7%	77.8%	60.0%	100.0%	66.7%		50.0%			90.6%	100.0%	70.6%	100.0%	81.4%	70.0%
Significantly different from column:*																												
Usually or Always	904	69	50	55	7	57	0	26	26	13	7	21	36	53	8	5	1	2	0	6	6 0	0	32	1	14	3	55	10
	91.3%	94.5%	90.9%	91.7%	100.0%	93.4%		92.9%	92.9%	100.0%	100.0%	95.5%	94.7%	94.6%	88.9%	100.0%	100.0%	66.7%		100.0%			100.0%	100.0%	82.4%	100.0%	93.2%	100.0%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 5

In the last 6 months, did you make any appointments for a check-up or routine care for your child at a doctor's office or clinic?

Base: All respondents

	НΡ					ndent's C Identity		C	Child's Ag	e		sponden Education		Child's	Health :	Status					Race					Child's Las	t 6 Mon	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooS	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	233	187	194	31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	46	4	0	0	1	3	0	1	3	0	0	0	3	3	0	1	0	0	0	1	0	0	1	0	1	1	2	
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	3,885 98.8%		187 100.0%	194 100.0%	30 96.8%	187 98.4%	0	74 98.7%	107 97.3%		44 100.0%			_	29 100.0%	5 83.3%	7 100.0%	6 100.0%	3 100.0%	30 96.8%	1 100.0%	0	88 98.9%	0.0%	55 98.2%		143 98.6%	
Yes	2,574 66.3%	161 70.3%	125 66.8%	121 62.4%	20 66.7%	130 69.5%	0	56 75.7%	69 64.5%	32 72.7%	32 72.7%		83 74.1%		21 72.4%	5 100.0%	6 85.7%	6 100.0%	1 33.3%	21 70.0%	1 100.0%	0	60 68.2%	2 66.7%	38 69.1%		124 86.7%	
No	1,311	68	62	73	10	57	0	18	38	12	12	23	29	59	8	0	1	0	2	9	0	0	28	1	17	46	19	3
	33.7%	29.7%	33.2%	37.6%	33.3%	30.5%		24.3%	35.5%	27.3%	27.3%	39.0%	25.9%	30.9%	27.6%	0.0%	14.3%	0.0%	66.7%	30.0%	0.0%		31.8%	33.3%	30.9%		13.3%	20.09
Significantly different from column:*																										AAAB	Z	Z

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 6

In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?

Base: All respondents who made an appointment for their child for health care (Q5)

	HP					ndent's G	Gender	С	hild's Ag	je		sponder		Child's	Health						Race						Doctor V t 6 Mont	
	0					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,574	161	125	116	20	130	0	56	69	32	32	36	83	132	21	5	6	6	1	21	1	0	60	2	38	21	124	12
Number missing or multiple answer	63	4	2	0	1	1	0	1	1	2	2	0	1	2	2	0	0	1	0	3	0	0	0	0	0	0	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,511	157	123	116	19	129	0	55	68	30	30	36	82	130	19	5	6	5	1	18	1	0	60	2	38	21	120	12
	97.6%	97.5%	98.4%	100.0%	95.0%	99.2%		98.2%	98.6%	93.8%	93.8%	100.0%	98.8%	98.5%	90.5%	100.0%	100.0%	83.3%	100.0%	85.7%	100.0%		100.0%	0.0%	100.0%	100.0%	96.8%	100.0%
Never	35	7	2	1	0	7	0	2	4	1	2	1	4	5	2	0	0	0	1	1	0	0	1 70/	0	3	4	3	0
Sometimes	1.4% 299	4.5%	1.6%		0.0%	5.4% 17		3.6%	5.9%	3.3%	6.7%	2.8%	4.9%		10.5%	0.0%	0.0%	0.0%	100.0%	5.6%	0.0%		1.7%	0.0%	7.9%	19.0%	2.5%	0.0%
Sometimes	11.9%	14.6%	16.3%		10.5%			7.3%	19.1%	13.3%	26.7%	8.3%	7.3%	19 14.6%	15.8%	0.0%	33.3%	40.0%	0.0%	11.1%	100.0%		6.7%	0.0%	21.1%	23.8%	14.2%	8.3%
Usually	639	37	36	34	6	29	0	14	13	9	5	10	20	26	7	3	1	1	0	7	0	0	18	0	4	5	26	4
·	25.4%	23.6%	29.3%	29.3%	31.6%	22.5%		25.5%	19.1%	30.0%	16.7%	27.8%	24.4%	20.0%	36.8%	60.0%	16.7%	20.0%	0.0%	38.9%	0.0%		30.0%	0.0%	10.5%	23.8%	21.7%	33.3%
Always	1,538	90	65	68	11	76	0	35	38	16	15	22	52	80	7	2	3	2	0	8	0	0	37	2	23	7	74	7
	61.3%	57.3%	52.8%	58.6%	57.9%	58.9%		63.6%	55.9%	53.3%	50.0%	61.1%	63.4%	61.5%	36.8%	40.0%	50.0%	40.0%	0.0%	44.4%	0.0%		61.7%	100.0%	60.5%	33.3%	61.7%	58.3%
Significantly different from column:*														0	N											AA	Z	
Usually or Always	2,177	127	101			105	0	49	51	25	20				14	_	4	3	0	15	0	0	55	2	27	12	100	
	86.7%	80.9%	82.1%	87.9%	89.5%	81.4%		89.1%	75.0%	83.3%	66.7%	88.9%	87.8%	81.5%	73.7%	100.0%	66.7%	60.0%	0.0%	83.3%	0.0%		91.7%	100.0%		57.1%	83.3%	91.7%
Significantly different from column:*		Α						- 1	Н		LM	K	K										Y		W			

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 7

In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?

Base: All respondents

Base: All respondents			1																									
	Ь					ndent's ( Identity	Gender	С	hild's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor V t 6 Mont	
1	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	0202	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	p005	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	M	N	0	P	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	3,931 97	233 5	187 5	190 0	31 0	190 4	0	75 2	110 2	44 1	44 2	59 1	115 1	3	29 2	0	7 0	6 0	3 0	31 1	1 0	0	89 2	3 0	56 0	68 0	145 0	15 0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	3,834 97.5%	228 97.9%	182 97.3%	190 100.0%	31 100.0%	186 97.9%	0	73 97.3%	108 98.2%	43 97.7%	42 95.5%	58 98.3%	114 99.1%	191 98.5%	27 93.1%	-	7 100.0%	100.0%	3 100.0%	30 96.8%	100.0%	0	87 97.8%	0.0%	56 100.0%	68 100.0%	145 100.0%	
None	1,241	68	59		11	55	0	18	36		14		27	58	7	2	2	1	3	9	1	0	23	1	17	68	0	0
	32.4%	29.8%	32.4%	32.6%	35.5%			24.7%	33.3%	32.6%	33.3%		23.7%		25.9%	33.3%	28.6%	16.7%	100.0%	30.0%	100.0%			33.3%	30.4%	100.0%	0.0%	0.0%
1 time	1,293	75	57	61	10	62	0	21	42	12	16	20	38		7	2	2	0	0	16	0	0	30	1	17	0	75	0
	33.7%	32.9%		32.1%	32.3%	33.3%		28.8%	38.9%	27.9%	38.1%	34.5%			25.9%	33.3%	28.6%	0.0%	0.0%	53.3%	0.0%		34.5%	33.3%	30.4%	0.0%	51.7%	0.0%
2	753 19.6%	48 21.1%	39 21.4%	36 18.9%	5 16.1%	40 21.5%	0	16 21.9%	20 18.5%	10 23.3%	6 14.3%	12 20.7%	26 22.8%	41 21.5%	5 18.5%	1 16.7%	0.0%	50.0%	0.0%	3 10.0%	0.0%	0	20 23.0%	33.3%	13 23.2%	0.0%	48 33.1%	0.0%
3	309	16	15	17	2	13	0	9	5	1	1	2	11	12	2	0	0	1	0	0	0	0	7	0	6	0	16	0
	8.1%	7.0%	8.2%	8.9%	6.5%	7.0%		12.3%	4.6%	2.3%	2.4%	3.4%	9.6%	6.3%	7.4%	0.0%	0.0%	16.7%	0.0%	0.0%	0.0%		8.0%	0.0%	10.7%	0.0%	11.0%	0.0%
4	118 3.1%	6 2.6%	7 3.8%	7 3.7%	1 3.2%	4 2.2%	0	3 4.1%	2 1.9%	2.3%	2 4.8%	1 1.7%	2.6%	5 2.6%	1 3.7%	0.0%	2 28.6%	0.0%	0.0%	3.3%	0.0%	0	2.3%	0.0%	0.0%	0.0%	6 4.1%	0.0%
5 to 9	105	14	3	7	2	11	0	6	3	4	3	1	9	8	5.7 76	1	1	1	0.070	1	0.070	0	4	0.070	3	0.070	0	14
	2.7%	6.1%	1.6%	3.7%	6.5%	5.9%		8.2%	2.8%	9.3%	7.1%	1.7%	7.9%	4.2%	18.5%	16.7%	14.3%	16.7%	0.0%	3.3%	0.0%		4.6%	0.0%	5.4%	0.0%	0.0%	93.3%
10 or more times	15 0.4%	0.4%	2 1.1%	0.0%	0.0%	1 0.5%	0	0.0%	0.0%	1 2.3%	0.0%	1 1.7%	0.0%	1 0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	1.1%	0.0%	0.0%	0.0%	0 0.0%	1 6.7%
5 or more times	120	15	5	7	2	12	0	6	3	5	3	2	9	9	5	1	1	1	0	1	0	0	5	0	3	0	0	15
Significantly different from column:*	3.1%	6.6%	2.7%	3.7%	6.5%	6.5%		8.2%	2.8%	11.6%	7.1%	3.4%	7.9%	4.7%	18.5%	16.7%	14.3%	16.7%	0.0%	3.3%	0.0%		5.7%	0.0%	5.4%	0.0%	0.0%	100.0%
Significantly unferent from Column:		Α																										

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 8

In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

base. All respondents whose child went to a do	CIOI 3 UIIICE/I	milic (Q7)																										
	_					ndent's ( Identity		c	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	9HO					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,593	160			20	131	0	55	72	29	28	37	87	133	20	4	5	5	0	21	. 0	0	64	2	39	0	145	15
Number missing or multiple answer	25	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA			NA	NA	NA	NA	NA				NA	NA	NA	NA	NA	NA	NA NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,568						0	55		29	28	-			20		5	5	0	21		0	64	2	39	0	145	_
	99.0%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%			100.0%	0.0%	100.0%		100.0%	100.0%
Never	42 1.6%	2 1.3%				2 1.5%	0	0.0%	1.4%	1 3.4%	0.0%	0.0%	2.3%	2 1.5%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	3.1%	0.0%	0.0%	0	2 1.4%	0.0%
Sometimes	172	18			3	11	0	4	9	3	5	3	5	9	8	0	1	2	0	5	0	0	3	0	4	0	17	1
	6.7%	11.3%			15.0%	8.4%		7.3%	12.5%	10.3%	17.9%	8.1%	5.7%	6.8%	40.0%	0.0%	20.0%	40.0%		23.8%			4.7%	0.0%	10.3%		11.7%	6.7%
Usually	426	20			3	17	0	3	13	4	5	5	10	15	3	2	0	1	0	5	0	0	5	0	8	0	17	3
	16.6%	12.5%			15.0%	13.0%		5.5%	18.1%	13.8%	17.9%	13.5%	11.5%	11.3%	15.0%	50.0%	0.0%	20.0%		23.8%			7.8%	0.0%	20.5%		11.7%	20.0%
Always	1,928	120			14	101	0	48	49	21	18	29		107	9	2	4	2	0	11	0	0	54	2	27	0	109	11
	75.1%	75.0%			70.0%	77.1%		87.3%	68.1%	72.4%	64.3%	78.4%	80.5%	80.5%	45.0%	50.0%	80.0%	40.0%		52.4%			84.4%	100.0%	69.2%		75.2%	73.3%
Significantly different from column:*								- 1	Н																			
Usually or Always	2,354	140					0	51		25	23				12		4	3	0	16		0	59	2	35	0	126	
	91.7%	87.5%			85.0%	90.1%		92.7%	86.1%	86.2%	82.1%	91.9%	92.0%	91.7%	60.0%	100.0%	80.0%	60.0%		76.2%			92.2%	100.0%	89.7%		86.9%	93.3%
Significantly different from column:*															ĺ	ĺ					1						, !	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

InterCommunity Health Network CCO - Claims Stratum: Non-Chronic
CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 9

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

Base: All respondents whose child went to a do	ctor's office/	clinic (Q7)																										
	₽.				Respo	ndent's ( Identity		CI	nild's Ag	е		sponden Education		Child's	Health :	Status					Race						Doctor V st 6 Mont	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)					<u> </u>	(Q7)	
	2020 State	0202	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	рооЭ	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	H	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Y	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	2,593 30 NA	160 1 NA	123 0 NA	124 0 NA	20 1 NA	131 0 NA	0 0 NA	55 0 NA	72 0 NA	29 1 NA	28 1 NA	37 0 NA	87 0 NA	133 1 NA	20 0 NA	4 0 NA	5 0 NA	5 0 NA	0 0 NA	21 1 NA	0	0 0 NA	64 0 NA	2 0 NA	39 0 NA	0	145 1 NA	15 0 NA
Usable responses	2,563 98.8%	159 99.4%	123 100.0%	124 100.0%	19 95.0%	131 100.0%	0	55 100.0%	72 100.0%	28 96.6%	27 96.4%	37 100.0%	87 100.0%	132 99.2%	20 100.0%	4 100.0%	5 100.0%	5 100.0%	0	20 95.2%		0	64 100.0%	2 0.0%	39 100.0%	0	144 99.3%	15 100.0%
0 Worst health care possible	4 0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	0.0%	0.0%	0.0%	0	0.0%	0 0.0%
1	6 0.2%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	0.0%	0.0%	0.0%	0	0.0%	0.0%
2	4 0.2%	0.0%	0.0%	1 0.8%	0.0%	0.0%	0	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	0.0%	0.0%	0.0%	0	0.0%	0.0%
3	7 0.3%	0.0%	1 0.8%	0.0%	0.0%	0.0%	0	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	0.0%	0.0%	0.0%	0	0.0%	0.0%
4	13 0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	_		0.0%	0.0%	0.0%	0	0.0%	0.0%
5	46 1.8%	0.6%	3 2.4%	4 3.2%	0.0%	0.8%	0	0.0%	1 1.4%	0.0%	0.0%	0.0%	0.0%	0.0%	5.0%	0.0%	0.0%	0.0%	0	0.0%	0		0.0%	0.0%	2.6%	0	0.7%	0.0%
6	64 2.5%	2.5%	2 1.6%	6 4.8%	0.0%	2.3%	0	1.8%	3 4.2%	0.0%	3.7%	5.4%	1.1%	0.8%	2 10.0%	25.0%	0.0%	0.0%		2 10.0%			1 1.6%	0.0%	0.0%	0 	2.8%	0.0%
7	187 7.3%	20 12.6%	9 7.3%	7 5.6%	3 15.8%	14 10.7%	0	7.3%	7 9.7%	7 25.0%	3 11.1%	5 13.5%	9.2%	14 10.6%	5 25.0%	0.0%	20.0%	40.0%	0	2 10.0%	0		7 10.9%	0.0%	4 10.3%	0 	18 12.5%	2 13.3%
8	505 19.7%	33 20.8%	30 24.4%	32 25.8%	4 21.1%	27 20.6%	0	14 25.5%	14 19.4%	4 14.3%	3 11.1%	6 16.2%	23 26.4%	26 19.7%	3 15.0%	2 50.0%	0.0%	40.0%	0	2 10.0%	0		22 34.4%	0.0%	4 10.3%	0	28 19.4%	5 33.3%
9	519 20.2%	37 23.3%	23 18.7%	32 25.8%	6 31.6%	30 22.9%	0	9 16.4%	19 26.4%	8 28.6%	5 18.5%	6 16.2%	25 28.7%	32 24.2%	4 20.0%	1 25.0%	0.0%	0.0%	0	3 15.0%	0	0	11 17.2%	0 0.0%	17 43.6%	0	34 23.6%	3 20.0%
10 Best health care possible	1,208 47.1%	64 40.3%	55 44.7%	42 33.9%	6 31.6%	56 42.7%	0	27 49.1%	28 38.9%	9 32.1%	15 55.6%	18 48.6%	30 34.5%	59 44.7%	5 25.0%	0.0%	4 80.0%	20.0%	0	11 55.0%	0	0	23 35.9%	2 100.0%	13 33.3%	0	59 41.0%	5 33.3%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 9

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

	۵					ndent's ( Identity	Gender	C	hild's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor \ t 6 Mon	Visits in oths
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	2,593 30	160 1 NA	0	124 0 NA	1	131 0 NA	0 0 NA	55 0 NA	72 0 NA	29 1 NA	28 1 NA	37 0 NA	87 0 NA	1	20 0 NA	4 0 NA	5 0 NA	5 0 NA	0 0 NA	21 1 NA	0 0 NA	0 0 NA	64 0 NA	0 NA	39 0 NA	0 0 NA	145 1 NA	0
Usable responses	2,563 98.8%	159 99.4%	123	124		131	0	55 100.0%	72	28	27		87	132	20	4	5 100.0%	5	0	20 95.2%	0	0	64 100.0%		39	0	144	
0 to 4	34 1.3%	0.0%	1	0.8%	0	0	0	0.0%	0.0%	0	0.0%	0	0	0	0.0%	0	0	0	0	0.0%	0	0	0	0.0%	0	0	0.0%	0
5	46 1.8%	0.6%	2.4%	3.2%	0.0%	0.8%	0	0.0%	1 1.4%	0.0%	0.0%	0.0%	0.0%	0.0%	5.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	0.0%	0.0%	2.6%	0	1 0.7%	0.0%
6 or 7	251 9.8%	24 15.1%	11 8.9%	13 10.5%	3 15.8%	17 13.0%	0	5 9.1%	10 13.9%		4 14.8%	7 18.9%	9 10.3%	15 11.4%	7 35.0%	25.0%	20.0%	2 40.0%	0	4 20.0%	0	0	8 12.5%	0.0%	4 10.3%	0	22 15.3%	
8 to 10	2,232 87.1%	134 84.3%			-	113 86.3%	0	50 90.9%	61 84.7%	21 75.0%	23 85.2%	30 81.1%		117 88.6%	12 60.0%		4 80.0%	3 60.0%	0	16 80.0%	0	0	56 87.5%	2 100.0%	34 87.2%	0	121 84.0%	
Significantly different from column:*																												
0 to 6	144 5.6%	3.1%	6 4.9%	11 8.9%	_	4 3.1%	0	1.8%	4 5.6%	0.0%	1 3.7%	5.4%	1 1.1%	0.8%	15.0%	25.0%	0.0%	0.0%	0	10.0%	0	0	1 1.6%	0.0%	2.6%	0	5 3.5%	0.0%
7 to 8	692 27.0%	53 33.3%			7 36.8%	41 31.3%	0	18 32.7%	21 29.2%	11 39.3%	6 22.2%	11 29.7%	31 35.6%		40.0%	50.0%	20.0%	4 80.0%	0	4 20.0%	0	0	29 45.3%		8 20.5%	0	46 31.9%	
9 to 10	1,727 67.4%	101 63.5%			12 63.2%		0	36 65.5%	47 65.3%	17 60.7%	20 74.1%				9 45.0%	25.0%	4 80.0%	1 20.0%	0	14 70.0%	0	0	34 53.1%	2 100.0%	30 76.9%	0	93 64.6%	_
Significantly different from column:*														0	N								Υ		W			

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 10

In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

	Ь					ndent's G Identity	Gender	С	hild's Ag	е		sponder Education		Child's	Health	Status					Race					Child's Las	Doctor V t 6 Mont	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooD	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,593	160	123	125	20	131	0	55	72	29	28	37	87	133	20	4	5	5	0	21	0	0	64	2	39	0	145	15
Number missing or multiple answer	33	3	1	0	0	3	0	0	2	1	1	0	2	2	1	0	0	0	0	0	0	0	1	0	2	0	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,560	157	122	125	20	128	0	55	70	28	27	37	85		19	4	5	5	0	21	0	0	63	2	37	0	142	15
	98.7%	98.1%	99.2%	100.0%	100.0%	97.7%		100.0%	97.2%	96.6%	96.4%	100.0%	97.7%	98.5%	95.0%	100.0%	100.0%	100.0%		100.0%			98.4%	0.0%	94.9%		97.9%	100.0%
Never	32 1.3%	3 1.9%	2 1.6%	0.8%	5.0%	2 1.6%	0	1.8%	2 2.9%	0.0%	1 3.7%	0.0%	1 1.2%	2 1.5%	1 5.3%	0.0%	0.0%	20.0%	0	1 4.8%	0	0	1 1.6%	0.0%	0.0%	0	3 2.1%	0.0%
Sometimes	191 7.5%	11 7.0%	13 10.7%	14 11.2%	2 10.0%	6 4.7%	0	2 3.6%	6 8.6%	7.1%	2 7.4%	2 5.4%	4 4.7%	6 4.6%	5 26.3%	0.0%	0 0.0%	0.0%	0	3 14.3%	0	0	0.0%	0.0%	5 13.5%	0	10 7.0%	6.7%
Usually	654 25.5%	37 23.6%	41 33.6%	33	10.0%	34	0	11 20.0%	20 28.6%	4	5 18.5%	9	22	28	4 21.1%	3	1	2	0	4	0	0	15	1 50.0%	9	0	32 22.5%	33.3%
Always	1,683 65.7%	106 67.5%	66	77	15 75.0%	86	0	41	42	22	19	26	58	95	9 47.4%	1	4	2	0	13	0	0	47	1	23	0	97 68.3%	9
Significantly different from column:*		С												0	N	,,,,,												
Usually or Always	2,337	143	107	110	17	120	0	52	62	26	24	35	80	123	13	4	5	4	0	17	0	0	62	2	32	0	129	14
	91.3%	91.1%	87.7%	88.0%	85.0%	93.8%		94.5%	88.6%	92.9%	88.9%	94.6%	94.1%	93.9%	68.4%	100.0%	100.0%	80.0%		81.0%			98.4%	100.0%	86.5%		90.8%	93.3%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 11

Is your child now enrolled in any kind of school or daycare?

Base: All respondents

	НР					ndent's G	Gender	C	hild's Ag	е		sponden		Child's	Health :	Status					Race					Child's Las	t 6 Mon	
	2020 State O	2020	2019	2018	Male	Female Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	(Q74)	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle D A African African African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	11 4 (O <sub>2</sub> )	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	46	4			1	3	0	1	2	1	2	0	2	3	1	0	0	0	0	1	0	0	1	0	1	0	3	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.
Usable responses	3,885 98.8%					187 98.4%	0	74 98.7%	108 98.2%	43 97.7%	42 95.5%		_	191 98.5%	28 96.6%	6 100.0%	7 100.0%	6 100.0%	3 100.0%	30 96.8%	1 100.0%	0	88 98.9%	0.0%	55 98.2%	68 100.0%	142 97.9%	-
Yes	2,772 71.4%						0	40 54.1%	95 88.0%	33 76.7%	31 73.8%	49 83.1%	80 70.8%	143 74.9%	20 71.4%	5 83.3%	4 57.1%	3 50.0%	3 100.0%	20 66.7%	1 100.0%	0		2 66.7%	47 85.5%	52 76.5%	107 75.4%	
No	1,113 28.6%	58				46	0	34 45.9%	13 12.0%		11 26.2%	10	33 29.2%	48		1	3 42.9%	3	0.0%	10 33.3%	0	0	26 29.5%	1 33.3%	8 14.5%	16	35 24.6%	5
Significantly different from column:*	,,,,,,							IJ	Н	Н										Υ			Y		TW			

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 12

In the last 6 months, did you need your child's doctors or other health providers to contact a school or daycare center about your child's health or health care?

Base: All respondents whose child is enrolled in school or daycare (Q11)

	ЭНР					ndent's ( Identity (Q73)		C	hild's Ag (Q69)	е		sponder Education (Q74)		Child's	Health	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poob	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,772	171			21	141	0	40	95	33	31	49	80	143	20	5	4	3	3	20	1	0	62	2	47	52	107	10
Number missing or multiple answer	47	4			2	2	0	1	2	1	1	0	3	4	0	0	0	0	0	0	0	0	2	0	1	2	1	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,725	167			19	139	0	39	93	32	30	49					4	3	3	20	1	0	60	2	46	50	106	9
	98.3%	97.7%			90.5%	98.6%		97.5%	97.9%	97.0%	96.8%	100.0%	96.3%	97.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		96.8%	0.0%	97.9%	96.2%	99.1%	90.0%
Yes	202	16			2	14	0	6	5	5	5	2	9	13	2	0	1	0	0	1	0	0	6	0	6	1	14	1
	7.4%	9.6%			10.5%	10.1%		15.4%	5.4%	15.6%	16.7%	4.1%	11.7%	9.4%	10.0%	0.0%	25.0%	0.0%	0.0%	5.0%	0.0%		10.0%	0.0%	13.0%	2.0%	13.2%	11.1%
No	2,523	151			17	125	0	33	88	27	25	47					3	3	3	19	1	0	54	2	40	49	92	8
	92.6%	90.4%			89.5%	89.9%		84.6%	94.6%	84.4%	83.3%	95.9%	88.3%	90.6%	90.0%	100.0%	75.0%	100.0%	100.0%	95.0%	100.0%		90.0%	100.0%	87.0%	98.0%	86.8%	88.9%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 13

In the last 6 months, did you get the help you needed from your child's doctors or other health providers in contacting your child's school or daycare?

Base: All respondents whose child is enrolled in school or daycare and needed their child's doctor/health provider to contact school/daycare center about their child's health (Q11 & Q12)

	ОНР					ndent's ( Identity (Q73)		C	Child's Ag	je		sponder ducation (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor vot 6 Mon	Visits in iths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	202	16			2	14	0	6	5	5	5	2	9	13	2	0	1	0	0	1	0	0	6	0	6	1	14	1
Number missing or multiple answer	6	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	196 97.0%	16 100.0%			2 100.0%	14 100.0%	0	6 100.0%	5 100.0%	5 100.0%	5 100.0%	2 100.0%	9 100.0%	13 100.0%	2 100.0%	0	1 100.0%	0	0	1 100.0%	0	0	6 100.0%	0.0%	6 100.0%	1 100.0%	14 100.0%	1 100.0%
Yes	177	15			1	14	0	6	4	5	5	2	8	12	2	0	1	0	0	1	0	0	6	0	5	1	13	1
	90.3%	93.8%			50.0%	100.0%		100.0%	80.0%	100.0%	100.0%	100.0%	88.9%	92.3%	100.0%		100.0%			100.0%			100.0%		83.3%	100.0%	92.9%	100.0%
No	19	1				0	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1	0
	9.7%	6.3%			50.0%	0.0%		0.0%	20.0%	0.0%	0.0%	0.0%	11.1%	7.7%	0.0%		0.0%			0.0%			0.0%		16.7%	0.0%	7.1%	0.0%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 14

In the last 6 months, did you get or try to get any special medical equipment or devices for your child?

Base: All respondents

	ОНР					ndent's 0 Identity (Q73)		C	hild's Ag (Q69)	ie		sponder Education (Q74)		Child's	Health :	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in ths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	16	1			0	1	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,915	232			31	189	0	75	109	44	44	59	114	193	29	6	7	6	3	31	1	0	88	3	56	68	145	15
	99.6%	99.6%			100.0%	99.5%		100.0%	99.1%	100.0%	100.0%	100.0%	99.1%	99.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		98.9%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	93	9			1	7	0	3	4	2	3	2	4	6	3	0	0	0	0	1	0	0	4	0	2	0	7	2
	2.4%	3.9%			3.2%	3.7%		4.0%	3.7%	4.5%	6.8%	3.4%	3.5%	3.1%	10.3%	0.0%	0.0%	0.0%	0.0%	3.2%	0.0%		4.5%	0.0%	3.6%	0.0%	4.8%	13.3%
No	3,822	223			30	182	0	72	105	42	41	57	110	187	26	6	7	6	3	30	1	0	84	3	54	68	138	13
	97.6%	96.1%			96.8%	96.3%		96.0%	96.3%	95.5%	93.2%	96.6%	96.5%	96.9%	89.7%	100.0%	100.0%	100.0%	100.0%	96.8%	100.0%		95.5%	100.0%	96.4%	100.0%	95.2%	86.7%
Significantly different from column:*						-						1										· ·						, 7

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 15

In the last 6 months, how often was it easy to get special medical equipment or devices for your child?

Base: All respondents who got or tried to get special medical equipment or device for their child (Q14)

	HP					ndent's ( Identity		C	hild's A	_		esponder Educatio		Child's	Health	Status					Race						t 6 Mon	Visits in ths
	ò					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	роо9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	93	9			1	7	0	3	4	2	3	2	4	6	3	0	0	0	0	1	0	0	4	0	2	0	7	2
Number missing or multiple answer	4	1			0	1	0	0	1	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	89	8			-	6	0	3	3	2	3	1	4	5	3	0	0	0	0	1	0	0	3	0	2	0	6	2
	95.7%	88.9%			100.0%	85.7%		100.0%	75.0%	100.0%	100.0%	50.0%	100.0%	83.3%	100.0%					100.0%			75.0%	0.0%	100.0%		85.7%	100.0%
Never	5 5.6%	1 12.5%				0.0%	0	1 33.3%	0.0%	0.0%	33.3%	0.0%	0.0%	0.0%	1 33.3%	0	0	0	0	1 100.0%	0	0	0.0%	0	0.0%	0	1 16.7%	0.0%
Sometimes	11	1			0	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0
	12.4%	12.5%			0.0%	16.7%		0.0%	33.3%	0.0%	0.0%	0.0%	25.0%	0.0%	33.3%					0.0%			0.0%		50.0%		16.7%	0.0%
Usually	19 21.3%	3 37.5%				3 50.0%	0	1 33.3%	66.7%	0.0%	0.0%	1 100.0%	2 50.0%	2 40.0%	1 33.3%	0	0	0	0	0.0%	0	0	2 66.7%	0	0 0.0%	0	2 33.3%	1 50.0%
Always	54	3			1	2	0	1	0	2	2	0	1	3	0	0	0	0	0	0	0	0	1	0	1	0	2	1
	60.7%	37.5%			100.0%	33.3%		33.3%	0.0%	100.0%	66.7%	0.0%	25.0%	60.0%	0.0%					0.0%			33.3%		50.0%		33.3%	50.0%
Significantly different from column:*																												
Usually or Always	73	6			1	5	0	2	2	2	2	1	3	5	1	0	0	0	0	0	0	0	3	0	1	0	4	2
	82.0%	75.0%			100.0%	83.3%		66.7%	66.7%	100.0%	66.7%	100.0%	75.0%	100.0%	33.3%					0.0%			100.0%		50.0%		66.7%	100.0%
Significantly different from column:*																												1

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 16

Did anyone from your child's health plan, doctor's office, or clinic help you get special medical equipment or devices for your child?

Base: All respondents who got or tried to get special medical equipment or device for their child (Q14)

	ᅀ					ndent's C Identity		C	hild's Ag	je		sponder Education		Child's	Health :	Status					Race						t 6 Mon	Visits in oths
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	93	9			1	7	0	3	4	2	3	2	4	6	3	0	0	0	0	1	0	0	4	0	2	0	7	2
Number missing or multiple answer	5	2			0	2	0	1	1	0	0	1	1	2	0	0	0	0	0	0	0	0	2	0	0	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	88	7			-	5	0	2	3	2	3	1	3	4	3	0	0	0	0	1	0	0	2	0	2	0	5	2
	94.6%	77.8%			100.0%	71.4%		66.7%	75.0%	100.0%	100.0%	50.0%	75.0%	66.7%	100.0%					100.0%			50.0%	0.0%	100.0%		71.4%	100.0%
Yes	71	5			1	4	0	1	2	2	2	0	3	3	2	0	0	0	0	0	0	0	1	0	2	0	3	2
	80.7%	71.4%			100.0%	80.0%		50.0%	66.7%	100.0%	66.7%	0.0%	100.0%	75.0%	66.7%					0.0%			50.0%		100.0%		60.0%	100.0%
No	17	2			0	1	0	1	1	0	1	1	0	1	1	0	0	0	0	1	0	0	1	0	0	0	2	0
	19.3%	28.6%			0.0%	20.0%		50.0%	33.3%	0.0%	33.3%	100.0%	0.0%	25.0%	33.3%					100.0%			50.0%		0.0%		40.0%	0.0%
Significantly different from column:*																												Ì

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 17

In the last 6 months, did you get or try to get special therapy such as physical, occupational, or speech therapy for your child?

Base: All respondents

	НР					ndent's (		С	hild's Ag	je		sponder		Child's	Health	Status					Race					Child's Las	t 6 Mon	
	2020 State O	2020	2019	2018	Male	(Q73) Emale	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69D)	14 to 18	Less than HS grad	(Q74) HS grad	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Castern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 t d d d d d d d d d d d d d d d d d d	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	24	2			0	2	0	0	2	0	1	0	1	2	0	0	0	0	0	0	0	0	1	0	0	0	1	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.
Usable responses	3,907	231					0	75	108		43				29	6	7	6	3	31	1	0	88	3	56		144	-
	99.4%	99.1%			100.0%	98.9%		100.0%	98.2%	100.0%	97.7%	100.0%	99.1%	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		98.9%	0.0%	100.0%	100.0%	99.3%	100.0%
Yes	180	11			-	9	0	2	4	5	2	4	4	8	3	0	1	0	1	1	0	0	1	0	4	1	7	2
	4.6%	4.8%			3.2%	4.8%		2.7%	3.7%	11.4%	4.7%	6.8%	3.5%	4.2%	10.3%	0.0%	14.3%	0.0%	33.3%	3.2%	0.0%		1.1%	0.0%	7.1%	1.5%	4.9%	20.0%
No	3,727	220			30	179	0	73	104	39	41		110			6	6	6	2	30	1	0	87	3	52	67	137	12
	95.4%	95.2%			96.8%	95.2%		97.3%	96.3%	88.6%	95.3%	93.2%	96.5%	95.8%	89.7%	100.0%	85.7%	100.0%	66.7%	96.8%	100.0%		98.9%	100.0%	92.9%	98.5%	95.1%	80.0%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 18

In the last 6 months, how often was it easy to get this therapy for your child?

Base: All respondents who got or tried to get special therapy for their child (Q17)

Base: All respondents who got or tried to get s						ndent's ( Identity		C	child's Ag	ge		esponder Educatio		Child's	Health	Status					Race						t 6 Mon	Visits in ths
	픙					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	180	11			1	9	0	2	4	5	2	4	4	8	3	0	1	0	1	1	0	0	1	0	4	1	7	3
Number missing or multiple answer	3	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	177				-	9	0	2	4	5	2	4	4	8	3	0	1	0	1	1	0	0	1	0	4	1	7	3
	98.3%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%		100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	24 13.6%	9.1%				1 11.1%	0	0.0%	0.0%	20.0%	0.0%	0.0%	1 25.0%	0.0%	1 33.3%	0	0.0%	0	100.0%	0.0%	0	0	0.0%	0	0.0%	1 100.0%	0.0%	0.0%
Sometimes	32	2			0	1	0	0	1	1	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	18.1%	18.2%			0.0%	11.1%		0.0%	25.0%	20.0%	0.0%	0.0%	25.0%	25.0%	0.0%		0.0%		0.0%	0.0%			0.0%		0.0%	0.0%	14.3%	33.3%
Usually	30	1			1	0	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1	0
	16.9%	9.1%			100.0%	0.0%		0.0%	25.0%	0.0%	0.0%	0.0%	25.0%	12.5%	0.0%		0.0%		0.0%	0.0%			0.0%		25.0%	0.0%	14.3%	0.0%
Always	91	7			0	7	0	2	2	3	2	4	1	5	2	0	1	0	0	1	0	0	1	0	3	0	5	2
	51.4%	63.6%			0.0%	77.8%		100.0%	50.0%	60.0%	100.0%	100.0%	25.0%	62.5%	66.7%		100.0%		0.0%	100.0%			100.0%		75.0%	0.0%	71.4%	66.7%
Significantly different from column:*																												'
Usually or Always	121	8			1	7	0	2	3	3	2	4	2	6	2	0	1	0	0	1	0	0	1	0		0	6	2
	68.4%	72.7%			100.0%	77.8%		100.0%	75.0%	60.0%	100.0%	100.0%	50.0%	75.0%	66.7%		100.0%		0.0%	100.0%			100.0%		100.0%	0.0%	85.7%	66.7%
Significantly different from column:*																												, '

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 19

Did anyone from your child's health plan, doctor's office, or clinic help you get this therapy for your child?

Base: All respondents who got or tried to get special therapy for their child (Q17)

	ОНР					ndent's G Identity (Q73)		C	Child's Ag (Q69)	je		sponder Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	180	11			1	9	0	2	4	5	2	4	4	8	3	0	1	0	1	1	0	0	1	0	4	1	7	3
Number missing or multiple answer	0	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	180	11			1	9	0	2	4	5	2	4	4	8	3	0	1	0	1	1	0	0	1	0	4	1	7	3
	100.0%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%		100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	123	8			1	6	0	1	3	4	1	3	3	7	1	0	0	0	0	1	0	0	1	0	4	0	5	3
	68.3%	72.7%			100.0%	66.7%		50.0%	75.0%	80.0%	50.0%	75.0%	75.0%	87.5%	33.3%		0.0%		0.0%	100.0%			100.0%		100.0%	0.0%	71.4%	100.0%
No	57	3			0	3	0	1	1	1	1	1	1	1	2	0	1	0	1	0	0	0	0	0	0	1	2	0
	31.7%	27.3%			0.0%	33.3%		50.0%	25.0%	20.0%	50.0%	25.0%	25.0%	12.5%	66.7%		100.0%		100.0%	0.0%			0.0%		0.0%	100.0%	28.6%	0.0%
Significantly different from column:*									1			1	1					1	1									

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 20

In the last 6 months, did you get or try to get treatment or counseling for your child for an emotional, developmental, or behavioral problem?

Base: All respondents

	ОНР					ndent's G Identity (Q73)		C	hild's Ag (Q69)	е		sponden Education (Q74)		Child's	Health :	Status					Race (Q76)					Child's Las	Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	20	2			0	1	0	0	1	0	0	0	1	1	1	0	0	0	0	0	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,911	231			31	189	0	75	109	44	44	59	114	193	28	6	7	6	3	31	1	0	88	3	56	68	144	15
	99.5%	99.1%			100.0%	99.5%		100.0%	99.1%	100.0%	100.0%	100.0%	99.1%	99.5%	96.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		98.9%	0.0%	100.0%	100.0%	99.3%	100.0%
Yes	271	13			1	11	0	0	9	4	3	2	7	11	1	1	0	0	0	0	0	0	3	0	7	2	10	1
	6.9%	5.6%			3.2%	5.8%		0.0%	8.3%	9.1%	6.8%	3.4%	6.1%	5.7%	3.6%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%		3.4%	0.0%	12.5%	2.9%	6.9%	6.7%
No	3,640	218			30	178	0	75	100	40	41	57	107	182	27	5	7	6	3	31	1	0	85	3	49	66	134	14
	93.1%	94.4%			96.8%	94.2%		100.0%	91.7%	90.9%	93.2%	96.6%	93.9%	94.3%	96.4%	83.3%	100.0%	100.0%	100.0%	100.0%	100.0%		96.6%	100.0%	87.5%	97.1%	93.1%	93.3%
Significantly different from column:*																												1 7

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 21

In the last 6 months, how often was it easy to get this treatment or counseling for your child?

Base: All respondents who got or tried to get treatment for their child's emotional, developmental, or behavioral problem (Q20)

Base: All respondents who got or tried to get tre	ОНР	on cima c on	ouonal, do		Respor	ndent's ( Identity		(	Child's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor \ t 6 Mon	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	271	13			1	11	0	0	9	4	3	2	7	11	1	1	0	0	0	0	0	0	3	0	7	2	10	1
Number missing or multiple answer	8	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	263	_			1	11	0	0	9	4	3	2	7	11	1	1	0	0	0	0	0	0	3	0	7	2	10	1
	97.0%	100.0%			100.0%	100.0%			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%							100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	43 16.3%	2 15.4%			0.0%	9.1%	0	0	1 11.1%	1 25.0%	0.0%	0.0%	1 14.3%	2 18.2%	0.0%	0.0%	0	0	0	0	0	0	1 33.3%	0	0 0.0%	1 50.0%	0.0%	1 100.0%
Sometimes	55	4				4	0	0	2	2	1	0	3	3	0	1	0	0	0	0	0	0	1	0	2	1	3	0
	20.9%	30.8%			0.0%	36.4%			22.2%	50.0%	33.3%	0.0%	42.9%	27.3%	0.0%	100.0%							33.3%		28.6%	50.0%	30.0%	0.0%
Usually	50	3			1	2	0	0	3	0	1	0	2	3	0	0	0	0	0	0	0	0	0	0	3	0	3	0
	19.0%	23.1%			100.0%	18.2%			33.3%	0.0%	33.3%	0.0%	28.6%	27.3%	0.0%	0.0%							0.0%		42.9%	0.0%	30.0%	0.0%
Always	115	4			0	4	0	0	3	1	1	2	1	3	1	0	0	0	0	0	0	0	1	0	2	0	4	0
	43.7%	30.8%			0.0%	36.4%			33.3%	25.0%	33.3%	100.0%	14.3%	27.3%	100.0%	0.0%							33.3%		28.6%	0.0%	40.0%	0.0%
Significantly different from column:*																												
Usually or Always	165				1	6	0	0	6	1	2	2	3	6	1	0	0	0	0	0	0	0	1	0	5	0	7	0
	62.7%	53.8%			100.0%	54.5%			66.7%	25.0%	66.7%	100.0%	42.9%	54.5%	100.0%	0.0%							33.3%		71.4%	0.0%	70.0%	0.0%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 22

Did anyone from your child's health plan, doctor's office, or clinic help you get this treatment or counseling for your child?

Base: All respondents who got or tried to get treatment for their child's emotional, developmental, or behavioral problem (Q20)

	ОНР					ndent's ( Identity (Q73)		(	Child's Ag	je		esponder Educatio (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in ths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	271	13			1	11	0	0	9	4	3	2	7	11	1	1	0	0	0	0	0	0	3	0	7	2	10	1
Number missing or multiple answer	6	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	265	13			1	11	0	0	9	4	3	2	7	11	1	1	0	0	0	0	0	0	3	0	7	2	10	1
	97.8%	100.0%			100.0%	100.0%			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%							100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	145	7			1	6	0	0	4	3	2	1	4	5	1	1	0	0	0	0	0	0	0	0	6	1	6	0
	54.7%	53.8%			100.0%	54.5%			44.4%	75.0%	66.7%	50.0%	57.1%	45.5%	100.0%	100.0%							0.0%		85.7%	50.0%	60.0%	0.0%
No	120	6			0	5	0	0	5	1	1	1	3	6	0	0	0	0	0	0	0	0	3	0	1	1	4	1
	45.3%	46.2%			0.0%	45.5%			55.6%	25.0%	33.3%	50.0%	42.9%	54.5%	0.0%	0.0%							100.0%		14.3%	50.0%	40.0%	100.0%
Significantly different from column:*						1										1		1										

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 23

In the last 6 months, did your child get care from more than one kind of health care provider or use more than one kind of health care service?

Base: All respondents

	ЭНР					ndent's ( Identity (Q73)		C	Child's Ag	е		sponden ducation (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	51	5			1	2	0	1	0	3	1	1	1	4	1	0	0	0	0	1	0	0	1	0	1	0	3	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,880	228			30	188	0	74	110	41	43	58		190		6	7	6	3	30	1	0	88	3	55		142	13
	98.7%	97.9%			96.8%	98.9%		98.7%	100.0%	93.2%	97.7%	98.3%	99.1%	97.9%	96.6%	100.0%	100.0%	100.0%	100.0%	96.8%	100.0%		98.9%	0.0%	98.2%	100.0%	97.9%	86.7%
Yes	590	38			3	35	0	15	14	8	4	9	25	31	4	2	3	0	0	1	0	0	15	1	13	3	27	8
	15.2%	16.7%			10.0%	18.6%		20.3%	12.7%	19.5%	9.3%	15.5%	21.9%	16.3%	14.3%	33.3%	42.9%	0.0%	0.0%	3.3%	0.0%		17.0%	33.3%	23.6%	4.4%	19.0%	61.5%
No	3,290	190			27	153	0	59	96	33	39	49	89	159	24	4	4	- 6	3	29	1	0	73	2	42	65	115	5
	84.8%	83.3%			90.0%	81.4%		79.7%	87.3%	80.5%	90.7%	84.5%	78.1%	83.7%	85.7%	66.7%	57.1%	100.0%	100.0%	96.7%	100.0%		83.0%	66.7%	76.4%	95.6%	81.0%	38.5%
Significantly different from column:*																										AA	Z	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 24

In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services?

Base: All respondents whose child got care from more than one kind of health care provider or service (Q23)

	ОНР					ndent's O Identity (Q73)	Gender	C	Child's Ag	je		esponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poob	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	590	38			3	35	0	15	14	8	4	9	25	31	4	2	3	0	0	1	0	0	15	1	13	3	27	8
Number missing or multiple answer	19	1			0	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	571 96.8%	37 97.4%			3 100.0%	34	0	15		_	4	9 100.0%	24	31 100.0%	3 75.00/	100.00/	3 100.0%	0	0	1 100.0%	0	0	14 93.3%	_	13 100.0%	3	27	-
V	342	23			_	20		100.0%	100.0%	100.0%	100.0%	100.0%	90.0%		75.0%	100.0%	100.0%			100.0%			93.3%	0.0%	100.0%	100.0%	100.0%	67.3%
res	59.9%	_			100.0%		U	66.70/	42.9%	07.50/	75.0%	55.6%	C2 F0/	19 61.3%	22.20/	100.0%	0.0%	U	U	100.0%	U	U	F7 10/	100.0%	76 00/	33.3%	63.0%	71 40/
No	229	62.2% 14				58.8%		00./%	42.9%	87.5%	/5.0%	33.6%	02.5%	12	33.3%	100.0%	0.0%			100.0%			57.1%	100.0%	70.9%	33.3%	03.0%	/1.4%
INO	40.1%							22.20/	57.1%	12 50/	25.0%	44.4%	27 50/	38.7%	66.7%	0.006	100.0%			0.00%			42.9%	0.0%	23.1%	66.7%	37.0%	28.6%
Significantly different from column:*	40.176	37.6%			0.0%	41.270		33.370	37.170	12.570	23.0%	44.470	37.3%	30.770	00.7%	0.0%	100.076			0.076			42.970	0.076	23.170	00.770	37.0%	20.070
Significantly unrefert from column:												1				1							1					

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 25

A personal doctor is the one your child would see if he or she needs a check-up, has a health problem, or gets sick or hurt. Does your child have a personal doctor?

Base: All respondents

	ОНР					ndent's 0 Identity (Q73)		C	hild's Ag (Q69)	е		sponder Education (Q74)		Child's	Health	Status					Race (Q76)					Child's Las	Doctor V t 6 Mont (Q7)	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233	187	198	31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	50	5	29	0	1	3	0	1	2	2	2	0	1	5	0	0	0	1	1	1	0	0	1	0	0	1	3	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,881	228	158	198	30	187	0	74	108	42	42	59	114	189	29	6	7	5	2	30	1	0	88	3	56	67	142	14
	98.7%	97.9%	84.5%	100.0%	96.8%	98.4%		98.7%	98.2%	95.5%	95.5%	100.0%	99.1%	97.4%	100.0%	100.0%	100.0%	83.3%	66.7%	96.8%	100.0%		98.9%	0.0%	100.0%	98.5%	97.9%	93.3%
Yes	3,381	209	151	186	26	173	0	70	95	40	40	55	103	172	28	6	7	5	2	29	1	0	81	3	46	55	135	14
	87.1%	91.7%	95.6%	93.9%	86.7%	92.5%		94.6%	88.0%	95.2%	95.2%	93.2%	90.4%	91.0%	96.6%	100.0%	100.0%	100.0%	100.0%	96.7%	100.0%		92.0%	100.0%	82.1%	82.1%	95.1%	100.0%
No	500	19	7	12	4	14	0	4	13	2	2	4	11	17	1	0	0	0	0	1	0	0	7	0	10	12	7	0
	12.9%	8.3%	4.4%	6.1%	13.3%	7.5%		5.4%	12.0%	4.8%	4.8%	6.8%	9.6%	9.0%	3.4%	0.0%	0.0%	0.0%	0.0%	3.3%	0.0%		8.0%	0.0%	17.9%	17.9%	4.9%	0.0%
Significantly different from column:*		A																								AA	Z	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 26

In the last 6 months, how many times did your child visit his or her personal doctor for care?

Base: All respondents whose child has a personal doctor (Q25)

	ОНР					ndent's (	Gender	C	Child's Ag	je		sponder		Child's	Health :	Status					Race						Doctor \	
	0					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooS	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,381	209	151	177	26	173	0	70	95	40	40	55	103	172	28	6	7	5	2	29	1	0	81	3	46	55	135	14
Number missing or multiple answer	76	5	1	0	0	4	0	3	2	0	1	2	1	3	2	0	0	0	0	0	0	0	2	0	0	1	1	1
Number no experience	NA	NA		NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA	NA	NA
Usable responses	3,305	204	150	177	26	169	0	67	93		39		102	169	26	6	7	5	2	29		0	79	3	46	54	134	13
	97.8%	97.6%	99.3%	100.0%	100.0%	97.7%		95.7%	97.9%	100.0%	97.5%	96.4%	99.0%	98.3%	92.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		97.5%	0.0%	100.0%	98.2%	99.3%	92.9%
None	965	59		68	7	50	0	19	34		13	17	25	46	11	2	2	0	2	11	. 0	0	23	1	11	44	14	1
	29.2%	28.9%		38.4%	26.9%	29.6%		28.4%	36.6%	15.0%	33.3%	32.1%	24.5%		42.3%	33.3%	28.6%	0.0%	100.0%	37.9%	0.0%		29.1%	33.3%	23.9%	81.5%	10.4%	7.7%
1 time	1,350	87	58	62	13	71	0	25	39		15		42	78	6	2	4	1	0	14	1	0	34	1	21	8	77	1
	40.8%	42.6%		35.0%	50.0%	42.0%		37.3%	41.9%		38.5%	52.8%	41.2%		23.1%	33.3%	57.1%	20.0%	0.0%	48.3%	100.0%		43.0%	33.3%	45.7%	14.8%	57.5%	7.7%
2	590	33		29	4	27	0	11	13	-	5	4	21	28	4	1	0	2	0	2	. 0	0	13	1	6	1	28	3
2	17.9%	16.2%		16.4%	15.4%	16.0%		16.4%	14.0%	20.0%	12.8%	7.5%	20.6%	16.6%	15.4%	16.7%	0.0%	40.0%	0.0%	6.9%	0.0%		16.5%	33.3%	13.0%	1.9%	20.9%	23.1%
3	237 7.2%	15 7.4%		4.0%	3.8%	12 7.1%	U	10.4%	4.3%	5.0%	7.7%	3.8%	8.8%	10 5.9%	11.5%	0.0%	0.0%	40.0%	0.0%	3.4%	0.0%	0	5.1%	0.0%	10.9%	0.0%	8.2%	30.8%
4	7.2%	7.4%	8.0%	4.0%	3.8%	7.1%		10.4%	4.5%	5.0%	7.7%	3.8%	8.8%	5.9%	11.5%	0.0%	0.0%	40.0%	0.0%	3.4%	0.0%		3.1%	0.0%	10.9%	0.0%	8.2%	30.8%
*	2.7%	1.5%	1.3%	4.0%	3.8%	1.2%		1.5%	1.1%	2.5%	2.6%	1.9%	1.0%	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	3.4%	0.0%		2.5%	0.0%	0.0%	1.9%	0.7%	7.7%
5 to 9	61	7.570	1.570	4.070	0.070	7.270	0	4	2.1.70	2.570	2.070	1.570	4	4	2	1	1	0.070	0.070	0.470	0.070	0	3	0.070	3	0	3	3
	1.8%	3.4%	0.7%	2.3%	0.0%	4.1%		6.0%	2.2%	2.5%	5.1%	1.9%	3.9%	2.4%	7.7%	16.7%	14.3%	0.0%	0.0%	0.0%	0.0%		3.8%	0.0%	6.5%	0.0%	2.2%	23.1%
10 or more times	12		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0
	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2 or more times	990	58	46	47	6	48	0	23	20	12	11	8	35	45	9	2	1	4	0	4	0	0	22	1	14	2	43	11
	30.0%	28.4%	30.7%	26.6%	23.1%	28.4%		34.3%	21.5%	30.0%	28.2%	15.1%	34.3%	26.6%	34.6%	33.3%	14.3%	80.0%	0.0%	13.8%	0.0%		27.8%	33.3%	30.4%	3.7%	32.1%	84.6%
Significantly different from column:*												M	L													AA	Z	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 26a

In the last 6 months, how often did you have a hard time speaking with or understanding your child's personal doctor because you spoke different languages?

,			,	octor to get		ndent's C	Gender		hild's Ad	10	Re	esponder	ıt's	Child's	Health	Status					Race					Child's	Doctor V	/isits in
	무					Identity			ııııu s Aç	je		Educatio	n	Cilius	ricaitii	Status					Nace					Las	st 6 Mont	ιhs
	Ю					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooD	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,340	145	104	108	19	119	0	48	59	34	26	36	77	123	15	4	5	5	0	18	1	0	56	2	35	10	120	12
Number missing or multiple answer	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA		NA			NA		NA		NA		NA		NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	2,322	145	104	108	-		0	48			26		77	123	15	4	5	5	0	18	1	0	56	2	35	10	120	12
	99.2%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%		100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	2,068	-		98		105	0	41	51		18					3	4	3	0	15	0	0	55	2	27	9	106	-
0 "	89.1%			90.7%	89.5%	88.2%		85.4%	86.4%	91.2%	69.2%	83.3%	97.4%	89.4%	66.7%	75.0%	80.0%	60.0%		83.3%	0.0%		98.2%	100.0%	77.1%	90.0%	88.3%	75.0%
Sometimes	143 6.2%	10 6.9%		3.7%	0.0%	6.7%		8.3%	6.8%	2.9%	11.5%	11.1%	1.3%	4.1%	26.7%	25.0%	0.0%	40.0%		5.6%	0.0%		0.0%	0.0%	14.3%	0.0%	5.8%	25.0%
Usually	49	1	3	2	0	1	0	0	1	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	1	0
<i>'</i>	2.1%	0.7%	2.9%	1.9%	0.0%	0.8%		0.0%	1.7%	0.0%	3.8%	0.0%	0.0%	0.8%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%		0.0%	0.0%	2.9%	0.0%	0.8%	0.0%
Always	62	8	1	4	2	5	0	3	3	2	4	2	1	7	1	0	1	0	0	2	1	0	1	0	2	1	6	0
	2.7%	5.5%	1.0%	3.7%	10.5%	4.2%		6.3%	5.1%	5.9%	15.4%	5.6%	1.3%	5.7%	6.7%	0.0%	20.0%	0.0%		11.1%	100.0%		1.8%	0.0%	5.7%	10.0%	5.0%	0.0%
Significantly different from column:*																												
Usually or Always	111	9	4	6	2	6	0	3	4	2	5	2	1	8	1	0	1	0	0	2	1	0	1	0	3	1	7	0
	4.8%	6.2%	3.8%	5.6%	10.5%	5.0%		6.3%	6.8%	5.9%	19.2%	5.6%	1.3%	6.5%	6.7%	0.0%	20.0%	0.0%		11.1%	100.0%		1.8%	0.0%	8.6%	10.0%	5.8%	0.0%
Significantly different from column:*																									-			

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 27

In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?

	ОНР					ndent's C	Gender	C	Child's Ag	je		esponder		Child's	Health	Status					Race						Doctor V	
	0					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Bood	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,340	145	104	108	19	119	0	48	59	34	26	36	77	123	15	4	5	5	0	18	1	0	56	2	35	10	120	12
Number missing or multiple answer	19	1	0	0	0	1	0	0	0	1	1	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	2,321	144	104	108	19	118	0	48	59	33	25	36	77	122	15	4	5	5	0	17	1	0	56	2	35	10	119	12
	99.2%	99.3%	100.0%	100.0%	100.0%	99.2%		100.0%	100.0%	97.1%	96.2%	100.0%	100.0%	99.2%	100.0%	100.0%	100.0%	100.0%		94.4%	100.0%		100.0%	0.0%	100.0%	100.0%	99.2%	100.0%
Never	55 2.4%	3 2.1%	2 1.9%	2 1.9%	1 5.3%	2 1.7%	0	2.1%	1 1.7%	3.0%	2 8.0%	0.0%	1.3%	2 1.6%	1 6.7%	0.0%	0.0%	0.0%	0	5.9%	0.0%	0	1.8%	0.0%	1 2.9%	20.0%	0.8%	0.0%
Sometimes	67	6	2	3	1	3	0	2	2	1	1	2	1	4	2	0	0	1	0	1	1	0	1	0	1	2	3	1
	2.9%	4.2%	1.9%	2.8%	5.3%	2.5%		4.2%	3.4%	3.0%	4.0%	5.6%	1.3%	3.3%	13.3%	0.0%	0.0%	20.0%		5.9%	100.0%		1.8%	0.0%	2.9%	20.0%	2.5%	8.3%
Usually	315	20	15	7	2	16	0	3	7	8	6	3	7	12	5	1	1	1	0	4	0	0	4	0	6	1	18	0
	13.6%	13.9%	14.4%	6.5%	10.5%	13.6%		6.3%	11.9%	24.2%	24.0%	8.3%	9.1%	9.8%	33.3%	25.0%	20.0%	20.0%		23.5%	0.0%		7.1%	0.0%	17.1%	10.0%	15.1%	0.0%
Always	1,884	115	85	96	15	97	0	42	49	23	16	31	68	104	7	3	4	3	0	11	0	0	50	2	27	5	97	11
	81.2%	79.9%	81.7%	88.9%	78.9%	82.2%		87.5%	83.1%	69.7%	64.0%	86.1%	88.3%	85.2%	46.7%	75.0%	80.0%	60.0%		64.7%	0.0%		89.3%	100.0%	77.1%	50.0%	81.5%	91.7%
Significantly different from column:*								J		Н	L	K																
Usually or Always	2,199	135	100	103	17	113	0	45	56	31	22	34	75	116	12	4	5	4	0	15	0	0	54	2	33	6	115	11
	94.7%	93.8%	96.2%	95.4%	89.5%	95.8%		93.8%	94.9%	93.9%	88.0%	94.4%	97.4%	95.1%	80.0%	100.0%	100.0%	80.0%		88.2%	0.0%		96.4%	100.0%	94.3%	60.0%	96.6%	91.7%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 28

In the last 6 months, how often did your child's personal doctor listen carefully to you?

	ЧЬ					ndent's G Identity		C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor \ t 6 Mon	
	공					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,340	145	104	109	19	119	0	48	59	34	26	36	77	123	15	4	5	5	0	18	1	0	56	2	35	10	120	12
Number missing or multiple answer	16	2	0	0	1	1	0	0	1	1	1	0	0	2	0	0	0	0	0	1	1	0	0	0	0	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	. NA	NA		NA	NA	NA	NA	NA
Usable responses	2,324	143	104	109	18	118	0	48	58	33	25	36	77	121	15	4	5	5	0	17	0	0	56	2	35	9	119	12
	99.3%	98.6%	100.0%	100.0%	94.7%	99.2%		100.0%	98.3%	97.1%	96.2%	100.0%	100.0%	98.4%	100.0%	100.0%	100.0%	100.0%		94.4%	0.0%		100.0%	0.0%	100.0%	90.0%	99.2%	100.0%
Never	15 0.6%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	77	3	3	3	1	2	0	1	1	1	0	1	2	2	1	0	0	0	0	0	0	0	) 1	0	1	1	2	0
	3.3%	2.1%	2.9%	2.8%	5.6%	1.7%		2.1%	1.7%	3.0%	0.0%	2.8%	2.6%	1.7%	6.7%	0.0%	0.0%	0.0%		0.0%			1.8%	0.0%	2.9%	11.1%	1.7%	0.0%
Usually	325	22	16	10	1	18	0	5	11	4	6	2	11	15	3	2	2	0	0	2	. 0	0	) 6	0	8	0	19	2
	14.0%	15.4%	15.4%	9.2%	5.6%	15.3%		10.4%	19.0%	12.1%	24.0%	5.6%	14.3%	12.4%	20.0%	50.0%	40.0%	0.0%		11.8%			10.7%	0.0%	22.9%	0.0%	16.0%	16.7%
Always	1,907	118	85	96	16	98	0	42	46	28	19	33	64	104	11	2	3	5	0	15	0	0	49	2	26	8	98	10
	82.1%	82.5%	81.7%	88.1%	88.9%	83.1%		87.5%	79.3%	84.8%	76.0%	91.7%	83.1%	86.0%	73.3%	50.0%	60.0%	100.0%		88.2%			87.5%	100.0%	74.3%	88.9%	82.4%	83.3%
Significantly different from column:*																									-		-	
Usually or Always	2,232	140	101	106	17	116	0	47	57	32	25	35	75	119	14	4	5	5	0	17	0	0	55	2	34	8	117	12
	96.0%	97.9%	97.1%	97.2%	94.4%	98.3%		97.9%	98.3%	97.0%	100.0%	97.2%	97.4%	98.3%	93.3%	100.0%	100.0%	100.0%		100.0%			98.2%	100.0%	97.1%	88.9%	98.3%	100.0%
Significantly different from column:*																									-		-	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 29

In the last 6 months, how often did your child's personal doctor show respect for what you had to say?

base. All respondents whose child has a person	iai uuctui ai	u visiteu triei	personal u	ocioi io gei	cale (Q23)	x (420)																						
	<u>4</u>					ndent's ( Identity		C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	ᇹ					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,340	145	104	109	19	119	0	48	59	34	26	36	77	123	15	4	5	5	0	18	1	0	56	2	35	10	120	12
Number missing or multiple answer	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,325	145	104	109		-	0	48		34	26			123	15	4	5	5	0	18	1	0	56	2	35		120	12
	99.4%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%		100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	18 0.8%	0.7%	1.0%	0.0%	1 5.3%	0.0%	0	0.0%	1 1.7%	0.0%	0.0%	0.0%	0.0%	0.8%	0.0%	0.0%	0.0%	0.0%	0	0.0%	1 100.0%	0	0.0%	0.0%	0.0%	1 10.0%	0.0%	0.0%
Sometimes	51	3	3	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	3	0
	2.2%	2.1%	2.9%	0.9%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	6.7%	0.0%	0.0%	0.0%		0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	2.5%	0.0%
Usually	254	14	12	6	1	13	0	5	6	3	3	1	10	11	3	0	0	1	0	0	0	0	7	0	5	1	10	2
	10.9%	9.7%			5.3%			101170	10.2%	8.8%					20.0%	0.0%	0.0%	20.0%		0.0%	0.0%		12.5%	0.0%	14.3%	10.0%		
Always	2,002	127	88	102	17	106	0	43	52	31	23			111	11	4	5	4	0	18	0	0	49	2	30	8	107	-
0. 10. 11. 110.	86.1%	87.6%	84.6%	93.6%	89.5%	89.1%		89.6%	88.1%	91.2%	88.5%	97.2%	87.0%	90.2%	73.3%	100.0%	100.0%	80.0%		100.0%	0.0%		87.5%	100.0%	85.7%	80.0%	89.2%	83.3%
Significantly different from column:*	2.256		100	100	- 10	440		40			2.0	26		422			_	_		10				2	25			1.
Usually or Always	2,256	141	100	108	18	-	0	48			26				14		100.00/	100.000	0	18	-	0	56	1	35	-	117	
Classificately, different forces and once at	97.0%	97.2%	96.2%	99.1%	94./%	100.0%		100.0%	98.3%	100.0%	100.0%	100.0%	100.0%	99.2%	93.3%	100.0%	100.0%	100.0%		100.0%	0.0%		100.0%	100.0%	100.0%	90.0%	97.5%	100.0%
Significantly different from column:*						1		I	l			1	1	I	l	l	I	1	l	l	1	l	I					1 1

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 30

Is your child able to talk with doctors about his or her health care?

	4					ndent's C Identity		C	Child's Ag	je		sponder Education		Child's	Health	Status					Race						t 6 Mon	Visits in iths
	Ö					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	٧	W	X	Υ	Z	AA	AB
Number in sample	2,340	145	104	108	19	119	0	48	59	34	26	36	77	123	15	4	5	5	0	18	1	0	56	2	35	10	120	12
Number missing or multiple answer	18	1	0	0	0	1	0	0	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,322	144	104	108		118	0	48	58	-						4	5	5	0	18	1	0	56	2	35		119	
V	99.2%				100.0%			100.0%		100.0%				100.0%		100.0%	100.0%	100.0%		100.0%	100.0%		100.0%	0.0%	100.0%	100.0%		100.0%
Yes	1,617	105	-	71		84	0	17	52		19		50		-	4	100.00/	60.004	0	12	100.00/	0	39	50.000	26	9	85	
	69.6%			65.7%	84.2%			35.4%	89.7%	100.0%	76.0%	86.1%	64.9%	73.2%	64.3%	100.0%	100.0%	60.0%		66.7%	100.0%		69.6%	50.0%	74.3%	90.0%	71.4%	75.0%
NO .	705	39		3/	45.004	34	0	31	6	0	6	42.00/	2/	33	5	0	0 000	40.00/	0	22.20/	0 000	0	20.40/	50.000	25.70/	10.004	34	35.00
	30.4%	27.1%	40.4%	34.3%	15.8%	28.8%		64.6%	10.3%	0.0%	24.0%		35.1%	26.8%	35.7%	0.0%	0.0%	40.0%		33.3%	0.0%		30.4%	50.0%	25.7%	10.0%	28.6%	25.0%
Significantly different from column:*		С						IJ	Н	Н		M	L															

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 31

In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for your child to understand?

Base: All respondents whose child has a personal doctor, visited their personal doctor to get care, and is able to talk with his/her doctors (Q25, Q26, & Q30)

	ОНР	·				ndent's G Identity (Q73)	Gender	C	Child's Ag (Q69)	je		sponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor V t 6 Mont (Q7)	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,617	105	62	70	16	84	0	17	52	34	19	31	50	90	9	4	5	3	0	12	1	0	39	1	26	9	85	9
Number missing or multiple answer	16	_	0	0	1	2	0	0	0	3	1	0	1	3	0	0	0	0	0	1	0	0	0	0	1	0	3	0
Number no experience	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	1,601	102	62	70	15	82	0	17	52	31	18	31	49	87	9	4	5	3	0	11	1	0	39	1	25	9	82	9
	99.0%	97.1%	100.0%	100.0%	93.8%	97.6%		100.0%	100.0%	91.2%	94.7%	100.0%	98.0%	96.7%	100.0%	100.0%	100.0%	100.0%		91.7%	100.0%		100.0%	0.0%	96.2%	100.0%	96.5%	100.0%
Never	5 0.3%	1 1.0%	0.0%	0.0%	1 6.7%	0.0%	0	0.0%	1 1.9%	0.0%	0.0%	0.0%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%	0	0.0%	1 100.0%	0	0.0%	0.0%	0.0%	1 11.1%	0 0.0%	0.0%
Sometimes	85	3	4	2	0	3	0	1	2	0	0	0	3	1	2	0	1	0	0	0	0	0	1	0	0	0	1	2
	5.3%	2.9%	6.5%	2.9%	0.0%	3.7%		5.9%	3.8%	0.0%	0.0%	0.0%	6.1%	1.1%	22.2%	0.0%	20.0%	0.0%		0.0%	0.0%		2.6%	0.0%	0.0%	0.0%	1.2%	22.2%
Usually	325	30	14	13	7	22	0	6	15	8	7	7	14	22	4	3	1	0	0	4	0	0	9	0	10	2	24	3
	20.3%	29.4%	22.6%	18.6%	46.7%	26.8%		35.3%	28.8%	25.8%	38.9%	22.6%	28.6%	25.3%	44.4%	75.0%	20.0%	0.0%		36.4%	0.0%		23.1%	0.0%	40.0%	22.2%	29.3%	33.3%
Always	1,186	68	44	55	7	57	0	10	34	23	11	24	32	63	3	1	3	3	0	7	0	0	29	1	15	6	57	4
	74.1%	66.7%	71.0%	78.6%	46.7%	69.5%		58.8%	65.4%	74.2%	61.1%	77.4%	65.3%	72.4%	33.3%	25.0%	60.0%	100.0%		63.6%	0.0%		74.4%	100.0%	60.0%	66.7%	69.5%	44.4%
Significantly different from column:*																												
Usually or Always	1,511	98	58	68	14	79	0	16	49	31	18	31	46	85	7	4	4	3	0	11	0	0	38	1	25	8	81	7
	94.4%	96.1%	93.5%	97.1%	93.3%	96.3%		94.1%	94.2%	100.0%	100.0%	100.0%	93.9%	97.7%	77.8%	100.0%	80.0%	100.0%		100.0%	0.0%		97.4%	100.0%	100.0%	88.9%	98.8%	77.8%
Significantly different from column:*																									-			

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 32

In the last 6 months, how often did your child's personal doctor spend enough time with your child?

	ОНР					ndent's O Identity (Q73)	Gender	C	Child's Ag (Q69)	je		sponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor V t 6 Mont (Q7)	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,340	145	104	109	19	119	0	48	59	34	26	36	77	123	15	4	5	5	0	18	1	0	56	2	35	10	120	12
Number missing or multiple answer	32	1	2	0	0	1	0	0	0	1	1	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA			NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	2,308	144	102	109	19	118	0	48	59	33	25	36	77		15	4	5	5	0	17	1	0	56	2	35		119	12
	98.6%	99.3%	98.1%	100.0%	100.0%	99.2%		100.0%	100.0%	97.1%	96.2%	100.0%	100.0%	99.2%	100.0%	100.0%	100.0%	100.0%		94.4%	100.0%		100.0%	0.0%	100.0%	100.0%	99.2%	100.0%
Never	46 2.0%	6 4.2%	1.0%	4 3.7%	3 15.8%	2 1.7%	0	6.3%	1 1.7%	6.1%	5 20.0%	2.8%	0.0%	2.5%	3 20.0%	0.0%	0.0%	0.0%	0	23.5%	0.0%	0	0.0%	0.0%	1 2.9%	0.0%	5 4.2%	1 8.3%
Sometimes	161	5	3	6	0	3	0	1	2	0	1	1	1	2	1	0	0	0	0	0	0	0	0	0	3	0	5	0
	7.0%	3.5%	2.9%	5.5%	0.0%	2.5%		2.1%	3.4%	0.0%	4.0%	2.8%	1.3%	1.6%	6.7%	0.0%	0.0%	0.0%		0.0%	0.0%		0.0%	0.0%	8.6%	0.0%	4.2%	0.0%
Usually	497	36	27	19	4	31	0	10	17	8	9	6	19	26	6	3	1	3	0	5	0	0	11	1	10	3	28	4
	21.5%	25.0%	26.5%	17.4%	21.1%	26.3%		20.8%	28.8%	24.2%	36.0%	16.7%	24.7%	21.3%	40.0%	75.0%	20.0%	60.0%		29.4%	0.0%		19.6%	50.0%	28.6%	30.0%	23.5%	33.3%
Always	1,604	97	71	80	12	82	0	34	39	23	10	28	57	91	5	1	4	2	0	8	1	0	45	1	21	7	81	7
	69.5%	67.4%	69.6%	73.4%	63.2%	69.5%		70.8%	66.1%	69.7%	40.0%	77.8%	74.0%	74.6%	33.3%	25.0%	80.0%	40.0%		47.1%	100.0%		80.4%	50.0%	60.0%	70.0%	68.1%	58.3%
Significantly different from column:*											LM	K	K										Y		W			
Usually or Always	2,101	133	98	99	16	113	0	44	56	31	19	34	76	117	11	4	5	5	0	13	1	0	56	2	31	10	109	11
	91.0%	92.4%	96.1%	90.8%	84.2%	95.8%		91.7%	94.9%	93.9%	76.0%	94.4%	98.7%	95.9%	73.3%	100.0%	100.0%	100.0%		76.5%	100.0%		100.0%	100.0%	88.6%	100.0%	91.6%	91.7%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 33

In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?

	ОНР					ndent's G Identity (Q73)		C	hild's Ag (Q69)	е		sponder Education (Q74)		Child's	Health :	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,340	145	104	109	19	119	0	48	59	34	26	36	77	123	15	4	5	5	0	18	1	0	56	2	35	10	120	12
Number missing or multiple answer	16	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,324	145	103	109	19	119	0	48	59	34	26	36	77	123	15	4	5	5	0	18	1	0	56	2	35	10	120	12
	99.3%	100.0%	99.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%		100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	2,064	126	99	97	14	106	0	46	51	26	23	28	70	106	13	4	3	5	0	16	1	0	49	2	29	8	105	10
	88.8%	86.9%	96.1%	89.0%	73.7%	89.1%		95.8%	86.4%	76.5%	88.5%	77.8%	90.9%	86.2%	86.7%	100.0%	60.0%	100.0%		88.9%	100.0%		87.5%	100.0%	82.9%	80.0%	87.5%	83.3%
No	260	19	4	12	5	13	0	2	8	8	3	8	7	17	2	0	2	0	0	2	0	0	7	0	6	2	15	2
	11.2%	13.1%	3.9%	11.0%	26.3%	10.9%		4.2%	13.6%	23.5%	11.5%	22.2%	9.1%	13.8%	13.3%	0.0%	40.0%	0.0%		11.1%	0.0%		12.5%	0.0%	17.1%	20.0%	12.5%	16.7%
Significantly different from column:*		С										1							· ·			· ·						. 7

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 34

In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor?

	ОНР			Ĭ		ndent's ( Identity (Q73)		C	Child's Ag (Q69)	e		sponder Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,340	145	104	109	19	119	0	48	59	34	26	36	77	123	15	4	5	5	0	18	1	0	56	2	35	10	120	12
Number missing or multiple answer	17	1	1	0	0	1	0	0	0	1	1	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,323	144	103	109	19	118	0	48	59	33	25	36	77	122	15	4	5	5	0	17	1	0	56	2	35	10	119	12
	99.3%	99.3%	99.0%	100.0%	100.0%	99.2%		100.0%	100.0%	97.1%	96.2%	100.0%	100.0%	99.2%	100.0%	100.0%	100.0%	100.0%		94.4%	100.0%		100.0%	0.0%	100.0%	100.0%	99.2%	100.0%
Yes	791	46	47	50	2	42	0	21	13	9	5	9	29	35	6	3	1	2	0	2	0	0	19	1	14	0	36	10
	34.1%	31.9%	45.6%	45.9%	10.5%	35.6%		43.8%	22.0%	27.3%	20.0%	25.0%	37.7%	28.7%	40.0%	75.0%	20.0%	40.0%		11.8%	0.0%		33.9%	50.0%	40.0%	0.0%	30.3%	83.3%
No	1,532	98	56	59	17	76	0	27	46	24	20	27	48	87	9	1	4	3	0	15	1	0	37	1	21	10	83	2
	65.9%	68.1%	54.4%	54.1%	89.5%	64.4%		56.3%	78.0%	72.7%	80.0%	75.0%	62.3%	71.3%	60.0%	25.0%	80.0%	60.0%		88.2%	100.0%		66.1%	50.0%	60.0%	100.0%	69.7%	16.7%
Significantly different from column:*		CD			F	E		_	Н											Y					Т		-	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 35

In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

Base: All respondents whose child has a personal doctor, visited their personal doctor, and got care from a doctor/health care provider besides his/her personal doctor (Q25, Q26, & Q34)

base: Airrespondents whose units has a perso	우	,			Respoi	ndent's ( Identity	Gender		child's Ag		Re	sponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	Ö					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	791	46	47	48	2	42	0	21	13	9	5	9	29	35	6	3	1	2	0	2	0	0	19	1	14	0	36	10
Number missing or multiple answer	23	1	2	0	0	1	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	768	45	45	48	2	41	0	21	13	8	4	9	29		6	3	1	2	0	2	0	0	19	1	13	0	35	10
	97.1%	97.8%	95.7%	100.0%	100.0%	97.6%		100.0%	100.0%	88.9%	80.0%	100.0%	100.0%	97.1%	100.0%	100.0%	100.0%	100.0%		100.0%			100.0%	0.0%	92.9%		97.2%	100.0%
Never	41	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5.3%	0.0%	2.2%	2.1%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%			0.0%	0.0%	0.0%		0.0%	0.0%
Sometimes	91	_	7	7	1	4	0	1	3	1	1	2	2	4	1	0	0	1	0	0	0	0	2	0	0	0	3	2
	11.8%	11.1%	15.6%	14.6%	50.0%	9.8%		4.8%	23.1%	12.5%	25.0%	22.2%	6.9%	11.8%	16.7%	0.0%	0.0%	50.0%		0.0%			10.5%	0.0%	0.0%		8.6%	20.0%
Usually	194	15	15	6	0	13	0	8	1	4	3	1	9	9	3	2	1	1	0	1	0	0	5	1	4	0	11	4
	25.3%				0.0%			30.170	7.7%	50.0%	75.0%	11.1%	31.0%	26.5%	50.0%	66.7%	100.0%	50.0%		50.0%			26.3%	100.0%	30.8%		31.4%	40.0%
Always	442	25	22	34	1	24	0	12	9	3	0	6	18	21	2	1	0	0	0	1	0	0	12	0	9	0	21	4
	57.6%	55.6%	48.9%	70.8%	50.0%	58.5%		57.1%	69.2%	37.5%	0.0%	66.7%	62.1%	61.8%	33.3%	33.3%	0.0%	0.0%		50.0%			63.2%	0.0%	69.2%		60.0%	40.0%
Significantly different from column:*																		ļ.,									ليب	
Usually or Always	636					37	0	20			3	7	27			3	1	1	0	2	0	0	17	1	13	0	32	
	82.8%	88.9%	82.2%	83.3%	50.0%	90.2%		95.2%	76.9%	87.5%	75.0%	77.8%	93.1%	88.2%	83.3%	100.0%	100.0%	50.0%		100.0%			89.5%	100.0%	100.0%		91.4%	80.0%
Significantly different from column:*												l							l								, ,	1

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

# InterCommunity Health Network CCO - Claims Stratum: Non-Chronic CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 36

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

Base: All respondents whose child has a personal doctor (Q25)

Base: All respondents whose child has a perso	riai doctor (G	25)	1					_									_											
	_					ndent's ( Identity		С	hild's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	3,381 60 NA	209 4 NA	151 3 NA	173 0 NA	0	4	0 0 NA	70 1 NA	95 1 NA	40 2 NA	40 1 NA	1	103 2 NA	3	28 1 NA	0	7 0 NA	5 0 NA	2 1 NA	29 1 NA	1 0 NA	0 0 NA	81 2 NA	3 0 NA	46 0 NA	55 2 NA	135 2 NA	14 0 NA
Usable responses	3,321	205	148	173			0	69	94	38	39				27		7	5	1	28	1	0	79	3	46	53	133	14
	98.2%	98.1%	98.0%	100.0%	100.0%			98.6%	98.9%	95.0%	97.5%	98.2%	98.1%		96.4%	100.0%	100.0%	100.0%	50.0%	96.6%	100.0%		97.5%	0.0%	100.0%	96.4%	98.5%	100.0%
0 Worst personal doctor possible	6 0.2%	2 1.0%	0.0%	0.0%	3.8%	0.6%	0	0.0%	2.1%	0.0%	0.0%	0.0%	1.0%	0.6%	1 3.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	1 2.2%	1 1.9%	1 0.8%	0.0%
1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
3	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
4	13 0.4%	0.0%	0.7%	0.6%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
5	75	1	2	3	0	1	0	0	1	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	1	0	1	0
c	2.3%	0.5%	1.4%	1.7%	0.0%	0.6%		0.0%	1.1%	0.0%	0.0%	1.9%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	2.2%	0.0%	0.8%	0.0%
0	60 1.8%	3.4%	0.0%	1.7%	7.7%	1.8%		1.4%	2.1%	5.3%	5.1%	3.7%	1.0%	2.4%	7.4%	0.0%	0.0%	0.0%	0.0%	3.6%	0.0%		2.5%	0.0%	2.2%	1.9%	3.8%	7 1%
7	192	12	7	1.7 70	7.770	1.070	0	5	2.170	3.370	2.170	2.7 /0	1.070	2.470	4	0.070	0.070	1	0.070	3.070	0.070	0	5	0.070	3	2.570	7.070	7.170
	5.8%	5.9%	4.7%	6.9%	0.0%			7.2%	4.3%	7.9%	5.1%	3.7%	7.9%	4.7%	14.8%	0.0%	0.0%	20.0%	0.0%	3.6%	0.0%		6.3%	0.0%	6.5%	3.8%	5.3%	14.3%
8	455	26	24	28	6	19	0	9	12		5	6	15		5	1	1	2	0	3	0	0	15	0	5	7	16	3
	13.7%	12.7%	16.2%	16.2%	23.1%			13.0%	12.8%	13.2%	12.8%	11.1%	14.9%		18.5%	16.7%	14.3%	40.0%	0.0%	10.7%	0.0%		19.0%	0.0%	10.9%	13.2%	12.0%	21.4%
9	652	47	35	42	8	36	0	13	24		9	10	22		4	3	1	0	1	8	1	0	13	2	12	15	31	1
100	19.6%	22.9% 110	23.6%	24.3%	30.8%			18.8%	25.5%	23.7%	23.1%	18.5%	21.8%		14.8%		14.3%	0.0%	100.0%	28.6%	100.0%		16.5%	66.7%	26.1%	28.3%	23.3%	7.1%
10 Best personal doctor possible	1,849 55.7%	110 53.7%	79 53.4%	48.6%	34.6%	98 58.0%	0	59.4%	52.1%	19 50.0%	21 53.8%		54 53.5%		11 40.7%	_	71.4%	40.0%	0.0%	15 53.6%	0.0%		55.7%	33.3%	50.0%	27 50.9%	72 54.1%	50.0%
i	55./%	53.7%	55.4%	48.0%	34.0%	58.0%		59.4%	52.1%	50.0%	55.8%	01.1%	33.5%	50.8%	40.7%	33.3%	/1.4%	40.0%	0.0%	%ە.دכ	0.0%		35.7%	33.3%	50.0%	50.9%	34.1%	50.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 36

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

Base: All respondents whose child has a personal doctor (Q25)

Base: All respondents whose child has a perso	riai doctor (Q	23)																										
	۵					ndent's ( Identity	Gender	C	hild's Ag	ge		esponder Educatio		Child's	Health	Status					Race					Child's Las	Doctor \ t 6 Mon	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	3,381 60	209 4	151 3	173 0	26 0	173 4	0	70 1	95 1	40 2	40 1	55 1	103 2	172 3	28 1	6 0	7	5 0	2 1	29 1	1 0	0	81 2	3 0	46 0	55 2	135 2	14 0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,321 98.2%	205 98.1%	148 98.0%	173 100.0%	26 100.0%	169 97.7%	0	69 98.6%	94 98.9%		39 97.5%		101 98.1%	169 98.3%	27 96.4%	_	7 100.0%	5 100.0%	50.0%	28 96.6%		0	79 97.5%	0.0%	46 100.0%	53 96.4%	133 98.5%	14 100.0%
0 to 4	38 1.1%	2 1.0%	1 0.7%	0.6%	1 3.8%	1 0.6%	0	0.0%	2.1%	0.0%	0.0%	0.0%	1.0%	1 0.6%	1 3.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0 0.0%	1 2.2%	1 1.9%	1 0.8%	0.0%
5	75 2.3%	1 0.5%	2	3 1.7%	0.0%	0.6%	0	0.0%	1.1%	0	0.0%	1	0.0%	1	0.0%	0.0%	0	0	0.0%	0.0%	0	0	0	0.0%	1 2.2%	0.0%	0.8%	0
6 or 7	252 7.6%	19 9.3%		15 8.7%	2 7.7%	14 8.3%	0	6 8.7%	6 6.4%	5 13.2%	4 10.3%	4 7.4%	9 8.9%	12 7.1%	6 22.2%	0.0%	0.0%	1 20.0%	0.0%	7.1%	0.0%	0	· ·	0.0%	4 8.7%	3 5.7%	12 9.0%	
8 to 10	2,956 89.0%	183 89.3%		154 89.0%		153 90.5%	0	63 91.3%	85 90.4%		35 89.7%		91 90.1%		20 74.1%		7 100.0%	4 80.0%	1 100.0%	26 92.9%	100.0%	0	, -	3 100.0%	40 87.0%	49 92.5%	119 89.5%	
Significantly different from column:*																												
0 to 6	173 5.2%	10 4.9%	2.0%	7 4.0%	3 11.5%	5 3.0%	0	1.4%	5 5.3%	5.3%	5.1%	5.6%	2.0%	6 3.6%	3 11.1%	0.0%	0.0%	0.0%	0.0%	1 3.6%	0.0%	0	2.5%	0.0%	3 6.5%	2 3.8%	7 5.3%	7.1%
7 to 8	647 19.5%	38 18.5%		40 23.1%	6 23.1%	30 17.8%	0	14 20.3%	16 17.0%	-	7 17.9%	8 14.8%	23 22.8%			1 16.7%	1 14.3%	3 60.0%	0.0%	4 14.3%	0.0%	0	20 25.3%	0.0%	8 17.4%	9 17.0%	23 17.3%	5 35.7%
9 to 10	2,501 75.3%	157	114	126 72.8%	17	134	0	54 78.3%	73 77.7%	28	30 76.9%	43	76	135	15 55.6%	5	6 85.7%	2	1 100.0%	23 82.1%	1 100.0%	0	57 72.2%	3 100.0%	35 76.1%	42	103 77.4%	8
Significantly different from column:*														0	N		1				1							

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

InterCommunity Health Network CCO - Claims Stratum: Non-Chronic
CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 37

Does your child have any medical, behavioral, or other health conditions that have lasted for more than <u>3 months</u>?

Base: All respondents whose child has a personal doctor (Q25)

	НР					ident's G Identity	Gender	С	hild's Ag	е		sponder		Child's	Health	Status					Race					Child's Las	t 6 Mon	
	2020 State O	2020	2019	2018	Male	Female (Q73)	Non-binary, genderqueer, or other	0 to 5	6 to 13 (690)	14 to 18	Less than HS grad	(Q74)	Some College or more	Excellent or Very Good	(Q53)	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Castern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4 (O <sub>2</sub> )	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,381	209			26	173	0	70	95	40	40	55	103	172	28	6	7	5	2	29	1	0	81	3	46	55	135	14
Number missing or multiple answer	34	2			0	1	0	0	1	0	0	1	0	1	1	0	0	0	0	0	0	0	1	0	0	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,347	207			26	172	0	70	94	40						6	7	5	2	29	1	0	80	3	46		133	14
	99.0%	99.0%			100.0%	99.4%		100.0%	98.9%	100.0%	100.0%	98.2%	100.0%	99.4%	96.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		98.8%	0.0%	100.0%	100.0%	98.5%	100.0%
Yes	416	29			1	27	0	7	14	7	1	4	23	21	6	1	1	1	0	0	0	0	13	0	11	3	20	5
	12.4%	14.0%			3.8%	15.7%		10.0%	14.9%	17.5%	2.5%	7.4%	22.3%	12.3%	22.2%	16.7%	14.3%	20.0%	0.0%	0.0%	0.0%		16.3%	0.0%	23.9%	5.5%	15.0%	35.7%
No	2,931	178			25	145	0	63	80	33	39	50	80	150	21	5	6	4	2	29	1	0	67	3	35	52	113	9
	87.6%	86.0%			96.2%	84.3%		90.0%	85.1%	82.5%	97.5%	92.6%	77.7%	87.7%	77.8%	83.3%	85.7%	80.0%	100.0%	100.0%	100.0%		83.8%	100.0%	76.1%	94.5%	85.0%	64.3%
Significantly different from column:*											M	М	KL															

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 38

Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life?

Base: All respondents whose child has a personal doctor and has medical, behavioral, other health conditions that has lasted for more than 3 months (Q25 & Q37)

	4					ndent's G Identity	Gender	С	hild's Ag	je		sponder Education		Child's	Health :	Status					Race						Doctor \ st 6 Mon	
	Ö					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	C	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	416	29			1	27	0	7	14	7	1	4	23	21	6	1	1	1	0	0	0	0	13	0	11	3	20	5
Number missing or multiple answer	5	1			0	1	0	0	1	0	0	1	0	1	0	0	1	0	0	0	0	0	0	0	0	1	0	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	N/A
Usable responses	411	28			1	26	0	7	13	7	1	3	23	20	6	1	0	1	0	0	0	0	13	0	11	2	20	5
	98.8%	96.6%			100.0%	96.3%		100.0%	92.9%	100.0%	100.0%	75.0%	100.0%	95.2%	100.0%	100.0%	0.0%	100.0%					100.0%	0.0%	100.0%	66.7%	100.0%	100.0%
Yes	386	26			1	24	0	6	12	7	1	3	21	20	4	1	0	1	0	0	0	0	12	0	10	2	19	4
	93.9%	92.9%			100.0%	92.3%		85.7%	92.3%	100.0%	100.0%	100.0%	91.3%	100.0%	66.7%	100.0%		100.0%					92.3%		90.9%	100.0%	95.0%	80.0%
No	25	2			0	2	0	1	1	0	0	0	2	0	2	0	0	0	0	0	0	0	1	0	1	0	1	1
	6.1%	7.1%			0.0%	7.7%		14.3%	7.7%	0.0%	0.0%	0.0%	8.7%	0.0%	33.3%	0.0%		0.0%					7.7%		9.1%	0.0%	5.0%	20.0%
Significantly different from column:*																		1										

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 39

Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your <u>family's</u> day-to-day life?

Base: All respondents whose child has a personal doctor and has medical, behavioral, other health conditions that has lasted for more than 3 months (Q25 & Q37)

	4					ndent's G Identity	iender	C	hild's Ag	je		sponder Education		Child's	Health :	Status					Race						Doctor \ st 6 Mon	
	Ö					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	416	29			1	27	0	7	14	7	1	4	23	21	6	1	1	1	0	0	0	0	13	0	11	3	20	5
Number missing or multiple answer	7	1			0	1	0	0	1	0	0	1	0	1	0	0	1	0	0	0	0	0	0	0	0	1	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	409	28			1	26	0	7	13	7	1	3	23	20	6	1	0	1	0	0	0	0	13	0	11	2	20	5
	98.3%	96.6%			100.0%	96.3%		100.0%	92.9%	100.0%	100.0%	75.0%	100.0%	95.2%	100.0%	100.0%	0.0%	100.0%					100.0%	0.0%	100.0%	66.7%	100.0%	100.0%
Yes	378	26			1	24	0	6	12	7	1	3	21	20	4	1	0	1	0	0	0	0	12	0	10	2	19	4
	92.4%	92.9%			100.0%	92.3%		85.7%	92.3%	100.0%	100.0%	100.0%	91.3%	100.0%	66.7%	100.0%		100.0%					92.3%		90.9%	100.0%	95.0%	80.0%
No	31	2			0	2	0	1	1	0	0	0	2	0	2	0	0	0	0	0	0	0	1	0	1	0	1	1
	7.6%	7.1%			0.0%	7.7%		14.3%	7.7%	0.0%	0.0%	0.0%	8.7%	0.0%	33.3%	0.0%		0.0%					7.7%		9.1%	0.0%	5.0%	20.0%
Significantly different from column:*																		1										

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 40

In the last 6 months, did you make any appointments for your child to see a specialist?

Base: All respondents

	ОНР					ndent's O Identity (Q73)	Gender	C	hild's Ag (Q69)	е		sponder Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in iths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	233	187	199	31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	10	1	1	0	0	1	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,921	232	186	199	31	189	0	75	109	44	44	59	115	194	28	6	7	6	3	31	1	0	89	3	55	68	144	15
	99.7%	99.6%	99.5%	100.0%	100.0%	99.5%		100.0%	99.1%	100.0%	100.0%	100.0%	100.0%	100.0%	96.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	0.0%	98.2%	100.0%	99.3%	100.0%
Yes	458	33	26	24	3	26	0	12	9	9	3	10	16	25	5	2	1	2	1	2	0	0	7	0	10	4	21	8
	11.7%	14.2%	14.0%	12.1%	9.7%	13.8%		16.0%	8.3%	20.5%	6.8%	16.9%	13.9%	12.9%	17.9%	33.3%	14.3%	33.3%	33.3%	6.5%	0.0%		7.9%	0.0%	18.2%	5.9%	14.6%	53.3%
No	3,463	199	160	175	28	163	0	63	100	35	41	49	99	169	23	4	6	4	2	29	1	0	82	3	45	64	123	7
	88.3%	85.8%	86.0%	87.9%	90.3%	86.2%		84.0%	91.7%	79.5%	93.2%	83.1%	86.1%	87.1%	82.1%	66.7%	85.7%	66.7%	66.7%	93.5%	100.0%		92.1%	100.0%	81.8%	94.1%	85.4%	46.7%
Significantly different from column:*									J	_																		

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 41

In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?

Base: All respondents who made an appointment for their child to see a specialist (Q40)

base. All respondents who made an appointme	nt ioi trien ci	iliu io see a s	specialist (4	(40)																								
	Ь					ndent's ( Identity		C	Child's Ag	ge		sponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	핑					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	e e	0	6	00		,	Ŀ		,				d)		( ( )		ŗ					'n						
	Stat	2020	2019	2018		υ.	er, c		8	18	HS	rad	College	t or od		Poor	Indian ( Native		rican	ro e	theri	iian o			<del></del>			ē
	0	• • •	.,		Male	ıale	ina ue	to 5	-	to 1	than grad	gra	S   2	Go	Good	or P	Na.	au	. Af	nic 70/	Nor	sla	White	je.	ag	None	to 4	Ĕ
	2020				Σ	ē	Non-binar enderquee other	0 t	6 to	4 t	g. t	HS 6		<u>≅</u> ≥	9		can	Asi	ck or Afric American	Hispanic Latino/a	Middle ern/Nort African	ve Hawaiiar ıcific İslande	×	₹	불	٧	1 p	<u></u>
						ш.			9	1	Less	I	Some	Excellent Very Goo		Fair	meri Ala		Blac	±-	aste	ative Paci			Σ		.	2
	Α	-	С	D	-	-	Б G	Н		1	K	-	M	N	0	D	< 0	D	S	-	U	Z V	w		V	Z	AA	AB
Number in sample	458	33	26	24	- 3	26	0	12	1 9	٥		10			5	2	- Q 1	2	. J	2	0	V 0	7	^	10		21	
Number missing or multiple answer	430	0	1	1 27	0	0	0	0	0	n	0	0	0	0	0	0	n	0	0	0	0	0	ń	0	0	0	0	0
Number no experience	NA.	NA.	NA.	. NA	NA.	NA.	NA	NA.	NA.	NA NA	NA NA	NA.	NA NA	NA.	NA.	NA.	NA NA	NA NA	NA	NA.	NA.	NA.	NA.	NA	NA	NA.	NA	NA
Usable responses	454	33	25	24	3	26	0	12	9	9	3	10	16	25	5	2	1	2	1	2	0	0	7	0	10	4	21	8
	99.1%	100.0%	96.2%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	41	1	2	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0
	9.0%	3.0%	8.0%	4.2%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	20.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%		0.0%	0.0%	4.8%	0.0%
Sometimes	81	6	3	7	2	3	0	3	0	2	1	1	2	4	0	1	0	2	0	0	0	0	1	0	1	1	4	1
	17.8%	18.2%	12.0%	29.2%	66.7%	11.5%		25.0%	0.0%	22.2%	33.3%	10.0%	12.5%	16.0%	0.0%	50.0%	0.0%	100.0%	0.0%	0.0%			14.3%		10.0%	25.0%	19.0%	12.5%
Usually	96	7	5	8	0	7	0	2	3	2	2	3	2	5	1	1	0	0	0	1	0	0	1	0	2	0	7	0
	21.1%	21.2%	20.0%	33.3%	0.0%	26.9%		16.7%	33.3%	22.2%	66.7%	30.0%	12.5%	20.0%	20.0%	50.0%	0.0%	0.0%	0.0%	50.0%			14.3%		20.0%	0.0%	33.3%	0.0%
Always	236	19	15	8	1	16	0	7	6	5	0	6	12	16	3	0	1	0	1	1	0	0	5	0	7	3	9	7
	52.0%	57.6%	60.0%	33.3%	33.3%	61.5%		58.3%	66.7%	55.6%	0.0%	60.0%	75.0%	64.0%	60.0%	0.0%	100.0%	0.0%	100.0%	50.0%			71.4%		70.0%	75.0%	42.9%	87.5%
Significantly different from column:*																												
Usually or Always	332	26	-		1	23	0	9	9	7	2	9	14		4	1	1	0	1	2	0	0	6	0	9	3	16	
	73.1%	78.8%	80.0%	66.7%	33.3%	88.5%		75.0%	100.0%	77.8%	66.7%	90.0%	87.5%	84.0%	80.0%	50.0%	100.0%	0.0%	100.0%	100.0%			85.7%		90.0%	75.0%	76.2%	87.5%
Significantly different from column:*						1			1	1	I	l	l			1		1	I				1				. !	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 42

How many specialists has your child seen in the last 6 months?

Base: All respondents who made an appointment for their child to see a specialist (Q40)

Base: All respondents who made an appointme	ОНР					ndent's ( Identity (Q73)	Gender	C	Child's Ag	ge		sponder Educatio (Q74)		Child's	Health	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern A	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	M	N	0	Р	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	458	33	26	24	3	26	0	12	9	9	3	10	16	25	5	2	1	2	1	2	0	0	7	0	10	4	21	8
Number missing or multiple answer	6	1	1	0	0	1	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	0	0	1
Number no experience	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	452	32	-	24	3	25	0	11	9	9	3	10			4	2	1	2	1	2	0	0	6	0	10	4	21	7
N .	98.7%	97.0%	96.2%	100.0%	100.0%	96.2%		91.7%	100.0%	100.0%	100.0%	100.0%	93.8%	100.0%	80.0%	100.0%	100.0%	100.0%	100.0%	100.0%			85.7%	0.0%	100.0%	100.0%	100.0%	87.5%
None	56 12.4%	4 12.5%	8.0%	4.2%	0.0%	12.0%		9.1%	11.1%	11.1%	0.0%	20.0%	6.7%	8.0%	25.0%	50.0%	0.0%	0.0%	0.0%	0.0%			16.7%		10.0%	50.0%	9.5%	0.0%
1 specialist	320	22	18	17	2	17	0	7.17.0	7	6	2	5	13	17	3	1	0.070	1	1	2	0	0	4	0	8	2	15	5
.,	70.8%	68.8%	72.0%	70.8%	66.7%	68.0%		63.6%	77.8%	66.7%	66.7%	50.0%	86.7%	68.0%	75.0%	50.0%	0.0%	50.0%	100.0%	100.0%			66.7%		80.0%	50.0%	71.4%	71.4%
2	60	5	4	4	1	4	0	2	1	2	1	3	1	5	0	0	1	0	0	0	0	0	1	0	1	0	3	2
	13.3%	15.6%	16.0%	16.7%	33.3%	16.0%		18.2%	11.1%	22.2%	33.3%	30.0%	6.7%	20.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%			16.7%		10.0%	0.0%	14.3%	28.6%
3	11	1	0	1	0	1	0	1	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0
	2.4%	3.1%	0.0%	4.2%	0.0%	4.0%		9.1%	0.0%	0.0%	0.0%	0.0%	0.0%	4.0%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%			0.0%		0.0%	0.0%	4.8%	0.0%
4	5	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.1%	0.0%	4.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%		0.0%	0.0%	0.0%	0.0%
5 or more specialists	0 000	0	0	1 1	0	0	0	0	0	0	0 001	0	0 001	0	0	0	0 000	0 001	0 000	0 000	0	0	0 000	0	0 000	0	0	0
3 or more specialists	0.0%	0.0%	0.0%	4.2%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%		0.0%	0.0%	0.0%	0.0%
o or more specialists	3.5%	3.1%	4.0%	8.3%	0.0%	4.0%		9.1%	0.0%	0.0%	0.0%	0.0%	0.0%	4.0%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%			0.0%		0.0%	0.0%	4.8%	0.0%
Significantly different from column:*	3.3 70	3.170	1.0 70	3.5 70	3.070	0 70		3.170	3.0 70	3.0 70	3.0 %	3.0 70	3.070	7.070	3.070	3.070	3.0 70	33.070	3.0 70	3.0 70			3.070		3.070	3.070	070	2.070

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

InterCommunity Health Network CCO - Claims Stratum: Non-Chronic
CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 43

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents whose child saw a specialist (Q40 & Q42)

Base. All respondents whose child saw a specific	1	-,,			1																							
	_					ndent's ( Identity		C	Child's A	ge		esponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	396 6 NA	28 0 NA	23 1 NA	22 0 NA	3 0 NA	22 0 NA	0	10 0 NA	8 0 NA	8 0 NA	3 0 NA	8 0 NA	14 0	23 0 NA	3 0 NA	1 0 NA	1 0 NA	2 0 NA	1 0 NA	2 0 NA	0 0 NA	0 0 NA	5 0 NA	0 0 NA	9	2 0 NA	19 0	7 0 NA
Usable responses	390	28			3	22	0	10	8	8	3	8	14		3	1	1	2	1	2	0	0	5	0	9	2	19	7
		100.0%	95.7%		100.0%			100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
0 Worst specialist possible	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0	0	0.0%	0 	0 0.0%	0.0%	0.0%	0.0%
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%		0.0%	0.0%	0.0%	0.0%
2	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0	0.0%	0.0%	0.0%	0.0%
3	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%		0.0%	0.0%	0.0%	0.0%
*	0.5%	3.6%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	12.5%	0.0%	0.0%	0.0%	4.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%		0.0%	0.0%	0.0%	14.3%
5	2.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0	0.0%	0.0%	0.0%	0.0%
6	2.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0	0.0%	0.0%	0.0%	0.0%
	3.3%	0.0%	0.0%	9.1%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%		0.0%	0.0%	0.0%	0.0%
7	25	3	4	3	0	2	0	1	0	1	0	1	1	1	0	1	1	0	0	0	0	0	0	0	1	0	3	0
	6.4%	10.7%	18.2%	13.6%	0.0%	9.1%		10.0%	0.0%	12.5%	0.0%	12.5%	7.1%	4.3%	0.0%	100.0%	100.0%	0.0%	0.0%	0.0%			0.0%		11.1%	0.0%	15.8%	0.0%
8	54 13.8%	3 10.7%	9.1%	13.6%	33.3%	9.1%	0	20.0%	0.0%	1 12.5%	33.3%	1 12.5%	0.0%	3 13.0%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%	0	0	20.0%	0	0.0%	0.0%	2 10.5%	1 14.3%
9	97	7	5.176	7	0	6	0	0	6	1	1	1	5.070	6	1	0	0	0	0	0	0	0	2	0	2	0	6	1
	24.9%	25.0%	22.7%	31.8%	0.0%	27.3%		0.0%	75.0%	12.5%	33.3%	12.5%	35.7%	26.1%	33.3%	0.0%	0.0%	0.0%	0.0%	0.0%			40.0%		22.2%	0.0%	31.6%	14.3%
10 Best specialist possible	183 46.9%	14 50.0%	11 50.0%	7 31.8%	66.7%	12 54.5%	0	7 70.0%	25.0%	50.0%	33.3%	5 62.5%	57.1%	12 52.2%	2 66.7%	0.0%	0.0%	50.0%	1 100.0%	2 100.0%	0	0	2 40.0%	0	6 66.7%	100.0%	8 42.1%	57.1%
	40.9%	50.0%	50.0%	31.8%	00./%	54.5%		70.0%	25.0%	50.0%	33.3%	02.5%	5/.1%	52.2%	00.7%	0.0%	0.0%	50.0%	100.0%	100.0%			40.0%		00.7%	100.0%	42.1%	37.1%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 43

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents whose child saw a specialist (Q40 & Q42)

Base: All respondents whose child saw a specia	anot ( a ro a	u 1.L/						,																				
						ndent's ( Identity		C	Child's A	ge		sponder Educatio		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poob	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	H	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	396 6	28 0	1	. 0	0	0	0	10 0	0	0	0	0	14	0	0	0	0	0	0	0	0	0	5 0	0	9	0	19 0	
Number no experience	NA 390	NA 28				NA 22	NA 0	NA 10	NA	NA	NA 2	NA 0	NA 14		NA	. NA	NA	NA 2	NA	NA 2	. NA	NA	NA	NA	NA	NA 2	NA 10	N
Usable responses		100.0%		100.0%		22 100.0%			_	100.0%	100.0%	100.0%			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.09
0 to 4	9 2.3%	1 3.6%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	1 12.5%	0.0%	0.0%	0.0%	1 4.3%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0	0	0.0%	0	0.0%	0.0%	0 0.0%	14.39
5	9 2.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0	0	0.0%	0	0.0%	0.0%	0.0%	0.09
6 or 7	38 9.7%	3 10.7%	4 18.2%	22.7%	0.0%	2 9.1%	0	1 10.0%	0.0%	1 12.5%	0.0%	1 12.5%	7.1%	1 4.3%	0.0%	1 100.0%	1 100.0%	0.0%	0.0%	0.0%	0	0	0.0%	0	1 11.1%	0.0%	3 15.8%	0.09
8 to 10	334 85.6%	24 85.7%		17 77.3%	_	20 90.9%	0	90.0%	100.0%	75.0%	3 100.0%	7 87.5%	13 92.9%		100.0%	0.0%	0.0%	2 100.0%	1 100.0%	2 100.0%	0	0	5 100.0%	0	8 88.9%	2 100.0%	16 84.2%	
Significantly different from column:*																												
0 to 6	31 7.9%	3.6%	0.0%	9.1%	0.0%	0.0%	0	0.0%	0.0%	1 12.5%	0.0%	0.0%	0.0%	1 4.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0	0.0%	0.0%	0.0%	14.3%
7 to 8	79 20.3%	6 21.4%	6 27.3%	27.3%	33.3%	4 18.2%	0	3 30.0%	0.0%	2 25.0%	33.3%	2 25.0%	7.1%	4 17.4%	0.0%	100.0%	1 100.0%	50.0%	0.0%	0.0%	0	0	1 20.0%	0	1 11.1%	0.0%	5 26.3%	14.3%
9 to 10	280 71.8%	21 75.0%	16	14	66.7%	18	0	7	8 100.0%	5	2	6	13	18	100.0%	0	0	1	1	2	0	0	4	0	8	2 100.0%	14 73.7%	
Significantly different from column:*	. 2.270		70		22 70			70	122.270	52.570	/0	1 2 1 2 70			22.270	1	2.270		1		1				22.270			

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 44

In the last 6 months, did you get information or help from customer service at your child's health plan?

	ОНР					ndent's O Identity (Q73)		C	hild's Ag (Q69)	е		sponder Education (Q74)		Child's	Health :	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233	187	197	31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	46	1	5	0	0	1	0	0	1	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,885	232	182	197	31	189	0	75	109	44	43	59	115	193	29	6	7	6	3	31	1	0	89	3	56	68	144	15
	98.8%	99.6%	97.3%	100.0%	100.0%	99.5%		100.0%	99.1%	100.0%	97.7%	100.0%	100.0%	99.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	0.0%	100.0%	100.0%	99.3%	100.0%
Yes	956	48	50	49	8	35	0	16	19	11	13	11	18	35	7	3	2	2	0	12	0	0	14	0	12	13	28	5
	24.6%	20.7%	27.5%	24.9%	25.8%	18.5%		21.3%	17.4%	25.0%	30.2%	18.6%	15.7%	18.1%	24.1%	50.0%	28.6%	33.3%	0.0%	38.7%	0.0%		15.7%	0.0%	21.4%	19.1%	19.4%	33.3%
No	2,929	184	132	148	23	154	0	59	90	33	30	48	97	158	22	3	5	4	3	19	1	0	75	3	44	55	116	10
	75.4%	79.3%	72.5%	75.1%	74.2%	81.5%		78.7%	82.6%	75.0%	69.8%	81.4%	84.3%	81.9%	75.9%	50.0%	71.4%	66.7%	100.0%	61.3%	100.0%		84.3%	100.0%	78.6%	80.9%	80.6%	66.7%
Significantly different from column:*											М		K							W			T				-	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 45

In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed?

Base: All respondents who got information from child's health plan customer service (Q44)

base. All respondents who got information from	Crina's rican	i piari custor	iei seivice	(44)																								
	4F					ndent's ( Identity		C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	R					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	956	48	50	46	8	35	0	16	19	11	13	11	18	35	7	3	2	2	0	12	. 0	0	14	0	12	13	28	5
Number missing or multiple answer	14	1	1	0	0	1	0	0	1	0	0	0	0	0	0	1	0	0	0	1	. 0	0	0	0	0	1	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	942		49	46	8	34	0	16	18	11	13					2	2	2	0	11	. 0	0	14	0	12	12		5
	98.5%	97.9%	98.0%	100.0%	100.0%	97.1%		100.0%	94.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	66.7%	100.0%	100.0%		91.7%			100.0%	0.0%	100.0%	92.3%	100.0%	100.0%
Never	26 2.8%		1 2.0%	1 2.2%	0.0%	1 2.9%	0	6.3%	0.0%	0.0%	0.0%	0.0%	5.6%	1 2.9%	0.0%	0.0%	0.0%	0.0%	0	9.1%	0	0	0.0%	0	0.0%	1 8.3%	0.0%	0.0%
Sometimes	124	6	7	8	2	3	0	3	2	1	2	2	2	4	1	0	0	0	0	1	. 0	0	2	0	2	2	3	1
	13.2%	12.8%	14.3%	17.4%	25.0%	8.8%		18.8%	11.1%	9.1%	15.4%	18.2%	11.1%	11.4%	14.3%	0.0%	0.0%	0.0%		9.1%			14.3%		16.7%	16.7%	10.7%	20.0%
Usually	254	14	21	13	1	11	0	5	4	4	6	1	4	9	3	1	1	1	0	2	. 0	0	2	0	6	3	7	3
	27.0%	29.8%	42.9%	28.3%	12.5%	32.4%		31.3%	22.2%	36.4%	46.2%	9.1%	22.2%	25.7%	42.9%	50.0%	50.0%	50.0%		18.2%			14.3%		50.0%	25.0%	25.0%	60.0%
Always	538	26	20	24	5	19	0	7	12	6	5	8	11	21	3	1	1	1	0	7	0	0	10	0	4	6	18	1
	57.1%	55.3%	40.8%	52.2%	62.5%	55.9%		43.8%	66.7%	54.5%	38.5%	72.7%	61.1%	60.0%	42.9%	50.0%	50.0%	50.0%		63.6%			71.4%		33.3%	50.0%	64.3%	20.0%
Significantly different from column:*																												
Usually or Always	792	40		37		30	0	12					15		-	2	2	2	0	9	0	0	12	0	10	9	25	
	84.1%	85.1%	83.7%	80.4%	75.0%	88.2%		75.0%	88.9%	90.9%	84.6%	81.8%	83.3%	85.7%	85.7%	100.0%	100.0%	100.0%		81.8%			85.7%		83.3%	75.0%	89.3%	80.0%
Significantly different from column:*																	I				1		1				, !	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 46

In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?

Base: All respondents who got information from child's health plan customer service (Q44)

base. All respondents who got information from	Crina's ricait	i piari custor	HEI SEIVICE	(V <del>44</del> )																								
	Р					ndent's ( Identity		С	hild's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	H					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	e .	0	6	ω		,	Ŀ		( )				d)		( ( )		ŗ				-	ŗ						
	Stat	2020	2019	2018		ale	ary, er, c	2	m	18	n HS	rad	College	it or ood	_	Poor	Indian ( Native		frican	ام م	rther	aiian (	41		<u>a</u>	a)	4	ore.
	2020				Male	ша	Non-binar enderquee other	t t	to 1	2	than grad	б		Excellent Very Goo	Good	o F	n In 8 Nã	sian	ck or Afric American	Hispanic Latino/a	Middle ern/Nort African	ve Hawaiiar ıcific İslande	White	Other	tirao	None	ģ	Ĕ
	20					Fe	on-der	0	9	41	ss	모	ome	ce en	G	Fair	rican aska	<	Am G	iş Pa	ΑFIA	ve F	>	0	Ξ	z		ō
							gen				Le		So	ú >		ű.	Ame		B		Eas	Nati Pa						, ,
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	956	48	50	48	8	35	0	16	19	11	13	11	18	35	7	3	2	2	0	12	0	0	14	0	12	13	28	5
Number missing or multiple answer	17	1	0	0	0	1	0	0	1	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	939	47	50	48	8	34	0	16	18	11	13	10	18	34	7	3	2	2	0	12	0	0	14	0	11	12	28	5
	98.2%	97.9%	100.0%	100.0%	100.0%	97.1%		100.0%	94.7%	100.0%	100.0%	90.9%	100.0%	97.1%	100.0%	100.0%	100.0%	100.0%		100.0%			100.0%	0.0%	91.7%	92.3%	100.0%	100.0%
Never	9	2	0	0	1	1	0	1	0	1	0	1	1	2	0	0	0	0	0	1	0	0	0	0	0	2	0	0
	1.0%	4.3%	0.0%	0.0%	12.5%	2.9%		6.3%	0.0%	9.1%	0.0%	10.0%	5.6%	5.9%	0.0%	0.0%	0.0%	0.0%		8.3%			0.0%		0.0%	16.7%	0.0%	0.0%
Sometimes	48	1	4	2	0	0	0	1	0	0	1	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	1	0
	5.1%	2.1%	8.0%	4.2%	0.0%	0.0%		6.3%	0.0%	0.0%	7.7%	0.0%	0.0%	0.0%	14.3%	0.0%	0.0%	0.0%		8.3%			0.0%		0.0%	0.0%	3.6%	0.0%
Usually	169	10	9	12	2	6	0	4	4	2	2	1	4	7	2	0	0	0	0	1	0	0	3	0	3	2	6	2
	18.0%	21.3%	18.0%	25.0%	25.0%	17.6%		25.0%	22.2%	18.2%	15.4%	10.0%	22.2%	20.6%	28.6%	0.0%	0.0%	0.0%		8.3%			21.4%		27.3%	16.7%	21.4%	40.0%
Always	713	34	37		5	27	0	10	14	8	10	8	13	25	4	3	2	2	0	9	0	0	11	0	8	8	21	3
	75.9%	72.3%	74.0%	70.8%	62.5%	79.4%		62.5%	77.8%	72.7%	76.9%	80.0%	72.2%	73.5%	57.1%	100.0%	100.0%	100.0%		75.0%			78.6%		72.7%	66.7%	75.0%	60.0%
Significantly different from column:*																												
Usually or Always	882	44	46		7	33	0	14	18		12		17	_	6	3	2	2	0	10	0	0	14	0	11	10	27	
	93.9%	93.6%	92.0%	95.8%	87.5%	97.1%		87.5%	100.0%	90.9%	92.3%	90.0%	94.4%	94.1%	85.7%	100.0%	100.0%	100.0%		83.3%			100.0%		100.0%	83.3%	96.4%	100.0%
Significantly different from column:*																	I											ı l

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 47

In the last 6 months, did your child's health plan give you any forms to fill out?

	ОНР					ndent's O Identity (Q73)	Gender	C	hild's Ag (Q69)	je		sponden Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in iths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	233	187	191	31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	99	4	6	0	1	2	0	2	2	0	0	1	2	2	1	1	0	1	0	2	0	0	1	0	0	0	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,832	229	181	191	30	188	0	73	108	44	44	58	113	192	28	5	7	5	3	29	1	0	88	3	56	68	141	15
	97.5%	98.3%	96.8%	100.0%	96.8%	98.9%		97.3%	98.2%	100.0%	100.0%	98.3%	98.3%	99.0%	96.6%	83.3%	100.0%	83.3%	100.0%	93.5%	100.0%		98.9%	0.0%	100.0%	100.0%	97.2%	100.0%
Yes	1,270	70	63	68	10	57	0	22	30	16	18	14	33	58	8	3	3	3	0	13	0	0	20	2	20	16	47	5
	33.1%	30.6%	34.8%	35.6%	33.3%	30.3%		30.1%	27.8%	36.4%	40.9%	24.1%	29.2%	30.2%	28.6%	60.0%	42.9%	60.0%	0.0%	44.8%	0.0%		22.7%	66.7%	35.7%	23.5%	33.3%	33.3%
No	2,562	159	118	123	20	131	0	51	78	28	26	44	80	134	20	2	4	2	3	16	1	0	68	1	36	52	94	10
	66.9%	69.4%	65.2%	64.4%	66.7%	69.7%		69.9%	72.2%	63.6%	59.1%	75.9%	70.8%	69.8%	71.4%	40.0%	57.1%	40.0%	100.0%	55.2%	100.0%		77.3%	33.3%	64.3%	76.5%	66.7%	66.7%
Significantly different from column:*																-				W		· ·	Т					1

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 48

In the last 6 months, how often were the forms from your child's health plan easy to fill out?\*\*  $\,$ 

Base: All respondents who received forms to fill out from child's health plan (Q47)

base. All respondents who received forms to this	out ironi cin	u s ricaiur pie	111 (047)																									
	4P					ndent's ( Identity		C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	F					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,832	229	181	185	30	188	0	73	108	44	44	58	113	192	28	5	7	5	3	29	1	0	88	3	56	68	141	15
Number missing or multiple answer	37	5	0	0	0	5	0	0	5	0	2	1	1	2	2	1	0	0	0	1	0	0	0	2	0	2	3	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,795	224	181	185		183	0	73		44	42					4	7	5	3	28	_	0	88	1	56	66	138	15
	99.0%	97.8%	100.0%	100.0%	100.0%	97.3%		100.0%	95.4%	100.0%	95.5%	98.3%	99.1%	99.0%	92.9%	80.0%	100.0%	100.0%	100.0%	96.6%	100.0%		100.0%	0.0%	100.0%	97.1%	97.9%	100.0%
Never	44 1.2%	3 1.3%	0.6%	5 2.7%	0.0%	2 1.1%	0	0.0%	2 1.9%	0.0%	2.4%	0.0%	0.9%	2 1.1%	1 3.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	2 3.6%	0.0%	3 2.2%	0.0%
Sometimes	210 5.5%	13 5.8%	9 5.0%	12 6.5%	3.3%	11 6.0%	0	6 8.2%	2 1.9%	4 9.1%	5 11.9%	0.0%	7 6.3%	12 6.3%	0.0%	0.0%	0.0%	0.0%	0.0%	3.6%	0.0%	0	6.8%	0.0%	4 7.1%	5 7.6%	7 5.1%	1 6.7%
Usually	408	27	18	13	6	21	0	6	13	8	4	4	18	20	5	2	1	2	0.070	3.070	0.070	0	9	0.070	11	7.070	19	4
,	10.8%	12.1%	9.9%	7.0%	20.0%			8.2%	12.6%	18.2%	9.5%	7.0%	16.1%	10.5%	19.2%	50.0%	14.3%	40.0%	0.0%	10.7%	0.0%		10.2%	0.0%	19.6%	4.5%	13.8%	26.7%
Always	3,133	181	153	155			0	61	86	32	32	53	86		20	2	6	3	3	24	1	0	73	1	39	58	109	10
	82.6%	80.8%	84.5%	83.8%	76.7%	81.4%		83.6%	83.5%	72.7%	76.2%	93.0%	76.8%	82.1%	76.9%	50.0%	85.7%	60.0%	100.0%	85.7%	100.0%		83.0%	100.0%	69.6%	87.9%	79.0%	66.7%
Significantly different from column:*											L	KM	L															
Usually or Always	3,541	208	171	168	29	170	0	67	99	40	36	57	104	176	25	4	7	5	3	27	1	0	82	1	50	61	128	14
	93.3%	92.9%	94.5%	90.8%	96.7%	92.9%		91.8%	96.1%	90.9%	85.7%	100.0%	92.9%	92.6%	96.2%	100.0%	100.0%	100.0%	100.0%	96.4%	100.0%		93.2%	100.0%	89.3%	92.4%	92.8%	93.3%
Significantly different from column:*														I														

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

<sup>\*\*</sup>Respondents answering "No" to question 47 are reported to NCQA as "Always" in question 43, and are used in calculating the Customer Service composite score.

### Question 49

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

Base: All respondents

Base: All respondents																												
	Ь					ndent's ( Identity	Gender	С	hild's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	3,931 111 NA	233 3 NA	187 9 NA	189 0 NA	31 1 NA	190 2 NA	0 0 NA	75 0 NA	110 2 NA	44 1 NA	44 1 NA	0	115 1 NA	2	29 0 NA	0	7 0 NA	6 0 NA	3 0 NA	31 1 NA	1 0 NA	0 0 NA	89 0 NA	3 0 NA	56 2 NA	68 2 NA	145 1 NA	15 0 NA
Usable responses	3,820 97.2%	230 98.7%	178 95.2%	189 100.0%	30 96.8%	188 98.9%	0	75 100.0%	108 98.2%	43 97.7%	43 97.7%			_	29 100.0%		7 100.0%	6 100.0%	3 100.0%	30 96.8%	1 100.0%	0	89 100.0%	3 0.0%	54 96.4%	66 97.1%	144 99.3%	15 100.0%
0 Worst health plan possible	7 0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0 0.0%	0.0%	0 0.0%
1	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2	8 0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0	0	0	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0.0%	0.0%
3	24 0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0.0%	0.0%
4	25 0.7%	2 0.9%	0.0%	1.1%	0.0%	2 1.1%	0	0.0%	1 0.9%	2.3%	2.3%	0	1	1	1 3.4%	0	0	0.0%	0.0%	0.0%	0.0%	0	1	0.0%	1 1.9%	0.0%	1 0.7%	0.0%
5	145 3.8%	10 4.3%	5 2.8%	7 3.7%	3.3%	8 4.3%	0	2.7%	7 6.5%	2.3%	4.7%	1 1.7%	5.3%	8 4.2%	2 6.9%	0.0%	0.0%	0.0%	1 33.3%	3.3%	0.0%	0	4.5%	0.0%	3 5.6%	3 4.5%	6 4.2%	1 6.7%
6	115 3.0%	6 2.6%	5 2.8%	3.2%	1 3.3%	3 1.6%	0	2.7%	1.9%	2 4.7%	0.0%	2	1.8%	4 2.1%	6.9%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0	3	0.0%	1.9%	1.5%	1.4%	1 6 7%
7	301	25	16	20	5	18	0	8	10	6	2	7	14	20	5	0	1	2	0	2	0	0	15	0	2	7	15	3
8	7.9% 640	10.9% 37	9.0%	37	6	9.6%	0	10.7% 14	9.3% 19	4	4.7%	8	12.3% 25	29	17.2% 6	1	14.3%	1	0.0%	6.7%	0.0%	0	16.9% 17	0.0%	3.7%	10.6%	10.4%	20.0%
9	16.8% 722	16.1% 48	18.0% 37	19.6%	20.0%	16.0% 39		18.7% 16	17.6% 18	9.3%	7.0% 10		21.9% 24		20.7%	16.7% 3	0.0%	16.7% 0	0.0%	16.7% 8	0.0%		19.1% 16	0.0%	20.4%	12.1% 15	18.8% 29	13.3%
10 Best health plan possible	18.9% 1,827	20.9% 102	20.8%	17.5%	20.0%	20.7% 88		21.3%	16.7% 51	27.9%	23.3%		21.1%	19.8% 92	17.2%	50.0%	14.3%	0.0%	0.0%	26.7%	0.0%		18.0%	33.3%	25.9%	22.7%	20.1%	20.0%
TO DOST HOURT PROTEIN	47.8%	44.3%	46.6%	44.4%	36.7%	46.8%		44.0%	47.2%	39.5%	-		36.8%	-	27.6%	33.3%	71.4%	50.0%	66.7%	46.7%	100.0%			66.7%	40.7%	48.5%	44.4%	33.3%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 49

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

base. All respondents			1	1																								
	۵				Respo	ndent's ( Identity	Gender	С	hild's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor \ st 6 Mon	Visits in oths
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	M	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	3,931 111	233 3	187 9	189 0	31 1	190 2	0	75 0	110 2	44 1	44 1	59 0	115 1	194 2	29 0	6 0	7 0	6 0	3 0	31 1	1 0	0	89 0	3 0	56 2	68 2	145 1	15 0
Number no experience	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	
Usable responses	3,820 97.2%	230 98.7%	178 95.2%	189 100.0%		188 98.9%	0	75 100.0%	108 98.2%	43 97.7%	43 97.7%	59 100.0%	114 99.1%	192 99.0%	29 100.0%	6 100.0%	7 100.0%	6 100.0%	3 100.0%	30 96.8%	1 100.0%	0	89 100.0%	0.0%	54 96.4%	66 97.1%	144 99.3%	
0 to 4	70 1.8%	2 0.9%	0.0%	1.1%	0.0%	2 1.1%	0	0.0%	1 0.9%	1 2.3%	1 2.3%	0.0%	0.9%	0.5%	1 3.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	1.1%	0.0%	1 1.9%	0.0%	1 0.7%	0.0%
5	145 3.8%	10 4.3%	5 2.8%	3.7%	1 3.3%	8 4.3%	0	2 2.7%	7 6.5%	1 2.3%	2 4.7%	1 1.7%	5.3%	8 4.2%	2 6.9%	0.0%	0.0%	0.0%	1 33.3%	1 3.3%	0.0%	0	4.5%	0.0%	3 5.6%	3 4.5%	6 4.2%	6.7%
6 or 7	416 10.9%	31 13.5%	21 11.8%		-	21 11.2%	0	10 13.3%	12 11.1%	8 18.6%	2 4.7%	9 15.3%	16 14.0%	24 12.5%		0.0%	1 14.3%	2 33.3%	0.0%	2 6.7%	0.0%	0	18 20.2%	0.0%	3 5.6%	8 12.1%	17 11.8%	
8 to 10	3,189 83.5%	187 81.3%				157 83.5%	0	63 84.0%	88 81.5%	33 76.7%	38 88.4%	49 83.1%		159 82.8%	19 65.5%		6 85.7%	4 66.7%	2 66.7%	27 90.0%	100.0%	0	74.2%	3 100.0%	47 87.0%	55 83.3%	120 83.3%	
Significantly different from column:*														0	N													
0 to 6	330 8.6%	18 7.8%	10 5.6%			13 6.9%	0	4 5.3%	10 9.3%	9.3%	7.0%	5.1%	7.9%	13 6.8%	5 17.2%	0.0%	0.0%	0.0%	1 33.3%	3.3%	0.0%	0	9.0%	0.0%	5 9.3%	4 6.1%	9 6.3%	13.3%
7 to 8	941 24.6%	62 27.0%	48 27.0%	٥,		48 25.5%	0	22 29.3%	29 26.9%	10 23.3%	5 11.6%	15 25.4%		49 25.5%	11 37.9%	1 16.7%	1 14.3%	3 50.0%	0.0%	7 23.3%	0.0%	0	32 36.0%	0 0.0%	13 24.1%	15 22.7%	42 29.2%	33.3%
9 to 10	2,549 66.7%	150 65.2%	120 67.4%			127 67.6%	0	49 65.3%	69 63.9%	29 67.4%	35 81.4%	41 69.5%	00	130 67.7%	13 44.8%	5 83.3%	6 85.7%	3 50.0%	2 66.7%	22 73.3%	1 100.0%	0	49 55.1%	3 100.0%	36 66.7%	47 71.2%	93 64.6%	53.3%
Significantly different from column:*											М		K	0	N								Ì					

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 50

In the last 6 months, did you get or refill any prescription medicines for your child?

	HP					ndent's (		C	hild's Ag	е		sponder		Child's	Health :	Status					Race					Child's Las	t 6 Mon	
	2020 State Ol	2020	2019	2018	Male	Female (Q73)	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69D)	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Castern/Northern African (9	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4 (O <sub>2</sub> )	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	36	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	N.F
Usable responses	3,895	233			91		0	75	110	44	44	59		_	29	6	7	6	3	31	1	0	89	3	56		145	1.5
	99.1%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	1,113	68			5	59	0	25	24	16	12	17	34	51	12	2	2	5	1	4	0	0	- 22	2	19	6	51	ċ
	28.6%	29.2%			16.1%	31.1%		33.3%	21.8%	36.4%	27.3%	28.8%	29.6%	26.3%	41.4%	33.3%	28.6%	83.3%	33.3%	12.9%	0.0%		24.7%	66.7%	33.9%	8.8%	35.2%	60.0%
No	2,782					131	0	50	86	28	32					4	5	1	2	27	1	0	67	1	37	62	94	F
	71.4%	70.8%			83.9%	68.9%		66.7%	78.2%	63.6%	72.7%	71.2%	70.4%	73.7%	58.6%	66.7%	71.4%	16.7%	66.7%	87.1%	100.0%		75.3%	33.3%	66.1%	91.2%	64.8%	40.0%
Significantly different from column:*																				Υ					T	AA	Z	<u> </u>

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 51

In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan?

Base: All respondents whose child got a prescription for medicine or refilled a prescription (Q50)

Base: All respondents whose child got a prescrip	4		,	, ( )		ndent's C Identity	Gender	C	hild's Ag	je		sponder Education		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	HO H					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	1,113	68			5	59	0	25	24	16	12	17	34	51	12	2	2	5	1	4	0	0	22	2	19	6	51	9
Number missing or multiple answer	10	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,103	68			5	59	0	25	24	16	12	17	34	51	12	2	2	5	1	4	0	0	22	2	19	6	51	9
	99.1%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	18	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C	1.6%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	6.9%	5.9%			0.0%	6.8%		0.0%	8.3%	12.5%	0.0%	0.0%	11.8%	5.9%	8.3%	0.0%	0.0%	20.0%	100.0%	0.0%			4.5%	0.0%	5.3%	16.7%	5.9%	0.0%
Usually	221	13				11	0	6	3	3	3	3	5	8	3	1	1	1	0	1	0	0	3	0.070	3.576	0	10	2
,	20.0%	19.1%			20.0%	18.6%		24.0%	12.5%	18.8%	25.0%	17.6%	14.7%	15.7%	25.0%	50.0%	50.0%	20.0%	0.0%	25.0%			13.6%	0.0%	15.8%	0.0%	19.6%	22.2%
Always	788	51			4	44	0	19	19	11	9	14	25	40	8	1	1	3	0	3	0	0	18	2	15	5	38	
	71.4%	75.0%			80.0%	74.6%		76.0%	79.2%	68.8%	75.0%	82.4%	73.5%	78.4%	66.7%	50.0%	50.0%	60.0%	0.0%	75.0%			81.8%	100.0%	78.9%	83.3%	74.5%	77.8%
Significantly different from column:*																												, T
Usually or Always	1,009	64			5	55	0	25	22	14	12	17	30	48	11	2	2	4	0	4	0	0	21	2	18	5	48	9
	91.5%	94.1%			100.0%	93.2%		100.0%	91.7%	87.5%	100.0%	100.0%	88.2%	94.1%	91.7%	100.0%	100.0%	80.0%	0.0%	100.0%			95.5%	100.0%	94.7%	83.3%	94.1%	100.0%
Significantly different from column:*																												, '

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 52

Did anyone from your child's health plan, doctor's office, or clinic help you get your child's prescription medicines?

Base: All respondents whose child got a prescription for medicine or refilled a prescription (Q50)

	4					ndent's C Identity	Gender	C	hild's Ag	е		sponden Education		Child's	Health	Status					Race					Child's Las	t 6 Mon	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooS	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Η	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,113	68			5	59	0	25	24	16	12	17	34	51	12	2	2	5	1	4	0	0	22	2	19	6	51	9
Number missing or multiple answer	31	3			0	3	0	1	1	1	0	0	2	2	1	0	0	0	0	0	0	0	0	0	1	0	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	1,082	65			5	56	0	24	23	15	12	17	32	49	11	2	2	5	1	4	0	0	22	2	18	6	48	9
	97.2%	95.6%			100.0%	94.9%		96.0%	95.8%	93.8%	100.0%	100.0%	94.1%	96.1%	91.7%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	94.7%	100.0%	94.1%	100.0%
Yes	649	37			4	29	0	13	14	7	8	8	17	26	7	1	1	4	0	2	0	0	11	2	10	2	28	6
	60.0%	56.9%			80.0%	51.8%		54.2%	60.9%	46.7%	66.7%	47.1%	53.1%	53.1%	63.6%	50.0%	50.0%	80.0%	0.0%	50.0%			50.0%	100.0%	55.6%	33.3%	58.3%	66.7%
No	433	28			1	27	0	11	9	8	4	9	15	23	4	1	1	1	1	2	0	0	11	0	8	4	20	3
	40.0%	43.1%			20.0%	48.2%		45.8%	39.1%	53.3%	33.3%	52.9%	46.9%	46.9%	36.4%	50.0%	50.0%	20.0%	100.0%	50.0%			50.0%	0.0%	44.4%	66.7%	41.7%	33.3%
Significantly different from column:*							-																					1

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 52a

A regular dentist is one your child would go to for check-ups and cleanings or when he or she has a cavity or tooth pain. Does your child have a regular dentist?

	ЭНР					ndent's O Identity (Q73)		C	Child's Ag	ie		sponder Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor V t 6 Mont (Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	937 9009	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233	187	196	31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	79	4	2	0	0	1	0	2	0	0	0	0	1	0	2	0	0	0	0	0	0	0	1	0	0	0	2	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	3,852		185		-	189	0	73	-					-	27	_	7	6	3	31	1	0	88	3	56		143	
	98.0%	98.3%	98.9%	100.0%	100.0%	99.5%		97.3%	100.0%	100.0%	100.0%	100.0%	99.1%	100.0%	93.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		98.9%	0.0%	100.0%	100.0%	98.6%	93.3%
Yes	3,079	173	140	153	24	141	0	44	92	36	36	47	80	144	22	5	6	5	2	24	1	0	65	1	42	50	110	11
	79.9%	75.5%	75.7%	78.1%	77.4%	74.6%		60.3%	83.6%	81.8%	81.8%	79.7%	70.2%	74.2%	81.5%	83.3%	85.7%	83.3%	66.7%	77.4%	100.0%		73.9%	33.3%	75.0%	73.5%	76.9%	78.6%
No	773	56	45	43	7	48	0	29	18	8	8	12	34	50	5	1	1	1	1	7	0	0	23	2	14	18	33	3
	20.1%	24.5%	24.3%	21.9%	22.6%	25.4%		39.7%	16.4%	18.2%	18.2%	20.3%	29.8%	25.8%	18.5%	16.7%	14.3%	16.7%	33.3%	22.6%	0.0%		26.1%	66.7%	25.0%	26.5%	23.1%	21.4%
Significantly different from column:*								IJ	Н	Η																		

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 52b

In the last 6 months, did your child go to a dentist's office or clinic for care?

	ЭНР					ndent's O Identity (Q73)		C	Child's Ag	je		sponder ducation (Q74)		Child's	Health	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233	187	192	31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	78	4	4	0	0	2	0	1	1	0	1	1	0	2	0	0	0	0	0	0	0	0	2	0	0	0	4	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/A
Usable responses	3,853	229	183	192	31	188	0	74	109	44	43	58	115	192	29	6	7	6	3	31	1	0	87	3	56		141	15
	98.0%	98.3%	97.9%	100.0%	100.0%	98.9%		98.7%	99.1%	100.0%	97.7%	98.3%	100.0%	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		97.8%	0.0%	100.0%	100.0%	97.2%	100.0%
Yes	2,486	138	106	115	20	111	0	32	76	30	26	37	66	112	21	3	4	5	1	21	1	0	53	0	29	39	88	9
	64.5%	60.3%	57.9%	59.9%	64.5%	59.0%		43.2%	69.7%	68.2%	60.5%	63.8%	57.4%	58.3%	72.4%	50.0%	57.1%	83.3%	33.3%	67.7%	100.0%		60.9%	0.0%	51.8%	57.4%	62.4%	60.0%
No	1,367	91	77	77	11	77	0	42	33	14	17	21	49	80	8	3	3	1	2	10	0	0	34	3	27	29	53	6
	35.5%	39.7%	42.1%	40.1%	35.5%	41.0%		56.8%	30.3%	31.8%	39.5%	36.2%	42.6%	41.7%	27.6%	50.0%	42.9%	16.7%	66.7%	32.3%	0.0%		39.1%	100.0%	48.2%	42.6%	37.6%	40.0%
Significantly different from column:*								IJ	Н	Н																		

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 52c

In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating your child?

Base: All respondents whose child visited their dentist's office or clinic for care (Q52b)

Base: All respondents whose child visited their		e or carrie for	care (402)	7		ndent's ( Identity	Gender	C	child's Ag	е		sponder Education		Child's	Health	Status					Race						Doctor V t 6 Mont	
	H					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,486	138	106	113	20	111	0	32	76	30	26	37	66	112	21	3	4	5	1	21	1	0	53	0	29	39	88	9
Number missing or multiple answer	36	3	2	0	0	3	0	0	2	1	0	0	1	2	0	0	0	0	0	0	0	0	0	0	1	1	2	0
Number no experience	NA	NA	NA	NA			NA		NA	NA	NA		NA		NA	NA	NA	NA	NA	NA		NA		NA	NA	NA	NA	NA
Usable responses	2,450	135	104	113			0	32		29	26	-	65	110	21	3	4	5	1	21	-	0	53	0	28	38	86	
	98.6%	97.8%	98.1%	100.0%	100.0%	97.3%		100.0%	97.4%	96.7%	100.0%	100.0%	98.5%	98.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	0.0%	96.6%	97.4%	97.7%	100.0%
Never	28 1.1%	1 0.7%	2 1.9%	5.3%	0.0%	1 0.9%	0	0.0%	0.0%	1 3.4%	0.0%	2.7%	0.0%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	1 1.9%	0	0.0%	1 2.6%	0.0%	0.0%
Sometimes	173	14	11	7	4	8	0	1	8	5	3	2	7	11	3	0	0	1	0	4	1	0	5	0	1	4	8	2
	7.1%	10.4%	10.6%	6.2%	20.0%	7.4%		3.1%	10.8%	17.2%	11.5%	5.4%	10.8%	10.0%	14.3%	0.0%	0.0%	20.0%	0.0%	19.0%	100.0%		9.4%		3.6%	10.5%	9.3%	22.2%
Usually	424	20	20	17	2	17	0	6	9	5	7	7	6	14	4	2	1	1	0	2	0	0	7	0	7	5	11	3
	17.3%		19.2%	15.0%	10.0%			10.070		17.2%	26.9%		9.2%	12.7%	19.0%	66.7%	25.0%	20.0%	0.0%	9.5%	0.0%		13.2%		25.0%	13.2%	12.8%	33.3%
Always	1,825		71	83	14	82	0	25	57	18	16	27	52	84	14	1	3	3	1	15	0	0	40	0	20	28	67	4
	74.5%	74.1%	68.3%	73.5%	70.0%	75.9%		78.1%	77.0%	62.1%	61.5%	73.0%	80.0%	76.4%	66.7%	33.3%	75.0%	60.0%	100.0%	71.4%	0.0%		75.5%		71.4%	73.7%	77.9%	44.4%
Significantly different from column:*																												
Usually or Always	2,249		-				0	31	66	23	23	-			18	3	4	4	1	17	-	0	47	0	27	33	78	
	91.8%	88.9%	87.5%	88.5%	80.0%	91.7%		96.9%	89.2%	79.3%	88.5%	91.9%	89.2%	89.1%	85.7%	100.0%	100.0%	80.0%	100.0%	81.0%	0.0%		88.7%		96.4%	86.8%	90.7%	77.8%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 52d

In the last 6 months, if your child needed to see a dentist right away because of a dental emergency, how often did he or she get to see a dentist as soon as you wanted?

	Ь					ndent's ( Identity		С	hild's Ag	je		sponder ducation		Child's	Health	Status					Race						Doctor V st 6 Mont	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233	187	192	31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	167	10	8	0	1	7	0	0	6	2	2	2	3	7	0	0	0	0	0	0	0	0	4	0	4	3	4	2
Number no experience	2921	167	155	114	25	136	0	60	75	31	34	36	91	146	17	3	4	4	2	21	1	0	66	3	45	49	104	11
Usable responses	843	56	24	78	5	47	0	15	29	11	8	21	21	41	12	3	3	2	1	10	0	0	19	0	7	16	37	2
	21.4%	24.0%	12.8%	40.6%	16.1%	24.7%		20.0%	26.4%	25.0%	18.2%	35.6%	18.3%	21.1%	41.4%	50.0%	42.9%	33.3%	33.3%	32.3%	0.0%		21.3%	0.0%	12.5%	23.5%	25.5%	13.3%
Never	342	24	10	27	4	18	0	5	9	9	4	8	9	18	4	2	2	1	0	5	0	0	8	0	3	5	17	1
	40.6%	42.9%	41.7%	34.6%	80.0%	38.3%		33.3%	31.0%	81.8%	50.0%	38.1%	42.9%	43.9%	33.3%	66.7%	66.7%	50.0%	0.0%	50.0%			42.1%		42.9%	31.3%	45.9%	50.0%
Sometimes	126	7	4	10	0	7	0	1	6	0	1	2	3	4	3	0	0	0	0	1	0	0	2	0	2	4	3	0
	14.9%	12.5%	16.7%	12.8%	0.0%	14.9%		6.7%	20.7%	0.0%	12.5%	9.5%	14.3%	9.8%	25.0%	0.0%	0.0%	0.0%	0.0%	10.0%			10.5%		28.6%	25.0%	8.1%	0.0%
Usually	161	11	5	20	1	10	0	3	8	0	0	7	4	11	0	0	1	1	0	1	0	0	4	0	1	2	8	1
	19.1%	19.6%	20.8%	25.6%	20.0%	21.3%		20.0%	27.6%	0.0%	0.0%	33.3%	19.0%	26.8%	0.0%	0.0%	33.3%	50.0%	0.0%	10.0%			21.1%		14.3%	12.5%	21.6%	50.0%
Always	214	14	5	21	0	12	0	6	6	2	3	4	5	8	5	1	0	0	1	3	0	0	5	0	1	5	9	0
	25.4%	25.0%	20.8%	26.9%	0.0%	25.5%		40.0%	20.7%	18.2%	37.5%	19.0%	23.8%	19.5%	41.7%	33.3%	0.0%	0.0%	100.0%	30.0%			26.3%		14.3%	31.3%	24.3%	0.0%
Significantly different from column:*																												
Usually or Always	375	25	-	41	1	22	0	9	14	2	3	11	9	19	5	1	1	1	1	4	0	0	9	0	2	7	17	1
	44.5%	44.6%	41.7%	52.6%	20.0%	46.8%		60.0%	48.3%	18.2%	37.5%	52.4%	42.9%	46.3%	41.7%	33.3%	33.3%	50.0%	100.0%	40.0%			47.4%		28.6%	43.8%	45.9%	50.0%
Significantly different from column:*																		1			1	1	1				ı	

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 52e

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?

Base: All respondents																												
	우					ndent's G Identity	Gender	С	hild's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor V t 6 Mont	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	0202	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	3,931 280 NA	233 23 NA	187 13 NA		31 3 NA	190 17 NA	0 0 NA	75 12 NA	110 7 NA	44 2 NA	44 4 NA	59 3 NA	13	19	29 2 NA	0	7 0 NA	6 0 NA	3 0 NA	31 4 NA	1 0 NA	0 0 NA	89 7 NA	3 1 NA	56 5 NA	68 7 NA	145 14 NA	15 1 NA
Usable responses	3,651 92.9%	210 90.1%	174 93.0%	180	28	173 91.1%	0	63 84.0%	103 93.6%	42 95.5%	40 90.9%	56	102	175	27 93.1%	6	7 100.0%	6	3 100.0%	27 87.1%	1	0	82 92.1%	0.0%	51	61 89.7%	131 90.3%	14 93.3%
0 Extremely Difficult	151 4.1%	8 3.8%	6 3.4%	4.4%	2 7.1%	6 3.5%	0	3 4.8%	3 2.9%	2 4.8%	1 2.5%	2	3 2.9%	6 3.4%	2 7.4%	0	1 14.3%	1	0.0%	1 3.7%	0.0%	0	2	0.0%	2 3.9%	3 4.9%	5 3.8%	0 0.0%
1	36 1.0%	5 2.4%	5 2.9%	0.6%	1 3.6%	4 2.3%	0	1 1.6%	2.9%	1 2.4%	0.0%	3.6%	2.9%	3 1.7%	0.0%	33.3%	0.0%	0.0%	0.0%	1 3.7%	0.0%		2.4%	0.0%	2.0%	2 3.3%	2.3%	0.0%
2	66 1.8%	5 2.4%	2 1.1%	2.2%	1 3.6%	4 2.3%	0	1.6%	2 1.9%	2 4.8%	1 2.5%	1.8%	3 2.9%	4 2.3%	1 3.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	2.4%	1 50.0%	1 2.0%	1 1.6%	3 2.3%	0.0%
3	91 2.5%	6 2.9%	7 4.0%	1.7%	0.0%	5 2.9%	0	1 1.6%	3 2.9%	2 4.8%	0.0%	0.0%	5 4.9%	4 2.3%	2 7.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	4 4.9%	0.0%	1 2.0%	0.0%	5 3.8%	0.0%
4	69 1.9%	4 1.9%	6 3.4%	2.2%	0.0%	3 1.7%	0	0.0%	3 2.9%	1 2.4%	0.0%	1.8%	2.0%	3 1.7%	0.0%	1 16.7%	0.0%	0.0%	0.0%	1 3.7%	0.0%	0	2.4%	0.0%	0.0%	0.0%	3 2.3%	1 7.1%
5	271 7.4%	10 4.8%	15 8.6%		0.0%	10 5.8%	0	3 4.8%	5 4.9%	2 4.8%	0.0%	7.1%	5 4.9%	8 4.6%	2 7.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	8.5%	0.0%	3 5.9%	2 3.3%	7 5.3%	7.1%
6	154 4.2%	9 4.3%	7 4.0%	7 3.9%	1 3.6%	7 4.0%	0	3 4.8%	5 4.9%	1 2.4%	2 5.0%	3 5.4%	4 3.9%	6 3.4%	3 11.1%	0.0%	0.0%	1 16.7%	0.0%	3 11.1%	0.0%	0	2.4%	0.0%	2 3.9%	2 3.3%	6 4.6%	7.1%
7	274 7.5%	18 8.6%	9 5.2%	11 6.1%	3 10.7%	14 8.1%	0	7 11.1%	9 8.7%	1 2.4%	1 2.5%	7.1%	11 10.8%	14 8.0%	3 11.1%	1 16.7%	1 14.3%	1 16.7%	0.0%	1 3.7%	1 100.0%	0	9 11.0%	0.0%	2 3.9%	4 6.6%	12 9.2%	2 14.3%
8	436 11.9%	23 11.0%	22 12.6%	34 18.9%	3.6%	22 12.7%	0	6 9.5%	13 12.6%	7.1%	4 10.0%	5 8.9%	14 13.7%	21 12.0%	7.4%	0	0.0%	1	0.0%	2 7.4%	0.0%	0	12 14.6%	1 50.0%	7	7 11.5%	13 9.9%	3 21.4%
9	456 12.5%	27 12.9%	22 12.6%		5 17.9%	22 12.7%	0	13 20.6%	8 7.8%	6 14.3%	6 15.0%	7	13	25	7.4%	0	28.6%	0	0.0%	6 22.2%	0	0	9.8%	0.0%	8	10 16.4%	17 13.0%	0.0%
10 Extremely Easy	1,647 45.1%	95 45.2%	73 42.0%	62	14 50.0%	76 43.9%	0	25 39.7%	49 47.6%	21 50.0%	25 62.5%	27	39	81	10 37.0%	2	3 42.9%	2	3 100.0%	12 44.4%	0.0%	0	32 39.0%	0.0%	24	30 49.2%	57 43.5%	6 42.9%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 52e

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?

base. An respondents					Resno	ndent's (	Gender				Re	sponder	nt's													Child's	Doctor V	/isits in
	۵					Identity		C	hild's Ag	je		Educatio		Child's	Health	Status					Race						t 6 Mont	
1	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poob	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	3,931 280	233 23	187 13		31 3	190 17	0	75 12	110 7	44 2	44 4	59 3	115 13		29 2	6	7 0	6 0	3 0	31 4	1 0	0	89 7	3 1	56 5	68 7	145 14	15
Number no experience	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA	NA		NA		NA.	NA	NA		NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	3,651 92.9%	210 90.1%	174 93.0%		28 90.3%	-	0	63 84.0%	103 93.6%	42 95.5%	40 90.9%		102 88.7%		27 93.1%	_	7 100.0%	6 100.0%	3 100.0%	27 87.1%	1 100.0%	0	82 92.1%	0.0%	51 91.1%	61 89.7%	131 90.3%	
0 to 4	413 11.3%	28 13.3%			4 14.3%	22 12.7%	0	6 9.5%	14 13.6%	-	2 5.0%	6 10.7%	16 15.7%		5 18.5%	50.0%	14.3%	1 16.7%	0.0%	3 11.1%	0.0%	0	12 14.6%	1 50.0%	5 9.8%	6 9.8%	19 14.5%	
5	271 7.4%	10 4.8%	15 8.6%	18	0	10	0	3 4.8%	5 4.9%	2 4.8%	0.0%	7.1%	5 4.9%	8	2 7.4%	0	0	0	0.0%	0	0.0%	0	7	0.0%	3	3.3%	7 5.3%	
6 or 7	428 11.7%	27 12.9%	16 9.2%		4 14.3%	21 12.1%	0	10 15.9%	14 13.6%	_	7.5%	7 12.5%	15 14.7%		6 22.2%	1 16.7%	14.3%	2 33.3%	0.0%	4 14.8%	1 100.0%	0	11 13.4%	0.0%	4 7.8%	6 9.8%	18 13.7%	
8 to 10	2,539 69.5%	145 69.0%			20 71.4%		0	44 69.8%	70 68.0%				66 64.7%		14 51.9%	_	71.4%	3 50.0%	3 100.0%	20 74.1%	_	0	52 63.4%	1 50.0%	39 76.5%	47 77.0%	87 66.4%	64.39
Significantly different from column:*											LM	K	K	0	N													
0 to 6	838 23.0%	47 22.4%	48 27.6%		5 17.9%	39 22.5%	0	12 19.0%				13 23.2%			10 37.0%	50.0%	14.3%	2 33.3%	0.0%	6 22.2%	0.0%	0	21 25.6%	1 50.0%	10 19.6%	10 16.4%	32 24.4%	
7 to 8	710 19.4%	41 19.5%			4 14.3%	36 20.8%	0	13 20.6%	22 21.4%	4 9.5%	5 12.5%	9 16.1%	25 24.5%		5 18.5%	1 16.7%	14.3%	2 33.3%	0.0%	3 11.1%	1 100.0%	0	21 25.6%	1 50.0%	9 17.6%	11 18.0%	25 19.1%	35.7%
9 to 10	2,103 57.6%	122 58.1%		90	19	98	0	38 60.3%	57 55.3%	27 64.3%	31 77.5%	34 60.7%	52 51.0%		12 44.4%	_	5 71.4%	2 33.3%	3 100.0%	18 66.7%	0.0%	0	40 48.8%	0.0%	32 62.7%	40 65.6%	74 56.5%	,
Significantly different from column:*											M		K															

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 53

In general, how would you rate your child's overall health?

base. All respondents						ndent's ( Identity		C	Child's Ag	ge		sponder Educatio		Child's	Health	Status					Race						Doctor V	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	3,931	233	187	198	31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	97	4	4	0	0	2	0	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	1	3	0
Number no experience	NA	NA	NA	NA		NA	NA	NA	NA		NA	NA	NA		NA	NA	NA	NA.	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	3,834	229	183	198	_	188	0	74	109		44				29	6	7	6	3	31	-	0	88	3	55		142	15
	97.5%	98.3%	97.9%	100.0%	100.0%	98.9%		98.7%	99.1%	100.0%	100.0%	100.0%	99.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		98.9%	0.0%	98.2%	98.5%	97.9%	100.0%
Poor	0.2%	1 0.4%	0.0%	0.5%	3.2%	0.0%	0	0.0%	0.0%	2.3%	0.0%	1 1.7%	0.0%	0.0%	0.0%	1 16.7%	0.0%	0.0%	0.0%	3.2%	0.0%	0	0.0%	0.0%	0.0%	1 1.5%	0.0%	0.0%
Fair	103	5	4	5	0	5	0	1	3	1	1	2	1	0	0	5	0	0	0	2	0	0	0	0	2	1	3	1
	2.7%	2.2%	2.2%	2.5%	0.0%	2.7%		1.4%	2.8%	2.3%	2.3%	3.4%	0.9%	0.0%	0.0%	83.3%	0.0%	0.0%	0.0%	6.5%	0.0%		0.0%	0.0%	3.6%	1.5%	2.1%	6.7%
Good	605 15.8%	29 12.7%	21 11.5%	32 16.2%	3 9.7%	22 11.7%	0	10.8%	13 11.9%		11 25.0%	5 8.5%	9 7.9%	0.0%	29 100.0%	0.0%	28.6%	16.7%	33.3%	8 25.8%	0.0%	0	8 9.1%	0.0%	4 7.3%	7 10.4%	15 10.6%	5 33.3%
Very Good	1,304	92	64	69	12	77	0	28	48	16	12	26	50	92	0	0	2	. 2	1	8	1	0	34	1	27	20	67	3
	34.0%	40.2%	35.0%	34.8%	38.7%	41.0%		37.8%	44.0%	36.4%	27.3%	44.1%	43.9%	47.4%	0.0%	0.0%	28.6%	33.3%	33.3%	25.8%	100.0%		38.6%	33.3%	49.1%	29.9%	47.2%	20.0%
Excellent	1,814	102	94	91	15	84	0	37	45	20	20	25	54	102	0	0	3	3	1	12	0	0	46	2	22	38	57	6
	47.3%	44.5%	51.4%	46.0%	48.4%	44.7%		50.0%	41.3%	45.5%	45.5%	42.4%	47.4%	52.6%	0.0%	0.0%	42.9%	50.0%	33.3%	38.7%	0.0%		52.3%	66.7%	40.0%	56.7%	40.1%	40.0%
Significantly different from column:*														0	N											AA	Z	
Excellent, Very Good, or Good	3,723	223	179	192	30	183	0	73	106	42	43	56	113	194	29	0	7	6	3	28	1	0	88	3	53	65	139	14
	97.1%	97.4%	97.8%	97.0%	96.8%	97.3%		98.6%	97.2%	95.5%	97.7%	94.9%	99.1%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	90.3%	100.0%		100.0%	100.0%	96.4%	97.0%	97.9%	93.3%
Significantly different from column:*						· ·	1		1				1														. 7	

NA - Not Applicabl

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 54

In general, how would you rate your child's overall mental or emotional health?

Base. Air respondents	I		1	1							I			I														
	۵					ndent's G Identity	Sender	С	hild's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor V t 6 Mont	
	픙					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	233	187	197	31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	93	5	3	0	0	2	0	1	1	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0	1	1	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1471	NA		NA		NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	3,838	228	184			188	0	74	109	44			115		28	_	7	5	3	31	1	0	89	3	55	67	141	15
	97.6%	97.9%	98.4%	100.0%	100.0%	98.9%		98.7%	99.1%	100.0%	100.0%	100.0%	100.0%	99.5%	96.6%	100.0%	100.0%	83.3%	100.0%	100.0%	100.0%		100.0%	0.0%	98.2%	98.5%	97.2%	100.0%
Poor	22 0.6%	0.0%	3 1.6%	0.5%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Fair	136 3.5%	7 3.1%	7 3.8%	5	0	7 3.7%	0	0.0%	5	2 4.5%	4.5%	5 10/	2 1.7%	5 2.6%	1	1 16.7%	0.0%	0 0.0%	0 0.0%	2 6.5%	0.0%	0	1.1%	0.0%	3 5.5%	2 3.0%	5 3.5%	0
Good	682	3.1%	3.8%	2.5%	0.0%	3.7%		0.0%	4.6%	4.5%	4.5%	5.1%	1.7%	2.6%	3.6%	16.7%	0.0%	0.0%	0.0%	6.5%	0.0%		1.1%	0.0%	3.5%	3.0%	3.5%	0.0%
Guu	17.8%	17.5%	11.4%	13.2%	19.4%			12.2%	17.4%	25.0%	25.0%	11.9%	15.7%		50.0%	16.7%	28.6%	20.0%	33.3%	19.4%	0.0%			0.0%	18.2%	13.4%	18.4%	20.0%
Very Good	1,151	81	63	59	10	69	0	26	41	14	14	25	39		9	4	4	3	0	8	1	0	29	2	22	24	51	5
	30.0%	35.5%	34.2%	29.9%	32.3%	36.7%		35.1%	37.6%	31.8%	31.8%	42.4%	33.9%	35.2%	32.1%	66.7%	57.1%	60.0%	0.0%	25.8%	100.0%		32.6%	66.7%	40.0%	35.8%	36.2%	33.3%
Excellent	1,847	100	90	100	15	82	0	39	44	17	17	24	56		4	0	1	1	2	15	0	0	47	1	20	32	59	7
	48.1%	43.9%	48.9%	53.8%	48.4%	43.6%		52.7%	40.4%	38.6%	38.6%	40.7%	48.7%	49.2%	14.3%	0.0%	14.3%	20.0%	66.7%	48.4%	0.0%		52.8%	33.3%	36.4%	47.8%	41.8%	46.7%
Significantly different from column:*		D												0	N													
Excellent, Very Good, or Good	3,680	221				181	0	74	104		42		_		27	_	7	5	3	29	1	0	88	3	52	65	136	-
	95.9%	96.9%	94.6%	97.0%	100.0%	96.3%		100.0%	95.4%	95.5%	95.5%	94.9%	98.3%	97.4%	96.4%	83.3%	100.0%	100.0%	100.0%	93.5%	100.0%		98.9%	100.0%	94.5%	97.0%	96.5%	100.0%
Significantly different from column:*																								l				. ,

NA - Not Applicabl

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 55

Does your child currently need or use medicine prescribed by a doctor (other than vitamins)?

	ЭНР					ndent's ( Identity (Q73)		C	Child's Ag	je		sponder ducation (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ t 6 Mon (Q7)	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	82	4			0	1	0	1	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	1	0	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	3,849	229			31	189	0	74	110	44	44	59	114	193	28	6	7	6	3	31	1	0	89	3	55	68	141	15
	97.9%	98.3%			100.0%	99.5%		98.7%	100.0%	100.0%	100.0%	100.0%	99.1%	99.5%	96.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	0.0%	98.2%	100.0%	97.2%	100.0%
Yes	492	28			1	26	0	7	14	6	6	6	15	21	6	0	0	2	0	3	0	0	11	1	5	3	23	1
	12.8%	12.2%			3.2%	13.8%		9.5%	12.7%	13.6%	13.6%	10.2%	13.2%	10.9%	21.4%	0.0%	0.0%	33.3%	0.0%	9.7%	0.0%		12.4%	33.3%	9.1%	4.4%	16.3%	6.7%
No	3,357	201			30	163	0	67	96	38	38	53	99	172	22	6	7	4	3	28	1	0	78	2	50	65	118	14
	87.2%	87.8%			96.8%	86.2%		90.5%	87.3%	86.4%	86.4%	89.8%	86.8%	89.1%	78.6%	100.0%	100.0%	66.7%	100.0%	90.3%	100.0%		87.6%	66.7%	90.9%	95.6%	83.7%	93.3%
Significantly different from column:*																										AA	Z	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 56

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child needs/uses medicine prescribed by a doctor (Q55)

Base: All respondents whose child needs/uses r	riedicirie pre	SCHDEU Dy a	doctor (QSC	"																								
	ТР					ndent's C Identity		C	Child's Ag	е		sponder Education		Child's	Health S	Status					Race						Doctor \ st 6 Mon	
	₽					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	492	28			1	26	0	7	14	6	6	6	15	21	6	0	0	2	0	3	0	0	11	1	5	3	23	1
Number missing or multiple answer	11	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	481	28			1	26	0	7	14	6	6	6	15	21	6	0	0	2	0	3	0	0	11	1	5	3	23	1
	97.8%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%		100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	343	19			0	18	0	5	11	2	3	5	11	13	5	0	0	2	0	0	0	0	7	1	5	1	17	1
	71.3%	67.9%			0.0%	69.2%		71.4%	78.6%	33.3%	50.0%	83.3%	73.3%	61.9%	83.3%			100.0%		0.0%			63.6%	100.0%	100.0%	33.3%	73.9%	100.0%
No	138	9			1	8	0	2	3	4	3	1	4	8	1	0	0	0	0	3	0	0	4	0	0	2	6	0
	28.7%	32.1%			100.0%	30.8%		28.6%	21.4%	66.7%	50.0%	16.7%	26.7%	38.1%	16.7%			0.0%		100.0%			36.4%	0.0%	0.0%	66.7%	26.1%	0.0%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 57

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child needs/uses medicine prescribed by a doctor for medical/behavioral/other health condition (Q55 & Q56)

	₽ E				Respondent's Gender Identity  Child's Age Respondent's Education  Child's Health Status  Race  (073)  (074)  (075)															Doctor \ st 6 Mon								
	ō				(Q73) (Q69) (Q74) (Q53) (Q76)																(Q7)							
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	343	19			0	18	0	5	11	2	3	5	11	13	5	0	0	2	0	0	0	0	7	1	5	1	17	
Number missing or multiple answer	14	1			0	1	0	0	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1 '
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N-
Usable responses	329	18			0	17	0	5	10	2	2	5	11	13		0	0	2	0	0	0	0	7	1	5	1	16	ì
	95.9%	94.7%				94.4%		100.0%	90.9%	100.0%	66.7%	100.0%	100.0%	100.0%	80.0%			100.0%					100.0%	0.0%	100.0%	100.0%	94.1%	100.09
Yes	269	17			0	16	0	4	10	2	2	5	10	12	4	0	0	2	0	0	0	0	6	1	5	1	15	
	81.8%	94.4%				94.1%		80.0%	100.0%	100.0%	100.0%	100.0%	90.9%	92.3%	100.0%			100.0%					85.7%	100.0%	100.0%	100.0%	93.8%	100.09
No	60	1			0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	1	
	18.2%	5.6%				5.9%		20.0%	0.0%	0.0%	0.0%	0.0%	9.1%	7.7%	0.0%			0.0%					14.3%	0.0%	0.0%	0.0%	6.3%	0.09
Significantly different from column:*									1			1											1			1		1 -

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 58

Does your child need or use more medical care, more mental health services, or more educational services than is usual for most children of the same age?

	ОНР					ndent's ( Identity (Q73)		C	Child's Ag	je		sponder Education (Q74)		Child's	Health	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	93	4			0	1	0	0	1	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	1	1	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,838	229			31	189	0	75	109	44	44	59					7	6	3	31	1	0	89	3	55	67	142	15
	97.6%	98.3%			100.0%	99.5%		100.0%	99.1%	100.0%	100.0%	100.0%	99.1%	99.5%	96.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	0.0%	98.2%	98.5%	97.9%	100.0%
Yes	279	22			2	20	0	4	12	5	4	2	16	16	5	1	0	1	0	0	0	0	8	0	10	4	15	2
	7.3%	9.6%			6.5%	10.6%		5.3%	11.0%	11.4%	9.1%	3.4%	14.0%	8.3%	17.9%	16.7%	0.0%	16.7%	0.0%	0.0%	0.0%		9.0%	0.0%	18.2%	6.0%	10.6%	13.3%
No	3,559	207			29	169	0	71	97	39	40	57	98	177	23	5	7	5	3	31	1	0	81	3	45	63	127	13
	92.7%	90.4%			93.5%	89.4%		94.7%	89.0%	88.6%	90.9%	96.6%	86.0%	91.7%	82.1%	83.3%	100.0%	83.3%	100.0%	100.0%	100.0%		91.0%	100.0%	81.8%	94.0%	89.4%	86.7%
Significantly different from column:*												М	L															

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 59

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child needs/uses more medical care/mental health/educational services than usual for children of same age (Q58)

	ЭНР				Respondent's Gender Identity  (Q73)  (Q69)  Respondent's Education  Child's Health Status  Race  (Q74)  (Q53)  (Q76)															Doctor ' st 6 Mon (Q7)	Visits in oths							
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	279	22			2	20	0	4	12	5	4	2	16	16	5	1	0	1	0	0	0	0	8	0	10	4	15	2
Number missing or multiple answer	9	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	. NA	NA	NA.	NA	NA	NA	NA	N.F
Usable responses	270	22			~	20	0	4	12	5	4	2	16	16	-	1	0	1	0	0	0	0	8	0	10	4	15	2
	96.8%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%					100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	204	17			2	15	0	2	11	3	2	1	14	11	5	1	0	0	0	0	0	0	8	0	6	2	12	- 7
	75.6%	77.3%			100.0%	75.0%		50.0%	91.7%	60.0%	50.0%	50.0%	87.5%	68.8%	100.0%	100.0%		0.0%					100.0%		60.0%	50.0%	80.0%	100.0%
No	66	5			0	5	0	2	1	2	2	1	2	5	0	0	0	1	0	0	0	0	0	0	4	2	3	(
	24.4%	22.7%			0.0%	25.0%		50.0%	8.3%	40.0%	50.0%	50.0%	12.5%	31.3%	0.0%	0.0%		100.0%					0.0%		40.0%	50.0%	20.0%	0.0%
Significantly different from column:*							_																					

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 60

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child needs/uses more medical care/mental health/educational services than usual for children of same age for medical/behavioral/other health condition (Q58 & Q59)

	4P				Respondent's Gender Identity  Child's Age Respondent's Education  COTAL  COTAL  COTAL  COTAL  COTAL														Race						t 6 Mon	Visits in oths		
	ò					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	204	17			2	15	0	2	11	3	2	1	14	11	5	1	0	0	0	0	0	0	8	0	6	2	12	7
Number missing or multiple answer	4	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	N/
Usable responses	200 98.0%	17 100.0%			_	15 100.0%	0	2 100.0%	11 100.0%	3 100.0%	100.0%	100.0%	14 100.0%			1 100.0%	0	0	0	0	0	0	100.0%	0.0%	6 100.0%	2 100.0%	12 100.0%	100.0%
Yes	195 97.5%	16 94.1%			-	15 100.0%	0	2 100.0%	10 90.9%	3 100.0%	100.0%	1 100.0%	13 92.9%	10 90.9%	5 100.0%	1 100.0%	0	0	0	0	0	0	8 100.0%	0	5 83.3%	2 100.0%	11 91.7%	100.0%
No	5 2.5%	1 5.9%			1 50.0%	0.0%	0	0.0%	9.1%	0.0%	0.0%	0.0%	7.1%	9.1%	0.0%	0.0%	0	0	0	0	0	0	0.0%	0	1 16.7%	0.0%	1 8.3%	0.0%
Significantly different from column:*	2.3%	3.9%			50.0%	0.076		0.0%	9.170	0.0%	0.0%	0.0%	7.170	9.170	0.0%	0.0%							0.0%		10.770	0.076	0.3%	0.0%

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 61

Is your child limited or prevented in any way in his or her ability to do the things most children of the same age can do?

	ОНР					ndent's C Identity (Q73)		C	hild's Ag (Q69)	е		sponden ducation (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in iths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	91	4			0	1	0	1	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,840	229			31	189	0	74	110	44	44	59	114	193	28	6	7	6	3	31	1	0	89	3	56	68	141	15
	97.7%	98.3%			100.0%	99.5%		98.7%	100.0%	100.0%	100.0%	100.0%	99.1%	99.5%	96.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	0.0%	100.0%	100.0%	97.2%	100.0%
Yes	267	18			2	15	0	4	8	6	4	3	10	12	5	1	0	1	1	2	0	0	4	0	9	8	9	1
	7.0%	7.9%			6.5%	7.9%		5.4%	7.3%	13.6%	9.1%	5.1%	8.8%	6.2%	17.9%	16.7%	0.0%	16.7%	33.3%	6.5%	0.0%		4.5%	0.0%	16.1%	11.8%	6.4%	6.7%
No	3,573	211			29	174	0	70	102	38	40	56	104	181	23	5	7	5	2	29	1	0	85	3	47	60	132	14
	93.0%	92.1%			93.5%	92.1%		94.6%	92.7%	86.4%	90.9%	94.9%	91.2%	93.8%	82.1%	83.3%	100.0%	83.3%	66.7%	93.5%	100.0%		95.5%	100.0%	83.9%	88.2%	93.6%	93.3%
Significantly different from column:*						-																· ·	Y		W			1

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 62

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child is limited/prevented in ability to do things children of the same age can do (Q61)

	4					ndent's G Identity		С	Child's Ag	je		sponder Educatio		Child's	Health	Status					Race					Child's Las	st 6 Mon	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	роо9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	267	18			2	15	0	4	8	6	4	3	10	12	5	1	0	1	1	2	. 0	0	4	0	9	8	9	
Number missing or multiple answer	8	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	259	18			2	15	0	4	8	6	4	3	10	12		1	0	1	1	2	. 0	0	4	0	9	8	9	1
	97.0%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	159	10			0	10	0	1	6	3	1	0	9	7	3	0	0	0	1	0	0	0	4	0	4	4	5	
	61.4%	55.6%			0.0%	66.7%		25.0%	75.0%	50.0%	25.0%	0.0%	90.0%	58.3%	60.0%	0.0%		0.0%	100.0%	0.0%			100.0%		44.4%	50.0%	55.6%	100.0%
No	100	8			2	5	0	3	2	3	3	3	1	5	2	1	0	1	0	2	0	0	0	0	5	4	4	- 1
	38.6%	44.4%			100.0%	33.3%		75.0%	25.0%	50.0%	75.0%	100.0%	10.0%	41.7%	40.0%	100.0%		100.0%	0.0%	100.0%			0.0%		55.6%	50.0%	44.4%	0.0%
Significantly different from column:*												1						1	1	1								1 -

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 63

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child is limited/prevented in ability to do things because of medical/behavioral/other health condition (Q61 & Q62

Base: All respondents whose child is limited/prev	enteu in ab	ility to do unin	ys because	Oi ineuicai	Dellaviolai/	Julei Healui	condition	Q01 & Q02)																				
	Ы					ndent's ( Identity		C	Child's Ag	е		sponder ducatio		Child's	Health :	Status					Race						Doctor \ st 6 Mon	
	౼					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooS	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	159	10			0	10	0	1	6	3	1	0	9	7	3	0	0	0	1	0	0	0	4	0	4	4	5	1
Number missing or multiple answer	2	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	157	10			0	10	0	1	6	3	1	0	9	7	3	0	0	0	1	0	0	0	4	0	4	4	5	1
	98.7%	100.0%				100.0%		100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%				100.0%				100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	144	10			0	10	0	1	6	3	1	0	9	7	3	0	0	0	1	0	0	0	4	0	4	4	5	1
	91.7%	100.0%				100.0%		100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%				100.0%				100.0%		100.0%	100.0%	100.0%	100.0%
No	13	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8.3%	0.0%				0.0%		0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%				0.0%				0.0%		0.0%	0.0%	0.0%	0.0%
Significantly different from column:*																												. !

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 64

Does your child need or get special therapy such as physical, occupational, or speech therapy?

	ОНР					ndent's ( Identity (Q73)		C	Child's Ag (Q69)	е		sponder Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	86	3			0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,845	230			31	190	0	75	110	44	44	59	115	194	28	6	7	6	3	31	1	0	89	3	56	68	142	15
	97.8%	98.7%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	96.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	0.0%	100.0%	100.0%	97.9%	100.0%
Yes	235	20			1	18	0	2	11	7	3	5	11	17	3	0	1	0	2	0	0	0	7	0	7	4	12	3
	6.1%	8.7%			3.2%	9.5%		2.7%	10.0%	15.9%	6.8%	8.5%	9.6%	8.8%	10.7%	0.0%	14.3%	0.0%	66.7%	0.0%	0.0%		7.9%	0.0%	12.5%	5.9%	8.5%	20.0%
No	3,610	210			30	172	0	73	99	37	41	54	104	177	25	6	6	6	1	31	1	0	82	3	49	64	130	12
	93.9%	91.3%			96.8%	90.5%		97.3%	90.0%	84.1%	93.2%	91.5%	90.4%	91.2%	89.3%	100.0%	85.7%	100.0%	33.3%	100.0%	100.0%		92.1%	100.0%	87.5%	94.1%	91.5%	80.0%
Significantly different from column:*		-																										

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 65

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child needs/gets special therapy (Q64)

	НР					ndent's (		C	hild's Ag	je		sponder		Child's	Health	Status					Race						t 6 Mon	Visits in iths
	2020 State O	2020	2019	2018	Male	(Q73) Female	Non-binary, genderqueer, or other	0 to 5	6 to 13 (690)	14 to 18	Less than HS grad	(Q74) HS grad	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Description African African (9)	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 t d d d d d d d d d d d d d d d d d d	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	235	20			1	18	0	2	11	7	3	5	11	17	3	0	1	0	2	0	0	0	7	0	7	4	12	3
Number missing or multiple answer	10	1			0	1	0	0	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	225 95.7%	19 95.0%			1 100.0%	17 94.4%	0	2 100.0%	10 90.9%	7 100.0%	66.7%	5 100.0%	11 100.0%		_	0	1 100.0%	0	100.0%	0	0	0	7 100.0%	0.0%	7 100.0%	4 100.0%	11 91.7%	3 100.0%
Yes	134 59.6%	9				8 47.1%	0	0	4 40.0%	5	1	3	4	9 52.9%	0	0	0	0	0.0%	0	0	0	4 57.1%	0	3 42.9%	1 25.0%	4 26 40/	3 100.0%
No	59.6%	47.4%				47.1%		0.0%	40.0%	71.4%	50.0%	00.0%	36.4%	52.9%	0.0%		0.0%		0.0%				37.1%		42.9%	25.0%	36.4%	100.0%
	40.4%	52.6%			100.0%	52.9%		100.0%	60.0%	28.6%	50.0%	40.0%	63.6%	47.1%	100.0%		100.0%		100.0%				42.9%		57.1%	75.0%	63.6%	0.0%
Significantly different from column:*																										2.0.10		

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 66

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child needs/gets special therapy for medical/behavioral/other health condition (Q64 & Q65)

	4P					ndent's C Identity	Gender	C	Child's Ag	ge		sponder Educatio		Child's		Status					Race					Child's Las	st 6 Mon	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	134	9			0	8	0	0	4	5	1	3	4	9	0	0	0	0	0	0	0	C	4	0	3	1	4	3
Number missing or multiple answer	1	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C	0	0	0	0	0	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	. NA	NA	NA NA	NA	NA	NA	NA	N/
Usable responses	133 99.3%	9 100.0%			0	8 100.0%	0	0	4 100.0%	5 100.0%	1 100.0%	3 100.0%	4 100.0%	9 100.0%	0	0	0	0	0		0		100.0%	0.0%	3 100.0%	1 100.0%	4 100.0%	100.0%
Yes	114 85.7%	7 77.8%			0	6 75.0%	0	0	100.0%	60.0%	100.0%	33.3%	4 100.0%	7 77.8%	0	0	0	0	0	0	0		75.0%	0	66.7%	1 100.0%	100.0%	33.3%
No	19	2			0	2	0	0	0	2	0	2	0	2	0	0	0	0	0	0	0	C	) 1	0	1	0	0	23.57
	14.3%	22.2%				25.0%			0.0%	40.0%	0.0%	66.7%	0.0%	22.2%									25.0%		33.3%	0.0%	0.0%	66.7%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 67

Does your child have any kind of emotional, developmental, or behavioral problem for which he or she needs or gets treatment or counseling?

	ОНР					ndent's G Identity (Q73)		C	hild's Ag (Q69)	е		sponden Education (Q74)		Child's	Health :	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	93	5			0	2	0	0	1	0	1	0	1	1	2	0	0	0	0	0	0	0	1	0	0	0	4	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,838	228			31	188	0	75	109	44	43	59	114	193	27	6	7	6	3	31	1	0	88	3	56	68	141	14
	97.6%	97.9%			100.0%	98.9%		100.0%	99.1%	100.0%	97.7%	100.0%	99.1%	99.5%	93.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		98.9%	0.0%	100.0%	100.0%	97.2%	93.3%
Yes	267	18			1	16	0	2	10	6	2	2	14	17	0	1	1	1	0	0	0	0	6	0	9	2	15	0
	7.0%	7.9%			3.2%	8.5%		2.7%	9.2%	13.6%	4.7%	3.4%	12.3%	8.8%	0.0%	16.7%	14.3%	16.7%	0.0%	0.0%	0.0%		6.8%	0.0%	16.1%	2.9%	10.6%	0.0%
No	3,571	210			30	172	0	73	99	38	41	57	100	176	27	5	6	5	3	31	1	0	82	3	47	66	126	14
	93.0%	92.1%			96.8%	91.5%		97.3%	90.8%	86.4%	95.3%	96.6%	87.7%	91.2%	100.0%	83.3%	85.7%	83.3%	100.0%	100.0%	100.0%		93.2%	100.0%	83.9%	97.1%	89.4%	100.0%
Significantly different from column:*		-													,													. 7

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 68

Has this problem lasted or is it expected to last for at least 12 months?

Base: All respondents whose child has emotional, developmental or behavioral problem for which s/he gets treatment (Q67)

	НР					ndent's G	Gender	С	hild's Ag	ge		esponder		Child's		Status					Race						Doctor V	
	2020 State O	2020	2019	2018	Male	Female (C73)	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69D)	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Castern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 the state of the	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	267 9 NA	18 1 NA	 NA	 NA	1 0 NA	16 1 NA	0 0 NA	2 0 NA	10 1 NA	6 0 NA	2 0 NA	2 0 NA	14 1 NA	17 1 NA	0 0 NA	1 0 NA	1 0 NA	1 0 NA	0 0 NA	0 0 NA	0 0 NA	C NA	0 6 0 NA	0 0 NA	9 1 NA	2 0 NA	15 1 NA	0 0 NA
Usable responses	258 96.6%	17 94.4%			1 100.0%	15 93.8%	0	2 100.0%	9 90.0%	6 100.0%	2 100.0%	2 100.0%	13 92.9%	16 94.1%	0	100.0%	1 100.0%	1 100.0%	0	0	0		6 100.0%	0 0.0%	8 88.9%	2 100.0%	14 93.3%	0
Yes	227 88.0%	15 88.2%			1 100.0%	13 86.7%	0	1 50.0%	9	5 83.3%	100.0%	2 100.0%	11 84.6%	14 87.5%	0	100.0%	0.0%	1 100.0%	0	0	0		6 100.0%	0	7 87.5%	2 100.0%	12 85.7%	0
No	31 12.0%	2 11.8%				2 13.3%	0	1 50.0%	0.0%	1 16.7%	0.0%	0.0%	2 15.4%	2 12.5%	0	0.0%	1 100.0%	0.0%	0	0	0		0.0%	0	1 12.5%	0.0%	2 14.3%	0
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 69

What is your child's age?

Base: All respondents																												
	۵					ndent's ( Identity		C	Child's A	ge		sponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	픙					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)					<u> </u>	(Q7)	
	2020 State	0707	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	3,931 118	233 4	187 4	197 0	31 0	190 1	0	75 0	110 0	44 0	44 0	59 0	115 1	194 0	29 2	6 0	7 0	6 0	3 0	31 0	1 0	0	89 1	3 0	56 0	68 0	145 3	15 1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,813 97.0%	229 98.3%	183 97.9%	197 100.0%		189 99.5%	0	75 100.0%			44 100.0%				27 93.1%	-	7 100.0%	6 100.0%	3 100.0%	31 100.0%	1 100.0%	0	88 98.9%	0.0%	56 100.0%	68 100.0%	142 97.9%	14 93.3%
Less than 1 year old	13 0.3%	0.4%	0.0%	0.5%	0.0%	0.5%	0	1.3%	0.0%	0.0%	0.0%	0.0%	1 0.9%	1 0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	1.1%	0.0%	0.0%	0.0%	0.7%	0.0%
1 year old	200 5.2%	14 6.1%	13 7.1%	14 7.1%	1	13 6.9%	0	14 18.7%		0	4.5%	2	10 8.8%		3.7%	0	0.0%	1	0.0%	3.2%	0.0%	0	7 8.0%	1 33.3%	2	2.9%	10 7.0%	7 1%
2 years old	267 7.0%	14 6.1%	13 7.1%	13	1	13	0	14 18.7%	0.0%	0	4.5%	2	10 8.8%	13	3.7%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0	8	0.0%	3	3 4.4%	9 6.3%	2 14.3%
3 years old	228 6.0%	17 7.4%	14 7.7%	10 5.1%	3	14 7.4%	0	17 22.7%	0.0%	0	4.5%	1	13 11.4%	13	7.4%	1	1 14.3%	2	0.0%	4 12.9%	0.0%	0	8	0.0%	2	3 4.4%	12 8.5%	2
4 to 6 years old	678 17.8%	43 18.8%	29 15.8%	34	2	36	0	29 38.7%		0	10	12	19	35	29.6%	0	2	0	0.0%	9 29.0%	0	0	13 14.8%	0.0%	12	15 22.1%	26 18.3%	1
7 to 9 years old	691 18.1%	54 23.6%	29 15.8%	33 16.8%		46 24.3%	0	0.0%	54 49.1%		8 18.2%	14 23.7%	29 25.4%		3 11.1%	1 16.7%	0.0%	1 16.7%	2 66.7%	5 16.1%	0.0%	0	23 26.1%	1 33.3%	12 21.4%	19 27.9%	32 22.5%	
10 to 13 years old	920 24.1%	42 18.3%	47 25.7%	51	8	32	0	0.0%	42 38.2%	0	9 20.5%	14	15 13.2%	33	6 22.2%	2 33.3%	2 28.6%	0.0%	0.0%	7 22.6%	1 100.0%	0	13 14.8%	1 33.3%	13 23.2%	12 17.6%	28 19.7%	
14 to 18 years old	816 21.4%	44 19.2%	38	41 20.8%	9	34	0	0.0%	0.0%	44	11 25.0%	14		36	22.2%	2	28.6%	33.3%	1 33.3%	5 16.1%	0.0%	0	15 17.0%	0.0%	12	14 20.6%	24 16.9%	5
3 years old or younger	708 18.6%	46 20.1%	40 21.9%	38	5	41	0	46 61.3%		0	13.6%	5 8.5%	34 29.8%	40	14.8%	1	14.3%	3	0.0%	5 16.1%	0.0%	0	24 27.3%	33.3%	7	8	32 22.5%	5
Significantly different from column:*				, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				IJ	Н	Н	M	M	KL			,,,,,							Y		W			

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 70

What was your child's biological sex at birth?

	НР					ndent's (		C	hild's Ag	е		sponder		Child's	Health S	Status					Race					Child's Las	t 6 Mon	
	2020 State O	2020	2019	2018	Male	(Q73) Emale	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69D)	14 to 18	Less than HS grad	(Q74) HS grad	Some College or more	Excellent or Very Good	(Q53) po 00 9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle D A African African African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	11 4 (O <sub>2</sub> )	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233	187	195	31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	127	6	2	0	0	1	0	2	1	0	2	0	0	1	2	1	1	0	0	2	0	0	0	0	0	1	5	(
Number no experience	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N.A
Usable responses	3,804 96.8%		185 98.9%	195 100.0%	31 100.0%		0	73 97.3%		44 100.0%	42 95.5%		_		27 93.1%	5 83.3%	6 85.7%	6 100.0%	3 100.0%	29 93.5%	1 100.0%	0	89 100.0%	0.0%	56 100.0%		140 96.6%	
Male	1,974	119	93	89	18	96	0	29	64	25	23	37	54	103	14	2	3	5	0	20	1	0	46	1	23	35	73	?
	51.9%	52.4%	50.3%	45.6%	58.1%	50.8%		39.7%	58.7%	56.8%	54.8%	62.7%	47.0%	53.4%	51.9%	40.0%	50.0%	83.3%	0.0%	69.0%	100.0%		51.7%	33.3%	41.1%	52.2%	52.1%	60.0%
Female	1,830	108	92	106	13	93	0	44	45	19	19	22	61	90	13	3	3	1	3	9	0	0	43	2	33	32	67	f
	48.1%	47.6%	49.7%	54.4%	41.9%	49.2%		60.3%	41.3%	43.2%	45.2%	37.3%	53.0%	46.6%	48.1%	60.0%	50.0%	16.7%	100.0%	31.0%	0.0%		48.3%	66.7%	58.9%	47.8%	47.9%	40.0%
Significantly different from column:*								I	Н			M	L						1	Y					Т			1

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 71

What is your child's current gender identity?

Base: All respondents

base. All respondents																												
	ЧР					ndent's ( Identity		С	hild's Ag	je		sponder Education		Child's	Health						Race					Child's Las	t 6 Mon	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	155	7			1	1	0	1	2	1	2	0	0	4	1	0	0	0	0	1	0	0	0	0	1	3	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,776	226			30	189	0	74	108	43	42	59	115	190	28	6	7	6	3	30	1	0	89	3	55	65	141	15
	96.1%	97.0%			96.8%	99.5%		98.7%	98.2%	97.7%	95.5%	100.0%	100.0%	97.9%	96.6%	100.0%	100.0%	100.0%	100.0%	96.8%	100.0%		100.0%	0.0%	98.2%	95.6%	97.2%	100.0%
Male	1,973 52.3%	119 52.7%			18 60.0%	95 50.3%	0	30 40.5%	63 58.3%	25 58.1%	24 57.1%	37 62.7%	54 47.0%	102 53.7%	15 53.6%	2 33.3%	57.1%	83.3%	0.0%	21 70.0%	1 100.0%	0	46 51.7%	1 33.3%	22 40.0%	33 50.8%	75 53.2%	60.0%
Female	1,792	107			12	94	0	44	45	18	18	22	61	88	13	4	3	1	3	9	0	0	43	2	33	32	66	6
	47.5%	47.3%			40.0%	49.7%		59.5%	41.7%	41.9%	42.9%	37.3%	53.0%	46.3%	46.4%	66.7%	42.9%	16.7%	100.0%	30.0%	0.0%		48.3%	66.7%	60.0%	49.2%	46.8%	40.0%
Transgender	1	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Non-binary, genderqueer, or other	10	0			_	0	0	0	0	0	0	0	0	0	0	0	C	0	0	0	0	0	0	0	0	0	0	
	0.3%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

NA - Not Applicable

### Question 72

What is your age?

Base: All respondents	۵					ndent's ( Identity	Gender	C	hild's Ag	е		sponder Educatio		Child's	Health	Status					Race						Doctor V	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	A	В	C	D	E	F	G	H	I	J	K	L	M	N	0	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB
Number in sample	3,931 147	233	187	195	31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer Number no experience	NA	NA	NA NA	NA	NA.	NA.	NA	NA	NA.	NA.	NA	NA	NA NA	NA	NA	NA	NA	NA NA	NA NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.
Usable responses	3,784	225	185	195	30	189	INA O	72	109	43	44	59			26		7	1NA 5	IVA 3	30	1 1	INA O	88	3	56	68		
osable responses	96.3%	96.6%		100.0%	96.8%	99.5%		96.0%	99.1%	97.7%	100.0%		99.1%			100.0%	100.0%	83.3%	100.0%		100.0%			0.0%	100.0%		95.9%	
Under 18	117	7	5	7	3	4	0	1	3	3	3	0	3	6	1	0	0	0	0	1	0	0		0	2	4	3	0
	3.1%	3.1%	2.7%	3.6%	10.0%	2.1%		1.4%	2.8%	7.0%	6.8%	0.0%	2.6%	3.1%	3.8%	0.0%	0.0%	0.0%	0.0%	3.3%	0.0%		2.3%	0.0%	3.6%	5.9%	2.2%	0.0%
18 to 24	139	6	5	3	0	6	0	6	0	0	2	1	3	4	2	0	0	0	0	2	0	0	2	1	1	2	3	1
	3.7%	2.7%	2.7%	1.5%	0.0%	3.2%		8.3%	0.0%	0.0%	4.5%		2.6%		7.7%	0.0%	0.0%	0.0%	0.0%	6.7%	0.0%			33.3%	1.8%		2.2%	
25 to 34	1,110	74		68	5	68	0	42	28	3	6	22	44	62	8	2	2	2	0	6	0	0	31	1	20	15	52	-
35 to 44	29.3% 1,479	32.9% 95		34.9% 66	16.7% 16	36.0% 74		58.3% 21	25.7% 56	7.0%	13.6%		38.6%	32.5% 81	30.8%		28.6%	40.0%	0.0%	20.0%	0.0%		35.2% 36	33.3%	35.7% 22		37.4% 52	
35 to 44	39.1%	42.2%		33.8%	53.3%	39.2%		29.2%	51.4%	18 41.9%	50.0%				42.3%	_	57.1%	40.0%	100.0%	53.3%	100.0%			33.3%	39.3%		37.4%	-
45 to 54	644	28		41	23.370	26	0	23.270	13	13	10		11		42.370	30.070	37.170	1	0	55.5 76	0	0		0	59.570	9	18	42.570
	17.0%	12.4%	16.2%	21.0%	6.7%	13.8%		2.8%	11.9%	30.2%	22.7%	11.9%	9.6%		15.4%	16.7%	14.3%	20.0%	0.0%	16.7%	0.0%		12.5%	0.0%	8.9%	13.2%	12.9%	0.0%
55 to 64	186	10		7	2	8	0	0	7	3	1	5	4	10	0	0	0	0	0	0	0	0	5	0	4	2	8	0
	4.9%	4.4%	7.6%	3.6%	6.7%	4.2%		0.0%	6.4%	7.0%	2.3%	8.5%	3.5%	5.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		5.7%	0.0%	7.1%	2.9%	5.8%	0.0%
65 to 74	85	3	3	2	1	2	0	0	1	2	0	0	3	3	0	0	0	0	0	0	0	0	1	0	1	0	3	0
	2.2%	1.3%	1.6%	1.0%	3.3%	1.1%		0.0%	0.9%	4.7%	0.0%	0.0%	2.6%	1.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	1.8%	0.0%	2.2%	0.0%
75 or older	24	2	1	1	1	1	0	0	1	1	0	0	2	2	0	0	0	0	0	0	0	0	U	0	1	1	0	1
05 11	0.6%	0.9%		0.5%	3.3%	0.5%		0.0%	0.9%	2.3%	0.0%				0.0%		0.0%	0.0%	0.0%	0.0%			0.070	0.0%	1.8%		0.0%	
35 or older	2,418	138		117	22	111	0	23	78	37	33				15		71 40/	60.000	3	21	_	0	53	22.204	33		81	
Significantly different from column:*	63.9%	61.3%	64.3%	60.0%	73.3%	58.7%		31.9%	71.6%	86.0%	75.0% M	61.0%	56.1% K	62.3%	57.7%	66.7%	71.4%	60.0%	100.0%	70.0%	100.0%		60.2%	33.3%	58.9%	69.1%	58.3%	50.0%
Significantly different from column:*								IJ	п	п	IVI		n.						l		l .							

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 73

What is your current gender identity?

Base: All respondents

Base. All respondents						ndent's ( Identity		C	hild's Ag	je		sponder		Child's	Health :	Status					Race					Child's	Doctor \	
	용					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	169				0	0	0	4	3	1	2	1	0	5	4	0	1	0	0	2	0	0	0	0	1	2	7	1
Number no experience	NA	NA		NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	3,762	222			31	190	0	71	107	43	42	58	115	189	25	6	6	6	3	29	1	0	89	3	55	66	138	14
	95.7%	95.3%			100.0%	100.0%		94.7%	97.3%	97.7%	95.5%	98.3%	100.0%	97.4%	86.2%	100.0%	85.7%	100.0%	100.0%	93.5%	100.0%		100.0%	0.0%	98.2%	97.1%	95.2%	93.3%
Male	611	31			31	0	0	7	15	9	7	9	13	27	3	1	0	1	0	7	1	0	10	0	4	11	18	2
	16.2%	14.0%			100.0%	0.0%		9.9%	14.0%	20.9%	16.7%	15.5%	11.3%	14.3%	12.0%	16.7%	0.0%	16.7%	0.0%	24.1%	100.0%		11.2%	0.0%	7.3%	16.7%	13.0%	14.3%
Female	3,142	190			0	190	0	64	91	34	35	48	102	161	22	5	6	5	3	22	0	0	79	3	51	55	119	12
	83.5%	85.6%			0.0%	100.0%		90.1%	85.0%	79.1%	83.3%	82.8%	88.7%	85.2%	88.0%	83.3%	100.0%	83.3%	100.0%	75.9%	0.0%		88.8%	100.0%	92.7%	83.3%	86.2%	85.7%
Transgender	1	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Non-binary, genderqueer, or other	8	1			0	0	0	0	1	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	0.2%	0.5%			0.0%	0.0%		0.0%	0.9%	0.0%	0.0%	1.7%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.7%	0.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 74

What is the highest grade or level of school that you have completed?

	Ы					ndent's C Identity	Gender	С	hild's Ag	е		sponder ducatio		Child's	Health	Status					Race						Doctor \st 6 Mon	Visits in iths
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooS	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	3,931 202	233 15	187 4	192 0	31 2	190 5	0	75 2	110 8	44 2	44 0	59 0	115 0	194 7	29 4	6 1	7 0	6 1	3 0	31 2	1	0	89 0	3 0	56 3	68 6	145 7	15 1
Number no experience	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,729 94.9%	218 93.6%	183 97.9%			185 97.4%	0	73 97.3%	102 92.7%	42 95.5%	44 100.0%	59 100.0%	115 100.0%	187 96.4%	25 86.2%	5 83.3%	7 100.0%	5 83.3%	3 100.0%	29 93.5%	0.0%	0	89 100.0%	0.0%	53 94.6%	62 91.2%	138 95.2%	14 93.3%
8th grade or less	441 11.8%	22 10.1%	15 8.2%	24 12.5%		17 9.2%	0	7 9.6%	11 10.8%	4 9.5%	22 50.0%	0.0%	0.0%	17 9.1%	5 20.0%	0.0%	3 42.9%	0.0%	0.0%	10 34.5%	0	0	2 2.2%	1 33.3%	5 9.4%	8 12.9%	14 10.1%	0.0%
Some high school, but did not graduate	390 10.5%	22 10.1%	16 8.7%			18 9.7%	0	8 11.0%	7 6.9%	7 16.7%	22 50.0%	0.0%	0.0%	15 8.0%	6 24.0%	1 20.0%	0.0%	0.0%	0.0%	5 17.2%	0	0	4 4.5%	1 33.3%	7 13.2%	6 9.7%	11 8.0%	3 21.4%
High school graduate or GED	1,047 28.1%	59 27.1%	47 25.7%	45 23.4%	9 31.0%	48 25.9%	0	14 19.2%	31 30.4%	14 33.3%	0.0%	59 100.0%	0.0%	51 27.3%	5 20.0%	3 60.0%	2 28.6%	2 40.0%	1 33.3%	10 34.5%	0	0	21 23.6%	1 33.3%	10 18.9%	21 33.9%	35 25.4%	2 14.3%
Some college or 2-year degree	1,201 32.2%	73 33.5%	54 29.5%		7 24.1%	66 35.7%	0	24 32.9%	35 34.3%	13 31.0%	0.0%	0.0%	73 63.5%	66 35.3%	6 24.0%	0.0%	2 28.6%	1 20.0%	1 33.3%	3 10.3%	0	0	40 44.9%	0.0%	18 34.0%	18 29.0%	48 34.8%	6 42.9%
4-year college graduate	407 10.9%	26 11.9%	33 18.0%	25 13.0%	3 10.3%	23 12.4%	0	12 16.4%	11 10.8%	7.1%	0.0%	0.0%	26 22.6%	22 11.8%	3 12.0%	1 20.0%	0.0%	1 20.0%	1 33.3%	0.0%	0	0	18 20.2%	0.0%	5 9.4%	6 9.7%	18 13.0%	2 14.3%
More than 4-year college degree	243 6.5%	16 7.3%	18 9.8%	16	3 10.3%	13 7.0%	0	8 11.0%	7 6.9%	1 2.4%	0.0%	0.0%	16 13.9%	16 8.6%	0.0%	0.0%	0.0%	20.0%	0.0%	1 3.4%	0	0	4 4.5%	0.0%	8 15.1%	3 4.8%	12 8.7%	7.1%
4-year college graduate or more	650 17.4%	42 19.3%	51 27.9%	41 21.4%	6 20.7%	36 19.5%	0	20 27.4%	18 17.6%	4 9.5%	0.0%	0.0%	42 36.5%	38 20.3%	3 12.0%	1 20.0%	0.0%	2 40.0%	1 33.3%	1 3.4%	0	0	22 24.7%	0.0%	13 24.5%	9 14.5%	30 21.7%	21.4%
Significantly different from column:*		С						J		Н	M	М	KL							W			T					

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 75

How are you related to the child?

Base: All respondents				_	_						_			_			_											
	۵					ndent's C Identity	Sender	С	hild's Ag	е		sponder Education		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	p009	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	233	187	191	31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	. 0	89	3	56	68	145	15
Number missing or multiple answer	185	10	4	0	1	3	0	2	2	3	1	1	1	6	2	0	0	1	0	0	0	0	1	0	1	2	5	2
Number no experience	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA NA		NA	NA	NA	NA	NA
Usable responses	3,746	223	183		30	187	0	73	108	41	43	58	114	188	27	6	7	5	3	31	1	. 0	88	3	55	66	140	13
	95.3%	95.7%	97.9%	100.0%	96.8%	98.4%		97.3%	98.2%	93.2%	97.7%	98.3%	99.1%	96.9%	93.1%	100.0%	100.0%	83.3%	100.0%	100.0%	100.0%		98.9%	0.0%	98.2%	97.1%	96.6%	86.7%
Mother or father	3,534 94.3%	213 95.5%	175 95.6%		29 96.7%	178 95.2%	0	73 100.0%	102 94.4%	37 90.2%	42 97.7%	57 98.3%	107 93.9%	178 94.7%	27 100.0%	6 100.0%	7 100.0%	5 100.0%	3 100.0%	31 100.0%	100.0%	0	95.5%	3 100.0%	52 94.5%	65 98.5%	132 94.3%	13 100.0%
Grandparent	137 3.7%	6 2.7%	6 3.3%	3 1.6%	1 3.3%	5 2.7%	0	0.0%	4 3.7%	2 4.9%	1 2.3%	1 1.7%	4 3.5%	6 3.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	1.1%	0.0%	3 5.5%	1 1.5%	5 3.6%	0.0%
Aunt or uncle	16 0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Older brother or sister	10 0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other relative	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Legal guardian	38 1.0%	3 1.3%	0.5%	0.0%	0.0%	3 1.6%	0	0.0%	2 1.9%	2.4%	0.0%	0.0%	2	3 1.6%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0	2.3%	0	0.0%	0.0%	2 1.4%	0.0%
Someone else	11 0.3%	0.4%	0.5%	0.0%	0.0%	1 0.5%	0	0.0%	0 0.0%	2.4%	0.0%	0.0%	0.9%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	1.1%	0.0%	0.0%	0.0%	0.7%	0.0%

NA - Not Applicable

#### Question 76

Which of the following describes your child's  $\underline{\text{racial or ethnic identity}}$ ? Please check  $\underline{\text{ALL}}$  that apply.

Base: All respondents																												
	ОНР					ndent's (		С	hild's Ag	je		sponden		Child's	Health :	Status					Race						Doctor V	
	Ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)					ــــــ	(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	3,931 574 NA	233 37 NA	 NA	  NA	31 8 NA	190 21 NA	0 0 NA	75 10 NA	110 17 NA	44 7 NA	44 6 NA	59 12 NA	115 11 NA		29 5 NA	6 1 NA	7 C NA	6 0 0 NA	3 0 NA	31 0 NA	1 0 NA	0 0 NA	89 0 NA	3 0 NA	56 0 NA	68 11 NA	145 20 NA	15 4 NA
Usable responses	3,357 85.4%	196 84.1%			23 74.2%	169 88.9%	0	65 86.7%	93 84.5%	37 84.1%	38 86.4%	47 79.7%	104 90.4%		24 82.8%	5 83.3%	100.0%	6	3 100.0%	31 100.0%	1	0	89 100.0%	0.0%	56 100.0%	57 83.8%	125 86.2%	11 73.3%
American Indian	291 8.7%	21 10.7%			1 4.3%	18 10.7%	0	5 7.7%	10 10.8%	16.2%	7 18.4%	4 8.5%	9 8.7%	19	2 8.3%	0	100.0%	0	0	0.0%	0	0	0	0.0%	14 25.0%	8	12 9.6%	9.1%
Alaska Native	27 0.8%	5 2.6%			0.0%	4 2.4%	0	2 3.1%	3.2%	0.0%	0.0%	0.0%	3 2.9%	4	0.0%	0.0%	0.0%	0	0	0.0%	0	0	0	0.0%	5 8.9%	2 3.5%	3 2.4%	0.0%
Canadian Inuit, Metis, or First Nation	17 0.5%	1 0.5%			0.0%	0.0%	0	0 0.0%	1 1.1%	0.0%	0.0%	0.0%	0.0%	1 0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0 0.0%	0 0.0%	1.8%	1 1.8%	0.0%	0.0%
Indigenous Mexican, Central American, or South American	287 8.5%	17 8.7%			0.0%	15 8.9%	0	5 7.7%	6 6.5%	6 16.2%	7 18.4%	6 12.8%	2.9%	16 9.7%	1 4.2%	0.0%	14.3%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	16 28.6%	8 14.0%	8 6.4%	1 9.1%
Asian Indian	27 0.8%	1 0.5%			0.0%	0.6%	0	0.0%	0.0%	1 2.7%	0.0%	0.0%	1 1.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	1 1.8%	0.0%	0.0%	9.1%
Chinese	79 2.4%	2.6%			0.0%	3.0%	0	1.5%	2.2%	5.4%	0.0%	4.3%	2.9%	2.4%	1 4.2%	0.0%	0.0%	66.7%	0.0%	0.0%	0.0%		0.0%	0.0%	1.8%	3.5%	2 1.6%	9.1%
Filipino/a	57 1.7%	1.5%			0.0%	1.8%		0.0%	3.2%	0.0%	0.0%	0.0%	2.9%	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	5.4%	3.5%	0.8%	0.0%
Hmong	0.1%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Japanese	0.6%	0.5%			4.3%	0.0%	0	0.0%	1.1%	0.0%	0.0%	0.0%	1.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	1.8%	0.0%	0.8%	0.0%
Korean	35 1.0%	0.0%			0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Laotian	0.2%	0.0%			0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
South Asian	0.6%	0.5%			4.3%	0.0%	0	1.5%	0.0%	0.0%	0.0%	0.0%	1.0%	0.6%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.8%	0.0%
Vietnamese	74 2.2%	0.5%			0.0%	0.6%	0	1.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.8%	0.0%
Other Asian	56 1.7%	0.5%			0.0%	0.6%	0	1 1.5%	0.0%	0.0%	0.0%	0.0%	1.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	1.8%	0.0%	0.8%	0.0%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

#### Question 76

Which of the following describes your child's  $\underline{\text{racial or ethnic identity}}$ ? Please check  $\underline{\text{ALL}}$  that apply.

Base: All respondents

Base: All respondents					Respor	ndent's (	Gender	_	hild's Ac	10	Re	sponder	nt's	Child's	Health	Status					Race					Child's	Doctor V	isits in
	۵					Identity		C	illiu S Ag	je	1	Educatio	n	Cilia	пеанн	Status					Race					Las	t 6 Mont	:hs
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	роо9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	H	I	J	K	L	M	N	0	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44				29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	574	37			8	21	0	10	17		6	12 NA				1	0	0	0	0	0	0	0	0	0	11	20	4
Number no experience	NA 2.257	NA 196	NA	NA	NA 23	NA 160	NA	NA	NA 93	NA	NA 20				NA 24	NA	NA.	NA NA	NA	NA 31		NA 0	NA 89	NA	NA 56	NA	NA 125	NA 11
Usable responses	3,357 85.4%				74.2%	169 88.9%		65 86.7%	93 84.5%	37 84.1%	38 86.4%		90.4%		24 82.8%	83.3%	100.0%	100.0%	100.0%	100.0%	_			0.0%	100.0%	57 83.8%	125 86.2%	73.3%
African American	148	6			1	5	0	2	3	1	00.470	73.770	30.470	5	1	03.570	0	0	2	0	0	0	0	0.070	4	2	4	7 3.3 70
	4.4%	3.1%			4.3%	3.0%		3.1%	3.2%	2.7%	0.0%	4.3%	3.8%	3.0%	4.2%	0.0%	0.0%	0.0%	66.7%	0.0%	0.0%		0.0%	0.0%	7.1%	3.5%	3.2%	0.0%
African (Black)	70	5			1	4	0	1	2	2	0	2	3	3	2	0	0	0	2	0	0	0	0	0	3	2	3	0
	2.1%	2.6%			4.3%	2.4%		1.5%	2.2%	5.4%	0.0%	4.3%	2.9%	1.8%	8.3%	0.0%	0.0%	0.0%	66.7%	0.0%	0.0%		0.0%	0.0%	5.4%	3.5%	2.4%	0.0%
Caribbean (Black)	8	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.2%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Black	21	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.6%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Hispanic or Latino/a Central American	205	12			0	11	0	4	7	1	7	1	2	10	1	1	0	0	0	4	0	0	0	0	8	7	5	0
	6.1%	6.1%			0.0%	6.5%		6.2%	7.5%	2.7%	18.4%		1.9%	6.1%	4.2%	20.0%	0.0%	0.0%	0.0%	12.9%	0.0%		0.0%	0.0%	14.3%		4.0%	0.0%
Hispanic or Latino/a Mexican	1,075 32.0%	49 25.0%			21.7%	42 24.9%		17 26.2%	24 25.8%		19 50.0%				10 41.7%	60.0%	0.0%	0.0%	0.0%	28 90.3%	0.0%	0	0.0%	0.0%	37.5%	18 31.6%	27 21.6%	27.3%
Hispanic or Latino/a South American	32.0%	25.0%			21.770	24.970	0	20.2%	23.6%	21.0%	30.0%	34.0%	10.0%	21.070	41.7%	00.0%	0.0%	0.0%	0.0%	90.3%	0.0%	0	0.0%	0.0%	37.3%	31.0%	21.070	27.3%
I iispanic oi Launora Soutii American	2.5%	2.6%			4.3%	2.4%		1.5%	2.2%	5.4%	5.3%	0.0%	2.9%	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.2%	0.0%		0.0%	0.0%	7.1%	1.8%	3.2%	0.0%
Other Hispanic or Latino/a	366	16			3	12	0	5	9	2	8	3	2.570	8	5	2	0.070	0.070	0.070	10		0	0.070	0.070	6	8	7	1
	10.9%	8.2%			13.0%	7.1%		7.7%	9.7%	5.4%	21.1%	6.4%	1.9%	4.8%	20.8%	40.0%	0.0%	0.0%	0.0%	32.3%			0.0%	0.0%	10.7%	14.0%	5.6%	9.1%
Middle Eastern	28	2			2	0	0	0	1	1	0	1	0	2	0	0	0	0	0	0	1	0	0	0	1	1	1	0
	0.8%	1.0%			8.7%	0.0%		0.0%	1.1%	2.7%	0.0%	2.1%	0.0%	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%		0.0%	0.0%	1.8%	1.8%	0.8%	0.0%
Northern African	3	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.1%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

#### Question 76

Which of the following describes your child's  $\underline{\text{racial or ethnic identity}}$ ? Please check  $\underline{\text{ALL}}$  that apply.

Base: All respondents

	ОНР					ndent's (	Gender	С	hild's Ag	е		sponder ducation		Child's	Health	Status					Race						Doctor 'st 6 Mon	
		0	6	ω		(Q73)	'n		(Q69)		(0	(Q74)	O.		(Q53)		p		_		(Q76) E	٥ ٦				_	(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian o Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	3,931 574	233 37			31 8	190 21	0	75 10	110 17	44 7	44 6	59 12	115 11	194 29	29 5	6 1	7	6 0	3 0	31 0	1 0		89	0	56 0	68 11	145 20	4
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N.A			NA		NA	
Usable responses	3,357 85.4%	196 84.1%			23 74.2%	169 88.9%		65 86.7%	93 84.5%	37 84.1%	38 86.4%	47 79.7%	104 90.4%	165 85.1%	24 82.8%	5 83.3%	100.0%	100.0%	100.0%	31 100.0%	100.0%		89	_	56 100.0%		125 86.2%	
Guamanian or Chamorro	0.0%	0.0%			0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Micronesian	11 0.3%	0.0%			0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Native Hawaiian	16 0.5%	0.5%			0.0%	0.6%	0	0.0%	1.1%	0.0%	0.0%	0.0%	1.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0	0	1.8%	1	0.0%	0.0%
Samoan	0.2%	0.0%			0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%		0.0%	0	0.0%	0	0.0%	0
Tongan	0.0%	0.0%			0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0	0.0%		0	0	0.0%	0	0.0%	0
Other Pacific Islander	25 0.7%	0.0%			0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0	0	0.0%	0	0.0%	0
Eastern European	263 7.8%	13 6.6%			0.0%	13	0	6.2%	8.6%	2.7%	0.0%	2.1%	12	13 7.9%	0.0%	0.0%	0	0.0%	0.0%	0	0.0%		9	0.0%	7.1%	. 3	10 8.0%	0
Slavic	50 1.5%	5 2.6%			1 4.3%	2.4%	0	3.1%	3.2%	0.0%	0.0%	0.0%	5 4.8%	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	(	) 3	0	3.6%	1	3.2%	0
Western European	583 17.4%	41 20.9%			7 30.4%	34 20.1%	0	14 21.5%	20 21.5%	7 18.9%	7.9%	2.1%	37 35.6%	40 24.2%	0.0%	20.0%	0.0%	0.0%	0.0%	0.0%	0.0%		29	0	12 21.4%	9	29 23.2%	3
Other White	1,120 33.4%	80 40.8%			6 26.1%	74 43.8%	0	26 40.0%	37 39.8%	16 43.2%	13.2%	23 48.9%		70 42.4%	9 37.5%	0.0%	0.0%	0.0%	0.0%	0	0.0%	(	57	0	23 41.1%	22		3
Other	212	18 9.2%			2 8.7%	16 9.5%	0	7.7%	9.7%	4 10.8%	5 13.2%	3 6.4%	9 8.7%	14 8.5%	2 8.3%	40.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0	3	15 26.8%	3	14 11.2%	1

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 78

How well do you speak English?

Base. All respondents	Ь					ndent's ( Identity		C	child's Ag	е		sponder ducation		Child's	Health	Status					Race					Child's Las	Doctor \ t 6 Mon	
	공					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	236	14			1	6	0	5	2	4	1	0	6	7	5	0	0	1	1	1	0	0	4	0	0	3	8	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,695	219			30	184	0	70	108	40	43	59	109	187	24	6	7	5	2	30	1	0	85	3	56	65	137	13
	94.0%	94.0%			96.8%	96.8%		93.3%	98.2%	90.9%	97.7%	100.0%	94.8%	96.4%	82.8%	100.0%	100.0%	83.3%	66.7%	96.8%	100.0%		95.5%	0.0%	100.0%	95.6%	94.5%	86.7%
Very well	2,655	154			20	132	0	32	86	35	21	43	86	136	15	2	5	3	2	12	1	0	69	1	38	45	96	10
	71.9%	70.3%			66.7%	71.7%		45.7%	79.6%	87.5%	48.8%	72.9%	78.9%	72.7%	62.5%	33.3%	71.4%	60.0%	100.0%	40.0%	100.0%		81.2%	33.3%	67.9%	69.2%	70.1%	76.9%
Well	737	44				35	0	20	20	4	14	14	13	32	7	4	1	0	0	12	0	0	11	1	14	15	27	2
	19.9%	20.1%			20.0%	19.0%		28.6%	18.5%	10.0%	32.6%	23.7%	11.9%	17.1%	29.2%	66.7%	14.3%	0.0%	0.0%	40.0%	0.0%		12.9%	33.3%	25.0%	23.1%	19.7%	15.4%
Not well	208	14				11	0	11	2	1	6	2	6	13	1	0	1	1	0	4	0	0	3	0	4	5	9	0
	5.6%	6.4%			10.0%	6.0%		15.7%	1.9%	2.5%	14.0%	3.4%	5.5%	7.0%	4.2%	0.0%	14.3%	20.0%	0.0%	13.3%	0.0%		3.5%	0.0%	7.1%	7.7%	6.6%	0.0%
Not at all	95				-	6	0	7	0	0	2	0	4	6	1	0	0	1	0	2	0	0	2	1	0	0	5	1
	2.6%	3.2%			0.0.0			10.0%	0.0%	0.0%	4.7%		3.7%		4.2%	0.0%	0.0%	20.0%	0.0%	6.7%			21170	33.3%	0.0%		3.6%	7.7%
Very well or Well	3,392	198				167	0	52		39	35		99		22	6	6	3	2	24	_	0	80	2	52	60	123	12
	91.8%	90.4%			86.7%	90.8%		74.3%	98.1%	97.5%	81.4%	96.6%	90.8%	89.8%	91.7%	100.0%	85.7%	60.0%	100.0%	80.0%	100.0%		94.1%	66.7%	92.9%	92.3%	89.8%	92.3%
Significantly different from column:*								IJ	H	Н																		

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 79

What language do you mainly speak at home?

Base: All respondents

	ЧЬ					ndent's ( Identity		С	hild's Ag	е		sponder ducation		Child's	Health	Status					Race						Doctor V st 6 Mont	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	388	16			2	8	0	6	3	4	3	1	5	10	4	0	0	1	1	1	0	0	3	0	2	6	8	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,543	217			29	182	0	69	107	40	41	58	110	184	25	6	7	5	2	30	1	0	86	3	54	62	137	14
	90.1%	93.1%			93.5%	95.8%		92.0%	97.3%	90.9%	93.2%	98.3%	95.7%	94.8%	86.2%	100.0%	100.0%	83.3%	66.7%	96.8%	100.0%		96.6%	0.0%	96.4%	91.2%	94.5%	93.3%
English	2,493	163			23	138	0	51	81	30	12	41	107	143	16	3	3	5	2	5	0	0	86	0	38	45	104	12
	70.4%	75.1%			79.3%	75.8%		73.9%	75.7%	75.0%	29.3%	70.7%	97.3%	77.7%	64.0%	50.0%	42.9%	100.0%	100.0%	16.7%	0.0%		100.0%	0.0%	70.4%	72.6%	75.9%	85.7%
Spanish	879	47				42	0	16	23	8	26	16	3	36	9	2	3	0	0	23	0	0	0	2	14	13	30	2
	24.8%	21.7%			10.3%	23.1%		23.2%	21.5%	20.0%	63.4%	27.6%	2.7%	19.6%	36.0%	33.3%	42.9%	0.0%	0.0%	76.7%	0.0%		0.0%	66.7%	25.9%	21.0%	21.9%	14.3%
Other	171	7			3	2	0	2	3	2	3	1	0	5	0	1	1	0	0	2	1	0	0	1	2	4	3	0
	4.8%	3.2%			10.3%	1.1%		2.9%	2.8%	5.0%	7.3%	1.7%	0.0%	2.7%	0.0%	16.7%	14.3%	0.0%	0.0%	6.7%	100.0%		0.0%	33.3%	3.7%	6.5%	2.2%	0.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 80

Does your child need an interpreter for us to communicate with you?

	ОНР					ndent's O Identity (Q73)		C	hild's Ag (Q69)	e		sponder Education (Q74)		Child's	Health :	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	230	15			3	6	0	4	3	4	2	0	6	7	5	1	0	0	1	2	0	0	3	0	1	5	7	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,701	218			28	184	0	71	107	40	42	59	109	187	24	5	7	6	2	29	1	0	86	3	55	63	138	13
	94.1%	93.6%			90.3%	96.8%		94.7%	97.3%	90.9%	95.5%	100.0%	94.8%	96.4%	82.8%	83.3%	100.0%	100.0%	66.7%	93.5%	100.0%		96.6%	0.0%	98.2%	92.6%	95.2%	86.7%
Yes	236	10			1	8	0	6	3	1	7	1	1	7	2	0	0	0	0	5	0	0	0	1	3	5	5	0
	6.4%	4.6%			3.6%	4.3%		8.5%	2.8%	2.5%	16.7%	1.7%	0.9%	3.7%	8.3%	0.0%	0.0%	0.0%	0.0%	17.2%	0.0%		0.0%	33.3%	5.5%	7.9%	3.6%	0.0%
No	3,465	208			27	176	0	65	104	39	35	58	108	180	22	5	7	6	2	24	1	0	86	2	52	58	133	13
	93.6%	95.4%			96.4%	95.7%		91.5%	97.2%	97.5%	83.3%	98.3%	99.1%	96.3%	91.7%	100.0%	100.0%	100.0%	100.0%	82.8%	100.0%		100.0%	66.7%	94.5%	92.1%	96.4%	100.0%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 81

Does your child need a  $\underline{\text{sign language interpreter}}$  for us to communicate with you?

	ΗP					ndent's (		C	hild's Ag	е		sponder Education		Child's	Health	Status					Race					Child's Las	t 6 Mon	
	2020 State O	2020	2019	2018	Male	Female Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	(Q74) HS grad	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle D A African African African (9	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4 (O <sub>2</sub> )	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	1/
Number missing or multiple answer	199	11			-	3	0	2	2	4	1	0	3	5	3	0	0	0	1	0	0	0	2	0	1	4	5	1 7
Number no experience	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	3,732	222			29	187	0	73	108	40	43	59		189	26	6	7	6	2	31	1	0	87	3	55	64	140	14
	94.9%	95.3%			93.5%	98.4%		97.3%	98.2%	90.9%	97.7%	100.0%	97.4%	97.4%	89.7%	100.0%	100.0%	100.0%	66.7%	100.0%	100.0%		97.8%	0.0%	98.2%	94.1%	96.6%	93.3%
Yes	38	1			0	1	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	-
	1.0%	0.5%			0.0%	0.5%		1.4%	0.0%	0.0%	2.3%	0.0%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	1.6%	0.0%	0.0%
No	3,694	221			29	186	0	72	108	40	42	59	112	188	26	6	7	6	2	31	1	0	87	3	55	63	140	1
	99.0%	99.5%			100.0%	99.5%		98.6%	100.0%	100.0%	97.7%	100.0%	100.0%	99.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	98.4%	100.0%	100.0%
Significantly different from column:*																												i

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 82

Does your child need written materials in an alternate format (Braille, large print, audio recordings, etc.)?

	ОНР					ndent's ( Identity (Q73)		C	hild's Ag (Q69)	e		sponder Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z.	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	271	14			2	6	0	3	3	5	2	0	6	8	4	0	0	1	1	0	0	0	3	0	2	3	8	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,660	219			29	184	0	72	107	39	42	59	109	186	25	6	7	5	2	31	1	0	86	3	54	65	137	13
	93.1%	94.0%			93.5%	96.8%		96.0%	97.3%	88.6%	95.5%	100.0%	94.8%	95.9%	86.2%	100.0%	100.0%	83.3%	66.7%	100.0%	100.0%		96.6%	0.0%	96.4%	95.6%	94.5%	86.7%
Yes	30	2			0	2	0	1	0	1	1	0	1	2	0	0	0	0	0	0	0	0	1	0	0	2	0	0
	0.8%	0.9%			0.0%	1.1%		1.4%	0.0%	2.6%	2.4%	0.0%	0.9%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		1.2%	0.0%	0.0%	3.1%	0.0%	0.0%
No	3,630	217			29	182	0	71	107	38	41	59	108	184	25	6	7	5	2	31	1	0	85	3	54	63	137	13
	99.2%	99.1%			100.0%	98.9%		98.6%	100.0%	97.4%	97.6%	100.0%	99.1%	98.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		98.8%	100.0%	100.0%	96.9%	100.0%	100.0%
Significantly different from column:*												1															-	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 83

Is your child  $\underline{\text{deaf}}$  or do you have  $\underline{\text{serious difficulty hearing}}$ ?

	HP					ndent's ( Identity		C	hild's Ag	е		sponden Education		Child's	Health	Status					Race					Child's Las	t 6 Mon	
	2020 State O	2020	2019	2018	Male	(Q73) Emale	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	(Q74)	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Destern/Northern African (9)	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	11 4 (O <sub>2</sub> )	5 or more
	Α	В	С	D	Е	F	G	H	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	167	9			2	2	0	1	2	3	1	0	2	4	3	0	0	0	1	0	1	0	1	0	0	4	4	(
Number no experience	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	3,764	224			29	188	0	74	108	41	43	59				6	7	6	2	31	0	0	88	3	56		141	15
	95.8%	96.1%			93.5%	98.9%		98.7%	98.2%	93.2%	97.7%	100.0%	98.3%	97.9%	89.7%	100.0%	100.0%	100.0%	66.7%	100.0%	0.0%		98.9%	0.0%	100.0%	94.1%	97.2%	100.0%
Yes	21	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
	0.6%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
No	3,743	224			29	188	0	74	108	41	43	59	113	190	26	6	7	6	2	31	0	0	88	3	56	64	141	15
	99.4%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Significantly different from column:*																												1

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 84

Is your child <u>blind</u> or do you have <u>serious difficulty seeing</u>, even when wearing glasses?

	ОНР					ndent's ( Identity (Q73)		C	hild's Ag (Q69)	е		esponder Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	175	8			1	2	0	1	1	3	1	0	2	3	3	0	0	0	1	0	0	0	1	0	0	3	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,756	225			30	188	0	74	109	41	43	59	113	191	26	6	7	6	2	31	1	0	88	3	56	65	141	15
	95.5%	96.6%			96.8%	98.9%		98.7%	99.1%	93.2%	97.7%	100.0%	98.3%	98.5%	89.7%	100.0%	100.0%	100.0%	66.7%	100.0%	100.0%		98.9%	0.0%	100.0%	95.6%	97.2%	100.0%
Yes	45	2			0	2	0	2	0	0	1	0	1	1	1	0	0	0	0	0	0	0	1	0	0	0	1	1
	1.2%	0.9%			0.0%	1.1%		2.7%	0.0%	0.0%	2.3%	0.0%	0.9%	0.5%	3.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		1.1%	0.0%	0.0%	0.0%	0.7%	6.7%
No	3,711	223			30	186	0	72	109	41	42	59	112	190	25	6	7	6	2	31	1	0	87	3	56	65	140	14
	98.8%	99.1%			100.0%	98.9%		97.3%	100.0%	100.0%	97.7%	100.0%	99.1%	99.5%	96.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		98.9%	100.0%	100.0%	100.0%	99.3%	93.3%
Significantly different from column:*		-				-																· ·						. 7

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 85

Does a physical, mental, or emotional condition limit your child's activities in any way?

	ОНР					ndent's ( Identity (Q73)		C	hild's Ag (Q69)	е		sponden ducation (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in iths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	233			31	190	0	75	110	44	44	59	115	194	29	6	7	6	3	31	1	0	89	3	56	68	145	15
Number missing or multiple answer	179	10			1	4	0	2	2	3	2	1	2	5	3	0	0	0	1	1	0	0	1	1	0	3	6	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,752	223			30	186	0	73	108	41	42	58	113	189	26	6	7	6	2	30	1	0	88	2	56	65	139	15
	95.4%	95.7%			96.8%	97.9%		97.3%	98.2%	93.2%	95.5%	98.3%	98.3%	97.4%	89.7%	100.0%	100.0%	100.0%	66.7%	96.8%	100.0%		98.9%	0.0%	100.0%	95.6%	95.9%	100.0%
Yes	141	12			1	10	0	2	7	3	3	1	7	9	3	0	0	0	0	1	0	0	4	0	3	1	9	1
	3.8%	5.4%			3.3%	5.4%		2.7%	6.5%	7.3%	7.1%	1.7%	6.2%	4.8%	11.5%	0.0%	0.0%	0.0%	0.0%	3.3%	0.0%		4.5%	0.0%	5.4%	1.5%	6.5%	6.7%
No	3,611	211			29	176	0	71	101	38	39	57	106	180	23	6	7	6	2	29	1	0	84	2	53	64	130	14
	96.2%	94.6%			96.7%	94.6%		97.3%	93.5%	92.7%	92.9%	98.3%	93.8%	95.2%	88.5%	100.0%	100.0%	100.0%	100.0%	96.7%	100.0%		95.5%	100.0%	94.6%	98.5%	93.5%	93.3%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 86

Does your child have serious difficulty  $\underline{\text{walking or climbing stairs}}?$ 

Base: All respondents with children 5 or older

	НР					ident's (		С	hild's Ag	е		sponden		Child's	Health	Status					Race					Child's Las	t 6 Mon	
	2020 State O	2020	2019	2018	Male	Female (62)	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	(Q74) HS grad	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Castern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4 (O <sub>2</sub> )	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,878	169			25	138	0	15	110	44	33	51	75	144	19	5	4	3	3	23	1	0	60	2	48	58	100	8
Number missing or multiple answer	236	12			1	10	0	1	6	5	3	5	3	10	2	0	0	1	1	1	0	0	1	0	6	5	6	1
Number no experience	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA		NA		NA	NA	NA	NA	
Usable responses	2,642 91.8%	157 92.9%				128 92.8%	0	14 93.3%	104 94.5%	39 88.6%		-	72 96.0%	134 93.1%	17 89.5%	5 100.0%	4 100.0%	66.7%	66.7%	95.7%	100.0%		59 98.3%	0.0%	42 87.5%		94 94.0%	
Yes	13	2			0	1	0	0	1	1	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	0.5%	1.3%			0.0%	0.8%		0.0%	1.0%	2.6%	0.0%	0.0%	1.4%	1.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	1.1%	14.3%
No	2,629	155				127	0	14	103	38				132		5	4	2	2	22	1	0	59	2	42	53	93	6
	99.5%	98.7%			100.0%	99.2%		100.0%	99.0%	97.4%	100.0%	100.0%	98.6%	98.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	98.9%	85.7%
Significantly different from column:*																												<u> </u>

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 87

Does your child have difficulty dressing or bathing?

Base: All respondents with children 5 or older

	НР					ndent's G Identity (Q73)	Gender	С	hild's Ag	е		sponden Education		Child's	Health	Status					Race					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69D)	14 to 18	Less than HS grad	HS grad (Q74)	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Distriction African African (9)	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,878	169			25	138	0	15	110	44	33	51	75	144	19	5	4	3	3	23	1	0	60	2	48	58	100	8
Number missing or multiple answer	236	13			1	10	0	1	6	6	3	5	3	11	2	0	0	1	1	1	0	0	1	0	6	5	6	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	2,642 91.8%	156 92.3%			24 96.0%	128 92.8%	0	14 93.3%	104 94.5%	38 86.4%		-		133 92.4%	17 89.5%	_	4 100.0%	66.7%	66.7%	22 95.7%	1 100.0%	0	59 98.3%	0.0%	42 87.5%	53 91.4%	94 94.0%	-
Yes	25 0.9%	3 1.9%			0.0%	3 2.3%	0	0.0%	2 1.9%	1 2.6%	0.0%	0.0%	2.8%	2.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	1.7%	0.0%	0.0%	0.0%	3 3.2%	0.0%
No	2,617 99.1%	153 98.1%					0	14 100.0%	102 98.1%	37 97.4%		-	-		17 100.0%	5 100.0%	4 100.0%	2 100.0%	2 100.0%	22 100.0%	1 100.0%	0	58 98.3%	2 100.0%	42 100.0%	53 100.0%	91 96.8%	
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 88

Because of a physical, mental, or emotional condition, does your child have serious difficulty concentrating, remembering or making decisions?

Base: All respondents with children 5 or older

	ЭНР					ndent's ( Identity (Q73)		C	Child's Ag	ie		sponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog 9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern A	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,878	169			25	138	0	15	110	44	33	51	75	144	19	5	4	3	3	23	1	0	60	2	48	58	100	8
Number missing or multiple answer	248	13			2	10	0	1	7	5	3	5	3	11	2	0	0	1	1	1	0	0	1	0	6	6	6	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	2,630 91.4%	156 92.3%			23 92.0%	128 92.8%	0	14 93.3%	103 93.6%	39 88.6%					17 89.5%	5 100.0%	4 100.0%	66.7%	2 66.7%	22 95.7%	1 100.0%	0	59 98.3%	0.0%	42 87.5%	52 89.7%	94 94.0%	
Yes	194 7.4%	11 7.1%			0.0%	10 7.8%	0	0.0%	8 7.8%	7.7%	2 6.7%	4 8.7%	5 6.9%	10 7.5%	1 5.9%	0.0%	0.0%	0 0.0%	0.0%	1 4.5%	0 0.0%	0	8.5%	0.0%	7.1%	1 1.9%	10 10.6%	0.0%
No	2,436 92.6%	145 92.9%				118 92.2%	0	14 100.0%	95 92.2%	36 92.3%	28 93.3%		67 93.1%	123 92.5%	16 94.1%	5 100.0%	4 100.0%	2 100.0%	2 100.0%	21 95.5%	1 100.0%	0	54 91.5%	2 100.0%	39 92.9%	51 98.1%	84 89.4%	7 100.0%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 89

Because of a physical, mental, or emotional condition, does your child have serious difficulty doing errands alone such as visiting a doctor's office or shopping?

Base: All respondents with children 15 or older

	ОНР					ndent's 0 Identity (Q73)		C	hild's Ag (Q69)	е		sponder Educatio (Q74)		Child's	Health	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	C	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	598	28			5	22	0	0	0	28	7	8	11	25	2	1	1	2	0	3	0	0	7	0	10	7	17	4
Number missing or multiple answer	55	3			1	2	0	0	0	3	1	1	0	3	0	0	0	0	0	0	0	0	0	0	1	1	1	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	543	25			4	20	0	0	0	25	6	7	11		2	1	1	2	0	3	0	0	7	0	9	6	16	3
	90.8%	89.3%			80.0%	90.9%				89.3%	85.7%	87.5%	100.0%	88.0%	100.0%	100.0%	100.0%	100.0%		100.0%			100.0%	0.0%	90.0%	85.7%	94.1%	75.0%
Yes	31	3			0	2	0	0	0	3	0	0	2	3	0	0	0	0	0	0	0	0	1	0	1	1	1	1
	5.7%	12.0%			0.0%	10.0%				12.0%	0.0%	0.0%	18.2%	13.6%	0.0%	0.0%	0.0%	0.0%		0.0%			14.3%		11.1%	16.7%	6.3%	33.3%
No	512	22			4	18	0	0	0	22	6	7	9	19	2	1	1	2	0	3	0	0	6	0	8	5	15	2
	94.3%	88.0%			100.0%	90.0%				88.0%	100.0%	100.0%	81.8%	86.4%	100.0%	100.0%	100.0%	100.0%		100.0%			85.7%		88.9%	83.3%	93.8%	66.7%
Significantly different from column:*																												1

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### **SURVEY INSTRUMENT**



### **Survey Instructions**

Answer each question by marking the box to the left of your answer.

You are sometimes told to skip over some questions in this survey. When this happens you will see an arrow with a note that tells you what question to answer next, like this:

 $\square_1$  Yes  $\rightarrow$  If Yes, Go to Question 1

□₂ No

Personally identifiable information will not be made public and will only be released in accordance with federal laws and regulations.

You may choose to answer this survey or not. If you choose not to, this will not affect the benefits you get. You may notice a number on the cover of this survey. This number is ONLY used to let us know if you returned your survey so we don't have to send you reminders.

If you want to know more about this study, please call 1-833-257-1377. For the hearing or speech impaired, call 711 to use the Telecommunications Relay Service (TRS).

Please answer the questions for the child listed on the envelope. Please do not answer for any other children.

1. Our records show that your child is now in Oregon Health Plan. Is that right?

 $\square_{\scriptscriptstyle 1}$  Yes  $\rightarrow$  *If Yes, Go to Question 3* 

□₂ No

What is the name of your child's health plan? (Please print)

# Your Child's Health Care in the Last 6 Months

These questions ask about your child's health care. Do <u>not</u> include care your child got when he or she stayed overnight in a hospital. Do <u>not</u> include the times your child went for dental care visits.

3. In the last 6 months, did your child have an illness, injury, or condition that <u>needed care right away</u> in a clinic, emergency room, or doctor's office?

□₁ Yes

 $\square_2$  No  $\rightarrow$  If No, Go to Question 5

4.	In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed?  \[ \begin{align*} \Pi_1 & \text{Never} \\ \Pi_2 & \text{Sometimes} \\ \Pi_3 & \text{Usually} \\ \Pi_4 & \text{Always} \end{align*}	8.	In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers?  Never Sometimes Usually Always
5.	In the last 6 months, did you make any appointments for a <u>check-up or routine care</u> for your child at a doctor's office or clinic? $\square_1$ Yes $\square_2$ No $\rightarrow$ <i>If No, Go to Question 7</i>	9.	Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?  0 Worst health care possible
6.	In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?  Never Sometimes Usually Always		☐ 1 ☐ 2 ☐ 3 ☐ 3 ☐ 4 ☐ 4 ☐ 5 ☐ 6 ☐ 7  7 ☐ 8   8 ☐ 9 ☐ 10 Best health care possible
7.	In the last 6 months, <u>not</u> counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care? $\bigcirc_0$ None $\rightarrow$ <i>If None, Go to Question 11</i> $\bigcirc_1$ 1 time $\bigcirc_2$ 2 $\bigcirc_3$ 3 $\bigcirc_4$ 4 $\bigcirc_5$ 5 to 9 $\bigcirc_6$ 10 or more times		In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?  Never Sometimes Usually Always  Is your child now enrolled in any kind of school or daycare?
			$\square_{2}$ No $\rightarrow$ If No, Go to Question 14

12.	In the last 6 months, did you need your child's doctors or other health providers to contact a school or daycare center about your child's health or health care? $\square_1$ Yes $\square_2$ No $\rightarrow$ <i>If No, Go to Question 14</i>	17.	In the last 6 months, did you get or try to get special therapy such as physical, occupational, or speech therapy for your child? $\square_1$ Yes $\square_2$ No $\rightarrow$ <i>If No, Go to Question 20</i>
13.	In the last 6 months, did you get the help you needed from your child's doctors or other health providers in contacting your child's school or daycare?  Yes No	18.	In the last 6 months, how often was it easy to get this therapy for your child?  Never Sometimes Usually Always
S	Specialized Services	19.	Did anyone from your child's health plan, doctor's office, or clinic help you get this therapy for your child?
	Special medical equipment or devices include a walker, wheelchair, nebulizer, feeding tubes, or oxygen equipment. In the last 6 months, did you get or try to get any special medical equipment or devices for your child? $\square_1$ Yes $\square_2$ No $\Rightarrow$ If No, Go to Question 17	20.	☐₁ Yes ☐₂ No  In the last 6 months, did you get or try to get treatment or counseling for your child for an emotional, developmental, or behavioral problem? ☐₁ Yes
15.	In the last 6 months, how often was it easy to get special medical equipment or devices for your child?  Never Sometimes Usually Always	21.	<ul> <li>□₂ No → If No, Go to Question 23</li> <li>In the last 6 months, how often was it easy to get this treatment or counseling for your child</li> <li>□₁ Never</li> <li>□₂ Sometimes</li> <li>□₃ Usually</li> <li>□₄ Always</li> </ul>
16.	Did anyone from your child's health plan, doctor's office, or clinic help you get special medical equipment or devices for your child?  Yes No	22.	Did anyone from your child's health plan, doctor's office, or clinic help you get this treatment or counseling for your child?  Yes No

24.	In the last 6 months, did your child get care from more than one kind of health care provider or use more than one kind of health care service?  ☐ Yes ☐ No → If No, Go to Question 25  In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services? ☐ Yes ☐ Yes ☐ No	<ul> <li>26a. In the last 6 months, how often did you have a hard time speaking with or understanding your child's personal doctor because you spoke different languages?  \[ \begin{align*} \text{\tex{\tex</li></ul>
	our Child's Personal Doctor	□₄ Always
25.	A personal doctor is the one your child would see if he or she needs a checkup, has a health problem, or gets sick or hurt. Does your child have a personal doctor? $\square_1$ Yes $\square_2$ No $\rightarrow$ If No, Go to Question 40	28. In the last 6 months, how often did your child's personal doctor listen carefully to you?  ☐ Never ☐ Sometimes ☐ Usually ☐ Always
26.	In the last 6 months, how many times did your child visit his or her personal doctor for care? $\bigcirc_0$ None $\rightarrow$ <i>If None, Go to Question 36</i> $\bigcirc_1$ 1 time $\bigcirc_2$ 2 $\bigcirc_3$ 3 $\bigcirc_4$ 4 $\bigcirc_5$ 5 to 9 $\bigcirc_6$ 10 or more times	<ul> <li>29. In the last 6 months, how often did your child's personal doctor show respect for what you had to say?  □₁ Never □₂ Sometimes □₃ Usually □₄ Always</li> <li>30. Is your child able to talk with doctors about his or her health care? □₁ Yes □₂ No → If No, Go to Question 32</li> </ul>

31.	In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for <u>your child</u> to understand?  Never Sometimes Usually Always	36.	Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?
32.	In the last 6 months, how often did your child's personal doctor spend enough time with your child?  Never Sometimes Usually Always		□ <sub>3</sub> 3 □ <sub>4</sub> 4 □ <sub>5</sub> 5 □ <sub>6</sub> 6 □ <sub>7</sub> 7 □ <sub>8</sub> 8 □ <sub>9</sub> 9 □ <sub>10</sub> 10 Best personal doctor possible
33.	In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?  Yes No	37.	Does your child have any medical, behavioral, or other health conditions that have lasted for more than $\underline{3 \text{ months}}$ ? $\square_1$ Yes $\square_2$ No $\rightarrow$ <i>If No, Go to Question 40</i>
34.	In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor? $\square_1$ Yes $\square_2$ No $\Rightarrow$ If No, Go to Question 36	38.	Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life?  Yes No
35.	In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?  Never Sometimes Usually Always	39.	Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your <u>family's</u> day-to-day life?  Yes No

### **Getting Health Care from Specialists**

When you answer the next questions, do <u>not</u> include dental visits or care your child got when he or she stayed overnight in a hospital.

40. Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and other doctors who specialize in one area of health care. In the last 6 months, did you make any appointments for your child to see a specialist?

☐₁ Yes

 $\square_1$  No  $\rightarrow$  If No, Go to Question 44

41. In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?

□, Never

☐, Sometimes

□₃ Usually

□₄ Always

42. How many specialists has your child seen in the last 6 months?

 $\square_{\circ}$  None  $\rightarrow$  *If None, Go to Question 44* 

□₁ 1 specialist

□ 2

□₃ 3

\_\_\_ 4 **4** 

 $\square$ , 5 or more specialists

43. We want to know your rating of the specialist your child saw most often in the last 6 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

□<sub>0</sub> 0 Worst specialist possible
□<sub>1</sub> 1
□<sub>2</sub> 2
□<sub>3</sub> 3
□<sub>4</sub> 4
□<sub>5</sub> 5

□<sub>6</sub> 6

□<sub>7</sub> 7□<sub>8</sub> 8

□<sub>9</sub> 9

□<sub>10</sub> 10 Best specialist possible

### Your Child's Health Plan

The next questions ask about your experience with your child's health plan.

44. In the last 6 months, did you get information or help from customer service at your child's health plan?

☐
₁ Yes

 $\square_2$  No  $\rightarrow$  If No, Go to Question 47

45. In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed?

□₁ Never

□₂ Sometimes

 $\square_{\scriptscriptstyle 3}$  Usually

□₄ Always

46.	In the last 6 months, how often did customer service staff at your child's health plan treat	Prescription Medicines
	you with courtesy and respect?  \[ \sum_1 \text{ Never} \] \[ \sum_2 \text{ Sometimes} \] \[ \sum_3 \text{ Usually} \] \[ \sum_4 \text{ Always}	<ul> <li>50. In the last 6 months, did you get or refill any prescription medicines for your child?</li> <li>☐₁ Yes</li> <li>☐₂ No → If No, Go to Question 52a</li> </ul>
47.	In the last 6 months, did your child's health plan give you any forms to fill out? $\square_1$ Yes $\square_2$ No $\Rightarrow$ <i>If No, Go to Question 49</i>	51. In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan?  □₁ Never □₂ Sometimes □₃ Usually
48.	In the last 6 months, how often were the forms from your child's health plan easy to fill out?	□₄ Always
	□¹ Never □² Sometimes □³ Usually □⁴ Always	52. Did anyone from your child's health plan, doctor's office, or clinic help you get your child's prescription medicines?  □₁ Yes □₂ No
49.	Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best	
	health plan possible, what number would you use to rate your child's health plan?	Access to Dental Care
	$\square_0$ 0 Worst health plan possible $\square_1$ 1 $\square_2$ 2 $\square_3$ 3 $\square_4$ 4 $\square_5$ 5 $\square_6$ 6	52a. A regular dentist is one your child would go to for check-ups and cleanings or when he or she has a cavity or tooth pain. Does your child hav a regular dentist?  ☐₁ Yes ☐₂ No
	$\square_7$ 7 $\square_8$ 8 $\square_9$ 9 $\square_{10}$ 10 Best health plan possible	52b.In the last 6 months, did your child go to a dentist's office or clinic for care?  □₁ Yes □₂ No → If No, Go to Question 52d

52c. In the last 6 months, how often did the dentists	About Your Child and You
or dental staff explain what they were doing while treating your child?  \( \sum_1 \) Never  \( \sum_2 \) Sometimes  \( \sum_3 \) Usually  \( \sum_4 \) Always	53. In general, how would you rate your child's overall health?  Excellent Very good Good
52d. In the last 6 months, if your child needed to see a dentist right away because of a dental emergency, how often did he or she get to see a dentist as soon as you wanted?  1 Never 2 Sometimes 3 Usually 4 Always 5 My child did not have a dental emergency in the last 6 months	☐ <sub>4</sub> Fair ☐ <sub>5</sub> Poor  54. In general, how would you rate your child's overall mental or emotional health? ☐ <sub>1</sub> Excellent ☐ <sub>2</sub> Very good ☐ <sub>3</sub> Good ☐ <sub>4</sub> Fair ☐ <sub>5</sub> Poor
52e. Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?	<ul> <li>55. Does your child currently need or use medicine prescribed by a doctor (other than vitamins)?</li> <li>□₁ Yes</li> <li>□₂ No → If No, Go to Question 58</li> </ul>
$\square_0$ 0 Extremely difficult $\square_1$ 1 $\square_2$ 2 $\square_3$ 3 $\square_4$ 4 $\square_5$ 5	<ul> <li>56. Is this because of any medical, behavioral, or other health condition?</li> <li>□₁ Yes</li> <li>□₂ No → If No, Go to Question 58</li> </ul>
$\square_6$ 6 $\square_7$ 7 $\square_8$ 8 $\square_9$ 9 $\square_{10}$ 10 Extremely easy	57. Is this a condition that has lasted or is expected to last for at least 12 months?  □₁ Yes □₂ No

58.	Does your child need or use more medical care, more mental health services, or more educational services than is usual for most children of the same age?  Yes	65.	Is this because of any medical, behavioral, or other health condition? $\square_1$ Yes $\square_2$ No $\Rightarrow$ If No, Go to Question 67
	$\square_{\scriptscriptstyle 2} \ \ No  o \mathit{If} \ \mathit{No}, \ \mathit{Go} \ \mathit{to} \ \mathit{Question} \ \mathit{61}$	66.	Is this a condition that has lasted or is expected to last for at least 12 months?
59.	Is this because of any medical, behavioral, or other health condition?		□₁ Yes □₂ No
	$\square_1$ Yes $\square_2$ No $\Rightarrow$ <i>If No, Go to Question 61</i>	67.	Does your child have any kind of emotional,
60.	Is this a condition that has lasted or is expected to last for at least 12 months?		developmental, or behavioral problem for which he or she needs or gets treatment or counseling?
	□₁ Yes □₂ No		$\square_1$ Yes $\square_2$ No $\rightarrow$ <i>If No, Go to Question 69</i>
61.	Is your child limited or prevented in any way in his or her ability to do the things most children of the same age can do?	68.	Has this problem lasted or is it expected to last for at least 12 months? $\square_{_{1}} \text{ Yes}$
	$\square_1$ Yes $\square_2$ No $\rightarrow$ <i>If No, Go to Question 64</i>		□₂ No
		69.	What is your child's age?
62.	Is this because of any medical, behavioral, or		$\square_{\scriptscriptstyle 00}$ Less than 1 year old
	other health condition? $\square_1$ Yes		YEARS OLD (write in)
	$\square_{\scriptscriptstyle 2} \ \ No  o \mathit{If} \ \mathit{No}, \ \mathit{Go} \ \mathit{to} \ \mathit{Question} \ \mathit{64}$	70.	What was your child's biological sex at birth?
63.	Is this a condition that has lasted or is expected to last for at least 12 months?		□₁ Male □₂ Female
	□₁ Yes	71	What is your shild's current gondor identity?
	□₂ No	/ <u>1</u> .	What is your child's current gender identity?
C /1	December of the second on the second state of the second		☐₂ Female
04.	Does your child need or get special therapy such as physical, occupational, or speech		☐₃ Transgender
	therapy?		Non-binary, genderqueer, or other
	□₁ Yes		
	$\square_2$ No $\rightarrow$ If No, Go to Question 67		

72.	What is <u>your</u> age?  Under 18 18 to 24 25 to 34 35 to 44 45 to 54 55 to 64 65 to 74 75 or older	<ul> <li>76. Which of the following describes your child's racial or ethnic identity? Please check ALL that apply.</li> <li>American Indian or Alaska Native</li> <li>A American Indian</li> <li>Alaska Native</li> <li>Canadian Inuit, Metis, or First Nation</li> <li>Indigenous Mexican, Central</li> </ul>
73.	What is your current gender identity?	American, or South American
	<ul> <li>□₁ Male</li> <li>□₂ Female</li> <li>□₃ Transgender</li> <li>□₄ Non-binary, genderqueer, or other</li> </ul>	Asian  _ E Asian Indian  _ Chinese  _ Filipino/a  _ Hmong
74.	What is the highest grade or level of school that you have completed?  8th grade or less Some high school, but did not graduate High school graduate or GED Some college or 2-year degree 4-year college graduate More than 4-year college degree	☐, Japanese ☐, Korean ☐, Laotian ☐, South Asia ☐, Vietnamese ☐, Other Asian  Black or African American ☐, African (Black)
75.	How are you related to the child?  Mother or father Grandparent Aunt or uncle Older brother or sister Other relative Legal guardian Someone else	☐ Caribbean (Black) ☐ Cother Black  Hispanic or Latino/a ☐ Hispanic or Latino/a Central American ☐ Hispanic or Latino/a Mexican ☐ Hispanic or Latino/a South American ☐ Other Hispanic or Latino/a
		Middle Eastern/Northern African  □ <sub>w</sub> Middle Eastern □ <sub>x</sub> Northern African

Native Hawaiian or Pacific Islander  ☐  ☐  ☐  ☐  ☐  ☐  ☐  ☐  ☐  ☐  ☐  ☐  ☐	80. Does your child need an <u>interpreter</u> for us to communicate with them?  Yes No
☐ <sub>AC</sub> Tongan ☐ <sub>AD</sub> Other Pacific Islander	81. Does your child need a <u>sign language</u> interpreter for us to communicate with them?
White	$\square_1$ No $\rightarrow$ If No, Go to Question 82
☐ <sub>AE</sub> Eastern European	
☐ <sub>AF</sub> Slavic ☐ <sub>AG</sub> Western European ☐ <sub>AH</sub> Other White	81a. Which type of sign language interpreter does your child need us to communicate with them (ASL, PSE, tactile interpreting, etc.) (Please print)
Other Categories	
☐ <sub>Al</sub> Other	
77. Regardless of your response to the previous question, how do you identify your child's <u>race</u> , <u>ethnicity</u> , <u>tribal affiliation</u> , <u>country of origin</u> , <u>or ancestry</u> ?  (Please print)	<ul> <li>82. Does your child need written materials in an alternate format (Braille, large print, audio recordings, etc.)?</li> <li>□₁ Yes</li> <li>□₂ No → If No, Go to Question 83</li> </ul>
· · · · · · · · · · · · · · · · · · ·	82a. Which alternate format does your child need? (Please print)
78. How well does your child speak English?  \[ \bigcup_1  \text{Very well} \\ \bigcup_2  \text{Well} \\ \bigcup_3  \text{Not well} \\ \bigcup_4  \text{Not at all}	
79. What language does your child mainly speak at home?  English Spanish Other (Plagsa print)	
Other (Please print)	


83.	Is your child <u>deaf</u> or does your child have <u>serious difficulty hearing?</u>	Please stop now if your child is under age 15.
84.	☐₁ Yes ☐₂ No  Is your child <u>blind</u> or does your child have serious <u>difficulty seeing</u> , even when wearing glasses? ☐₁ Yes ☐₂ No	89. Because of a physical, mental, or emotional condition, does your child have serious difficulty doing errands alone such as visiting a doctor's office or shopping?  Yes No
85.	Does a physical, mental, or emotional condition limit your child's activities in any way?  Yes No	
F	Please stop now if your child is under age 5.	
86.	Does your child have serious difficulty walking or climbing stairs?  Yes No	
87.	Does your child have <u>difficulty dressing or bathing</u> ?  Yes No	
88.	Because of a <u>physical</u> , <u>mental</u> , <u>or emotional</u> <u>condition</u> , does your child have serious	Thank You
	difficulty concentrating, remembering or making decisions?  Yes No	Please return the completed survey in the postage-paid envelope to:  Center for the Study of Services PO Box 10820 Herndon, VA 20172  Please do not include any other correspondence.



### Instrucciones para el cuestionario

Conteste cada pregunta marcando el cuadro que aparece a la izquierda de su respuesta.

A veces hay que saltarse alguna pregunta del cuestionario. Cuando esto ocurra, verá una flecha con una nota que le indicará cuál es la siguiente pregunta a la que tiene que pasar. Por ejemplo:



La información personal identificable no se hará pública y solo se dará a conocer de conformidad con las leyes y reglamentos federales.

Usted puede optar por responder a esta encuesta o no. Si decide no participar, esto no afectará los beneficios que su niño obtenga. Usted notará un número en la portada de esta encuesta. Este número se utiliza SOLO para hacernos saber si usted ya envió su encuesta para que no tengamos que enviarle recordatorios.

Si quiere informarse más sobre este estudio, llame al 1-833-257-1377. Las personas con problemas de audición o del habla pueden llamar al 711 para usar el Servicio de Retransmisión de Telecomunicaciones (TRS).

Conteste las preguntas para el niño cuyo nombre figura en el sobre. No las conteste para ningún otro niño.

- Nuestros registros muestran que su niño actualmente está inscrito en Oregon Health Plan. ¿Es correcta esta información?
  - $\square_1$  Sí  $\rightarrow$  Si contestó "Sí", pase a la pregunta 3
  - □₂ No
- ¿Cómo se llama el plan de salud de su niño? (Escriba en letra imprenta)

# La atención médica que recibió su niño en los últimos 6 meses

Estas preguntas son acerca de la atención médica que ha recibido su niño. No incluya la atención que recibió su niño cuando pasó la noche hospitalizado. No incluya las consultas de su niño al dentista.

- 3. En los últimos 6 meses, ¿tuvo su niño una enfermedad, lesión o problema de salud para el cual <u>necesitó atención inmediata</u> en una clínica, en una sala de emergencia o en un consultorio médico?
  - □
    <sub>1</sub> Sí
  - No → Si contestó "No", pase a la pregunta 5

4.	En los últimos 6 meses, cuando su niño necesitó atención inmediata, ¿con qué frecuencia atendieron a su niño tan pronto como lo necesitaba?  Nunca A veces La mayoría de las veces Siempre	8.	En los últimos 6 meses, ¿con qué frecuencia le contestaron sus preguntas los doctores u otros profesionales médicos de su niño?  Nunca A veces La mayoría de las veces Siempre
5.	En los últimos 6 meses, ¿hizo alguna cita para un <u>chequeo o una consulta de rutina</u> para su niño en un consultorio médico o en una clínica?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 7	9.	Usando un número del 0 al 10, siendo 0 la peor atención médica posible y 10 la mejor atención médica posible, ¿qué número usaría para calificar toda la atención médica que su niño ha recibido en los últimos 6 meses?
6.	En los últimos 6 meses, ¿con qué frecuencia consiguió una cita para un chequeo o una consulta de rutina para su niño en un consultorio médico o en una clínica tan pronto como lo necesitaba?  Nunca A veces La mayoría de las veces Siempre	10.	☐ <sub>4</sub> 4 ☐ <sub>5</sub> 5 ☐ <sub>6</sub> 6 ☐ <sub>7</sub> 7 ☐ <sub>8</sub> 8 ☐ <sub>9</sub> 9 ☐ <sub>10</sub> 10 La mejor atención médica posible  En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir la atención, los exámenes o
7.	En los últimos 6 meses, <u>sin</u> contar las veces que su niño fue a una sala de emergencia, ¿cuántas veces fue su niño a un consultorio médico o a una clínica para que lo atendieran?  □₀ Ninguna vez → Si contestó "Ninguna vez", pase a la		el tratamiento que su niño necesitaba?  Nunca A veces La mayoría de las veces Siempre
	pregunta 11 $ \begin{array}{ccc}                                   $	11.	¿Está matriculado actualmente su niño en algún tipo de escuela o guardería? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 14

12.	En los últimos 6 meses, ¿necesitó que los doctores u otros profesionales médicos de su niño se pusieran en contacto con una escuela o guardería acerca de la salud o la atención médica de su niño?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 14		¿Alguien del consultorio médico o clínica del plan de salud de su niño le ayudó a conseguir el equipo o dispositivos médicos especiales para su niño?  Sí No  En los últimos 6 meses, ¿consiguió o intentó
13.	En los últimos 6 meses, ¿necesitó que los doctores u otros profesionales médicos de su	17.	conseguir terapia especial para su niño, tal como terapia física, ocupacional o del habla?
	niño se pusieran en contacto con una escuela o guardería acerca de la salud o la atención médica de su niño?		□₂ No → Si contestó "No", pase a la pregunta 20
	□₁ Sí □₂ No	18.	En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir esta terapia para su niño?
S	Servicios especializados		<ul><li>□₂ A veces</li><li>□₃ La mayoría de las veces</li></ul>
14.	En el equipo o dispositivo médico especial se incluye un andador, silla de ruedas,	10	☐₄ Siempre  ¿Alguien del consultorio médico o clínica del
	nebulizador, tubos de alimentación o equipo de oxígeno. En los últimos 6 meses, ¿consiguió o intentó conseguir algún equipo o dispositivo médico especial para su niño?	19.	plan de salud de su niño le ayudó a conseguir esta terapia para su niño?  Sí No
	$\square_{2}$ No $\rightarrow$ Si contestó "No", pase a la		<u> </u>
	pregunta 17	20.	En los últimos 6 meses, ¿consiguió o intentó conseguir tratamiento o consejería para su niño,
15.	En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir el equipo o dispositivos médicos especiales para su niño?		para un problema emocional, de desarrollo o de comportamiento? $\Box_1 Si$
	☐₁ Nunca ☐₂ A veces		$\square_1$ No $\Rightarrow$ Si contestó "No", pase a la pregunta 23
	☐₃ La mayoría de las veces ☐₄ Siempre		p. cgaca 20

21.	En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir este tratamiento o consejería para su niño?  Nunca A veces La mayoría de las veces Siempre	26. En los últimos 6 meses, ¿cuántas veces fue su niño a ver a su doctor personal para recibir atención médica?  □₀ Ninguna vez → Si contestó "Ninguna vez", pase a la pregunta 36 □₁ 1 vez □₂ 2
22.	¿Alguien del consultorio médico o clínica del plan de salud de su niño le ayudó a conseguir este tratamiento o consejería para su niño?  Sí No	$\square_3$ 3 $\square_4$ 4 $\square_5$ 5 a 9 $\square_6$ 10 veces o más
23.	En los últimos 6 meses, ¿recibió su niño atención de más de un tipo de profesional médico, o usó más de un tipo de servicio de salud?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 25	26a. En los últimos 6 meses, ¿con qué frecuencia se le hizo difícil hablar con el doctor personal de su niño o entenderlo porque hablaban idiomas diferentes?  ☐ Nunca ☐ A veces ☐ La mayoría de las veces ☐ Siempre
24.	En los últimos 6 meses, ¿alguien del consultorio médico o clínica del plan de salud de su niño le ayudó a coordinar la atención médica de su niño entre estos diferentes profesionales o servicios?  Sí No	27. En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le explicó los aspectos sobre la salud de su niño de una manera fácil de entender?  □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₄ Siempre
E	El doctor personal de su niño	28. En los últimos 6 meses, ¿con qué frecuencia el
25.	El doctor personal es aquel a quien su niño acude si necesita un chequeo, tiene un problema de salud o si se enferma o lastima. ¿Tiene su niño un doctor personal?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 40	doctor personal de su niño le escuchó a usted con atención?  Nunca A veces La mayoría de las veces Siempre

29.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño demostró respeto por lo que usted tenía que decir?  Nunca A veces La mayoría de las veces Siempre	34.	En los últimos 6 meses, ¿atendió a su niño algún doctor u otro profesional médico además de su doctor personal?  ☐ Sí ☐ No → Si contestó "No", pase a la pregunta 36
30.	¿Su niño puede hablar con los doctores sobre su atención médica? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 32	35.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño parecía estar informado y al día acerca de la atención que su niño había recibido de estos doctores u otros profesionales médicos?  Nunca A veces
31.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le explicó las cosas a su niño de una manera fácil de entender?  Nunca A veces La mayoría de las veces Siempre	36.	☐₃ La mayoría de las veces ☐₄ Siempre  Usando un número del 0 al 10, siendo 0 el peor doctor personal posible y 10 el mejor doctor personal posible, ¿qué número usaría para calificar al doctor personal de su niño? ☐₀ 0 El peor doctor personal posible
	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño pasó suficiente tiempo con este?  Nunca A veces La mayoría de las veces Siempre		□₁ 1 □₂ 2 □₃ 3 □₄ 4 □₅ 5 □₆ 6 □٫ 7 □₃ 8 □₃ 9
33.	En los últimos 6 meses, ¿habló el doctor personal de su niño con usted sobre cómo su niño se estaba sintiendo, estaba creciendo o se estaba comportando?  Sí No	37.	□ 10 El mejor doctor personal posible  ¿Tiene su niño alguna condición médica, de comportamiento u otra condición de salud que haya durado más de 3 meses? □ Sí □ No → Si contestó "No", pase a la pregunta 40

¿El doctor personal de su niño entiende cómo estas condiciones médicas, de comportamiento u otras condiciones de salud afectan la vida cotidiana de su niño?  Sí No	42. ¿Cuántos especialistas ha visto su niño en los últimos 6 meses?  □₀ Ninguno → Si contestó "Ninguno", pase a la pregunta 44 □₁ 1 especialista □₂ 2		
39. ¿El doctor personal de su niño entiende cómo estas condiciones médicas, de comportamient u otras condiciones de salud afectan la vida cotidiana de su <u>familia</u> ?  □₁ Sí □₂ No	<ul> <li>□₃ 3</li> <li>□₄ 4</li> <li>□₅ 5 especialistas o más</li> <li>43. Queremos saber cómo califica al especialista al que su niño acudió con más frecuencia en los últimos 6 meses. Usando un número del 0 al</li> </ul>		
La atención médica que recibió de especialistas	10, siendo 0 el peor especialista posible y 10 el mejor especialista posible, ¿qué número usaría para calificar a ese especialista?		
Al contestar las siguientes preguntas <u>no</u> incluya las consultas de su niño al dentista ni la atención que recibió cuando pasó la noche hospitalizado.	□, 1		
40. Los especialistas son doctores que se especializan en un área de la medicina. Pueder ser cirujanos, doctores especialistas en el corazón, las alergias, la piel y otras áreas. En lo últimos 6 meses, ¿hizo alguna cita para su niño con un especialista?	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		
$\square_2$ No $\rightarrow$ Si contestó "No", pase a la	El plan de salud de su niño		
<ul> <li>pregunta 44</li> <li>41. En los últimos 6 meses, ¿con qué frecuencia consiguió una cita con un especialista para su niño tan pronto como la necesitaba?  □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₃ Siempre</li> </ul>	<ul> <li>Las siguientes preguntas son acerca de su experiencia con el plan de salud de su niño.</li> <li>44. En los últimos 6 meses, ¿recibió información o ayuda por parte del servicio al cliente del plan de salud de su niño?</li> <li>□₁ Sí</li> <li>□₂ No → Si contestó "No", pase a la pregunta 47</li> </ul>		

<b>4</b> 5.	En los últimos 6 meses, ¿con qué frecuencia el servicio al cliente del plan de salud de su niño le dio la información o ayuda que usted necesitaba?  Nunca A veces La mayoría de las veces Siempre	<ul> <li>49. Usando un número del 0 al 10, siendo 0 el peor plan de salud posible y 10 el mejor plan de salud posible, ¿qué número usaría para calificar al plan de salud de su niño?</li> <li>□₀ 0 El peor plan de salud posible</li> <li>□₁ 1</li> <li>□₂ 2</li> <li>□₃ 3</li> <li>□₄ 4</li> </ul>
16.	En los últimos 6 meses, ¿con qué frecuencia el personal de servicio al cliente del plan de salud de su niño le trató con cortesía y respeto?  Nunca A veces La mayoría de las veces Siempre	$\square_5$ 5 $\square_6$ 6 $\square_7$ 7 $\square_8$ 8 $\square_9$ 9 $\square_{10}$ 10 El mejor plan de salud posible
<b>1</b> 7.	En los últimos 6 meses, ¿le dio el plan de salud	Medicinas recetadas
	de su niño algún formulario para completar?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 49  En los últimos 6 meses, ¿con qué frecuencia fueron fáciles de completar los formularios del plan de salud de su niño? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₃ Siempre	<ul> <li>50. En los últimos 6 meses, ¿consiguió o renovó alguna medicina recetada para su niño?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 52a</li> <li>51. En los últimos 6 meses, ¿con qué frecuencia fue fácil conseguir medicinas recetadas para su niño a través de su plan de salud? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₃ La mayoría de las veces</li> □₃ Siempre </ul>
		52. ¿Alguien del consultorio médico o clínica del plan de salud de su niño le ayudó a conseguir las medicinas recetadas para su niño?  □₁ Sí □₂ No

# Acceso a atención dental

Acceso a atención dental	52e. Usando un número del 0 al 10, el 0 siendo extremadamente difícil y el 10
52a. Un dentista regular es a quien su niño va a ver para un chequeo y limpieza o cuando tiene una carie o un dolor de diente. ¿Su niño tiene un dentista regular?  □₁ Sí □₂ No  52b. En los últimos 6 meses, ¿fue su niño al consultorio de un dentista o a una clínica dental para recibir atención? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 52d	extremadamente fácil, ¿qué número usaría para calificar cuán fácil le fue encontrar un dentista para su niño?
52c. En los últimos 6 meses, ¿con qué frecuencia el	□ 10 Extrematamente rasii
personal dental o el dentista le explicaron lo que le hacían mientras trataron a su niño? $\square_1  \text{Nunca}$	Acerca de usted y de su niño
□₂ A veces □₃ La mayoría de las veces □₃ La mayoría de las veces □₄ Siempre  52d. En los últimos 6 meses, si su niño necesitó ver a un dentista de inmediato por una emergencia dental, ¿con qué frecuencia él o ella pudo ver a un dentista tan pronto como usted quería? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₃ La mayoría de las veces □₃ Siempre □₅ Mi niño no tuvo una emergencia dental en los últimos 6 meses	<ul> <li>53. En general, ¿cómo calificaría toda la salud de su niño?  □₁ Excelente □₂ Muy buena □₃ Buena □₄ Regular □₅ Mala</li> <li>54. En general, ¿cómo calificaría toda la salud mental o emocional de su niño? □₁ Excelente □₂ Muy buena □₃ Buena □₃ Buena □₃ Regular □₅ Mala</li> </ul>
	<ul> <li>55. ¿Actualmente necesita o usa su niño una medicina recetada por un doctor (aparte de vitaminas)?</li> <li>□₁ Sí</li> <li>□₂ No → Si contestó "No", pase a la</li> </ul>

pregunta 58

56.	¿Es esto debido a alguna condición médica, de comportamiento u otra condición de salud?  ☐ Sí ☐ No → Si contestó "No", pase a la pregunta 58	comportam $\square_{\scriptscriptstyle 1}$ Sí	oido a alguna condición médica, de iento u otra condición de salud?  → Si contestó "No", pase a la pregunta 64
57.	¿Es esta una condición que ha durado o que se espera que dure por lo menos 12 meses?		a condición que ha durado o que se dure por lo menos 12 meses?
58.	¿Necesita o usa su niño más servicios médicos, de salud mental o educativos de lo que es normal para la mayoría de los niños de la misma edad?  ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 61	como terapi	recibe su niño terapia especial, tal a física, ocupacional o del habla?  → Si contestó "No", pase a la pregunta 67  pido a alguna condición médica, de
59.	¿Es esto debido a alguna condición médica, de comportamiento u otra condición de salud?  ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 61	☐ <sub>1</sub> Sí ☐ <sub>2</sub> No	iento u otra condición de salud?  → Si contestó "No", pase a la pregunta 67  a condición que ha durado o que se dure por lo menos 12 meses?
60.	¿Es esta una condición que ha durado o que se espera que dure por lo menos 12 meses?  Sí No	□₁ Sí □₂ No	•
61.	¿Está su niño limitado o impedido de alguna manera en su habilidad de hacer lo que pueden hacer la mayoría de los niños de la misma edad?	necesita o ro □₁ Sí	ecibe tratamiento o consejería?  → Si contestó "No", pase a la pregunta 69
	□₂ No → Si contestó "No", pase a la pregunta 64		este problema o se espera que menos 12 meses?

69.	¿Qué edad tiene <u>su niño</u> ?	74. ¿Cuál es el grado o nivel escolar más alto que
	$\square_{\scriptscriptstyle \infty}$ Menos de un año	ha completado?
	AÑOS (escriba la respuesta)	$\square_1$ 8 años de escuela o menos $\square_2$ 9 a 12 años de escuela, pero sin
70.	¿Cuál es el sexo biológico de su niño?	graduarse  Graduado de la escuela secundaria  (high school), Diploma de escuela
	☐₂ Femenino	secundaria, preparatoria o su equivalente (o GED)
71.	¿Cuál es su identidad de género actual de su niño?	☐₄ Algunos cursos universitarios o un título universitario de un programa de
	□₁ Masculino	2 años
	☐ <sub>2</sub> Femenino	☐₅ Título universitario de 4 años
	□ <sub>3</sub> Transgénero	☐ fitulo universitario de más de 4 años
	□₄ No binario, intergénero, u otra	
		75. ¿Qué relación tiene con el niño?
72.	¿Qué edad tiene <u>usted</u> ?	☐₁ Madre o padre
	□₀ Menos de 18 años	☐₂ Abuelo o abuela
	□₁ 18 a 24	□₃ Tía o tío
	□₂ 25 a 34	☐ <sub>4</sub> Hermano o hermana mayor
	□ <sub>3</sub> 35 a 44	□ <sub>s</sub> Otro familiar
	□ <sub>4</sub> 45 a 54	☐ 6 Tutor legal del niño
	□ <sub>5</sub> 55 a 64	□ <sub>7</sub> Otra persona
	□ <sub>6</sub> 65 a 74	
	$\square_{7}$ 75 años o más	76. ¿Cuál de las siguientes opciones describe la
		identidad racial o étnica de su niño? Marque
73.	¿Cuál es su identidad de género actual?	TODAS las opciones que correspondan.
	□₁ Masculino	
	☐ <sub>2</sub> Femenino	<u>Indígena estadounidense o nativo de Alaska</u>
	☐₃ Transgénero	Indígena norteamericano/a
	□₄ No binario, intergénero, u otra	☐ <sub>8</sub> Indígena de Alaska
		☐ <sub>c</sub> Inuit canadiense, métis o indígena
		canadiense (First Nation)
		□ <sub>□</sub> Indígena mexicano/a,
		centroamericano/a o sudamericano/a

<u>Asiático/a</u>	<u>Blanco/a</u>
□ Indio/a asiático/a	☐ <sub>AE</sub> Europeo/a oriental
□ <sub>F</sub> Chino/a	□ <sub>AF</sub> Eslavo/a
□ <sub>G</sub> Filipino/a	☐ <sub>AG</sub> Europeo/a occidental
☐ <sub>н</sub> Hmong	☐ AH Blanco/a de otro tipo
□, Japonés/a	
□, Coreano/a	Otras categorías
□ <sub>κ</sub> Laociano/a	□ <sub>al</sub> Otra
□ Sudasiático/a	
□ <sub>M</sub> Vietnamita	77 Indonondiantemente de su respuesta anterior
□ <sub>N</sub> Asiático/a de otro tipo	77. Independientemente de su respuesta anterior, ¿cómo identifica usted la <u>raza</u> , grupo étnico,
	origen tribal, país de origen o ascendencia de
Negro/a o afroamericano/a	su niño? (Escriba en letra imprenta)
□ <sub>o</sub> Afroamericano/a	(2007)20 0771017
☐ Africano/a (negro/a)	
□ Caribeño/a (negro/a)	
□ Negro/a de otro tipo	
	78. ¿Qué tan bien habla inglés su niño?
Hispano/a o latino/a	☐₁ Muy bien
s Centroamericano/a, hispano/a o	□₂ Bien
latino/a	□₃ No bien
$\square_{\scriptscriptstyle T}$ Mexicano/a hispano/a o latino/a	□₄ Para nada
Sudamericano/a, hispano/a o latino/a	
$\square_{V}$ Hispano/a o latino/a de otro tipo	79. ¿Qué idioma habla usted principalmente su
	niño en el hogar?
Medio oriental/norteafricano	$\square_{_1}$ Inglés
<del></del>	□₂ Español
□ <sub>w</sub> Del oriente medio	Otra (Escriba en letra imprenta)
□ <sub>x</sub> Norafricano/a	, ,
Note of della Condella Ida del Da Car	
Nativo/a de Hawái o de las Islas del Pacífico	20 : Nacacita cu nião un intérpreto para que nos
Guameño/a o chamorro/a	80. ¿Necesita su niño un <u>intérprete</u> para que nos podamos comunicar con él?
□ <sub>z</sub> Micronesio/a	
□ <sub>AA</sub> Indígena de Hawái	□₁ 51 □₂ No
□ <sub>AB</sub> Samoano/a	□ <sub>2</sub> NO
Tongano/a	04 (Nancita e ei 7 - ei el 4 - e e e e e e e
☐ <sub>AD</sub> De otras islas del Pacífico	81. ¿Necesita su niño un intérprete de <u>lenguaje</u> de señas para que nosotros podamos
	comunicarnos con él?
	$\square_1$ No $\rightarrow$ Si contestó "No", pase a la
	pregunta 82
	pregunta oz

81a.	¿Qué tipo de intérprete necesita su niño para que nosotros podamos comunicarnos con él? (Intérprete ASL, inglés Pidgin por señas [PSE,	Deténgase aquí si su niño tiene menos de 5 años.		
	por sus siglas en inglés], interpretación táctil, etc.) (Escriba en letra imprenta)	86. ¿Tiene su niño dificultad seria para <u>caminar o</u> <u>subir escaleras</u> ?  □₁ Sí □₂ No		
82.	¿Necesita su niño materiales escritos en un formato alternativo (Braille, letra grande, grabaciones de audio, etc.)?  □₁ Sí □₂ No → Si contestó "No", pase a la	87. ¿Tiene su niño <u>dificultad para vestirse o bañarse</u> ? □₁ Sí □₂ No		
82a.	pregunta 83 .¿Qué formato alternativo necesita su niño? (Escriba en letra imprenta)	<ul> <li>88. Debido a una condición física, mental o emocional, ¿tiene su niño dificultad seria para concentrarse, recordar o tomar decisiones?</li> <li>□₁ Sí</li> <li>□₂ No</li> </ul>		
83.	¿Es su niño <u>sordo/a</u> o tiene <u>dificultad seria para</u> <u>oír</u> ?	Deténgase aquí si su niño tiene menos de 15 años.		
	□₁ Sí □₂ No	89. Debido a una <u>condición física, mental o</u> <u>emocional</u> , ¿tiene su niño dificultad seria para <u>hacer los mandados solo/a, por ejemplo</u> , ir a		
84.	¿Es su niño <u>ciego/a</u> o tiene <u>dificultad seria para ver</u> , aunque lleve puestos lentes?  Sí No	ver al médico o ir de compras?		
85.	¿Alguna <u>condición física, mental o emocional</u> <u>limita sus actividades de su niño</u> de alguna	Gracias		
	manera?  □₁ Sí □₂ No	Por favor devuelva esta encuesta en el sobre con el porte o franqueo pagado a:  Center for the Study of Services		
		PO Box 10820 Herndon, VA 20172		
		Por favor no incluya cualquier otra correspondencia.		

#### CALCULATION GUIDELINES FOR GLOBAL PROPORTIONS

NCQA's HEDIS 2020, Volume 3: Specifications for Survey Measures contains detailed guidelines for calculation of survey results. These guidelines include:

- Criteria for including a survey in the results calculation. A questionnaire must have the final disposition code of *Complete and Valid Survey* to be included in the calculation of plan-level scores.
- Rules for handling appropriately answered questions (i.e., questions that comply with survey skip-pattern instructions).
- Rules for handling inappropriately answered questions (e.g., unanswered questions, multiple-mark questions, questions that should have been skipped, and questions within a skip pattern of an inappropriately answered or skipped gate item).
- Rules for calculating denominators for questions and composites. The denominator for a question is equal to the total number of responses to that question. The denominator for a composite is the average number of responses across all questions in the composite.
- Rules for calculating rolling average composites and question summary rates. For OHA analysis, rolling average measures were calculated using single year rates.
- Rules for handling changes in submission entity (i.e., if a health plan changes how it reports CAHPS results from one year to the next.)

#### COMPOSITE GLOBAL PROPORTIONS

Global Proportions are *average* proportions of respondents who gave the plan a favorable rating on each question in a composite. There are three steps needed to calculate the composite global proportion:

# Step 1

For each question in a composite, count the number of members who selected a favorable response option (i.e., Usually/Always or Yes).

# Step 2

For each question, determine the proportion of respondents rating favorably (i.e., Usually/Always or Yes).

# Step 3

Calculate the average proportion rating favorably across all the questions in the composite. These are the composite global proportions. Note: each question in a composite is weighted equally, regardless of how many members respond.

Using the example above, here is an illustration of the step-by-step calculation of the *Getting Care Quickly* composite global proportion. Missing responses are not included in the denominator.

Response option	Q4	Q6	Global Proportion
Never or Sometimes	1 / 5 = 0.20	1 / 4 = 0.25	(0.20 + 0.25) / 2 = 0.2250
Usually	2 / 5 = 0.40	1 / 4 = 0.25	(0.40 + 0.25) / 2 = 0.3250
Always	2 / 5 = 0.40	2 / 4 = 0.50	(0.40 + 0.50) / 2 = 0.4500
Always or Usually	4 / 5 = 0.80	3 / 4 = 0.75	(0.80 + 0.75) / 2 = 0.7750

Therefore, 80.00 percent and 75.00 percent of members respectively provided favorable responses to the *Getting Care Quickly* questions Q4 and Q6. Averaging these two proportions yields the global proportion score of 77.50 percent for the *Getting Care Quickly* composite.

#### **GLOSSARY OF TERMS**

**Attributes** 

Areas of health plan performance and member experience assessed with the CAHPS survey

Benchmark

A reference score (e.g., the State Oregon Health Plan, the CSS Average, the highest or lowest performing CCO, or the CCO's own prior-year rate) against which performance on the measure is assessed. See *Comparisons to Benchmarks and Prior-Year Results*.

**CAHPS 5.0H Surveys** 

Consumer Assessment of Healthcare Providers and Systems (CAHPS) is a series of surveys designed to collect consumer feedback on their health care experiences. The CAHPS 5.0H Health Plan Survey asks members to report on their experiences with access to appointments and care through their health plan, communication with doctors available through the plan, and customer service. The Commercial plan version asks about member experiences in the previous 12 months, whereas the Medicaid version refers to the previous six (6) months. The Medicaid version is available for adults and children; the Commercial version is for adults only. The Adult survey is intended for respondents who are 18 and older; the Child survey asks parents or guardians about the experiences of children 17 and younger. Health plans report survey results as part of HEDIS data collection. NCQA uses survey results in health plan performance reports, to inform accreditation decisions, and to create national benchmarks for care. Health plans might also collect CAHPS survey data for internal quality improvement purposes.

**Composite Measures** 

Composite measures combine results from related survey questions into a single score to summarize health plan performance in a specific area of care or service. The set of applicable composites varies slightly by survey version. See *Patient Experience of Care* Measures.

Confidence Level

A confidence level is associated with tests of statistical significance of observed differences in survey scores. It is expressed as a percentage and represents how often the observed difference (e.g., between the plan's current-year rate and the relevant benchmark rate) is real and not simply due to chance. A 95% confidence level associated with a statistical test means that if repeated samples were surveyed, in 95 out of 100 samples the observed measure score would be truly different from the comparison score.

Correlation

A degree of association between two variables, or attributes, typically measured by the *Pearson correlation coefficient*. The coefficient value of 1 indicates a strong positive relationship; -1 indicates a strong negative relationship; zero indicates no relationship at all.

Denominator (*n*, or Usable Responses)

Number of valid (appropriately answered) responses available to calculate a measure result. Examples of inappropriately answered questions include ambiguously marked answers, multiple marks when a single answer choice is expected, and responses that violate survey skip patterns. The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite. If the denominator is less than 30 responses, a measure result of "Low n" was assigned.

# Disposition

The final status given to a member record in the survey sample at the end of the study (e.g., completed survey, refusal, non-response, etc.) See *Member Dispositions and Response Rate*.

## **Effectiveness of Care**

Effectiveness of Care measures are relevant to Adult surveys only and include Flu Vaccinations for Adults Ages 18–64 (FVA) and Medical Assistance with Smoking and Tobacco Use Cessation (MSC).

# **Eligible Population**

Members who are eligible to participate in the survey based on the following criteria:

- Current enrollment (as of the date the sample frame is generated). Some members may no longer be enrolled by the time they complete the survey. They become ineligible and will be excluded from survey results based on their responses to the first two questions on the survey, which confirm membership.
- Continuous enrollment (six months for Medicaid, with no more than one enrollment break of 45 days or less);
- Member age (18 years old or older for the Adult survey and 17 years old or younger for the Child survey as of November 30 of the measurement year);
- Primary coverage (through Medicaid or a commercial product line for Medicaid and Commercial surveys, respectively).

# **Global proportions**

Applies to composite measures. The proportion of respondents selecting the favorable response(s) (e.g., Always or Usually) averaged across the questions that make up the composite. See Question Summary Rates and Composite Global Proportions.

#### **HEDIS**

The Healthcare Effectiveness Data and Information Set (HEDIS) is a set of performance measures in the managed care industry, developed and maintained by NCQA. HEDIS was designed to allow consumers to compare health plan performance to other plans and to national or regional benchmarks as well as to track year-to-year performance. HEDIS is one component of NCQA's accreditation process, although some plans submit HEDIS data without seeking accreditation. CAHPS measures are a subset of HEDIS.

# Key Drivers and Priorities for Improvement

Key Drivers are plan attributes that have been shown to be closely related to members' overall assessment of the plan. Performance on these attributes predicts how the plan is rated overall and, viewed from the industry perspective, helps to distinguish high-rated plans from poorly rated plans. Specific priorities for improvement for *your organization* are identified based on how it is currently performing on the key driver attributes compared to industry best practices.

# **NCQA**

The National Committee for Quality Assurance (NCQA) is an independent non-profit organization that works to improve health care quality through the administration of evidence-based standards, measures, programs, and accreditation. NCQA manages voluntary accreditation programs for individual physicians, health plans, and medical groups. Health plans seek accreditation and measure performance through the administration and submission of the Healthcare Effectiveness Data and Information Set (HEDIS) and Consumer Assessment of Healthcare Providers and Systems (CAHPS) survey.

# Question Summary Rate

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest (typically representing the most favorable outcome(s) from a given question on the survey). Many survey items use a *Never, Sometimes, Usually,* or *Always* response scale, with *Always* being the most favorable outcome. Results are typically reported as the proportion of members selecting *Usually* or *Always*. See *Question Summary Rates and Composite Global Proportions*.

## Response Rate

Survey response rate is calculated using the following formula:

Response Rate =[Com	Complete and Eligible Surveys
	[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts
	+ Added to Do Not Call (DNC) List]

# Sample size

OHA's methodology used a sample size of 1,125 for Adult Medicaid samples, 925 for Child Medicaid samples, and 575 for Child Medicaid with Chronic Conditions samples.

# Statistically Significant Difference

When survey results are calculated based on sample data and compared to a benchmark score (e.g., State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate), the question is whether the observed difference is real or due to chance. A difference is said to be statistically significant at a given confidence level (e.g., 95%) if it has a 95% chance of being true.

# Trending

Comparison of survey results over time

# Usable Responses (n)

See Denominator

# Valid Response

Any acceptable (falling within a pre-defined set) response to a survey question that follows the NCQA skip pattern rules and data cleaning guidelines.