

Oregon Health Plan Report of Results for PacificSource - Central Oregon Child Population

2019 CAHPS® 5.0H Medicaid Member Experience Survey

Prepared for:

Oregon Health Authority

Prepared by:

Center for the Study of Services 1625 K Street NW, Suite 800 Washington, DC 20006



Table of Contents

Introduction	4
Executive Summary	5
Results on Key Survey Measures	5
Top Priorities for Quality Improvement	5
Survey Results at a Glance	7
About This Report	8
Survey Methodology	10
Survey Protocol and Timeline	10
Survey Materials	10
Sample Selection	10
Data Capture	11
Member Dispositions and Response Rate	12
Satisfaction with the Experience of Care	13
Experience of Care Measures	13
Calculation and Reporting of Results	15
Summary of Survey Results	16
Detailed Performance Charts	18
Member Profile and Analysis of Plan Ratings by Member Segment	38
Health Status and Demographics	
Use of Services	45
Key Driver Analysis	48

	Objectives	48
	Technical Approach	48
	Industry Key Driver Model	49
	Opportunities for Plan Quality Improvement	50
	Health Plan Quality Improvement Resources for Key Drivers	52
Append	dix	I
	Cross-Tabulations of Survey Responses	II
	Survey Instrument	. III
	Calculation Guidelines for Global Proportions	.IV
	Glossary of Terms	.VI

INTRODUCTION

The Oregon Health Authority (OHA) contracts with managed care organizations, also known as Coordinated Care Organizations (CCOs), to provide health care services. Understanding the experience of people who are Oregon Health Plan (OHP) members is important to clinicians, policy makers, patients and consumers, quality monitors and regulators, provider organizations, health plans, community collaboratives, and those who are responsible for monitoring and evaluating the quality of and access to health care services.

Introduced by the Agency for Healthcare Research and Quality (AHRQ) in the mid-1990s, the Consumer Assessment of Healthcare Providers and Systems (CAHPS) program encompasses the full range of standardized surveys that ask consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers, such as accessibility of services and communication skills of providers.

OHA conducts annual CAHPS surveys asking consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers and focus on aspects of quality that consumers are best qualified to assess, such as the communication skills of providers and ease of access to health care services. The survey results help inform decisions for those involved with providing care to OHP members and to improve the quality of health care services.

The survey measures member satisfaction with the experience of care and gives a general indication of how well the health plan meets members' expectations. Surveyed members are asked to rate various aspects of the health plan based on their experience with the plan during the previous six months.

EXECUTIVE SUMMARY

CSS administered the Child Medicaid version of the 2019 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of PacificSource - Central Oregon between January 9 and April 9, 2019. The final Child Medicaid survey sample for PacificSource - Central Oregon included 800 members. 189 members completed the survey, resulting in a response rate of 23.77 percent.

This section highlights some of the key survey findings for PacificSource - Central Oregon, including trends in CAHPS ratings and composites and comparisons to the State Oregon Health Plan results. Results are based on the rates of members answering 8, 9, or 10 for the ratings questions; Yes for the Shared Decision Making composite; and Usually or Always for all other measures. Statistical significance tests were conducted at the 95% confidence level. Up to five organizational priorities for quality improvement are also identified based on CSS's Key Driver Analysis.

RESULTS ON KEY SURVEY MEASURES

STATISTICALLY SIGNIFICANT IMPROVEMENTS OR DECLINES COMPARED TO 2018

Reportable Rate IMPROVED	Reportable Rate DECLINED
No statistically significant improvements	No statistically significant declines

STATISTICALLY SIGNIFICANT DIFFERENCES FROM STATE OREGON HEALTH PLAN

Reportable Rate ABOVE State OHP	Reportable Rate BELOW State OHP					
2019 State OHP						
None	None					

TOP PRIORITIES FOR QUALITY IMPROVEMENT

CSS's Key Driver Analysis identifies the areas of health plan performance and aspects of member experience that shape members' overall assessment of their health plan. To the extent that these specific areas or experiences can be improved, the overall rating of the plan should reflect these gains. Up to five quality improvement opportunities with the highest return on investment for PacificSource - Central Oregon are identified below. Effective interventions in these areas have the greatest potential impact on the Rating of Health Plan score.

Top Priorities for Quality Improvement

- 1. Improving member access to care (ease of getting needed care, tests, or treatment)
- 2. Improving the quality of physicians in the plan's network (personal doctors)
- 3. Improving member access to care (having a personal doctor)
- 4. Improving the ability of the health plan customer service to treat members with courtesy and respect
- 5. Improving member access to care (getting an appointment to see a specialist)

The remainder of this report examines these and other findings in greater detail.

SURVEY RESULTS AT A GLANCE

An overview of summary measures are presented in Exhibit 1. This includes CAHPS ratings and composites and comparisons to the State Oregon Health Plan results, and prior year data (where available).

EXHIBIT 1. 2019 PACIFICSOURCE - CENTRAL OREGON CHILD MEDICAID SURVEY RESULTS AT A GLANCE

CAHPS 5.0H Survey Measures		Global Proportions Summary	Valid Responses			
		2018	2019	2018	2019	2019 State OHP
	Q13. Rating of All Health Care	84.51%	84.00%	142	125	85.19%
Overall Ratings	Q26. Rating of Personal Doctor	86.36%	92.97%	198	128	89.26%
(% 8, 9, or 10)	Q30. Rating of Specialist Seen Most Often	78.57% (Low n)	76.92% (Low n)	28	26	84.51%
	Q36. Rating of Health Plan	82.14%	81.14%	224	175	83.43%
Getting Needed Care	Getting Needed Care Composite	84.68%	86.34%	86	76	84.77%
•	Q14. Easy to get needed care	89.36%	91.20%	141	125	89.35%
(% Always or Usually)	Q28. Easy to see specialists	80.00%	81.48% (Low n)	30	27	80.18%
Getting Care Quickly	Getting Care Quickly Composite	94.40%	91.68%	93	82	88.90%
(% Always or Usually)	Q4. Got urgent care as soon as needed	100.00%	93.88%	60	49	91.76%
(% Always or Usually)	Q6. Got routine care as soon as needed	88.80%	89.47%	125	114	86.03%
	How Well Doctors Communicate Composite	94.01%	96.17%	125	98	95.22%
How Well Doctors	Q17. Doctor explained things	94.49%	95.92%	127	98	95.89%
Communicate*	Q18. Doctor listened carefully	95.97%	96.94%	124	98	96.02%
(% Always or Usually)	Q19. Doctor showed respect	96.77%	100.00%	124	98	97.53%
	Q22. Doctor spent enough time	88.80% 91.84%		125	98	91.42%
Customer Service	Customer Service Composite	93.73%	88.50%	56	48	87.52%
(% Always or Usually)	Q32. Provided needed information/help	89.29%	81.25%	56	48	81.83%
(% Always or Usually)	Q33. Treated with courtesy/respect	98.18%	95.74%	55	47	93.22%
Shared Decision	Shared Decision Making Composite	73.33% (Low n)	88.08% (Low n)	25	23	79.08%
Making**	Q10. Discussed reasons to take a medicine	92.00% (Low n)	100.00% (Low n)	25	23	90.12%
(% Yes)	Q11. Discussed reasons not to take a medicine	60.00% (Low n)	86.96% (Low n)	25	23	69.46%
(% fes)	Q12. Discussed what was best for you	68.00% (Low n)	77.27% (Low n)	25	22	77.66%
Other Areas	Q8. Health Promotion and Education (% Yes)	69.93%	70.40%	143	125	71.69%
Other Areas	Q25. Coordination of Care (% Always or Usually)	80.39%	94.44%	51	36	83.95%

If n is less than 30, "Low n" is displayed next to score.

Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the denominator threshold (n=30). All statistical tests are conducted at the 95% confidence level prior to rounding. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as 🛦 when your rate is higher or 🔻 when it is lower.

ABOUT THIS REPORT

The key features of this 2019 CAHPS report, prepared by CSS for PacificSource - Central Oregon, are highlighted below.

- Survey results presented in this report were calculated following the NCQA guidelines published in *HEDIS* 2019, *Volume 3: Specifications for Survey Measures* unless otherwise noted. Summary Results are reported regardless of whether the denominator threshold is met, however, any summary measure where the denominator is less than 30 is marked as "Low n".
- Throughout the report, the 2019 PacificSource Central Oregon survey results are compared to the 2019 State OHP. The 2019 State OHP is calculated by pooling Child Medicaid survey responses across CCOs surveyed by the Oregon Health Authority.
- Executive Summary provides a high-level overview of survey findings. This section highlights the areas where PacificSource Central Oregon performs significantly above or below the State Oregon Health Plan performance. If prior-year survey results are available, any statistically significant improvements or declines on key survey measures are also noted. Up to five top organizational priorities for quality improvement based on CSS's Key Driver Analysis are identified.
- Summary of Survey Results presents the 2019 PacificSource Central Oregon survey scores on key measures, including question summary rates (QSRs), global proportions, and changes in QSR and global proportion scores from the previous year (if applicable); and comparisons to relevant Oregon Health Plan benchmarks. Statistically significant differences in scores are noted.
- Detailed Performance Charts are provided for the rating questions, composite measures, and individual survey items representing the various CAHPS domains of care. The 2019 PacificSource Central Oregon QSRs and global proportions are compared to the 2019 State OHP on all measures. Where available, a three-year trend in scores is also shown.
- Member Profile and Analysis of Plan Ratings by Member Segment compares the 2019 PacificSource Central Oregon respondent profile to the appropriate reference distribution (i.e., all plans included in the 2019 State OHP) of demographic characteristics and utilization variables. Variation in Rating of Health Plan measure by member segment is examined.

• *Key Driver Analysis* identifies those aspects of member experience (key drivers) that are closely related to the overall rating of the plan. The CSS *Key Driver Model* quantifies the contribution of each key driver to the overall evaluation of the plan. The 2019 PacificSource - Central Oregon results on each key driver are compared to the highest score among the one Child Medicaid plans contributing to the 2019 State OHP, yielding a measure of available room for improvement in each area. The result is then weighted by the key driver's contribution to the overall *Rating of Health Plan* score. Opportunities for improvement are prioritized based on the expected improvement in the PacificSource - Central Oregon *Rating of Health Plan* score due to improved performance on the key driver. A separate section of the report provides some helpful resources for health plan quality improvement.

• The *Appendix* includes:

- Detailed cross-tabulations of survey responses for every survey question, with additional tables summarizing performance on key survey measures;
- A copy of the survey instrument;
- Step-by-step guidelines for calculating composite global proportions; and
- A glossary of terms.

SURVEY METHODOLOGY

SURVEY PROTOCOL AND TIMELINE

CSS administered the Child Medicaid version of the 2019 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of PacificSource - Central Oregon using a mixed methodology of internet, mail, and telephone. The Oregon Health Authority's mixed methodology consisted of the following milestones:

- A prenotification letter with an invitation to complete the survey online, which was mailed on January 9;
- An initial questionnaire with cover letter, which was mailed on January 16;
- A replacement questionnaire with cover letter, which was mailed on February 13;
- A telephone follow-up phase targeting non-respondents, with up to four telephone follow-up attempts spaced at different times of the day and on different days of the week, which started on March 6; and
- Close of data collection on April 9, 2019.

SURVEY MATERIALS

The survey instruments (both English and Spanish) used for PacificSource - Central Oregon are provided in the Appendix. CSS designed the survey following instructions from OHA and the NCQA specifications detailed in *HEDIS 2019, Volume 3: Specifications for Survey Measures* and *Quality Assurance Plan for HEDIS 2019 Survey Measures*. The materials referred to Oregon Health Plan and included the Oregon Health Authority logo on all of the mailing materials. Each survey package included a postage-paid return envelope. Besides the core CAHPS questions, the survey included 12 additional questions added by OHA. These included questions on cultural competency, access to dental care, and kindergarten readiness. All mailings included a duplex English and Spanish cover letter. Members received either an English or Spanish survey based on language information provided by Oregon Health Authority. Members had the option to request the survey in the other language using a telephone request line.

SAMPLE SELECTION

CSS followed Oregon Health Authority's instructions to generate the survey sample for PacificSource - Central Oregon. Sample-eligible members were defined as plan members who were 17 years old or younger as of November 30, 2018; were currently enrolled; had been continuously enrolled for six months (with no more than one enrollment break of 45 days or less); and whose primary coverage was through Medicaid. The sample frame included a pre-screen status code

to identify children that were likely to have a chronic condition (CCC) based on claim and encounter records. Using this code, a sample was drawn from the child Medicaid population for members <u>not</u> likely to have a chronic condition to receive the standard Child Medicaid (w/o CCC measures).

Prior to sampling, CSS carefully inspected the member file(s) and informed the Oregon Health Authority of any errors or irregularities found (such as missing address elements or subscriber numbers). Once the quality assurance process had been completed, CSS processed member addresses through the USPS National Change of Address (NCOA) service to ensure that the mailing addresses were up-to-date.

The final sample was generated using a random selection methodology, with no more than one member per household selected to receive the survey. The exception to this rule was any CCO that failed to meet the desired sample size in which case more than one member per household could be selected. CSS assigned each sampled member a unique identification number, which was used to track their progress throughout the data collection process.

The Oregon Health Authority chose to oversample for targeted race and ethnicity groups to ensure these groups were appropriately represented in the state sample. Data for those sample members only appear in the State OHP results and not the individual CCO results. The final survey sample for PacificSource - Central Oregon included 800 members.

DATA CAPTURE

Questionnaires returned by mail were recorded using either manual data entry or optical scanning. Responses recorded via manual data entry were keyed by two independent data entry operators, and any discrepancies between the two response records were flagged and reconciled by a supervisor. Individual responses on surveys recorded via optical scanning were sent to data entry operators if the scanning technology was unable to identify the specific response option selected with a pre-defined degree of certainty.

Computer Assisted Telephone Interviewing (CATI) technology was used to electronically capture survey responses obtained during telephone interviews. Members were able to complete the survey in either English or Spanish. On-site CATI supervisors maintained quality control by monitoring the telephone interviews and keyboard entry of interviewers in real time. In addition, CSS research staff remotely monitored interviews on a regular basis. Due to the multiple mailings and varied modes of data collection, multiple survey responses could be received from the same sample member. In those cases, CSS included only one survey response (the most complete survey) in the final analysis dataset.

MEMBER DISPOSITIONS AND RESPONSE RATE

Among the PacificSource - Central Oregon sample members who met final eligibility criteria, 189 completed the survey, resulting in a response rate of 23.77 percent. Additional detail on sample member status at the end of data collection (dispositions) is provided in Exhibit 2.

EXHIBIT 2. 2019 PACIFICSOURCE - CENTRAL OREGON CHILD MEDICAID CAHPS SURVEY: SAMPLE MEMBER DISPOSITIONS AND RESPONSE RATE

	Total		
Disposition	Number	% Initial Sample	2019 State OHP
Initial Sample	800	100.00%	
Disposition			
Complete and Eligible - Mail	103	12.88%	12.65%
Complete and Eligible - Phone	84	10.50%	11.88%
Complete and Eligible - Internet	2	0.25%	0.61%
Complete and Eligible - Total	189	23.63%	25.15%
Does not meet Eligible Population criteria	5	0.63%	0.95%
Incomplete (but Eligible)	4	0.50%	0.72%
Ineligible	0	0.00%	2.13%
- Language barrier	0	0.00%	0.71%
- Mentally or physically incapacitated	0	0.00%	0.00%
- Deceased	0	0.00%	0.00%
Refusal	16	2.00%	1.46%
Nonresponse after maximum attempts	581	72.63%	70.50%
Added to Do Not Call (DNC) list	5	0.63%	0.51%
Response Rate*		23.77%	25.57%

11540

^{*}Response rate = Complete and Eligible Surveys/[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts + Added to Do Not Call (DNC) List]

SATISFACTION WITH THE EXPERIENCE OF CARE

EXPERIENCE OF CARE MEASURES

CAHPS Health Plan Survey 5.0H, Child Medicaid version includes four global *rating questions* that ask respondents to rate the following items on a 0 to 10 scale:

- Rating of Personal Doctor (0 = worst personal doctor possible); 10 = best personal doctor possible)
- Rating of Specialist Seen Most Often (0 = worst specialist possible; 10 = best specialist possible)
- Rating of All Health Care (0 = worst health care possible; 10 = best health care possible)
- Rating of Health Plan (0 = worst health plan possible; 10 = best health plan possible)

The results for five *composite measures* are also reported. Composite measures combine results from related survey questions into a single measure to summarize health plan performance in the areas listed below.

- Getting Needed Care combines responses to two survey questions that address member access to care:
 - In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?
 - In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?
- Getting Care Quickly combines responses to two survey questions that address timely availability of both urgent and routine care:
 - In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed?
 - In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?
- How Well Doctors Communicate combines responses to four survey questions that address physician communication:
 - In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?

- In the last 6 months, how often did your child's personal doctor listen carefully to you?
- In the last 6 months, how often did your child's personal doctor show respect for what you had to say?
- In the last 6 months, how often did your child's personal doctor spend enough time with your child?
- Customer Service combines responses to two survey questions that ask about member experience with the health plan's customer service:
 - In the last 6 months, how often did customer service staff at your child's health plan give you the information or help you needed?
 - In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?
- Shared Decision Making combines responses to three survey questions that focus on decisions about taking prescription medicines:
 - Did you and a doctor or other health provider talk about the reasons you might want your child to take a medicine?
 - Did you and a doctor or other health provider talk about the reasons you might not want your child to take a medicine?
 - When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child?

In addition to the five composite measures listed above, question summary rates are also reported for two survey items summarizing the following concepts:

Health Promotion and Education

In the last 6 months, did you and your child's doctor or other health provider talk about specific things you could do to prevent illness in your child?

Coordination of Care

In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

CALCULATION AND REPORTING OF RESULTS

QUESTION SUMMARY RATES AND COMPOSITE GLOBAL PROPORTIONS

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest from a given question on the survey.

- Rating questions use a 0 to 10 scale with 10 being the most favorable response. Results are reported as the proportion of members selecting one of the top three responses (8, 9, or 10).
- Most survey items use a *Never, Sometimes, Usually*, or *Always* scale, with *Always* being the most favorable response. Results are reported as the proportion of members selecting *Usually* or *Always*.
- Shared Decision Making and Health Promotion and Education use a Yes or No scale, with Yes being the desired response. Results are reported as the proportion of members selecting Yes.

Composite Global Proportions express the proportion of respondents selecting the response option(s) of interest from a given group of questions on the survey. They are calculated by first determining the proportion of respondents selecting the reported response(s) on each survey question contributing to the composite and subsequently averaging these proportions across all items in the composite.

- For composite measures except Shared Decision Making, results are reported as Usually or Always global proportions.
- For the Shared Decision Making composite, the proportion of Yes is reported.

Throughout the report, all question summary rates and composite global proportions are rounded to two decimal places for display purposes (e.g., 0.23456 is displayed as 23.46%). However, all calculations involving rates and proportions, including statistical significance testing, are carried out prior to rounding. For more details on the calculations please refer to *HEDIS 2019*, *Volume 3: Specifications for Survey Measures* or consult the Appendix.

DENOMINATOR THRESHOLD

The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite (note: composite denominators are rounded for display purposes). If the rate denominator is less than 30, a measure result of "Low n" was assigned. This report presents results for all measures, regardless of denominator size. Any result that does not meet the denominator threshold of 30 valid responses is denoted with "Low n" to inform interpretations of results.

COMPARISONS TO BENCHMARKS AND PRIOR-YEAR RESULTS

Throughout the report, the 2019 PacificSource - Central Oregon results are compared to the 2019 State OHP as well as to the highest and lowest performing CCO. The 2019 State OHP is calculated by pooling Child Medicaid survey responses across CCOs surveyed by the Oregon Health Authority. If available, prior-year survey results are provided for comparison and year-to-year changes in results are tested for statistical significance. All of the statistical tests are carried out at the 95% confidence level (i.e., there is a 95% probability that the observed difference is not due to chance).

SUMMARY OF SURVEY RESULTS

Exhibit 3 provides a high-level PacificSource - Central Oregon performance overview on key survey measures. These include overall ratings, composite global proportions, and QSRs for additional content areas. Where applicable, changes in scores over time and comparisons to benchmarks are reported and tested for statistical significance.

EXHIBIT 3. 2019 PACIFICSOURCE - CENTRAL OREGON CHILD MEDICAID CAHPS SURVEY: SUMMARY OF RESULTS ON KEY MEASURES

			Difference** between 2019 Rate and		
CAHPS 5.0H Survey Measures*		2019 Rate	2018 Rate	2019 State OHP	
Ratings					
Rating of Personal Doctor		92.97%	6.61%	3.70%	
Rating of Specialist Seen Most Often	Low n	76.92%	-1.65%	-7.59%	
Rating of All Health Care		84.00%	-0.51%	-1.19%	
Rating of Health Plan		81.14%	-1.00%	-2.29%	
Composite Measures					
Getting Needed Care		86.34%	1.66%	1.58%	
Getting Care Quickly		91.68%	-2.72%	2.78%	
How Well Doctors Communicate		96.17%	2.17%	0.96%	
Customer Service		88.50%	-5.24%	0.98%	
Shared Decision Making	Low n	88.08%	14.74%	8.99%	
Additional Content Areas					
Health Promotion and Education		70.40%	0.47%	-1.29%	
Coordination of Care		94.44%	14.05%	10.49%	

^{*} Results were calculated following NCQA specifications and prior year results may differ from those previously reported.

^{**} Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the small denominator threshold (n=30).


All differences in rates are calculated prior to rounding and are rounded for display purposes only. All statistical tests are conducted at the 95% confidence level. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as when your current-year rate is higher or \(\bar{v}\) when it is lower.

DETAILED PERFORMANCE CHARTS


This section of the report includes detailed charts for composite global proportions, rating question summary rates (QSRs), as well as additional QSRs for individual survey items. The charts have the following features:


TREND IN RESULTS


- PacificSource Central Oregon survey scores are trended over three consecutive years of data collection, if available. A result may not be available if the survey was not administered in a given year or if the measure is new or is not deemed appropriate for trending. In such cases, "No data" appears in place of the score.
- Where appropriate, changes in the distribution of favorable ratings over time are shown in the *Top Rating Distribution* panel of the chart (i.e., percent responding 8 vs. percent responding 9 or 10, or percent responding *Usually* vs. percent responding *Always*).
- The number of valid responses (*n*) appears above each bar. If the number of responses is less than 30, "Low n" appears next to the value of *n*, indicating that the result does not meet the denominator threshold. CSS calculates all rates regardless of this threshold.
- Statistical comparisons are conducted between the current-year rate and each of the prior-year rates, if available. Where appropriate, differences in both standard (e.g., 8 + 9 + 10 or Usually + Always) as well as top-box (e.g., 9 + 10 or Always) rates are tested for statistical significance at the 95% confidence level. Statistically significant differences are indicated with a ★ symbol next to the comparison score. For example, ★ appearing next to the 2018 rate denotes a statistically significant difference between the 2019 and 2018 rates.








































Shared Decision Making (Contributing Items) Percent Responding Yes Q10. Did you and a doctor or other health provider talk about the reasons Q11. Did you and a doctor or other health provider talk about the reasons you might not want your child to take a medicine? you might want your child to take a medicine? 2017 2018 2019 2017 2018 2019 No data n = 25 (Low n) n = 23 (Low n)No data n = 25 (Low n) n = 23 (Low n)90.12% 92.00% 84.62% 86.96% Yes Yes 60.00% Low Performing CCO (53.57%) Low Performing CCO (84.62%) -2019 State OHP (69.46%) -2019 State OHP (90.12%) High Performing CCO (86.96%) High Performing CCO (100.00%) 11540


Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ** symbol next to the comparison rate.

Shared Decision Making (Contributing Items) Percent Responding Yes Q12. When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child? 2017 2018 2019 No data n = 25 (Low n) n = 22 (Low n)77.66% Yes 77.27% 68.00% Low Performing CCO (58.62%) 2019 State OHP (77.66%) High Performing CCO (90.91%) 11540

Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \star symbol next to the comparison rate.







Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \star symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

MEMBER PROFILE AND ANALYSIS OF PLAN RATINGS BY MEMBER SEGMENT

This section of the report presents a detailed profile of the PacificSource - Central Oregon membership. In addition to member demographics and health status, responses to survey items that assess utilization of healthcare services are included.

A health plan's membership mix is shaped by multiple factors, most of which are beyond the scope of this survey. These include benefit design, geography, availability of health plan choices, and member self-selection into products that best meet their needs. CSS's analysis of industry data suggests that there is considerable variation in member demographic makeup and utilization patterns across plans. To the extent that various member segments have distinct healthcare needs, utilization patterns, expectations, experiences, as well as attitudes and perceptions, their ratings of the *same* health plan will likely differ.

Certain member characteristics (e.g., health status) appear to be directly related to differences in healthcare needs and utilization levels. For example, some plans have predominantly healthy members, whose interactions with care providers and the plan tend to be limited. By contrast, other plans serve populations with higher rates of illness. These members tend to have more frequent encounters with the healthcare system and as a result may become more experienced users of health plans. The ways in which members use the plan, the frequency of their interactions with providers and staff, and their overall level of familiarity with how the plan works may affect ratings.

In addition to health care needs and utilization patterns, demographic characteristics have been shown to influence survey responses. For example, all else being equal, older respondents and members of certain ethnic groups (e.g., Hispanic or Latino respondents) tend to rate their health care providers and plans more positively. By contrast, more educated members rate more critically, regardless of age or ethnicity.


While the interplay between these membership variables (often referred to as the plan's "case mix") and health plan ratings is complex, health plan ratings clearly vary across demographic groups and user segments. Understanding the plan's case mix can help managers to gain insight into possible sources of this variation.

The charts on the following pages compare the PacificSource - Central Oregon membership profile to the relevant Oregon Health Plan distribution on demographic characteristics and utilization patterns. The pie chart in the upper half of each panel contrasts the distribution of the PacificSource - Central Oregon membership on a given member attribute (e.g., gender, education level, number of doctor visits, etc.) with the Oregon Health Plan distribution on the same attribute. The bar chart in the lower half of each panel shows how the overall rating of the plan varies by member segment.

HEALTH STATUS AND DEMOGRAPHICS


The following characteristics are profiled in this section:

- Child's age
- Child's gender
- Child's health status
- Child's mental or emotional health status
- Respondent's age
- Respondent's gender
- Respondent's education level
- Respondent's relationship to the child
- Child's race
- Child's ethnicity (Hispanic or Latino)




^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q36 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q36 or if no one rated the plan as 8, 9, or 10.




^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q36 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q36 or if no one rated the plan as 8, 9, or 10.




^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q36 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q36 or if no one rated the plan as 8, 9, or 10.



^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q36 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q36 or if no one rated the plan as 8, 9, or 10.




^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q36 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q36 or if no one rated the plan as 8, 9, or 10.

USE OF SERVICES

The following utilization measures are included in this section:

- Seeking urgent care
- Making appointments for routine care
- Discussing prescription medications with doctor
- Having a personal doctor
- Receiving care from a provider other than personal doctor
- Making an appointment to see a specialist
- Number of visits to a doctor's office or clinic
- Number of specialists seen





^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q36 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q36 or if no one rated the plan as 8, 9, or 10.

Q7. In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?

Q29. How many specialists has your child seen in the last 6 months? (Note: the question applies only to those respondents who had appointments with specialists.)





 $Note: all\ percentages\ are\ rounded\ for\ display.\ \textit{Rating\ of\ Health\ Plan}\ \ score\ should\ be\ interpreted\ with\ caution\ if\ the\ size\ of\ the\ group\ (pie\ slice)\ is\ small.$

^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q36 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q36 or if no one rated the plan as 8, 9, or 10.

KEY DRIVER ANALYSIS

OBJECTIVES

CSS's Key Driver Analysis (KDA) highlights some of the key differences between high- and low-rated health plans at the industry level. The principal objectives of the KDA are:

- To isolate a set of plan attributes, or key drivers, that distinguish high-rated plans from low-rated plans;
- To highlight industry best practices on the key driver measures;
- To compare the current performance of PacificSource Central Oregon to industry best practices in these areas; and
- To estimate the impact of improving performance on these measures on the Rating of Health Plan measure.

TECHNICAL APPROACH

INDUSTRY VIEW

Industry-level analysis, which uses health plans as units of analysis, has several important advantages compared to the alternative approach, which focuses on member experiences within a single plan. Certain plan attributes are strongly related to member satisfaction at the industry level. However, these relationships may be missed if we focus on only one plan at a time. For example, it has been shown that plans that are rated highly on measures of access and availability of care tend to have high overall ratings. Conversely, poor access scores are associated with low overall plan scores. This relationship is clear when ratings are compared across plans. However, within a specific plan, member experiences may not be sufficiently varied to reveal the underlying relationship. That is, if all members are equally dissatisfied with access to care, this measure will show a misleadingly low correlation with the overall rating of the plan. As a result, the plan may underestimate the key role of access to care as a driver of member satisfaction and miss a critical opportunity for improvement.

In addition, expressing every CAHPS survey variable as a plan-level rate yields a complete and rich information set on each plan. This effectively eliminates any "gaps" in respondent-level data from a single plan caused by survey skip patterns and allows every response to be used in the analysis.

Finally, in addition to the standard CAHPS performance measures, other sources of differences between health plans can be explored, increasing the explanatory power of the model and allowing for more precise estimation of the individual key driver effects. These include experience rates, which are based on responses to the CAHPS screener questions. Screeners establish whether a member had a particular type of experience or interaction with the plan (e.g.,

contacted customer service, searched for information in the plan's written materials, etc.) CSS's analysis shows that these experience variables explain a significant portion of the plan's overall satisfaction score. Additional components of the overall score include utilization rates and demographic characteristics of the plan's membership, addressed in more detail in the *Member Profile and Analysis of Plan Ratings by Member Segment* section of this report. Clearly, from the plan's perspective, some of these factors are more actionable than others. However, to yield an accurate model of key drivers of member satisfaction, the analysis must consider any and all measurable influences on the overall rating of the plan.

KEY DRIVER MODEL DEVELOPMENT

The CSS *Key Driver Model* was developed based on a dataset of CAHPS survey results of 619 Child Medicaid plans included in the National CAHPS Benchmarking Database (NCBD) in 2015 and 2014. CSS performed regression analysis of health plan ratings to identify the sources of variation in overall scores across the industry spectrum, using individual health plans as units of analysis. Regression analysis expresses mathematically the relationship between plan attributes (predictors) and the global *Rating of Health Plan* score, controlling for interdependencies among the predictors and other factors that may influence ratings (e.g., member demographics, utilization patterns, etc.) Predictors were chosen carefully to yield a model that is both meaningful and actionable from the health plan's point of view.

All of the plan variables, including potential drivers of satisfaction (i.e., variables that the plan may consider actionable) and control variables (member demographics, health status, utilization rates, product type, and year of data collection) were entered into the regression model, and the independent contribution of each variable was estimated. As in the past, CSS excluded *Rating of All Health Care* from the list of predictors both because of its high correlation with *Rating of Health Plan* and the presence of other survey items that measure more specific aspects of member experience. If included, *Rating of all Health Care* would account for a large portion of the variance and confound coefficient estimates for the remaining variables in the model.

INDUSTRY KEY DRIVER MODEL

The table below lists five key drivers of Child Medicaid member experience in order of importance, from highest to lowest, based on their relative contribution to the *Rating of Health Plan* score. These variables have statistically significant coefficients in the regression model (*p*-value < 0.05). Performance on these variables, together with the control variables, explains 63 percent of the industry variation in Child Medicaid health plan ratings. Note that this ordering reflects *only* the strength of the overall relationship between each key driver and the health plan score at the industry level. It does not take into account how PacificSource - Central Oregon is currently performing on these measures. Improvement targets identified specifically for PacificSource - Central Oregon, which consider both the strength of the key driver and the current level of performance in the area, are presented graphically in the next section.

The quality of interactions with the health plan's customer service is a strong predictor of the overall rating of the plan. Plan rating are also strongly related to members' ability to get the care their children need as soon as they need it (Q14 and Q28) and access to a personal doctor (Q15). *Rating of Personal Doctor* (Q26) may reflect the quality of the health plan's network and its ability to contract with better providers.

Key Driver	Interpretation
Q33. Customer service treated member with courtesy and respect (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of respondents reporting that they were treated with courtesy and respect by customer service, the higher the overall plan score
Q26. Rating of Personal Doctor (percent 8, 9, or 10)	The higher the proportion of members rating their child's personal doctor as 8, 9, or 10, the higher the overall plan score
Q14. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of respondents reporting that the necessary care, tests, or treatment were easy to get, the higher the overall plan score
Q28. Got specialist appointment as soon as needed (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of respondents who were able to get a specialist appointment when they needed it, the higher the overall plan score
Q15. Child has a personal doctor (percent Yes)	The higher the proportion of respondents who report that their child has a personal doctor, the higher the overall plan score

OPPORTUNITIES FOR PLAN QUALITY IMPROVEMENT

Specific improvement opportunities for PacificSource - Central Oregon are presented in Exhibit 4. The ordering reflects both the strength of each key driver in the broad industry context and how PacificSource - Central Oregon is currently performing on the measure.

The middle panel of the chart compares how PacificSource - Central Oregon is performing compared to the *best practice* score on each key driver. CSS defined the best practice score as the highest score among the one Child Medicaid plans contributing to the 2019 State OHP. Room for improvement, represented by the green arrows on the chart, is the difference between the current level of PacificSource - Central Oregon performance and the best practice score.

The bar chart on the right displays the expected improvement in the overall *Rating of Health Plan* score PacificSource - Central Oregon could achieve if it performed on par with the best practice plan on each of the key driver measures. Each bar represents room for improvement on the key driver weighted by its contribution to the *Rating of Health Plan* score.

EXHIBIT 4. 2019 PACIFICSOURCE - CENTRAL OREGON CHILD MEDICAID CAHPS SURVEY: KEY AREAS AND PRIORITIES FOR IMPROVEMENT

Current Key Driver Performance		Room for Improvement on Key Driver	Overall Improvement Opportunity
2019 Rate		Percentage Point Difference Between Current Key Driver Score and the Best Practice Score*	Expected Percentage Point Improvement in Rating of Health Plan score (percent 8, 9, or 10) if Key Driver Performs at Best Practice Level
Q14. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i>)	91.20%	+7.05% 98.25%	+2.51%
Q26. Rating of Personal Doctor (percent 8, 9, or 10)	92.97%	+3.30% -> 96.27%	+1.56%
Q15. Child has personal doctor (percent Yes)	81.88%	+13.69%	+1.24%
Q33. Customer service treated member with courtesy and respect (percent <i>Always</i> or <i>Usually</i>)	95.74%	+2.33% -> 98.08%	+1.12%
Q28. Got specialist appointment as soon as needed (percent <i>Always</i> or <i>Usually</i>)	81.48%	+10.83% > 92.31%	+0.92%

^{*} Best score on the key driver measure among all plans included in the 2019 State OHP

HEALTH PLAN QUALITY IMPROVEMENT RESOURCES FOR KEY DRIVERS

CSS's Industry *Key Driver Analysis* lists improvement opportunities and priorities for PacificSource - Central Oregon. The following is a list of possible interventions and resources related to each of the key drivers. This section is included as a guide to assist you in your quality improvement efforts. Some of these resources may be more applicable to PacificSource - Central Oregon than others, especially because many of the cited interventions are intended to be implemented at the practice or provider level. For a useful introduction to quality improvement (QI), refer to The Agency for Health Care Research and Quality's (AHRQ) reference guide that includes descriptions of QI strategies in health delivery systems

(https://www.ahrq.gov/sites/default/files/wysiwyg/cahps/quality-improvement/improvement-guide/4-approach-qi-process/cahps-section-4-ways-to-

IMPROVING ACCESS TO CARE: EASE OF GETTING NEEDED CARE, TESTS, OR TREATMENT; SCHEDULING SPECIALIST APPOINTMENTS;

Removing barriers to care is central to improving the health care experience of plan members. The following resources suggest ways to improve patient access to care, tests, and treatment. For child Medicaid members, two key drivers tap into this concept. The first key driver is whether members scheduled an appointment for routine care. The second is ease of getting care, tests, and treatment. Because the two are so closely linked, resources related to both key drivers are presented together.

- Alternative Access Centers This brief (http://www.rwjf.org/content/dam/farm/reports/issue briefs/2015/rwjf419415) from the Robert Wood Johnson Foundation highlights the growing capacity of retail clinics and telemedicine to meet patient medical needs, particularly in rural and underserved communities and for patients with acute but non-serious conditions who need care quickly. Providing patients with alternative venues to access health care, rather than the traditional doctor's office or hospital, lowers barriers to care (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4795318/).
- Same-Day Appointment Scheduling The Agency for Healthcare Research and Quality (AHRQ) recommends a method of scheduling that leaves part of each physician's day open for same-day appointments, rather than a traditional scheduling model that books appointments weeks or months in advance. Because the method does not differentiate between urgent and routine care, patients with non-urgent concerns are able to schedule appointments sooner than under traditional scheduling methods. For more information, see http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/access/strategy6a-openaccess.html.
- Implement Process Improvements to Streamline Patient Flow Delays experienced by patients while waiting for care, tests, or treatment can be minimized through a variety of mechanisms. For example, reallocating tasks such as physical exams and ordering x-rays to physician's assistants and nurse practitioners frees up physicians' time to attend to more pressing patient concerns. The exact form of these improvements will vary widely by practice. See http://www.ahrq.gov/research/findings/final-reports/ptflow/index.html for examples of interventions provided by AHRQ.

approach-qi-process.pdf).

HAVING A PERSONAL DOCTOR (Q14, Q28, Q15)

- Importance of Usual Source of Care A usual source of care is important not only for satisfaction purposes, but also because usual sources of care are related to health outcomes. These papers, funded by AHRQ, explore the role of a usual source of care in ensuring that children receive proper care. See http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3512198/ and http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3512198/ and http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3512198/ and <a h
- Patient-Centered Medical Homes (PCMH) This model increases patient access to physicians. There are many resources available that provide information on the medical home model of care and health equity. To start, see this Institute of Medicine report: https://nam.edu/wp-content/uploads/2015/06/PatientCenteredMedicalHome.pdf. There is also Family Medicine for America's Health, which is a collaboration of family medicine organizations dedicated to improving health care by expanding and emphasizing primary care through the use of patient-centered medical homes. For AHRQ's resources on transitioning a practice to a patient-centered medical home model, see http://www.pcmh.ahrq.gov/.
- Improve Referral Communication The coordination of care between primary and specialist providers can be a challenge and may affect patient perceptions of their specialist care. Improving the coordination of care and case management can increase satisfaction with specialists. For examples of interventions that improve care coordination efficiency and quality, see https://innovations.ahrq.gov/profiles/electronic-referrals-and-communications-reduce-wait-times-specialty-appointments-and as well as https://innovations.ahrq.gov/profiles/referring-physicians-send-electronic-handoff-note-pertinent-patient-information-emergency.

IMPROVING QUALITY OF DOCTORS IN HEALTH PLAN NETWORK (Q26)

These resources concentrate on improving the physician-patient relationship, with a focus on communication. Implementing the solutions proposed here may result in improved doctor ratings.

• Improve Physician Communication – Much of patient dissatisfaction stems from a failure of effective physician communication (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3096184/). Seminars and workshops for physicians serve as a resource for physicians to learn and practice patient-centered communication techniques. For example, The California Quality Collaborative has identified nine effective strategies for improving patient experience with health care providers in their Improving the Patient Experience Change Package (see http://www.calquality.org/storage/Improving Pt Experience Spread Change Pkg UpdatedMay2011.pdf). For general recommendations related to physician communication, see https://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6gtraining.html.

- Help Patients Communicate Patients who can effectively communicate their needs tend to have higher satisfaction with their care. AHRQ recommends four interventions that prepare patients to better communicate with their providers, including record sharing, writing down talking points prior to visits, and "coached care" programs. Many of these recommendations could be adapted for parents or guardians of younger patients. See http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6i-shared-improving/communication/strategy6htools.html. For a sample communication template that providers can distribute to patients before or during visits, see http://www.rwjf.org/content/dam/farm/toolkits/toolkits/2013/rwjf404048.
- Build Physician-Patient Relationships An article published in the British Journal of General Practice found that patients seeing their preferred doctor rated their satisfaction with visits significantly higher than patients who did not have a doctor preference or those who would have preferred to see a different doctor. Prioritizing continuity of care by honoring patients' physician preferences may increase patient satisfaction
 (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1326072/). Additionally, a study of English National Health Service data found that confidence and trust in a doctor is an important predictor of overall patient satisfaction (http://www.ncbi.nlm.nih.gov/pubmed/18416910/), while a Harvard study found that a positive physician-patient relationship correlates with better healthcare outcomes (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3981763/).

IMPROVING QUALITY OF INTERACTIONS WITH CUSTOMER SERVICE (Q33)

As representatives of the plan, customer service personnel must ensure that those adults responsible for the enrollee's care have confidence and trust in customer service staff and the information they provide. The following sources make recommendations for improving customer service.

- Develop Customer Service Standards To improve customer service, AHRQ suggests first articulating which aspects of customer service are most important to your organization. After developing these standards, monitor performance and promote accountability among staff. For more information, see http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6q-custservice-standards.html.
- Iterative Improvement for Member Services This RAND paper details a case study in which a health plan used additional surveys to supplement CAHPS results and more thoroughly assess member satisfaction with customer service. Throughout the process, plan leadership continually examined and adjusted improvement goals. The intervention resulted in a reduction of wait time for customer service calls and increased member satisfaction with customer service, as measured on the CAHPS survey. See http://www.rand.org/pubs/working papers/WR517.html.
- Implement Service Recovery Procedures When customers have a complaint, service recovery programs support customer service personnel in identifying and remedying the problem. While complaints may be inevitable, their proper handling can reassure members and restore loyalty to the health plan. See http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6p-service-recovery.html.

APPENDIX

PacificSource - Central Oregon 2019 CAHPS Survey Results

CROSS-TABULATIONS OF SURVEY RESPONSES

Satisfaction With the Experience of Care

	Glo	obal Proportic	ons
	2019 State OHP	Plan	Rate
Survey Measures*	0111	2019	2018
Ratings			
Rating of Personal Doctor	89.26%	92.97%	86.36%
Rating of Specialist	84.51%	76.92%	78.57%
Rating of All Health Care	85.19%	84.00%	84.51%
Rating of Health Plan	83.43%	81.14%	82.14%
Composites			
Getting Needed Care	84.77%	86.34%	84.68%
Getting Care Quickly	88.90%	91.68%	94.40%
How Well Doctors Communicate	95.22%	96.17%	94.01%
Customer Service	87.52%	88.50%	93.73%
Shared Decision Making	79.08%	88.08%	73.33%
Additional Content Areas	•		
Health Promotion and Education	71.69%	70.40%	69.93%
Coordination of Care	83.95%	94.44%	80.39%

^{*} Results were calculated by CSS following NCQA specifications. A lighter display is used to indicate that the measure does not meet the denominator threshold (n=30).

Question 3

In the last 6 months, did your child have an illness, injury, or condition that needed care right away in a clinic, emergency room, or doctor's office?

Base: All respondents

	0			Respor Gen		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	(Child)	C	hild's Rac	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	OHP			(Q4	(Q44)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	4,099	189	233	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	 I
Number missing or multiple answer	43	2	0	0	2	0	2	0	0	0	2	0	2	1	0	1	2	0	0	1	1	,
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	4,056	187	233	21	166	51	99	37	36	44	106	69	117	138	0	36	163	22	1	58	118	 I
	99.0%	98.9%	100.0%	100.0%	98.8%	100.0%	98.0%	100.0%	100.0%	100.0%	98.1%	100.0%	98.3%	99.3%		97.3%	98.8%	100.0%	100.0%	98.3%	99.2%	100.0%
Yes	1,078	50	63	4	46	17	23	10	5	11	34	16	34	42	0	7	42	8	0	4	41	
	26.6%	26.7%	27.0%	19.0%	27.7%	33.3%	23.2%	27.0%	13.9%	25.0%	32.1%	23.2%	29.1%	30.4%		19.4%	25.8%	36.4%	0.0%	6.9%	34.7%	71.4%
No	2,978	137	170	17	120	34	76	27	31	33	72	53	83	96	0	29	121	14	1	54	77	
	73.4%	73.3%	73.0%	81.0%	72.3%	66.7%	76.8%	73.0%	86.1%	75.0%	67.9%	76.8%	70.9%	69.6%		80.6%	74.2%	63.6%	100.0%	93.1%	65.3%	28.6%
Significantly different from column:*									K		I									U	Т	

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

In the last 6 months, when your child <u>needed care right away</u>, how often did your child get care as soon as he or she needed?

Base: All respondents whose child needed care right away (Q3)

base. All respondents whose child needed care right	(L 0)			Doopor	dont'o															Childle	Doctor Vis	icito in
	0			Respor Gen		С	hild's Ag	Э	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	hild's Rac	e	Child's	s Health S	Status		st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	1,078	50	60	4	46	17	23	10	5	11	34	16	34	42	0	7	42	8	0	4	41	5
Number missing or multiple answer	22	1	0	0	1	0	1	0	0	1	0	1	0	1	0	0	0	1	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,056	49	60	4	45	17	22	10	5	10	34	15	34	41	0	7	42	7	0	4	40	5
	98.0%	98.0%	100.0%	100.0%	97.8%	100.0%	95.7%	100.0%	100.0%	90.9%	100.0%	93.8%	100.0%	97.6%		100.0%	100.0%	87.5%		100.0%	97.6%	100.0%
Never	8 0.8%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0.0%	0 0.0%
Sometimes	79	3	0.076	0.078	0.078	0.0 %	3	0.0 %	0.076	0.076	0.0 /6	0.078	0.078	0.0 %		0.076	0.076	0.076	0	0.078	3	0.0 %
	7.5%	6.1%	0.0%	0.0%	6.7%	0.0%	13.6%	0.0%	20.0%	10.0%	2.9%	20.0%	0.0%	4.9%		14.3%	4.8%	14.3%		0.0%	7.5%	0.0%
Usually	160	5	10	0	5	2	1	2	1	2	2	2	3	5	0	0	4	1	0	1	3	1
	15.2%	10.2%	16.7%	0.0%	11.1%	11.8%	4.5%	20.0%	20.0%	20.0%	5.9%	13.3%	8.8%	12.2%		0.0%	9.5%	14.3%		25.0%	7.5%	20.0%
Always	809	41	50	4	37	15	18	8	3	7	31	10	31	34	0	6	36	5	0	3	34	4
	76.6%	83.7%	83.3%	100.0%	82.2%	88.2%	81.8%	80.0%	60.0%	70.0%	91.2%	66.7%	91.2%	82.9%		85.7%	85.7%	71.4%		75.0%	85.0%	80.0%
Significantly different from column:*																						
Usually or Always	969	46	60	4	42	17	19	10	4	9	33	12	34	39	0	6	40	6	0	4	37	5
	91.8%	93.9%	100.0%	100.0%	93.3%	100.0%	86.4%	100.0%	80.0%	90.0%	97.1%	80.0%	100.0%	95.1%		85.7%	95.2%	85.7%		100.0%	92.5%	100.0%
Significantly different from column:*																						

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 5

In the last 6 months, did you make any appointments for a check-up or routine care for your child at a doctor's office or clinic?

Base: All respondents

	ОНР			Respor Gen (Q ²	der	С	hild's Age (Q39)	e	Respon	dent's Ed	ucation	Hispanic (Q4	` ′	Cl	hild's Rad (Q42)	ce	Child's	Health S	status		Doctor Vi st 6 Month (Q7)	
	2019 State Ol	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	P0009	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	4,099	189	231	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	56	4	0	1	3	0	4	0	1	1	2	0	4	2	0	2	3	1	0	2	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,043	185	231	20	165	51	97	37	35	43	106	69	115	137	0	35	162	21	1	57	118	7
	98.6%	97.9%	100.0%	95.2%	98.2%	100.0%	96.0%	100.0%	97.2%	97.7%	98.1%	100.0%	96.6%	98.6%		94.6%	98.2%	95.5%	100.0%	96.6%	99.2%	100.0%
Yes	2,674	115	135	9	106	42	53	20	18	25	71	42	72	90	0	19	99	16	0	8	98	7
	66.1%	62.2%	58.4%	45.0%	64.2%	82.4%	54.6%	54.1%	51.4%	58.1%	67.0%	60.9%	62.6%	65.7%		54.3%	61.1%	76.2%	0.0%	14.0%	83.1%	100.0%
No	1,369	70	96	11	59	9	44	17	17	18	35	27	43	47	0	16	63	5	1	49	20	С
	33.9%	37.8%	41.6%	55.0%	35.8%	17.6%	45.4%	45.9%	48.6%	41.9%	33.0%	39.1%	37.4%	34.3%		45.7%	38.9%	23.8%	100.0%	86.0%	16.9%	0.0%
Significantly different from column:*						GH	F	F												U	T	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 6

In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?

Base: All respondents who made an appointment for their child for a check-up or routine care (Q5)

				Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	С	hild's Rad	e	Child's	s Health S	Status		Doctor Vis	
	OHP			(Q4	4)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	2,674	115	125	9	106	42	53	20	18	25	71	42	72	90	0	19	99	16	0	8	98	7
Number missing or multiple answer	40	1	0	0	1	0	1	0	0	0	1	1	0	1	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,634	114	125	9	105	42	52	20	18	25	70	41	72	89	0	19	98	16	0	8	97	7
	98.5%	99.1%	100.0%	100.0%	99.1%	100.0%	98.1%	100.0%	100.0%	100.0%	98.6%	97.6%	100.0%	98.9%		100.0%	99.0%	100.0%		100.0%	99.0%	100.0%
Never	46 1.7%	3 2.6%	3 2.4%	0 0.0%	3 2.9%	0 0.0%	1 1.9%	2 10.0%	1 5.6%	0 0.0%	2 2.9%	1 2.4%	2 2.8%	3 3.4%	0	0 0.0%	3 3.1%	0 0.0%	0	0 0.0%	3 3.1%	0 0.0%
Sometimes	322 12.2%	9 7.9%	11 8.8%	0 0.0%	9 8.6%	3 7.1%	6 11.5%	0.0%	0 0.0%	7 28.0%	2 2.9%	7 17.1%	2 2.8%	7 7.9%	0	1 5.3%	7 7.1%	2 12.5%	0	0 0.0%	8 8.2%	1 14.3%
Usually	640 24.3%	31 27.2%	38 30.4%	33.3%	28 26.7%	11 26.2%	11 21.2%	9 45.0%	5	6 24.0%	20 28.6%	10	21	23	0	5 26.3%	26 26.5%	5 31.3%	0	1 12.5%	28 28.9%	28.6%
Always	1,626 61.7%	71 62.3%	73 58.4%	66.7%	65 61.9%	28 66.7%	34 65.4%	9 45.0%	12	12 48.0%	46 65.7%	23	47	56	0	13 68.4%	62 63.3%	9 56.3%	0	7 87.5%	58 59.8%	57.1%
Significantly different from column:*																						
Usually or Always	2,266	102	111	9	93	39	45	18	17	18	66	33	68	79	0	18	88	14	0	8	86	6
	86.0%	89.5%	88.8%	100.0%	88.6%	92.9%	86.5%	90.0%	94.4%	72.0%	94.3%	80.5%	94.4%	88.8%		94.7%	89.8%	87.5%		100.0%	88.7%	85.7%
Significantly different from column:*											<u> </u>								<u> </u>			

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 7

In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?

Base: All respondents

	0			Respor Gen		C	Child's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	С	hild's Rad	е	Child's	s Health S	Status		Doctor V st 6 Mont	
	OHP			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample Number missing or multiple answer Number no experience	4,099 90 NA		233 0 NA	0	168 4 NA	51 1 NA	101 2 NA	37 1 NA	36 2 NA	44 0 NA	108 2 NA	1	119 3 NA	139 1 NA	0 0 NA	37 3 NA	165 4 NA	22 0 NA	1 0 NA	59 0 NA	119 0 NA	7 0 NA
Usable responses	4,009 97.8%	185 97.9%	233 100.0%	21	164 97.6%	50 98.0%	99 98.0%	36 97.3%	34 94.4%	44	106 98.1%	68	116 97.5%	138		34 91.9%	161 97.6%	22 100.0%	1 100.0%	59 100.0%	119 100.0%	I
None	1,321 33.0%	59 31.9%	85 36.5%		48 29.3%	6 12.0%	39 39.4%	14 38.9%	15 44.1%	16 36.4%	27 25.5%		35 30.2%	38 27.5%	0	14 41.2%	54 33.5%	4 18.2%	1 100.0%	59 100.0%	0 0.0%	0.0%
1 time	1,278 31.9%	68 36.8%	73 31.3%	5 23.8%	63 38.4%	26 52.0%	30 30.3%	12 33.3%	10 29.4%	18 40.9%	40 37.7%	20 29.4%	48 41.4%	53 38.4%	0	12 35.3%	60 37.3%	7 31.8%	0 0.0%	0 0.0%	68 57.1%	0.0%
2	772 19.3%	29 15.7%	42 18.0%	2 9.5%	27 16.5%	8 16.0%	15 15.2%	6 16.7%	5 14.7%	5 11.4%	19 17.9%	12 17.6%	17 14.7%	23 16.7%	0	4 11.8%	23 14.3%	6 27.3%	0 0.0%	0 0.0%	29 24.4%	0.0%
3	326 8.1%	14 7.6%	15 6.4%	0 0.0%	14 8.5%	5 10.0%	8 8.1%	1 2.8%	3 8.8%	3 6.8%	8 7.5%	7 10.3%	7 6.0%	12 8.7%	0	2 5.9%	12 7.5%	2 9.1%	0 0.0%	0 0.0%	14 11.8%	0.0%
4	162 4.0%	8 4.3%	11 4.7%	3 14.3%	5 3.0%	1 2.0%	6 6.1%	1 2.8%	1 2.9%	1 2.3%	6 5.7%	3 4.4%	5 4.3%	5 3.6%	0	2 5.9%	6 3.7%	9.1%	0.0%	0 0.0%	8 6.7%	0.0%
5 to 9	119 3.0%	6 3.2%	7 3.0%	0 0.0%	6 3.7%	4 8.0%	1 1.0%	1 2.8%	0.0%	1 2.3%	5 4.7%	3 4.4%	3 2.6%	6 4.3%	0	0 0.0%	5 3.1%	1 4.5%	0 0.0%	0 0.0%	0 0.0%	85.7%
10 or more times	31 0.8%	1 0.5%	0.0%	0 0.0%	1 0.6%	0 0.0%	0 0.0%	1 2.8%	0 0.0%	0 0.0%	1 0.9%	0 0.0%	1 0.9%	1 0.7%	0 	0 0.0%	1 0.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 14.3%
5 or more times	150 3.7%	7 3.8%	7 3.0%	0 0.0%	7 4.3%	4 8.0%	1 1.0%	2 5.6%	0 0.0%	1 2.3%	6 5.7%	3 4.4%	4 3.4%	7 5.1%	0	0 0.0%	6 3.7%	1 4.5%	0 0.0%	0 0.0%	0 0.0%	7 100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11540

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

In the last 6 months, did you and your child's doctor or other health provider talk about specific things you could do to prevent illness in your child?

Base: All respondents whose child went to a doctor's office/clinic to get care (Q7)

	ОНР			Respor Gen	der	С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	` ,	С	hild's Rac	e	Child's	s Health S	Status		Doctor Vi	
	2019 State Oh	2019	2018	(Q ²	Female	0 to 5	6 to 13 (G33)	14 to 18	Less than HS grad	(Q45) HS grad	Some college or more	Hispanic	Not Hispanic	White	Vfrican-American (249)	Other	Excellent or Very good	(Q37) poo 9	Fair or Poor	None	4 ot (CQ1)	5 or more
	Α	В	С	D	E	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,688	126	143	10	116	44	60	22	19	28	79	45	81	100	0	20	107	18	0	0	119	7
Number missing or multiple answer	35	1	0	0	1	0	0	1	0	0	1	0	1	1	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,653	125	143	10	115	44	60	21	19	28	78	45	80	99	0	20	106	18	0	0	118	7
	98.7%	99.2%	100.0%	100.0%	99.1%	100.0%	100.0%	95.5%	100.0%	100.0%	98.7%	100.0%	98.8%	99.0%		100.0%	99.1%	100.0%			99.2%	100.0%
Yes	1,902	88	100	6	82	30	44	14	12	18	58	33	55	72	0	12	75	12	0	0	83	5
	71.7%	70.4%	69.9%	60.0%	71.3%	68.2%	73.3%	66.7%	63.2%	64.3%	74.4%	73.3%	68.8%	72.7%		60.0%	70.8%	66.7%			70.3%	71.4%
No	751	37	43	4	33	14	16	7	7	10	20	12	25	27	0	8	31	6	0	0	35	2
	28.3%	29.6%	30.1%	40.0%	28.7%	31.8%	26.7%	33.3%	36.8%	35.7%	25.6%	26.7%	31.3%	27.3%		40.0%	29.2%	33.3%			29.7%	28.6%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 9

In the last 6 months, did you and your child's doctor or other health provider talk about starting or stopping a prescription medicine for your child?

Base: All respondents whose child went to a doctor's office/clinic to get care (Q7)

	Ь			Respor Gen	der	C	child's Ag	9	Respon		ucation	Hispanic	` ,	C	hild's Rad	ce	Child's	s Health S	Status		Doctor Vi st 6 Month	
	HO			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	1	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	2,688	126	142	10	116	44	60	22	19	28	79	45	81	100	0	20	107	18	0	0	119	7
Number missing or multiple answer	20	1	0	0	1	0	0	1	0	0	1	0	1	1	0	0	1	0	0	0	1	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NΑ
Usable responses	2,668	125	142	10	115	44	60	21	19	28	78	45	80	99	0	20	106	18	0	0	118	7
	99.3%	99.2%	100.0%	100.0%	99.1%	100.0%	100.0%	95.5%	100.0%	100.0%	98.7%	100.0%	98.8%	99.0%		100.0%	99.1%	100.0%			99.2%	100.0%
Yes	602	23	25	2	21	11	6	6	3	5	15	10	13	21	0	1	17	6	0	0	20	3
	22.6%	18.4%	17.6%	20.0%	18.3%	25.0%	10.0%	28.6%	15.8%	17.9%	19.2%	22.2%	16.3%	21.2%		5.0%	16.0%	33.3%			16.9%	42.9%
No	2,066	102	117	8	94	33	54	15	16	23	63	35	67	78	0	19	89	12	0	0	98	4
	77.4%	81.6%	82.4%	80.0%	81.7%	75.0%	90.0%	71.4%	84.2%	82.1%	80.8%	77.8%	83.8%	78.8%		95.0%	84.0%	66.7%			83.1%	57.1%
Significantly different from column:*						G	F															

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 10

Did you and a doctor or other health provider talk about the reasons you might want your child to take a medicine?

Base: All respondents whose child went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q9)

	<u>م</u>			Respor Gen		C	child's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	С	hild's Rad	ce	Child's	s Health S	Status		Doctor Vi st 6 Month	
	등			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	602	23	25	2	21	11	6	6	3	5	15	10	13	21	0	1	17	6	0	0	20	3
Number missing or multiple answer	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	597	23	25	2	21	11	6	6	3	5	15	10	13	21	0	1	17	6	0	0	20	3
	99.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%			100.0%	100.0%
Yes	538	23	23	2	21	11	6	6	3	5	15	10	13	21	0	1	17	6	0	0	20	3
	90.1%	100.0%	92.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%			100.0%	100.0%
No	59	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9.9%	0.0%	8.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%			0.0%	0.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Did you and a doctor or other health provider talk about the reasons you might <u>not</u> want your child to take a medicine?

Base: All respondents whose child went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q9)

	ОНР			Respor Gen (Q4	der	C	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio (Q4	` '	Cl	hild's Rad (Q42)	e	Child's	s Health S	Status		Doctor Vi st 6 Month (Q7)	
	2019 State Ol	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	poog 9	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	602	23	25	2	21	11	6	6	3	5	15	10	13	21	0	1	17	6	0	0	20	3
Number missing or multiple answer	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	596	23	25	2	21	11	6	6	3	5	15	10	13	21	0	1	17	6	0	0	20	3
	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%			100.0%	100.0%
Yes	414	20	15	2	18	8	6	6	3	4	13	8	12	19	0	0	16	4	0	0	18	2
	69.5%	87.0%	60.0%	100.0%	85.7%	72.7%	100.0%	100.0%	100.0%	80.0%	86.7%	80.0%	92.3%	90.5%		0.0%	94.1%	66.7%			90.0%	66.7%
No	182	3	10	0	3	3	0	0	0	1	2	2	1	2	0	1	1	2	0	0	2	1
	30.5%	13.0%	40.0%	0.0%	14.3%	27.3%	0.0%	0.0%	0.0%	20.0%	13.3%	20.0%	7.7%	9.5%		100.0%	5.9%	33.3%			10.0%	33.3%
Significantly different from column:*		С																				

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 12

When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child?

Base: All respondents whose child went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q9)

	<u>م</u>			Respor Gen		C	child's Ag	e	Respon	dent's Ed	ucation	Hispanio	(Child)	С	hild's Rad	ce	Child's	s Health S	Status		Doctor Vist 6 Month	
	H			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	602	23	25	2	21	11	6	6	3	5	15	10	13	21	0	1	17	6	0	0	20	3
Number missing or multiple answer	11	1	0	1	0	1	0	0	0	0	1	1	0	1	0	0	1	0	0	0	1	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	591	22	25	1	21	10	6	6	3	5	14	9	13	20	0	1	16	6	0	0	19	3
	98.2%	95.7%	100.0%	50.0%	100.0%	90.9%	100.0%	100.0%	100.0%	100.0%	93.3%	90.0%	100.0%	95.2%		100.0%	94.1%	100.0%			95.0%	100.0%
Yes	459	17	17	1	16	7	4	6	3	2	12	6	11	16	0	0	13	4	0	0	14	3
	77.7%	77.3%	68.0%	100.0%	76.2%	70.0%	66.7%	100.0%	100.0%	40.0%	85.7%	66.7%	84.6%	80.0%		0.0%	81.3%	66.7%			73.7%	100.0%
No	132	5	8	0	5	3	2	0	0	3	2	3	2	4	0	1	3	2	0	0	5	C
	22.3%	22.7%	32.0%	0.0%	23.8%	30.0%	33.3%	0.0%	0.0%	60.0%	14.3%	33.3%	15.4%	20.0%		100.0%	18.8%	33.3%			26.3%	0.0%
Significantly different from column:*								·			·											

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

Base: All respondents whose child went to a doctor's office/clinic to get care (Q7)

				Respon Gen		С	hild's Ag	Э	Respon	dent's Ed	ucation	Hispanic	(Child)	Cł	nild's Rad	се	Child's	s Health S	Status		Doctor Vi st 6 Month	
	OHP			(Q4	14)		(Q39)			(Q45)		(Q4	l 1)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample Number missing or multiple answer Number no experience	2,688 28 NA	126 1 NA	142 0 NA	10 0 NA	116 1 NA	44 0 NA	60 0 NA	22 1 NA	19 0 NA	28 0 NA	79 1 NA	45 0 NA	81 1 NA	100 1 NA	0 0 NA	20 0 NA	1	18 0 NA	0 0 NA	0 0 NA	119 1 NA	7 0 NA
Usable responses	2,660 99.0%	125 99.2%	142 100.0%	10	115 99.1%	44 100.0%	60 100.0%	21 95.5%	19 100.0%	28 100.0%	78 98.7%	45 100.0%	80 98.8%	99 99.0%	0	20 100.0%	106	I I	0	0	118 99.2%	7 100.0%
0 Worst health care possible	1 0.0%	0 0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0	0.0%	0.0%	0	0	0	0 0.0%	0.0%
1	2 0.1%	0 0.0%	0.0%	0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0.0%	0 0.0%	0.0%	0	0 0.0%	0 0.0%	0 0.0%	0	0	0 0.0%	0.0%
2	10 0.4%	1 0.8%	0 0.0%	0 0.0%	1 0.9%	0 0.0%	0 0.0%	1 4.8%	0 0.0%	0 0.0%	1 1.3%	0.0%	1 1.3%	1 1.0%	0	0 0.0%	1 0.9%	0 0.0%	0	0	1 0.8%	0.0%
3	13 0.5%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0	0	0 0.0%	0.0%
4	20 0.8%	3 2.4%	1 0.7%	0 0.0%	3 2.6%	1 2.3%	2 3.3%	0 0.0%	1 5.3%	1 3.6%	1 1.3%	1 2.2%	2 2.5%	3 3.0%	0	0 0.0%	2 1.9%	1 5.6%	0	0	3 2.5%	0.0%
5	62 2.3%	2 1.6%	3 2.1%	0 0.0%	2 1.7%	1 2.3%	0 0.0%	1 4.8%	1 5.3%	0 0.0%	1 1.3%	2 4.4%	0 0.0%	1 1.0%	0	1 5.0%	1 0.9%	1 5.6%	0	0	2 1.7%	0.0%
6	66 2.5%	2 1.6%	5 3.5%	0	2 1.7%	0 0.0%	2 3.3%	0 0.0%	0.0%	0.0%	2 2.6%	1 2.2%	1 1.3%	2 2.0%	0	0.0%	1 0.9%	1 5.6%	0	0	2 1.7%	0.0%
7	220 8.3%	12 9.6%	13 9.2%	0	12 10.4%	5 11.4%	4 6.7%	3 14.3%	1 5.3%	5 17.9%	6 7.7%	4 8.9%	8 10.0%	10 10.1%	0	2 10.0%	10 9.4%	2	0	0	12 10.2%	0.0%
8	537 20.2%	26 20.8%	35 24.6%	2	24 20.9%	12 27.3%	10 16.7%	4 19.0%	4 21.1%	12 42.9%	10 12.8%	11	15 18.8%	22 22.2%	0	2 10.0%	20 18.9%	5	0	0	24 20.3%	28.6%
9	542 20.4%	24 19.2%	31 21.8%	3	21 18.3%	6 13.6%	11 18.3%	7 33.3%	4 21.1%	3 10.7%	17 21.8%	7 15.6%	17 21.3%	17 17.2%	0	20.0%	22 20.8%		0	0	22 18.6%	28.6%
10 Best health care possible	1,187 44.6%	55 44.0%	54 38.0%	5	50 43.5%	19	31 51.7%	5	8 42.1%	7	40 51.3%	19	36 45.0%	43 43.4%	0	11 55.0%	49	6	0	0	52 44.1%	42.9%

NA - Not Applicable

Question 13

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

Base: All respondents whose child went to a doctor's office/clinic to get care (Q7)

				_																		
				Respon Gen		C	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	С	hild's Rad	ce	Child's	s Health S	Status		Doctor Vis	
	OHP			(Q4	4)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,688	126	142	10	116	44	60	22	19	28	79	45	81	100	0	20	107	18	0	0	119	7
Number missing or multiple answer	28	1	0	0	1	0	0	1	0	0	1	0	1	1	0	0	1	0	0	0	1	0
Number no experience	NA 2,660	NA 125	NA 440	NA 10	NA 445	NA 44	NA	NA 21	NA 19	NA 28	NA 78	NA 45	NA 80	NA 00	NA	NA 20	NA 106		NA	NA	NA 440	NA 7
Usable responses	2,660 99.0%	99.2%	142 100.0%		115 99.1%	44 100.0%	60 100.0%	95.5%		28 100.0%	78 98.7%			99 99.0%		400.00/	99.1%				118 99.2%	7 100.0%
0 to 4	46 1.7%	4 3.2%	1 0.7%	0	4 3.5%	1 2.3%	3.3%	1 4.8%	1	1 3.6%	2.6%	1	3.8%	4	0	0.0%	3 2.8%	1	0	0	4 3.4%	0.0%
5	62 2.3%	2 1.6%	3 2.1%	0	2 1.7%	1 2.3%	0 0.0%	1 4.8%	1	0 0.0%	1 1.3%	2	0 0.0%	1	0	1 5.0%	1 0.9%	1	0	0	2 1.7%	0 0.0%
6 or 7	286 10.8%	14 11.2%	18 12.7%	0 0.0%	14 12.2%	5 11.4%	6 10.0%	3 14.3%	1 5.3%	5 17.9%	8 10.3%	5 11.1%	9 11.3%	12 12.1%	0	2 10.0%	11 10.4%		0	0	14 11.9%	0 0.0%
8 to 10	2,266 85.2%	105 84.0%	120 84.5%	10 100.0%	95 82.6%	37 84.1%	52 86.7%	16 76.2%	16 84.2%	22 78.6%	67 85.9%		68 85.0%	82 82.8%	0	17 85.0%	91 85.8%		0	0 	98 83.1%	7 100.0%
Significantly different from column:*																						
0 to 6	174 6.5%	8 6.4%	9 6.3%	0 0.0%	8 7.0%	2 4.5%	4 6.7%	2 9.5%	2 10.5%	1 3.6%	5 6.4%	4 8.9%	4 5.0%	7 7.1%	0	1 5.0%	5 4.7%	3 16.7%	0	0	8 6.8%	0 0.0%
7 to 8	757 28.5%	38 30.4%	48 33.8%	20.0%	36 31.3%	17 38.6%	14 23.3%	7 33.3%	5 26.3%	17 60.7%	16 20.5%	15 33.3%	23 28.8%	32 32.3%	0	4 20.0%	30 28.3%		0	0	36 30.5%	2 28.6%
9 to 10	1,729 65.0%	79 63.2%	85 59.9%	8 80.0%	71 61.7%	25 56.8%	42 70.0%	12 57.1%	12 63.2%	10 35.7%	57 73.1%	26 57.8%	53 66.3%	60 60.6%	0	15 75.0%	71 67.0%	Ĭ	0	0	74 62.7%	5 71.4%
Significantly different from column:*										K	J											

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 14

In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?

Base: All respondents whose child went to a doctor's office/clinic to get care (Q7)

Base. All respondents whose child went to a doctor		got our o (a	<u> </u>	Daanaa	double															Ob Talla	Da ata a V	-11-1-
	0			Respon Gen		С	child's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	С	hild's Rac	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	OHP			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,688	126	141	10	116	44	60	22	19	28	79	45	81	100	0	20	107	18	0	0	119	7
Number missing or multiple answer	31	1	0	0	1	0	0	1	0	0	1	0	1	1	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,657	125	141	10	115	44	60	21	19	28	78	45	80	99	0	20	106	18	0	0	118	7
	98.8%	99.2%	100.0%	100.0%	99.1%	100.0%	100.0%	95.5%	100.0%	100.0%	98.7%	100.0%	98.8%	99.0%		100.0%	99.1%	100.0%			99.2%	100.0%
Never	36 1.4%	0 0.0%	2 1.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0	0	0 0.0%	0 0.0%
Sometimes	247	11	13	1	10	1	6.070	4	5	1	5	8	3	8	0	3	7	4	0	0	11	0.070
	9.3%	8.8%	9.2%	10.0%	8.7%	2.3%	10.0%	19.0%	26.3%	3.6%	6.4%	17.8%	3.8%	8.1%		15.0%	6.6%	22.2%			9.3%	0.0%
Usually	744	33		1	32	10	14	9	5	9	19	10	23	26	0	4	24	8	0	0	31	2
	28.0%	26.4%	31.2%	10.0%	27.8%	22.7%	23.3%	42.9%	26.3%	32.1%	24.4%	22.2%	28.8%	26.3%		20.0%	22.6%	44.4%			26.3%	28.6%
Always	1,630	81	82	8	73	33	40	8	9	18	54	27	54	65	0	13	75	6	0	0	76	5
	61.3%	64.8%	58.2%	80.0%	63.5%	75.0%	66.7%	38.1%	47.4%	64.3%	69.2%	60.0%	67.5%	65.7%		65.0%	70.8%	33.3%			64.4%	71.4%
Significantly different from column:*						Н	Н	FG									R	Q				
Usually or Always	2,374	114	126	9	105	43	54	17	14	27	73	37	77	91	0	17	99	14	0	0	107	7
	89.3%	91.2%	89.4%	90.0%	91.3%	97.7%	90.0%	81.0%	73.7%	96.4%	93.6%	82.2%	96.3%	91.9%		85.0%	93.4%	77.8%			90.7%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11540

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 15

A personal doctor is the one your child would see if he or she needs a check-up, has a health problem, or gets sick or hurt. Does your child have a personal doctor?

Base: All respondents

	4			Respor Gen	der	С	child's Ago	е	Respon	dent's Ed	ucation	Hispanio	,	C	hild's Rac	e	Child's	s Health S	Status		Doctor Vi	
	2019 State OHP	2019	2018	Wale (Q	Female	0 to 5	6 to 13 (G39)	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic (Q)	Not Hispanic	White	African-American (25)	Other	Excellent or Very good	(Q37)	Fair or Poor	None	1 to 4 (2/D)	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	189	233	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	701	29	0	8	21	2	20	7	9	7	13	15	14	15	0	10	27	2	0	27	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,398	160	233	13	147	49	81	30	27	37	95	54	105	124	0	27	138	20	1	32	118	7
	82.9%	84.7%	100.0%	61.9%	87.5%	96.1%	80.2%	81.1%	75.0%	84.1%	88.0%	78.3%	88.2%	89.2%		73.0%	83.6%	90.9%	100.0%	54.2%	99.2%	100.0%
Yes	3,049	131	201	9	122	41	67	23	21	25	84	41	89	102	0	23	114	15	1	27	96	6
	89.7%	81.9%	86.3%	69.2%	83.0%	83.7%	82.7%	76.7%	77.8%	67.6%	88.4%	75.9%	84.8%	82.3%		85.2%	82.6%	75.0%	100.0%	84.4%	81.4%	85.7%
No	349	29	32	4	25	8	14	7	6	12	11	13	16	22	0	4	24	5	0	5	22	1
	10.3%	18.1%	13.7%	30.8%	17.0%	16.3%	17.3%	23.3%	22.2%	32.4%	11.6%	24.1%	15.2%	17.7%		14.8%	17.4%	25.0%	0.0%	15.6%	18.6%	14.3%
Significantly different from column:*		Α								K	J											

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11540

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

In the last 6 months, how many times did your child visit his or her personal doctor for care?

Base: All respondents whose child has a personal doctor (Q15)

	<u>م</u>			Respor Gen		C	child's Ag	е	Respon	ident's Ed	ucation		c (Child)	С	hild's Rad	ce	Child's	s Health S	Status		Doctor V st 6 Montl	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample Number missing or multiple answer Number no experience	3,049 56 NA	131 1 NA	198 0 NA	0	122 1 NA	41 0 NA	67 1 NA	23 0 NA	21 0 NA	25 0 NA	84 1 NA	41 0 NA	89 1 NA	102 1 NA	0 0 NA	23 0 NA	114 1 NA	15 0 NA	1 0 NA	27 1 NA	96 0 NA	6 0 NA
Usable responses	2,993 98.2%	130 99.2%	198 100.0%	9	121 99.2%	41 100.0%	66 98.5%	23 100.0%	21 100.0%		83 98.8%	41 100.0%	88 98.9%	101 99.0%	0	23 100.0%	113 99.1%	15 100.0%	1 100.0%	26 96.3%	96 100.0%	6 100.0%
None	671 22.4%	32 24.6%	71 35.9%	3 33.3%	29 24.0%	4 9.8%	20 30.3%	8 34.8%	6 28.6%	8 32.0%	18 21.7%	10 24.4%	22 25.0%	25 24.8%	0	6 26.1%	29 25.7%	2 13.3%	0 0.0%	21 80.8%	10 10.4%	0.0%
1 time	1,293 43.2%	62 47.7%	75 37.9%	1 11.1%	61 50.4%	25 61.0%	28 42.4%	9 39.1%	7 33.3%	13 52.0%	41 49.4%	18 43.9%	43 48.9%	48 47.5%	0	10 43.5%	55 48.7%	6 40.0%	1 100.0%	4 15.4%	56 58.3%	1 16.7%
2	589 19.7%	22 16.9%	34 17.2%	4 44.4%	18 14.9%	8 19.5%	11 16.7%	3 13.0%	6 28.6%	4 16.0%	12 14.5%	8 19.5%	14 15.9%	17 16.8%	0	5 21.7%	16 14.2%	6 40.0%	0 0.0%	0 0.0%	21 21.9%	1 16.7%
3	249 8.3%	5 3.8%	11 5.6%	0 0.0%	5 4.1%	1 2.4%	3 4.5%	1 4.3%	1 4.8%	0 0.0%	4 4.8%	4.9%	3 3.4%	3 3.0%	0 	1 4.3%	5 4.4%	0 0.0%	0 0.0%	1 3.8%	3 3.1%	1 16.7%
4	103 3.4%	5 3.8%	4 2.0%	1 11.1%	4 3.3%	1 2.4%	3 4.5%	1 4.3%	1 4.8%	0 0.0%	4 4.8%	4.9%	3 3.4%	4 4.0%	0	1 4.3%	4 3.5%	1 6.7%	0 0.0%	0 0.0%	5 5.2%	0.0%
5 to 9	80 2.7%	3 2.3%	3 1.5%	0 0.0%	3 2.5%	2 4.9%	0 0.0%	1 4.3%	0 0.0%	0 0.0%	3 3.6%	1 2.4%	2 2.3%	3 3.0%	0	0 0.0%	3 2.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 50.0%
10 or more times	8 0.3%	1 0.8%	0 0.0%	0 0.0%	1 0.8%	0 0.0%	1 1.5%	0 0.0%	0 0.0%	0 0.0%	1 1.2%	0.0%	1 1.1%	1 1.0%	0	0 0.0%	1 0.9%	0 0.0%	0 0.0%	0 0.0%	1 1.0%	0 0.0%
2 or more times	1,029 34.4%	36 27.7%	52 26.3%	5 55.6%	31 25.6%	12 29.3%	18 27.3%	6 26.1%	8 38.1%	4 16.0%	24 28.9%	13 31.7%	23 26.1%	28 27.7%	0	7 30.4%	29 25.7%	7 46.7%	0 0.0%	1 3.8%	30 31.3%	5 83.3%
Significantly different from column:*																				U	Т	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

In the last 6 months, how often did you have a hard time speaking with or understanding your child's personal doctor because you spoke different languages?

	0			Respondent's Gender (Q44)			child's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	CI	nild's Rad	ce	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	1 1)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,322	98	126	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	f
Number missing or multiple answer	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	2,305	98	126	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	f
	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	2,055	93		6	87	37	42	14	14	15	63	27	65	74	0	16	81		1	4	82	(
	89.2%	94.9%	86.5%	100.0%	94.6%	100.0%	91.3%	93.3%	93.3%	88.2%	96.9%	87.1%	98.5%	97.4%		94.1%	96.4%	84.6%	100.0%	80.0%	95.3%	100.0%
Sometimes	153	4	14	0	4	0	4	0	1	2	1	4	0	1	0	1	2	2	0	1	3	
	6.6%	4.1%	11.1%	0.0%	4.3%	0.0%	8.7%	0.0%	6.7%	11.8%	1.5%	12.9%	0.0%	1.3%		5.9%	2.4%	15.4%	0.0%	20.0%	3.5%	0.0%
Usually	40 1.7%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0 0.0%	0.0%	0	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Always	1.7 70	0.076	0.078	0.078	0.076	0.0 /8	0.076	0.076	0.0 %	0.0 /8	0.076	0.078	0.0 /6	0.076	0	0.0 %	0.076	0.078	0.076	0.0 %	0.0 /6	0.07
, illustration	2.5%	1.0%	2.4%	0.0%	1.1%	0.0%	0.0%	6.7%	0.0%	0.0%	1.5%	0.0%	1.5%	1.3%		0.0%	1.2%	0.0%	0.0%	0.0%	1.2%	0.0%
Significantly different from column:*																						
Never or Sometimes	2,208	97	123	6	91	37	46	14	15	17	64	31	65	75	0	17	83	13	1	5	85	f
	95.8%	99.0%	97.6%	100.0%	98.9%	100.0%	100.0%	93.3%	100.0%	100.0%	98.5%	100.0%	98.5%	98.7%		100.0%	98.8%	100.0%	100.0%	100.0%	98.8%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?

	0	·		Respor		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	c (Child)	Cl	hild's Rac	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,322	98	127	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	6
Number missing or multiple answer	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,314	98	127	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	6
	99.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	28 1.2%	1 1.0%	1 0.8%	0 0.0%	1 1.1%	0 0.0%	0 0.0%	1 6.7%	0 0.0%	0 0.0%	1 1.5%	0 0.0%	1 1.5%	1 1.3%	0	0 0.0%	1 1.2%	0 0.0%	0 0.0%	0 0.0%	1 1.2%	0 0.0%
Sometimes	67	3	6	0.070	3	1	2	070	1	1	1	3	0	1	0	1	2	1	0.070	1	2	0
	2.9%	3.1%	4.7%	0.0%	3.3%	2.7%	4.3%	0.0%	6.7%	5.9%	1.5%	9.7%	0.0%	1.3%		5.9%	2.4%	7.7%	0.0%	20.0%	2.3%	0.0%
Usually	292	8	19	0	8	2	3	3	2	2	4	3	5	6	0	0	6	2	0	2	6	0
	12.6%	8.2%	15.0%	0.0%	8.7%	5.4%	6.5%	20.0%	13.3%	11.8%	6.2%	9.7%	7.6%	7.9%		0.0%	7.1%	15.4%	0.0%	40.0%	7.0%	0.0%
Always	1,927	86		6	80	34	41	11	12	14	59	25	60	68	0	16	75	10	1	2	77	6
	83.3%	87.8%	79.5%	100.0%	87.0%	91.9%	89.1%	73.3%	80.0%	82.4%	90.8%	80.6%	90.9%	89.5%		94.1%	89.3%	76.9%	100.0%	40.0%	89.5%	100.0%
Significantly different from column:*																						
Usually or Always	2,219	94	120	6	88	36	44	14	14	16	63	28	65	74	0	16	81	12	1	4	83	6
	95.9%	95.9%	94.5%	100.0%	95.7%	97.3%	95.7%	93.3%	93.3%	94.1%	96.9%	90.3%	98.5%	97.4%		94.1%	96.4%	92.3%	100.0%	80.0%	96.5%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

In the last 6 months, how often did your child's personal doctor listen carefully to you?

	0	·		Respor Gen		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	c (Child)	Cl	hild's Rad	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	4)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	2,322	98	124	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	6
Number missing or multiple answer	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,312	98	124	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	6
	99.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	9 0.4%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
Sometimes	83	3	5	0	3	1	1	1	0	1	2	2	1	2	0	1	2	1	0	0	3	0
	3.6%	3.1%	4.0%	0.0%	3.3%	2.7%	2.2%	6.7%	0.0%	5.9%	3.1%	6.5%	1.5%	2.6%		5.9%	2.4%	7.7%	0.0%	0.0%	3.5%	0.0%
Usually	337	12	19	0	12	4	4	4	3	5	4	3	9	8	0	2	11	1	0	2	9	1
	14.6%	12.2%	15.3%	0.0%	13.0%	10.8%	8.7%	26.7%	20.0%	29.4%	6.2%	9.7%	13.6%	10.5%		11.8%	13.1%	7.7%	0.0%	40.0%	10.5%	16.7%
Always	1,883	83	100	6	77	32	41	10	12	11	59	26	56	66	0	14	71	11	1	3	74	5
	81.4%	84.7%	80.6%	100.0%	83.7%	86.5%	89.1%	66.7%	80.0%	64.7%	90.8%	83.9%	84.8%	86.8%		82.4%	84.5%	84.6%	100.0%	60.0%	86.0%	83.3%
Significantly different from column:*																						
Usually or Always	2,220	95			89	36	45	14	15	16	63	29	65	74	0	16	82	12	1	5	83	6
	96.0%	96.9%	96.0%	100.0%	96.7%	97.3%	97.8%	93.3%	100.0%	94.1%	96.9%	93.5%	98.5%	97.4%		94.1%	97.6%	92.3%	100.0%	100.0%	96.5%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

In the last 6 months, how often did your child's personal doctor show respect for what you had to say?

	0			Respor Gen		С	hild's Ag	Э	Respon	dent's Ed	ucation	Hispanio	(Child)	CI	nild's Rac	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	OHP			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	2,322	98	124	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	6
Number missing or multiple answer	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,311	98	124	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	6
	99.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	9 0.4%	0 0.0%	1 0.8%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
Sometimes	48	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Usually	2.1% 287	0.0%	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Ostally	287 12.4%	9.2%	12.1%	16.7%	8.7%	10.8%	6.5%	2 13.3%	13.3%	23.5%	3 4.6%	9.7%	9.1%	7.9%		∠ 11.8%	9.5%	7.7%	0.0%	20.0%	9.3%	0.0%
Always	1,967	89	105	5	84	33	43	13	13	13	62	28	60	70	0	15	76	12	1	4	78	6
	85.1%	90.8%	84.7%	83.3%	91.3%	89.2%	93.5%	86.7%	86.7%	76.5%	95.4%	90.3%	90.9%	92.1%		88.2%	90.5%	92.3%	100.0%	80.0%	90.7%	100.0%
Significantly different from column:*																						
Usually or Always	2,254	98	120	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	6
	97.5%	100.0%	96.8%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 20

Is your child able to talk with doctors about his or her health care?

	0			Respor Gen		С	hild's Ag	е	Respon	ident's Ed	ucation	Hispanio	(Child)	C	hild's Rac	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,322	98	125	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	1
Number missing or multiple answer	21	1	0	0	1	0	1	0	0	0	1	0	1	1	0	0	1	0	0	0	1	ı
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	2,301	97	125	6	91	37	45	15	15	17	64	31	65	75	0	17	83	13	1	5	85	1
	99.1%	99.0%	100.0%	100.0%	98.9%	100.0%	97.8%	100.0%	100.0%	100.0%	98.5%	100.0%	98.5%	98.7%		100.0%	98.8%	100.0%	100.0%	100.0%	98.8%	100.0%
Yes	1,601	72	85	5	67	15	43	14	14	11	46	26	45	55	0	13	59	12	1	5	62	
	69.6%	74.2%	68.0%	83.3%	73.6%	40.5%	95.6%	93.3%	93.3%	64.7%	71.9%	83.9%	69.2%	73.3%		76.5%	71.1%	92.3%	100.0%	100.0%	72.9%	66.7%
No	700	25	40	1	24	22	2	1	1	6	18	5	20	20	0	4	24	1	0	0	23	
	30.4%	25.8%	32.0%	16.7%	26.4%	59.5%	4.4%	6.7%	6.7%	35.3%	28.1%	16.1%	30.8%	26.7%		23.5%	28.9%	7.7%	0.0%	0.0%	27.1%	33.3%
Significantly different from column:*						GH	F	F														

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for your child to understand?

Base: All respondents whose child has a personal doctor, visited his/her personal doctor, and is able to talk with his/her doctors (Q15, Q16, & Q20)

	<u>d</u>			Respor	der	С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	, ,	CI	nild's Rad	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	1,601	72	82	5	67	15	43	14	14	11	46	26	45	55	0	13	59	12	1	5	62	4
Number missing or multiple answer	11	1	0	0	1	0	0	1	0	0	1	0	1	1	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,590	71	82	5	66	15	43	13	14	11	45	26	44	54	0	13	58	12	1	5	61	4
	99.3%	98.6%	100.0%	100.0%	98.5%	100.0%	100.0%	92.9%	100.0%	100.0%	97.8%	100.0%	97.8%	98.2%		100.0%	98.3%	100.0%	100.0%	100.0%	98.4%	100.0%
Never	9 0.6%	0 0.0%	1 1.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
Sometimes	82	2	7	0	2	0	2	0	1	0	1	2	0	1	0	0	1	1	0	1	1	0
	5.2%	2.8%	8.5%	0.0%	3.0%	0.0%	4.7%	0.0%	7.1%	0.0%	2.2%	7.7%	0.0%	1.9%		0.0%	1.7%	8.3%	0.0%	20.0%	1.6%	0.0%
Usually	339	13	22	0	13	3	6	4	2	1	10	2	11	12	0	1	9	4	0	0	10	2
	21.3%	18.3%	26.8%	0.0%	19.7%	20.0%	14.0%	30.8%	14.3%	9.1%	22.2%	7.7%	25.0%	22.2%		7.7%	15.5%	33.3%	0.0%	0.0%	16.4%	50.0%
Always	1,160	56	52	5	51	12	35	9	11	10	34	22	33	41	0	12	48	7	1	4	50	2
	73.0%	78.9%	63.4%	100.0%	77.3%	80.0%	81.4%	69.2%	78.6%	90.9%	75.6%	84.6%	75.0%	75.9%		92.3%	82.8%	58.3%	100.0%	80.0%	82.0%	50.0%
Significantly different from column:*		С																				
Usually or Always	1,499	69	74	5	64	15	41	13	13	11	44	24	44	53	0	13	57	11	1	4	60	4
	94.3%	97.2%	90.2%	100.0%	97.0%	100.0%	95.3%	100.0%	92.9%	100.0%	97.8%	92.3%	100.0%	98.1%		100.0%	98.3%	91.7%	100.0%	80.0%	98.4%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

In the last 6 months, how often did your child's personal doctor spend enough time with your child?

	0			Respor Gen		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	c (Child)	Cl	hild's Rad	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	2,322	98	125	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	6
Number missing or multiple answer	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,297	98	125	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	6
	98.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	36 1.6%	1 1.0%	5 4.0%	0 0.0%	1 1.1%	0 0.0%	1 2.2%	0 0.0%	0 0.0%	1 5.9%	0 0.0%	1 3.2%	0 0.0%	1 1.3%	0	0 0.0%	1 1.2%	0 0.0%	0 0.0%	0 0.0%	1 1.2%	0 0.0%
Sometimes	161	7	9	0	7	2	4	1	3	3	1	5.276	2	4	0	1	5	2	0.070	1	6	0
	7.0%	7.1%	7.2%	0.0%	7.6%	5.4%	8.7%	6.7%	20.0%	17.6%	1.5%	16.1%	3.0%	5.3%		5.9%	6.0%	15.4%	0.0%	20.0%	7.0%	0.0%
Usually	537	19		1	18	8	6	5	1	4	14	6	13	15	0	2	15	3	1	2	16	1
	23.4%	19.4%	21.6%	16.7%	19.6%	21.6%	13.0%	33.3%	6.7%	23.5%	21.5%	19.4%	19.7%	19.7%		11.8%	17.9%	23.1%	100.0%	40.0%	18.6%	16.7%
Always	1,563	71		5	66	27	35	9	11	9	50	19	51	56	0	14	63	8	0	2	63	5
	68.0%	72.4%	67.2%	83.3%	71.7%	73.0%	76.1%	60.0%	73.3%	52.9%	76.9%	61.3%	77.3%	73.7%		82.4%	75.0%	61.5%	0.0%	40.0%	73.3%	83.3%
Significantly different from column:*																						
Usually or Always	2,100	90	111	6	84	35	41	14	12	13	64	25	64	71	0	16	78	11	1	4	79	6
	91.4%	91.8%	88.8%	100.0%	91.3%	94.6%	89.1%	93.3%	80.0%	76.5%	98.5%	80.6%	97.0%	93.4%		94.1%	92.9%	84.6%	100.0%	80.0%	91.9%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?

	ОНР			Respor Gen	der	C	child's Age	Э	Respon	dent's Ed	ucation	Hispanio (Q4	` ′	C	hild's Rac	e	Child's	s Health S	Status		Doctor Vi	
		6	8	(\Q'	+++)		(Q39)			(Q45)		(\alpha	+1)		(Q42) ⊆			(Q31)			(Q7)	
	2019 State	2018	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	2,322	98	125	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	6
Number missing or multiple answer	27	1	0	1	0	1	0	0	0	0	1	1	0	1	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,295	97	125	5	92	36	46	15	15	17	64	30	66	75	0	17	83	13	1	5	85	6
	98.8%	99.0%	100.0%	83.3%	100.0%	97.3%	100.0%	100.0%	100.0%	100.0%	98.5%	96.8%	100.0%	98.7%		100.0%	98.8%	100.0%	100.0%	100.0%	98.8%	100.0%
Yes	2,082	86	113	5	81	35	40	11	13	15	57	28	57	67	0	15	73	12	1	4	75	6
	90.7%	88.7%	90.4%	100.0%	88.0%	97.2%	87.0%	73.3%	86.7%	88.2%	89.1%	93.3%	86.4%	89.3%		88.2%	88.0%	92.3%	100.0%	80.0%	88.2%	100.0%
No	213	11	12	0	11	1	6	4	2	2	7	2	9	8	0	2	10	1	0	1	10	0
	9.3%	11.3%	9.6%	0.0%	12.0%	2.8%	13.0%	26.7%	13.3%	11.8%	10.9%	6.7%	13.6%	10.7%		11.8%	12.0%	7.7%	0.0%	20.0%	11.8%	0.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor?

	ОНР			Respor Gen (Q4	der	С	hild's Age (Q39)	Э	Respon	dent's Ed	ucation	Hispanio (Q4	` ′	Cl	hild's Rad (Q42)	e	Child's	s Health S	Status		Doctor Vi st 6 Month (Q7)	
	2019 State Ol	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	2,322	98	125	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	6
Number missing or multiple answer	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,297	98	125	6	92	37	46	15	15	17	65	31	66	76	0	17	84	13	1	5	86	6
	98.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	948	38	54	4	34	14	19	5	6	6	26	16	22	32	0	5	30	8	0	0	33	5
	41.3%	38.8%	43.2%	66.7%	37.0%	37.8%	41.3%	33.3%	40.0%	35.3%	40.0%	51.6%	33.3%	42.1%		29.4%	35.7%	61.5%	0.0%	0.0%	38.4%	83.3%
No	1,349	60	71	2	58	23	27	10	9	11	39	15	44	44	0	12	54	5	1	5	53	1
	58.7%	61.2%	56.8%	33.3%	63.0%	62.2%	58.7%	66.7%	60.0%	64.7%	60.0%	48.4%	66.7%	57.9%		70.6%	64.3%	38.5%	100.0%	100.0%	61.6%	16.7%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 25

In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

Base: All respondents whose child has a personal doctor, visited his/her personal doctor, and got care from a doctor besides his/her personal doctor (Q15, Q16, & Q24)

	0			Respor Gen		С	hild's Ag	Э	Respon	dent's Ed	ucation	Hispanio	(Child)	CI	nild's Rad	е	Child's	s Health S	Status		Doctor Vist 6 Month	
	OHP			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	948	38	51	4	34	14	19	5	6	6	26	16	22	32	0	5	30	8	0	0	33	5
Number missing or multiple answer	32	2	0	0	2	0	2	0	0	1	1	1	1	2	0	0	1	1	0	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	916	36	51	4	32	14	17	5	6	5	25	15	21	30	0	5	29	7	0	0	31	5
	96.6%	94.7%	100.0%	100.0%	94.1%	100.0%	89.5%	100.0%	100.0%	83.3%	96.2%	93.8%	95.5%	93.8%		100.0%	96.7%	87.5%			93.9%	100.0%
Never	46 5.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0	0	0 0.0%	0 0.0%
Sometimes	101	2	10	0	2	0	1	1	0	1	1	1	1	2	0	0	2	0	0	0	1	1
	11.0%	5.6%	19.6%	0.0%	6.3%	0.0%	5.9%	20.0%	0.0%	20.0%	4.0%	6.7%	4.8%	6.7%		0.0%	6.9%	0.0%			3.2%	20.0%
Usually	238	8	19	0	8	4	4	0	0	2	6	3	5	6	0	1	5	3	0	0	8	0
	26.0%	22.2%	37.3%	0.0%	25.0%	28.6%	23.5%	0.0%	0.0%	40.0%	24.0%	20.0%	23.8%	20.0%		20.0%	17.2%	42.9%			25.8%	0.0%
Always	531	26	22	4	22	10	12	4	6	2	18	11	15	22	0	4	22	4	0	0	22	4
	58.0%	72.2%	43.1%	100.0%	68.8%	71.4%	70.6%	80.0%	100.0%	40.0%	72.0%	73.3%	71.4%	73.3%		80.0%	75.9%	57.1%			71.0%	80.0%
Significantly different from column:*		С																				
Usually or Always	769	34	41	4	30	14	16	4	6	4	24	14	20	28	0	5	27	7	0	0	30	4
	84.0%	94.4%	80.4%	100.0%	93.8%	100.0%	94.1%	80.0%	100.0%	80.0%	96.0%	93.3%	95.2%	93.3%		100.0%	93.1%	100.0%			96.8%	80.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

Base: All respondents whose child has a personal doctor (Q15)

				Respor Gen		C	child's Age	е	Respon	dent's Ed	ucation	Hispanic	(Child)	C	hild's Rad	се	Child's	s Health S	Status		Doctor Vis	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	·1)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	3,049	131	198	9	122	41	67	23	21	25	84	41	89	102	0	23	114	15	1	27	96	6
Number missing or multiple answer	87	3	0	0	3	0	2	1	0	0	3	0	3	2	0	0	3	0	0	1	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,962	128	198	9	119	41	65	22	21	25	81	41	86	100	0	23	111	15	1	26	94	6
	97.1%	97.7%	100.0%	100.0%	97.5%	100.0%	97.0%	95.7%	100.0%	100.0%	96.4%	100.0%	96.6%	98.0%		100.0%	97.4%	100.0%	100.0%	96.3%	97.9%	100.0%
Worst personal doctor possible	5 0.2%	0 0.0%	0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0.0%	0	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0.0%	0 0.0%
1	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2	4 0.1%	0 0.0%	1 0.5%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%
3	6	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.2%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
4	18 0.6%	0 0.0%	1 0.5%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%
5	62	3	4	0	3	0	3	0	1	2	0	1	2	3	0	0	2	1	0	2	1	0
	2.1%	2.3%	2.0%	0.0%	2.5%	0.0%	4.6%	0.0%	4.8%	8.0%	0.0%	2.4%	2.3%	3.0%		0.0%	1.8%	6.7%	0.0%	7.7%	1.1%	0.0%
6	57 1.9%	2 1.6%	4 2.0%	0 0.0%	2 1.7%	0 0.0%	2 3.1%	0 0.0%	1 4.8%	0 0.0%	1 1.2%	2 4.9%	0 0.0%	2 2.0%	0	0 0.0%	0 0.0%	1 6.7%	0 0.0%	0 0.0%	2 2.1%	0.0%
7	161	4	16	0	4	1	0	3	1	1	2	1	3	3	0	1	3	1	0	1	3	0
	5.4%	3.1%	8.1%	0.0%	3.4%	2.4%	0.0%	13.6%	4.8%	4.0%	2.5%	2.4%	3.5%	3.0%		4.3%	2.7%	6.7%	0.0%	3.8%	3.2%	0.0%
8	438	17	39	2	15	8	6	3	2	8	7	4	13	14	0	2	15	1	1	5	12	0
	14.8%	13.3%	19.7%	22.2%	12.6%	19.5%	9.2%	13.6%	9.5%	32.0%	8.6%	9.8%	15.1%	14.0%		8.7%	13.5%	6.7%	100.0%	19.2%	12.8%	0.0%
9	592 20.0%	24 18.8%	34 17.2%	1 11.1%	23 19.3%	8 19.5%	12 18.5%	4 18.2%	9.5%	2 8.0%	20 24.7%	9.8%	20 23.3%	21 21.0%	0	2 8.7%	21 18.9%	20.0%	0 0.0%	4 15.4%	19 20.2%	1 16.7%
10 Best personal doctor possible	1,614	78	98	6	72	24	42	12	14	12	51	29	48	57	0	18	70	8	0	14	57	5
	54.5%	60.9%	49.5%	66.7%	60.5%	58.5%	64.6%	54.5%	66.7%	48.0%	63.0%	70.7%	55.8%	57.0%		78.3%	63.1%	53.3%	0.0%	53.8%	60.6%	83.3%

NA - Not Applicable

Question 26

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

Base: All respondents whose child has a personal doctor (Q15)

base. All respondents whose child has a personal	400101 (410)																					
				Respor Gen		C	child's Ag	е	Respon	ident's Ed	ucation	Hispanio	(Child)	С	hild's Rad	ce	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample Number missing or multiple answer	3,049 87	131 3	198 0	9	122 3	41 0	67 2	23 1	21 0	25 0	84 3	41 0	89	102 2	0	23 0	114 3	15 0	1 0	27 1	96 2	6 0
Number no experience	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				NA	NA	NA	NA
Usable responses	2,962 97.1%	128 97.7%	198 100.0%		119 97.5%	41 100.0%	65 97.0%	22 95.7%	21 100.0%	25 100.0%	81 96.4%		86 96.6%	100 98.0%	0	23 100.0%	111 97.4%		1 100.0%	26 96.3%	94 97.9%	6 100.0%
0 to 4	38 1.3%	0 0.0%	3 1.5%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
5	62 2.1%	3 2.3%	4 2.0%	0 0.0%	3 2.5%	0 0.0%	3 4.6%	0.0%	1 4.8%	2 8.0%	0 0.0%	1 2.4%	2 2.3%	3 3.0%	0	0.0%	2 1.8%	1 6.7%	0 0.0%	2 7.7%	1 1.1%	0 0.0%
6 or 7	218 7.4%	6 4.7%	20 10.1%		6 5.0%	1 2.4%	2 3.1%	3 13.6%	2 9.5%	1 4.0%	3 3.7%	3 7.3%	3 3.5%	5 5.0%	0	1 4.3%	3 2.7%	2 13.3%	0 0.0%	1 3.8%	5 5.3%	0 0.0%
8 to 10	2,644 89.3%	119 93.0%	171 86.4%	· ·	110 92.4%	40 97.6%	60 92.3%	19 86.4%	18 85.7%	22 88.0%	78 96.3%	37 90.2%	81 94.2%	92 92.0%	0	22 95.7%	106 95.5%		1 100.0%	23 88.5%	88 93.6%	6 100.0%
Significantly different from column:*																						
0 to 6	157 5.3%	5 3.9%	11 5.6%	· ·	5 4.2%	0 0.0%	5 7.7%	0 0.0%	2 9.5%	2 8.0%	1 1.2%	3 7.3%	2 2.3%	5 5.0%	0	0 0.0%	2 1.8%	2 13.3%	0 0.0%	2 7.7%	3 3.2%	0 0.0%
7 to 8	599 20.2%	21 16.4%	55 27.8%		19 16.0%	9 22.0%	6 9.2%	6 27.3%	3 14.3%	9 36.0%	9 11.1%	5 12.2%	16 18.6%	17 17.0%	0	3 13.0%	18 16.2%	_	1 100.0%	6 23.1%	15 16.0%	0 0.0%
9 to 10	2,206 74.5%	102 79.7%	132 66.7%		95 79.8%	32 78.0%	54 83.1%	16 72.7%	16 76.2%	14 56.0%	71 87.7%			78 78.0%	0	20 87.0%	91 82.0%	1	0 0.0%	18 69.2%	76 80.9%	6 100.0%
Significantly different from column:*		С																				

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 27

In the last 6 months, did you make any appointments for your child to see a specialist?

	HP			Respor Gen	der	C	child's Ag	е	Respon		ucation	Hispanio	` ,	C	hild's Rad	се	Child's	s Health S	Status		Doctor Vi st 6 Month	
	픙			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	4,099	189	231	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,076	189	231	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
	99.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	557	27	30	3	24	8	13	6	5	5	17	11	16	23	0	4	22	5	0	3	21	2
	13.7%	14.3%	13.0%	14.3%	14.3%	15.7%	12.9%	16.2%	13.9%	11.4%	15.7%	15.9%	13.4%	16.5%		10.8%	13.3%	22.7%	0.0%	5.1%	17.6%	28.6%
No	3,519	162	201	18	144	43	88	31	31	39	91	58	103	116	0	33	143	17	1	56	98	5
	86.3%	85.7%	87.0%	85.7%	85.7%	84.3%	87.1%	83.8%	86.1%	88.6%	84.3%	84.1%	86.6%	83.5%		89.2%	86.7%	77.3%	100.0%	94.9%	82.4%	71.4%
Significantly different from column:*																				U	Т	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?

Base: All respondents who made an appointment for their child to see a specialist (Q27)

base. All respondents who made an appointment for				Respor	ndent's	C	hild's Ag	a	Resnon	dent's Ed	ucation	Hispanio	(Child)	C	nild's Rad	, <u>a</u>	Child's	s Health S	Status	Child's	Doctor Vi	isits in
	_			Gen	der		rilia 3 7 tg		rtoopon	dont o Lo	dodilon	riiopariio	(Orma)	0.	ilia o reac		Orma	o i icaitii c	riaido	La	st 6 Month	าร
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	557	27	30	3	24	8	13	6	5	5	17	11	16	23	0	4	22	5	0	3	21	2
Number missing or multiple answer	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	550	27	30	3	24	8	13	6	5	5	17	11	16	23	0	4	22	5	0	3	21	2
	98.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%		100.0%	100.0%	100.0%
Never	31	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5.6%	0.0%	3.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%		0.0%	0.0%	0.0%
Sometimes	78	5	5	1	4	2	3	0	1	2	2	3	2	2	0	3	3	2	0	1	4	0
	14.2%	18.5%	16.7%	33.3%	16.7%	25.0%	23.1%	0.0%	20.0%	40.0%	11.8%	27.3%	12.5%	8.7%		75.0%	13.6%	40.0%		33.3%	19.0%	0.0%
Usually	131	4	12	0	4	1	1	2	0	0	4	1	3	4	0	0	3	1	0	0	4	0
	23.8%	14.8%	40.0%	0.0%	16.7%	12.5%	7.7%	33.3%	0.0%	0.0%	23.5%	9.1%	18.8%	17.4%		0.0%	13.6%	20.0%		0.0%	19.0%	0.0%
Always	310	18	12	2	16	5	9	4	4	3	11	7	11	17	0	1	16	2	0	2	13	2
Cinnificantly different from columns;*	56.4%	66.7%	40.0%	66.7%	66.7%	62.5%	69.2%	66.7%	80.0%	60.0%	64.7%	63.6%	68.8%	73.9%		25.0%	72.7%	40.0%		66.7%	61.9%	100.0%
Significantly different from column:*	,	С		_				_		_		_			_			_	_	_		
Usually or Always	441	22			20	6	10	6	4	3	15	8	14	21	0	1	19	3	0	2	17	2
Circuitionally different from columns*	80.2%	81.5%	80.0%	66.7%	83.3%	75.0%	76.9%	100.0%	80.0%	60.0%	88.2%	72.7%	87.5%	91.3%		25.0%	86.4%	60.0%		66.7%	81.0%	100.0%
Significantly different from column:*																						

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 29

How many specialists has your child seen in the last 6 months?

Base: All respondents who made an appointment for their child to see a specialist (Q27)

	0			Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	С	hild's Rad	се	Child'	s Health S	Status		Doctor V st 6 Montl	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	557	27	30	3	24	8	13	6	5	5	17	11	16	23	0	4	22	5	0	3	21	2
Number missing or multiple answer	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience Usable responses	NA 551	NA 27	NA 30	NA 2	NA 24	NA	NA 13	NA	NA	NA	NA 17	NA 11	NA 16	NA 23	NA 0	NA 4	NA 22		NA 0	NA 2	NA 21	NA
Osable responses	98.9%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	' '	100.0%	100.0%		100.0%		100.0%		100.0%	100.0%	100.0%
None	36	1	2	100.070	0	1 1 1	0	0	0	100.070	0	0	1	100.070	0	0	1	0	0	0	100.070	0
	6.5%	3.7%	6.7%	33.3%	0.0%	12.5%	0.0%	0.0%	0.0%	20.0%	0.0%	0.0%	6.3%	4.3%		0.0%	4.5%	0.0%		0.0%	4.8%	0.0%
1 specialist	398	22	17	1	21	7	9	6	3	4	15	8	14	18	0	4	19	3	0	3	16	2
	72.2%	81.5%	56.7%	33.3%	87.5%	87.5%	69.2%	100.0%	60.0%	80.0%	88.2%	72.7%	87.5%	78.3%		100.0%	86.4%	60.0%		100.0%	76.2%	100.0%
2	93	4	7	1	3	0	4	0	2	0	2	3	1	4	0	0	2	2	0	0	4	0
	16.9%	14.8%	23.3%	33.3%	12.5%	0.0%	30.8%	0.0%	40.0%	0.0%	11.8%	27.3%	6.3%	17.4%		0.0%	9.1%	40.0%		0.0%	19.0%	0.0%
3	13 2.4%	0.0%	3	0 000	0 00/	0 00/	0 000	0 00/	0 00/	0.0%	0 00/	0 00/	0 00/	0.0%	0	0 00/	0 00/	0.0%	0	0.0%	0.0%	0 000
4	2.4%	0.0%	10.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%		0.0%	0.0%	0.0%
[1.3%	0.0%	3.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%		0.0%	0.0%	0.0%
5 or more specialists	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%		0.0%	0.0%	0.0%
3 or more specialists	24	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4.4%	0.0%	13.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%		0.0%	0.0%	0.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents who made an appointment for their child to see a specialist and their child saw a specialist (Q27 & Q29)

Base: All respondents who made an appointment for	unen crina to s	see a special	ist and the	Cilliu Saw a	Specialist	(427 & 428	')															
				Respor Gen		С	child's Ag	е	Respon	dent's Ed	ucation	Hispanic	(Child)	C	hild's Rad	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	M	N	0	Р	Q	R	S	Т	U	V
Number in sample	515	26	28	2	24	7	13	6	5	4	17	11	15	22	0	4	21	5	0	3	20	2
Number missing or multiple answer	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	510	26	28	2	24	7	13	6	5	4	17	11	15	22	0	4	21	_	0	3	20	2
	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%		100.0%	100.0%	100.0%
0 Worst specialist possible	3 0.6%	0 0.0%	0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0 0.0%	0.0%	0 	0 0.0%	0.0%	0.0%	0	0 0.0%	0 0.0%	0.0%
1	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0.0%	0	0 0.0%	0 0.0%	0.0%
2	2 0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	0	0	0.0%	0.0%	0.0%
3	6 1.2%	1 3.8%	0.0%	0 0.0%	1 4.2%	0 0.0%	0.0%	1 16.7%	0.0%	0 0.0%	1 5.9%	0 0.0%	1 6.7%	1	0	0 0.0%	1 4.8%	0	0	0 0.0%	1 5.0%	0.0%
4	7 1.4%	2 7.7%	0.0%	0 0.0%	2 8.3%	1 14.3%	0.0%	1 16.7%	0 0.0%	0 0.0%	2 11.8%	1 9.1%	1 6.7%	1	0	1 25.0%	2 9.5%	0	0	0 0.0%	2 10.0%	0.0%
5	12 2.4%	1 3.8%	2 7.1%	0 0.0%	1 4.2%	0 0.0%	1 7.7%	0 0.0%	1 20.0%	0 0.0%	0 0.0%	1 9.1%	0 0.0%	0	0	1 25.0%	0 0.0%	1 20.0%	0	1 33.3%	0 0.0%	0.0%
6	15 2.9%	1 3.8%	3 10.7%	0 0.0%	1 4.2%	0 0.0%	1 7.7%	0 0.0%	0 0.0%	0 0.0%	1 5.9%	1 9.1%	0 0.0%	1 4.5%	0	0 0.0%	0 0.0%	1 20.0%	0	0 0.0%	1 5.0%	0.0%
7	34 6.7%	1 3.8%	1 3.6%	0 0.0%	1 4.2%	1 14.3%	0.0%	0.0%	1 20.0%	0 0.0%	0 0.0%	0 0.0%	1 6.7%	1 4.5%	0	0 0.0%	1 4.8%	0 0.0%	0	0 0.0%	1 5.0%	0.0%
8	87 17.1%	4 15.4%	3 10.7%	1 50.0%	3 12.5%	0.0%	4 30.8%	0.0%	1 20.0%	1 25.0%	2 11.8%	1 9.1%	3 20.0%	3	0	1 25.0%	3 14.3%	1 20.0%	0	0.0%	4 20.0%	0.0%
9	97 19.0%	3 11.5%	5 17.9%	0.0%	3 12.5%	1 14.3%	1 7.7%	1 16.7%	0.0%	0.0%	3 17.6%	9.1%	13.3%	3	0	0.0%	3 14.3%	0	0	0.0%	2 10.0%	50.0%
10 Best specialist possible	247 48.4%	13 50.0%	14 50.0%	1 50.0%	12 50.0%	4 57.1%	6 46.2%	3 50.0%	2 40.0%	3 75.0%	8 47.1%	6 54.5%	7 46.7%	12	0	1 25.0%	11 52.4%	2	0	2 66.7%	9 45.0%	50.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 30

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents who made an appointment for their child to see a specialist and their child saw a specialist (Q27 & Q29)

				Respor Gen		C	hild's Ag	Э	Respon	dent's Ed	ucation	Hispanio	(Child)	С	hild's Rac	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	l 1)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample Number missing or multiple answer Number no experience	515 5 NA	26 0 NA	28 0 NA	2 0 NA	24 0 NA	7 0 NA	13 0 NA	6 0 NA	5 0 NA	4 0 NA	17 0 NA	11 0 NA	15 0 NA	22 0 NA	0 0 NA	4 0 NA	21 0 NA	5 0 NA	0 0 NA	3 0 NA	20 0 NA	2 0 NA
Usable responses	510 99.0%	26 100.0%	28	100.0%	24	7 100.0%	13 100.0%	6 100.0%	5	4 100.0%	17 100.0%	11 100.0%	15 100.0%	22 100.0%	0	4 100.0%	21 100.0%	5 100.0%	0	3 100.0%	20 100.0%	100.0%
0 to 4	18 3.5%	3 11.5%	0 0.0%	0 0.0%	3 12.5%	1	0 0.0%	2 33.3%	0	0 0.0%	3 17.6%	1 9.1%	2 13.3%	2 9.1%	0 	1 25.0%	3 14.3%	0 0.0%	0	0 0.0%	3 15.0%	0 0.0%
5	12 2.4%	1 3.8%	2 7.1%	0 0.0%	1 4.2%	0 0.0%	1 7.7%	0 0.0%	1 20.0%	0 0.0%	0 0.0%	1 9.1%	0 0.0%	0 0.0%	0 	1 25.0%	0 0.0%	1 20.0%	0 	1 33.3%	0 0.0%	0 0.0%
6 or 7	49 9.6%	2 7.7%	4 14.3%	0 0.0%	2 8.3%	1 14.3%	1 7.7%	0 0.0%	1 20.0%	0 0.0%	1 5.9%	1 9.1%	1 6.7%	2 9.1%	0 	0 0.0%	1 4.8%	1 20.0%	0 	0 0.0%	2 10.0%	0 0.0%
8 to 10	431 84.5%	20 76.9%	22 78.6%	2 100.0%	18 75.0%	5 71.4%	11 84.6%	4 66.7%	3 60.0%	4 100.0%	13 76.5%	8 72.7%	12 80.0%	18 81.8%	0 	2 50.0%	17 81.0%	3 60.0%	0	2 66.7%	15 75.0%	2 100.0%
Significantly different from column:*																						
0 to 6	45 8.8%	5 19.2%	5 17.9%	0 0.0%	5 20.8%	1 14.3%	2 15.4%	2 33.3%	1 20.0%	0 0.0%	4 23.5%	3 27.3%	2 13.3%	3 13.6%	0 	2 50.0%	3 14.3%	2 40.0%	0 	1 33.3%	4 20.0%	0 0.0%
7 to 8	121 23.7%	5 19.2%	4 14.3%	1 50.0%	4 16.7%	1 14.3%	4 30.8%	0.0%	2 40.0%	1 25.0%	2 11.8%	1 9.1%	4 26.7%	4 18.2%	0	1 25.0%	4 19.0%	1 20.0%	0	0 0.0%	5 25.0%	0 0.0%
9 to 10	344 67.5%	16 61.5%	19 67.9%	1 50.0%	15 62.5%	5 71.4%	7 53.8%	4 66.7%	2 40.0%	3 75.0%	11 64.7%	7 63.6%	9 60.0%	15 68.2%	0	1 25.0%	14 66.7%	2 40.0%	0	2 66.7%	11 55.0%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 31

In the last 6 months, did you get information or help from customer service at your child's health plan?

	0			Respor Gen		С	hild's Ag	e	Respon	dent's Ed	ucation	Hispanic	(Child)	CI	hild's Rad	ce	Child's	s Health S	Status		Doctor Vist 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	(Q44)		6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	4,099	189	229	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	 I
Number missing or multiple answer	70	1	0	0	1	0	1	0	0	0	1	0	1	0	0	1	1	0	0	0	0	,
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	4,029	188	229	21	167	51	100	37	36	44	107	69	118	139	0	36	164	22	1	59	119	 I
	98.3%	99.5%	100.0%	100.0%	99.4%	100.0%	99.0%	100.0%	100.0%	100.0%	99.1%	100.0%	99.2%	100.0%		97.3%	99.4%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	1,105	49	57	7	42	14	25	10	8	10	31	18	31	37	0	7	40	8	0	9	39	1
	27.4%	26.1%	24.9%	33.3%	25.1%	27.5%	25.0%	27.0%	22.2%	22.7%	29.0%	26.1%	26.3%	26.6%		19.4%	24.4%	36.4%	0.0%	15.3%	32.8%	14.3%
No	2,924	139	172	14	125	37	75	27	28	34	76	51	87	102	0	29	124	14	1	50	80	
	72.6%	73.9%	75.1%	66.7%	74.9%	72.5%	75.0%	73.0%	77.8%	77.3%	71.0%	73.9%	73.7%	73.4%		80.6%	75.6%	63.6%	100.0%	84.7%	67.2%	85.7%
Significantly different from column:*																				U	Т	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed?

Base: All respondents who got information or help from child's health plan's customer service (Q31)

					pondent's Gender (Q44)		hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	(Child)	CI	nild's Rad	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	4)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	1,105	49	56	7	42	14	25	10	8	10	31	18	31	37	0	7	40	8	0	9	39	1
Number missing or multiple answer	10	1	0	0	1	0	0	1	0	0	1	0	1	1	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,095	48	56	7	41	14	25	9	8	10	30	18	30	36	0	7	39	8	0	9	38	1
	99.1%	98.0%	100.0%	100.0%	97.6%	100.0%	100.0%	90.0%	100.0%	100.0%	96.8%	100.0%	96.8%	97.3%		100.0%	97.5%	100.0%		100.0%	97.4%	100.0%
Never	27 2.5%	1 2.1%	1 1.8%	0 0.0%	1 2.4%	1 7.1%	0 0.0%	0 0.0%	0 0.0%	1 10.0%	0 0.0%	1 5.6%	0 0.0%	0 0.0%	0	0 0.0%	1 2.6%	0 0.0%	0	0 0.0%	1 2.6%	0 0.0%
Sometimes	172	8	5	1	7	0	4	4	3	3	2	4	4	5	0	1	6	2	0	3	5	0
	15.7%	16.7%	8.9%	14.3%	17.1%	0.0%	16.0%	44.4%	37.5%	30.0%	6.7%	22.2%	13.3%	13.9%		14.3%	15.4%	25.0%		33.3%	13.2%	0.0%
Usually	316	12	16	2	10	4	6	2	1	3	8	3	9	10	0	1	10	1	0	2	10	0
	28.9%	25.0%	28.6%	28.6%	24.4%	28.6%	24.0%	22.2%	12.5%	30.0%	26.7%	16.7%	30.0%	27.8%		14.3%	25.6%	12.5%		22.2%	26.3%	0.0%
Always	580	27	34	4	23	9	15	3	4	3	20	10	17	21	0	5	22	5	0	4	22	1
	53.0%	56.3%	60.7%	57.1%	56.1%	64.3%	60.0%	33.3%	50.0%	30.0%	66.7%	55.6%	56.7%	58.3%		71.4%	56.4%	62.5%		44.4%	57.9%	100.0%
Significantly different from column:*																						
Usually or Always	896	39	50	6	33	13	21	5	5	6	28	13	26	31	0	6	32	6	0	6	32	1
	81.8%	81.3%	89.3%	85.7%	80.5%	92.9%	84.0%	55.6%	62.5%	60.0%	93.3%	72.2%	86.7%	86.1%		85.7%	82.1%	75.0%		66.7%	84.2%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?

Base: All respondents who got information or help from child's health plan's customer service (Q31)

	0			-	spondent's Gender (Q44)		hild's Age	e	Respon	dent's Ed	ucation	Hispanic	(Child)	Cl	nild's Rac	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	4)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	1,105	49	55	7	42	14	25	10	8	10	31	18	31	37	0	7	40	8	0	9	39	1
Number missing or multiple answer	14	2	0	0	2	0	0	2	1	0	1	1	1	1	0	0	2	0	0	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,091	47	55	7	40	14	25	8	7	10	30	17	30	36	0	7	38	8	0	9	37	1
	98.7%	95.9%	100.0%	100.0%	95.2%	100.0%	100.0%	80.0%	87.5%	100.0%	96.8%	94.4%	96.8%	97.3%		100.0%	95.0%	100.0%		100.0%	94.9%	100.0%
Never	9 0.8%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%
Sometimes	65 6.0%	2 4.3%	1 1.8%	1 14.3%	1 2.5%	0 0.0%	1 4.0%	1 12.5%	0 0.0%	1 10.0%	1 3.3%	0 0.0%	2 6.7%	1 2.8%	0	1 14.3%	2 5.3%	0 0.0%	0	1 11.1%	1 2.7%	0 0.0%
Jsually	199 18.2%	7 14.9%	9 16.4%	0 0.0%	7 17.5%	1 7.1%	4 16.0%	2 25.0%	2 28.6%	2 20.0%	3 10.0%	3 17.6%	4 13.3%	6 16.7%	0	0 0.0%	6 15.8%	0 0.0%	0	2 22.2%	5 13.5%	0 0.0%
Always	818 75.0%	38 80.9%	45 81.8%	6 85.7%	32 80.0%	13 92.9%	20 80.0%	5 62.5%	5 71.4%	70.0%	26 86.7%	14 82.4%	24 80.0%	29 80.6%	0	6 85.7%	30 78.9%	8	0	66.7%	31 83.8%	100.0%
Significantly different from column:*				/ -								- 10				/•						
Usually or Always	1,017	45	54	6	39	14	24	7	7	9	29	17	28	35	0	6	36	8	0	8	36	1
•	93.2%	95.7%	98.2%	85.7%	97.5%	100.0%	96.0%	87.5%	100.0%	90.0%	96.7%	100.0%	93.3%	97.2%		85.7%	94.7%	100.0%		88.9%	97.3%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 34

In the last 6 months, did your child's health plan give you any forms to fill out?

	ОНР			Respor Gen	der	С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanic	` ,	C	hild's Rac	e	Child's	Health S	Status		Doctor V st 6 Montl	
	2019 State OF	2019	2018	(Q ²) Wale	Female	0 to 5	6 to 13 (G33)	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic (Q4	Not Hispanic	White	rican-American (24)	Other	Excellent or Very good	(Q37)	Fair or Poor	None	t ot t 4 (20)	5 or more
	Α	В	С	D	E	F	G	Н	ı	J	K	L	M	N	<u> </u>	P	Q	R	S	Т	U	V
Number in sample	4,099	189	227	21	168	51	101	37	36	44		69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	124	4	0	0	4	2	2	0	1	1	2	1	3	4	0	0	4	0	0	0	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,975	185	227	21	164	49	99	37	35	43	106	68	116	135	0	37	161	22	1	59	115	7
	97.0%	97.9%	100.0%	100.0%	97.6%	96.1%	98.0%	100.0%	97.2%	97.7%	98.1%	98.6%	97.5%	97.1%		100.0%	97.6%	100.0%	100.0%	100.0%	96.6%	100.0%
Yes	1,412	77	83	12	65	23	38	16	12	19	45	35	41	53	0	18	64	12	0	13	59	3
	35.5%	41.6%	36.6%	57.1%	39.6%	46.9%	38.4%	43.2%	34.3%	44.2%	42.5%	51.5%	35.3%	39.3%		48.6%	39.8%	54.5%	0.0%	22.0%	51.3%	42.9%
No	2,563	108	144	9	99	26	61	21	23	24	61	33	75	82	0	19	97	10	1	46	56	4
	64.5%	58.4%	63.4%	42.9%	60.4%	53.1%	61.6%	56.8%	65.7%	55.8%	57.5%	48.5%	64.7%	60.7%		51.4%	60.2%	45.5%	100.0%	78.0%	48.7%	57.1%
Significantly different from column:*												М	L							U	Т	<u> </u>

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 35

In the last 6 months, how often were the forms from your child's health plan easy to fill out?**

Base: All respondents who answered Q34

·				Respor Gen		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	c (Child)	Cl	nild's Rac	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	4)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	3,975	185	221	21	164	49	99	37	35	43	106	68	116	135	0	37	161	22	1	59	115	7
Number missing or multiple answer	22	2	0	0	2	1	0	1	0	1	1	1	1	2	0	0	2	0	0	0	1	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,953	183	221	21	162	48	99	36	35	42	105	67	115	133	0	37	159	22	1	59	114	6
	99.4%	98.9%	100.0%	100.0%	98.8%	98.0%	100.0%	97.3%	100.0%	97.7%	99.1%	98.5%	99.1%	98.5%		100.0%	98.8%	100.0%	100.0%	100.0%	99.1%	85.7%
Never	41 1.0%	3 1.6%	5 2.3%	0 0.0%	3 1.9%	0 0.0%	2 2.0%	1 2.8%	1 2.9%	1 2.4%	1 1.0%	1 1.5%	2 1.7%	3 2.3%	0	0 0.0%	2 1.3%	1 4.5%	0 0.0%	1 1.7%	2 1.8%	0 0.0%
Sometimes	255	12	16	2	10	3	7	2.070	2.070	4	6	5	7	11	0	0.070	8	4	0.070	2	10	0.070
	6.5%	6.6%	7.2%	9.5%	6.2%	6.3%	7.1%	5.6%	5.7%	9.5%	5.7%	7.5%	6.1%	8.3%		0.0%	5.0%	18.2%	0.0%	3.4%	8.8%	0.0%
Usually	444	22	22	3	19	6	10	6	4	4	14	11	11	15	0	5	19	2	0	4	16	1
	11.2%	12.0%	10.0%	14.3%	11.7%	12.5%	10.1%	16.7%	11.4%	9.5%	13.3%	16.4%	9.6%	11.3%		13.5%	11.9%	9.1%	0.0%	6.8%	14.0%	16.7%
Always	3,213	146	178	16	130	39	80	27	28	33	84	50	95	104	0	32	130	15	1	52	86	5
	81.3%	79.8%	80.5%	76.2%	80.2%	81.3%	80.8%	75.0%	80.0%	78.6%	80.0%	74.6%	82.6%	78.2%		86.5%	81.8%	68.2%	100.0%	88.1%	75.4%	83.3%
Significantly different from column:*																				U	Т	
Usually or Always	3,657	168	200	19	149	45	90	33	32	37	98	61	106	119	0	37	149	17	1	56	102	6
	92.5%	91.8%	90.5%	90.5%	92.0%	93.8%	90.9%	91.7%	91.4%	88.1%	93.3%	91.0%	92.2%	89.5%		100.0%	93.7%	77.3%	100.0%	94.9%	89.5%	100.0%
Significantly different from column:*																						

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

^{**}Respondents answering "No" to question 34 are reported to NCQA as "Always" in question 35, and are used in calculating the Customer Service composite score.

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

Base: All respondents

Base: All respondents																						
	0			Respor Gen		C	child's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	C	hild's Rad	ce	Child's	s Health S	Status		Doctor V st 6 Montl	
	ОНР			(Q4	44)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	poog	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample Number missing or multiple answer	4,099 230	189 14	224 0	21 1	168 13	51 2	101 11	37 1	36 2	44 5	108 7	69 2	119 12		0	37 2	165 13	22 1	1 0	59 6	119 6	7 1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,869	175	224	20	155	49	90	36	34	39	101	67	107	127	0	35	152	21	1	53	113	_
	94.4%	92.6%	100.0%	95.2%	92.3%	96.1%	89.1%	97.3%	94.4%	88.6%	93.5%	97.1%	89.9%	91.4%		94.6%	92.1%	95.5%	100.0%	89.8%	95.0%	85.7%
0 Worst health plan possible	6 0.2%	0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%
1	4 0.1%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%
2	18 0.5%	2 1.1%	0.0%	0.0%	1.3%	0.0%	0.0%	2 5.6%	0.0%	0.0%	2.0%	0.0%	2 1.9%	1.6%	0	0.0%	1.3%	0.0%	0.0%	0	2 1.8%	0.0%
3	17 0.4%	1.170 1 0.6%	0.0%	0	1 0.6%	0	1.1%	0.0%	0.0%	1 2.6%	0.0%	0.0%	1	0.8%	0	0	1.07%	0.0%	0.0%	1	0.0%	0.0%
4	35	2	2	0	2	0.0%	1	1	1	0	1	0	0.9%	2	0	0.0%	2	0	0	1	1	0
-	0.9%	1.1%	0.9%	0.0%	1.3%	0.0%	1.1%	2.8%	2.9%	0.0%	1.0%	0.0%	1.9%	1.6%		0.0%	1.3%	0.0%	0.0%	1.9%	0.9%	0.0%
5	161 4.2%	8 4.6%	5.8%	5.0%	7 4.5%	4.1%	4.4%	5.6%	5.9%	5.1%	4.0%	4.5%	5 4.7%	3.9%		8.6%	4.6%	4.8%	0.0%	7.5%	3.5%	0.0%
6	112 2.9%	7 4.0%	8 3.6%	0 0.0%	7 4.5%	1 2.0%	2 2.2%	4 11.1%	0 0.0%	0 0.0%	7 6.9%	2 3.0%	5 4.7%	7 5.5%	0	0 0.0%	6 3.9%	1 4.8%	0 0.0%	3 5.7%	3 2.7%	1 16.7%
7	288	13	16	1	12	5	7	1	2	4	7	3	10	11	0	2	12	0	0	4	9	0
8	7.4% 681	7.4% 36	7.1%	5.0%	7.7% 29	10.2% 16	7.8% 12	2.8%	5.9%	10.3% 11	6.9% 20	4.5% 14	9.3% 22	8.7% 26		5.7%	7.9% 30	0.0%	0.0%	7.5% 10	8.0% 23	0.0%
	17.6%	20.6%	49 21.9%	35.0%	18.7%	32.7%	13.3%	22.2%	14.7%	28.2%	19.8%		20.6%	20.5%		22.9%	19.7%	23.8%	100.0%	. •	20.4%	33.3%
9	678	27	46	1	26	5	15	7	5	8	14	10	17	20	0	3	24	3	0	9	17	1
40 Poot hoolth along an 31	17.5%	15.4%	20.5%	5.0%	16.8%	10.2%	16.7%	19.4%	14.7%	20.5%	13.9%		15.9%	15.7%		8.6%	15.8%	14.3%	0.0%		15.0%	16.7%
10 Best health plan possible	1,869 48.3%	79 45.1%	89 39.7%		69 44.5%	20 40.8%	48 53.3%	11 30.6%	19 55.9%	13 33.3%	46 45.5%	35 52.2%	43 40.2%	53 41.7%		19 54.3%	68 44.7%	11 52.4%	0.0%	21 39.6%	54 47.8%	33.3%

NA - Not Applicable

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

base. All respondents	_																					
				Respor Gen		c	child's Ag	e	Respon	ndent's Ed	lucation	Hispanio	(Child)	С	hild's Rad	ce	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample Number missing or multiple answer	4,099 230	14	0	1	168 13	2	101	37 1	2	44 5	108 7	69 2	119 12	12	0	37 2	13	22 1	0	59 6	119 6	1
Number no experience	NA 3,869	NA 175	NA 224		NA 155	NA 49	NA 90	NA 36		NA 39	NA 101	NA 67	NA 107	NA 127	NA 0	NA 35	NA 152	NA 21	NA 4	NA 53	NA 113	NA
Usable responses	3,869 94.4%	92.6%	100.0%	20 95.2%	92.3%	_	90 89.1%			88.6%	93.5%	97.1%	89.9%	91.4%		35 94.6%		95.5%	100.0%		95.0%	85.7%
0 to 4	80 2.1%	5 2.9%	3	0	5 3.2%	0.0%	2.2%	3	1	1 2.6%	3.0%	0.0%	5 4.7%	5 3.9%	0	0.0%	5 3.3%	0.0%	0.0%	2	3 2.7%	0.0%
5	161 4.2%	8 4.6%	13 5.8%		7 4.5%	2 4.1%	4 4.4%	2 5.6%	2 5.9%	2 5.1%	4 4.0%	3 4.5%	5 4.7%	5 3.9%	0	3 8.6%	7 4.6%	1 4.8%	0 0.0%	4 7.5%	4 3.5%	0.0%
6 or 7	400 10.3%	20 11.4%			19 12.3%	6 12.2%	9 10.0%	5 13.9%	2 5.9%	4 10.3%	14 13.9%	5 7.5%	15 14.0%	18 14.2%	0	2 5.7%	18 11.8%	1 4.8%	0 0.0%	7 13.2%	12 10.6%	1 16.7%
8 to 10	3,228 83.4%	142 81.1%		18 90.0%	124 80.0%	41 83.7%	75 83.3%	26 72.2%		32 82.1%	80 79.2%	59 88.1%	82 76.6%	99 78.0%	0	30 85.7%	122 80.3%	19 90.5%	1 100.0%	40 75.5%	94 83.2%	83.3%
Significantly different from column:*																						
0 to 6	353 9.1%	-			19 12.3%		8 8.9%	9 25.0%	3 8.8%	3 7.7%	14 13.9%	5 7.5%	15 14.0%	17 13.4%	0	3 8.6%	18 11.8%	2 9.5%	0 0.0%	9 17.0%	10 8.8%	1 16.7%
7 to 8	969 25.0%	49 28.0%	65 29.0%	8 40.0%	41 26.5%	21 42.9%	19 21.1%	9 25.0%	7 20.6%	15 38.5%	27 26.7%	17 25.4%	32 29.9%	37 29.1%	0	10 28.6%	42 27.6%	5 23.8%	1 100.0%	14 26.4%	32 28.3%	2 33.3%
9 to 10	2,547 65.8%	106 60.6%	135 60.3%	11 55.0%	95 61.3%	25 51.0%	63 70.0%	18 50.0%	24 70.6%	21 53.8%	60 59.4%	45 67.2%	60 56.1%	73 57.5%	0	22 62.9%	92 60.5%	14 66.7%	0.0%	30 56.6%	71 62.8%	50.0%
Significantly different from column:*						G	FH	G	- 370				/ -						/ -	/ •		

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

A regular dentist is one your child would go to for check-ups and cleanings or when he or she has a cavity or tooth pain. Does your child have a regular dentist?

	Δ.			Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	C	hild's Rac	e	Child's	s Health S	Status		Doctor V st 6 Montl	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Lemale Female		6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	4,099	189	228	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	73	2	0	0	2	0	2	0	1	1	0	1	1	1	0	1	1	1	0	2	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,026	187	228	21	166	51	99	37	35	43	108	68	118	138	0	36	164	21	1	57	119	7
	98.2%	98.9%	100.0%	100.0%	98.8%	100.0%	98.0%	100.0%	97.2%	97.7%	100.0%	98.6%	99.2%	99.3%		97.3%	99.4%	95.5%	100.0%	96.6%	100.0%	100.0%
Yes	3,247	156	186	17	139	32	95	29	29	32	94	56	99	115	0	30	136	18	1	52	96	5
	80.7%	83.4%	81.6%	81.0%	83.7%	62.7%	96.0%	78.4%	82.9%	74.4%	87.0%	82.4%	83.9%	83.3%		83.3%	82.9%	85.7%	100.0%	91.2%	80.7%	71.4%
No	779	31	42	4	27	19	4	8	6	11	14	12	19	23	0	6	28	3	0	5	23	2
	19.3%	16.6%	18.4%	19.0%	16.3%	37.3%	4.0%	21.6%	17.1%	25.6%	13.0%	17.6%	16.1%	16.7%		16.7%	17.1%	14.3%	0.0%	8.8%	19.3%	28.6%
Significantly different from column:*						G	F															

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 36b

In the last 6 months, did your child go to a dentist's office or clinic for care?

				Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanic	(Child)	CI	hild's Rad	ce	Child's	s Health S	Status		Doctor Vist 6 Month	
	ОНР			(Q4	(Q44)		(Q39)			(Q45)		(Q4	1 1)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	(Q44)		6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	189	228	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	ı .
Number missing or multiple answer	59	2	0	0	2	0	1	1	0	2	0	1	1	2	0	0	2	0	0	2	0	i '
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	4,040	187	228	21	166	51	100	36	36	42	108	68	118	137	0	37	163	22	1	57	119	· .
	98.6%	98.9%	100.0%	100.0%	98.8%	100.0%	99.0%	97.3%	100.0%	95.5%	100.0%	98.6%	99.2%	98.6%		100.0%	98.8%	100.0%	100.0%	96.6%	100.0%	100.0%
Yes	2,574	123	119	15	108	25	77	21	18	30	74	40	82	92	0	24	106	16	1	41	74	1
	63.7%	65.8%	52.2%	71.4%	65.1%	49.0%	77.0%	58.3%	50.0%	71.4%	68.5%	58.8%	69.5%	67.2%		64.9%	65.0%	72.7%	100.0%	71.9%	62.2%	71.49
No	1,466	64	109	6	58	26	23	15	18	12	34	28	36	45	0	13	57	6	0	16	45	i i
	36.3%	34.2%	47.8%	28.6%	34.9%	51.0%	23.0%	41.7%	50.0%	28.6%	31.5%	41.2%	30.5%	32.8%		35.1%	35.0%	27.3%	0.0%	28.1%	37.8%	28.6%
Significantly different from column:*		С				G	FH	G	K		I								·			1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating your child?

Base: All respondents whose child visited their dentist's office or clinic for care (Q36b)

·	0			Respor Gen		С	hild's Age	Э	Respon	dent's Ed	ucation	Hispanio	c (Child)	Cl	nild's Rac	е	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	2,574	123	118	15	108	25	77	21	18	30	74	40	82	92	0	24	106	16	1	41	74	5
Number missing or multiple answer	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,555	123	118	15	108	25	77	21	18	30	74	40	82	92	0	24	106	16	1	41	74	5
	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	26 1.0%	0 0.0%	2 1.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
Sometimes	168	0.0%	1.770	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	7	0.0%		0.0%	7	0.0%	0.0%	0.0%	0.0%	0.0%
Cometimes	6.6%	6.5%	6.8%	0.0%	7.4%	4.0%	3.9%	19.0%	5.6%	0.0%	9.5%	2.5%	8.5%	6.5%		8.3%	6.6%	6.3%	0.0%	2.4%	8.1%	20.0%
Usually	431	14	21	1	13	5	7	2	0	5	9	3	11	13	0	1	12	2	0	4	9	1
	16.9%	11.4%	17.8%	6.7%	12.0%	20.0%	9.1%	9.5%	0.0%	16.7%	12.2%	7.5%	13.4%	14.1%		4.2%	11.3%	12.5%	0.0%	9.8%	12.2%	20.0%
Always	1,930	101	87	14	87	19	67	15	17	25	58	36	64	73	0	21	87	13	1	36	59	3
	75.5%	82.1%	73.7%	93.3%	80.6%	76.0%	87.0%	71.4%	94.4%	83.3%	78.4%	90.0%	78.0%	79.3%		87.5%	82.1%	81.3%	100.0%	87.8%	79.7%	60.0%
Significantly different from column:*																						
Usually or Always	2,361	115	108	15	100	24	74	17	17	30	67	39	_	86	0	22	99	15	1	40	68	4
	92.4%	93.5%	91.5%	100.0%	92.6%	96.0%	96.1%	81.0%	94.4%	100.0%	90.5%	97.5%	91.5%	93.5%		91.7%	93.4%	93.8%	100.0%	97.6%	91.9%	80.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 36d

In the last 6 months, if your child needed to see a dentist right away because of a dental emergency, how often did he or she get to see a dentist as soon as you wanted?

base. All respondents																						
	0			Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	C	hild's Rad	ce	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	1 1)		(Q42)			(Q37)			(Q7)	
		6	8		,				_		-											1
	2019 State	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	189	220	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	137	4	0	0	4	2	0	2	2	1	1	3	1	2	0	1	3	1	0	0	3	0
Number no experience	3,124	147	122	19	128	45	79	23	24	36	86	54	92	109	0	30	132	14	0	49	89	6
Usable responses	838	38	98	2	36	4	22	12	10	7	21	12	26	28	0	6	30	7	1	10	27	1
	20.4%	20.1%	44.5%	9.5%	21.4%	7.8%	21.8%	32.4%	27.8%	15.9%	19.4%	17.4%	21.8%	20.1%		16.2%	18.2%	31.8%	100.0%	16.9%	22.7%	14.3%
Never	326	11	27	0	11	3	1	7	1	5	5	0	11	11	0	0	9	1	1	4	7	0
	38.9%	28.9%	27.6%	0.0%	30.6%	75.0%	4.5%	58.3%	10.0%	71.4%	23.8%	0.0%	42.3%	39.3%		0.0%	30.0%	14.3%	100.0%	40.0%	25.9%	0.0%
Sometimes	134	9	20	- 1	8	0	7	2	5	0	4	6	3	4	0	2	5	4	0	3	6	0
	16.0%	23.7%	20.4%		22.2%	0.0%	31.8%	16.7%	50.0%	0.0%	19.0%	50.0%	11.5%	14.3%		33.3%	16.7%	57.1%	0.0%	30.0%	22.2%	0.0%
Usually	127 15.2%	6 15.8%	23 23.5%	·	5 13.9%	0 0%	5 22.7%	1 8.3%	1 10.0%	0.0%	5 23.8%	2 16.7%	4 15 49/	6	0	0 0.0%	6 20.0%	0	0 0.0%	0 0%	5 18.5%	100.00/
Always	251	13.6 %	23.5%	30.0%	13.9%	0.0%	22.1 %	0.3%	10.0%	0.0%	23.0%	10.7 %	15.4%	21.4%		0.0%	20.0%	0.0%	0.0%	0.0%	10.5%	100.0%
, iwayo	30.0%	31.6%	28.6%	0.0%	33.3%	25.0%	40.9%	16.7%	30.0%	28.6%	33.3%	33.3%	30.8%	25.0%		66.7%	33.3%	28.6%	0.0%	30.0%	33.3%	0.0%
Significantly different from column:*	33.370	3370	20.070	0.070	33.370	20.070	10.070	10 70	00.070	23.570	00.070	33.370	30.370	20.070		33 70	00.070	20.070	3.370	33.370	33.370	2.370
Usually or Always	378	18		1	17	1	14	3	4	2	12	6	12	13	0	4	16	2	0	3	14	1
	45.1%	47.4%	52.0%	50.0%	47.2%	25.0%	63.6%	25.0%	40.0%	28.6%	57.1%	50.0%	46.2%	46.4%		66.7%	53.3%	28.6%	0.0%	30.0%	51.9%	100.0%
Significantly different from column:*							Н	G														

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?

Base: All respondents

Base: All respondents																						
	0			Respoi Ger		C	child's Ag	Θ	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	hild's Rad	ce	Child's	s Health S	Status		Doctor V st 6 Montl	
	ОНР			(Q	44)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample Number missing or multiple answer Number no experience	4,099 245 NA	189 8 NA	217 0 NA	21 0 NA	168 8 NA	51 6 NA	101 1 NA	37 1 NA	36 1 NA	44 3 NA	108 4 NA	3	119 5 NA	139 7 NA	0 0 NA	37 1 NA	165 7 NA	22 1 NA	1 0 NA	59 1 NA	119 7 NA	7 0 NA
Usable responses	3,854	181	217	21	160	45	100	36	35	41	104	66	114	132	0	36	158	21	1	58	112	
	94.0%	95.8%	100.0%		95.2%	88.2%	99.0%	97.3%	97.2%	93.2%	96.3%		95.8%	95.0%		97.3%	95.8%	95.5%	100.0%	98.3%	94.1%	100.0%
0 Extremely Difficult	146 3.8%	7 3.9%	9 4.1%	1 4.8%	6 3.8%	1 2.2%	2 2.0%	4 11.1%	1 2.9%	3 7.3%	3 2.9%	1	6 5.3%	6 4.5%	0	1 2.8%	5 3.2%	2 9.5%	0 0.0%	1 1.7%	6 5.4%	0.0%
1	53 1.4%	3 1.7%	4 1.8%	1 4.8%	2 1.3%	1 2.2%	2 2.0%	0 0.0%	0 0.0%	0.0%	3 2.9%	1 1.5%	2 1.8%	3 2.3%	0	0 0.0%	3 1.9%	0 0.0%	0 0.0%	0 0.0%	3 2.7%	0.0%
2	74 1.9%	5 2.8%	4 1.8%	0 0.0%	5 3.1%	1 2.2%	2 2.0%	2 5.6%	0 0.0%	1 2.4%	4 3.8%	1 1.5%	4 3.5%	4 3.0%	0	1 2.8%	5 3.2%	0 0.0%	0 0.0%	2 3.4%	3 2.7%	0.0%
3	84 2.2%	5 2.8%	6 2.8%	1 4.8%	4 2.5%	1 2.2%	1 1.0%	3 8.3%	1 2.9%	0 0.0%	4 3.8%	2 3.0%	3 2.6%	3 2.3%	0	2 5.6%	4 2.5%	1 4.8%	0 0.0%	0 0.0%	4 3.6%	0.0%
4	82 2.1%	2 1.1%	9 4.1%	0 0.0%	2 1.3%	2 4.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 1.9%	0 0.0%	2 1.8%	1 0.8%	0	1 2.8%	2 1.3%	0 0.0%	0 0.0%	1 1.7%	1 0.9%	0.0%
5	308 8.0%	18 9.9%	11 5.1%	3 14.3%	15 9.4%	4 8.9%	8 8.0%	6 16.7%	1 2.9%	5 12.2%	12 11.5%	3 4.5%	15 13.2%	14 10.6%	0	3 8.3%	16 10.1%	1 4.8%	1 100.0%	8 13.8%	9 8.0%	14.3%
6	153 4.0%	4 2.2%	13 6.0%	0 0.0%	4 2.5%	0 0.0%	4 4.0%	0 0.0%	0 0.0%	1 2.4%	3 2.9%	1 1.5%	3 2.6%	4 3.0%	0	0 0.0%	4 2.5%	0 0.0%	0 0.0%	1 1.7%	3 2.7%	0.0%
7	258 6.7%	21 11.6%	24 11.1%		18 11.3%	3 6.7%	13 13.0%	5 13.9%	5 14.3%	6 14.6%	10 9.6%	10 15.2%	11 9.6%	18 13.6%	0	3 8.3%	16 10.1%	5 23.8%	0 0.0%	6 10.3%	14 12.5%	1 14.3%
8	490 12.7%	25 13.8%	30 13.8%	3 14.3%	22 13.8%	12 26.7%	9 9.0%	4 11.1%	5 14.3%	7 17.1%	13 12.5%	9 13.6%	16 14.0%	21 15.9%	0	4 11.1%	23 14.6%	1 4.8%	0 0.0%	7 12.1%	16 14.3%	14.3%
9	436 11.3%	24 13.3%	30 13.8%	2 9.5%	22 13.8%	2 4.4%	19 19.0%	3 8.3%	8 22.9%	5 12.2%	11 10.6%	14 21.2%	10 8.8%	11 8.3%	0	8 22.2%	22 13.9%	2 9.5%	0 0.0%	9 15.5%	14 12.5%	0.0%
10 Extremely Easy	1,770 45.9%	67 37.0%	77 35.5%	7 33.3%	60 37.5%	18 40.0%	40 40.0%	9 25.0%	14 40.0%	13 31.7%	39 37.5%	24 36.4%	42 36.8%	47 35.6%	0	13 36.1%	58 36.7%	9 42.9%	0 0.0%	23 39.7%	39 34.8%	

NA - Not Applicable

Question 36e

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?

				Respor Ger		ler		е	Respon	dent's Ed	ucation	Hispanio	c (Child)	С	hild's Rad	ce	Child's	s Health S	Status		Doctor V st 6 Mont	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q	41)		(Q42)			(Q37)			(Q7)	ŀ
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample Number missing or multiple answer Number no experience	4,099 245 NA	189 8 NA	217 0 NA	0	168 8 NA	51 6 NA	101 1 NA	37 1 NA	36 1 NA	44 3 NA	108 4 NA	69 3 NA	5	7	0 0 NA	37 1 NA	165 7 NA	22 1 NA	1 0 NA	59 1 NA	119 7 NA	7 0 NA
Usable responses	3,854 94.0%	181 95.8%	217	21	160 95.2%	45	100 99.0%	36	35 97.2%	41	104 96.3%	66 95.7%	114	132		36 97.3%	158 95.8%	21 95.5%	1 100.0%	58	112 94.1%	7
0 to 4	439 11.4%	22 12.2%	32 14.7%	-	19 11.9%	6 13.3%	7 7.0%	9 25.0%	2 5.7%	4 9.8%	16 15.4%	5 7.6%	17 14.9%		0	5 13.9%	19 12.0%	3 14.3%	0 0.0%	4 6.9%	17 15.2%	0.0%
5	308 8.0%	18 9.9%	11 5.1%	3 14.3%	15 9.4%		8 8.0%	6 16.7%	1 2.9%	5 12.2%	12 11.5%	3 4.5%	15 13.2%		0	3 8.3%	16 10.1%	1 4.8%	1 100.0%	8 13.8%	9 8.0%	1 14.3%
6 or 7	411 10.7%	25 13.8%	37 17.1%	-	22 13.8%	6.7%	17 17.0%	ı ~			13 12.5%	11 16.7%			0 	3 8.3%	20 12.7%	5 23.8%	0 0.0%	7 12.1%	17 15.2%	
8 to 10	2,696 70.0%	116 64.1%			104 65.0%		68 68.0%	44.4%	27 77.1%		63 60.6%	47 71.2%		79 59.8%	0 	25 69.4%	103 65.2%	12 57.1%	0 0.0%	39 67.2%	69 61.6%	_
Significantly different from column:*						Н	Н	FG														
0 to 6	900 23.4%	44 24.3%	56 25.8%	-	38 23.8%		19 19.0%		3 8.6%	10 24.4%	31 29.8%	9 13.6%	35 30.7%		0 	8 22.2%	39 24.7%	4 19.0%	1 100.0%	13 22.4%	29 25.9%	
7 to 8	748 19.4%	46 25.4%	54 24.9%	-	40 25.0%	15 33.3%	22 22.0%		10 28.6%	13 31.7%	23 22.1%	19 28.8%			0	7 19.4%	39 24.7%	6 28.6%	0 0.0%	13 22.4%	30 26.8%	
9 to 10	2,206 57.2%	91 50.3%	107 49.3%	· ·	82 51.3%	20 44.4%	59 59.0%	12 33.3%	22 62.9%		50 48.1%	38 57.6%		58 43.9%	0	21 58.3%	80 50.6%	11 52.4%	0 0.0%	32 55.2%	53 47.3%	
Significantly different from column:*					_		Н	G														

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 37

In general, how would you rate your child's overall health?

				Respon Gen		С	hild's Ag	Э	Respon	dent's Ed	ucation	Hispanic	(Child)	C	hild's Rad	ce	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	4)		(Q39)			(Q45)		(Q4	1)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	189	227	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	29	1	0	0	1	0	1	0	1	0	0	1	0	1	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA		NA	NA	NA	NA		NA	NA		NA		NA	NA		NA	NA	NA	NA	NA
Usable responses	4,070	188	227	21	167	51	100	37	35	44	108	68	119	138	0	37		22	1	59	118	7
	99.3%	99.5%	100.0%	100.0%	99.4%	100.0%	99.0%	100.0%	97.2%	100.0%	100.0%	98.6%	100.0%	99.3%		100.0%	100.0%	100.0%	100.0%	100.0%	99.2%	100.0%
Poor	4 0.1%	0.0%	0 0.0%	0.0%	0.0%	0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0.0%	0.0%	0 0.0%	0.0%	0	0 0.0%	0.0%	0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%
Fair	120	1	5	0	1	0	0	1	0	1	0	0	1	1	0	0	0	0	1	1	0	0
	2.9%	0.5%	2.2%	0.0%	0.6%	0.0%	0.0%	2.7%	0.0%	2.3%	0.0%	0.0%	0.8%	0.7%		0.0%	0.0%	0.0%	100.0%	1.7%	0.0%	0.0%
Good	573	22	30	2	20	6	14	2	11	4	7	15	7	13	0	8	0	22	0	4	17	1
	14.1%	11.7%	13.2%	9.5%	12.0%	11.8%	14.0%	5.4%	31.4%	9.1%	6.5%	22.1%	5.9%	9.4%		21.6%	0.0%	100.0%	0.0%	6.8%	14.4%	14.3%
Very good	1,404	53	84	5	48	16	23	14	10	11	32	19	34	42	0	8	53	0	0	16	30	4
	34.5%	28.2%	37.0%	23.8%	28.7%	31.4%	23.0%	37.8%	28.6%	25.0%	29.6%	27.9%	28.6%	30.4%		21.6%	32.1%	0.0%	0.0%	27.1%	25.4%	57.1%
Excellent	1,969	112	108	14	98	29	63	20	14	28	69	34	77	82	0	21	112	0	0	38	71	2
	48.4%	59.6%	47.6%	66.7%	58.7%	56.9%	63.0%	54.1%	40.0%	63.6%	63.9%	50.0%	64.7%	59.4%		56.8%	67.9%	0.0%	0.0%	64.4%	60.2%	28.6%
Significantly different from column:*		AC							JK	I	I	М	L				R	Q				
Excellent or Very good	3,373	165	192	19	146	45	86	34	24	39	101	53	111	124	0	29		0	0	54	101	6
	82.9%	87.8%	84.6%	90.5%	87.4%	88.2%	86.0%	91.9%	68.6%	88.6%	93.5%	77.9%	93.3%	89.9%		78.4%	100.0%	0.0%	0.0%	91.5%	85.6%	85.7%
Significantly different from column:*									J	I		М	L									,

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

In general, how would you rate your child's overall mental or emotional health?

				Respon Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanic	(Child)	CI	nild's Rad	е	Child's	s Health S	Status		Doctor Vis	
	ОНР			(Q4	4)		(Q39)			(Q45)		(Q4	i 1)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	189	228	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	34	2	0	0	2	0	2	0	1	0	1	2	0	1	0	0	1	0	0	1	1	0
Number no experience	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,065	187	228	21	166	51	99	37	35	44	107	67	119	138	0	37	164	22	1	58	118	7
	99.2%	98.9%	100.0%	100.0%	98.8%	100.0%	98.0%	100.0%	97.2%	100.0%	99.1%	97.1%	100.0%	99.3%		100.0%	99.4%	100.0%	100.0%	98.3%	99.2%	100.0%
Poor	22 0.5%	0 0.0%	1 0.4%	0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0.0%	0.0%	0 0.0%	0.0%	0	0 0.0%	0 0.0%	0 0.0%	0.0%	0.0%	0 0.0%	0 0.0%
Fair	155	6	5	2	4	2	2	2	2	1	3	2	4	4	0	2	5	1	0	0	6	0
	3.8%	3.2%	2.2%	9.5%	2.4%	3.9%	2.0%	5.4%	5.7%	2.3%	2.8%	3.0%	3.4%	2.9%		5.4%	3.0%	4.5%	0.0%	0.0%	5.1%	0.0%
Good	650	23	47	4	19	5	12	6	6	5	12	9	14	18	0	5	11	11	1	4	18	1
	16.0%	12.3%	20.6%	19.0%	11.4%	9.8%	12.1%	16.2%	17.1%	11.4%	11.2%	13.4%	11.8%	13.0%		13.5%	6.7%	50.0%	100.0%	6.9%	15.3%	14.3%
Very good	1,181	55	67	3	52	11	30	14	11	14	30	18	37	39	0	11	48	7	0	14	35	3
	29.1%	29.4%	29.4%	14.3%	31.3%	21.6%	30.3%	37.8%	31.4%	31.8%	28.0%	26.9%	31.1%	28.3%		29.7%	29.3%	31.8%	0.0%	24.1%	29.7%	42.9%
Excellent	2,057	103	108	12	91	33	55	15	16	24	62	38	64	77	0	19	100	3	0	40	59	3
	50.6%	55.1%	47.4%	57.1%	54.8%	64.7%	55.6%	40.5%	45.7%	54.5%	57.9%	56.7%	53.8%	55.8%		51.4%	61.0%	13.6%	0.0%	69.0%	50.0%	42.9%
Significantly different from column:*						Н		F									R	Q		U	Т	
Excellent or Very good	3,238	158	175		143	44	85	29	27	38	92	56	101	116	0	30	148	10	0	54	94	6
	79.7%	84.5%	76.8%	71.4%	86.1%	86.3%	85.9%	78.4%	77.1%	86.4%	86.0%	83.6%	84.9%	84.1%		81.1%	90.2%	45.5%	0.0%	93.1%	79.7%	85.7%
Significantly different from column:*		С																		U	Т	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 39

What is your child's age?

Base: All respondents																						
				Respor Ger		C	Child's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	С	hild's Rad	ce	Child's	s Health S	Status		Doctor Vi st 6 Month	
	OHP			(Q4	44)		(Q39)			(Q45)		(Q	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	189	228	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	57		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA		NA		NA	NA	NA		NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,042	189	228		168	51	101	37	36	44	108	69		139	0	37	165	22	1	59	119	
	98.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Less than 1 year old	11 0.3%	3 1.6%	0.9%	0.0%	3 1.8%	3 5.9%	0.0%	0.0%	0.0%	2 4.5%	0.9%	2.9%	0.8%	2 1.4%		1 2.7%	3 1.8%	0.0%	0.0%	0.0%	0.8%	2 28.6%
1 year old	229 5.7%	3 1.6%	10 4.4%	•	3 1.8%	3 5.9%	0.0%	0 0.0%	1 2.8%	0.0%	2 1.9%	1 1.4%	2 1.7%	3 2.2%	0	0 0.0%	3 1.8%	0 0.0%	0 0.0%	0 0.0%	3 2.5%	0 0.0%
2 years old	256 6.3%	16 8.5%	16 7.0%	2	14 8.3%	16	0.0%	0.0%	1 2.8%	6 13.6%	9 8.3%	3 4.3%	13	14 10.1%	0	2 5.4%	14 8.5%	2 9.1%	0.0%	2 3.4%	13 10.9%	1 14.3%
3 years old	226 5.6%	6 3.2%	14 6.1%	0	6 3.6%	6 11.8%	0.0%	0.0%	0.0%	3 6.8%	3 2.8%	3 4.3%	3	3 2.2%	0	2 5.4%	5 3.0%	1 4.5%	0.0%	1.7%	5 4.2%	0.0%
4 to 6 years old	714 17.7%	33 17.5%	35 15.4%		30 17.9%	23 45.1%	10 9.9%	ı vı	4 11.1%	4 9.1%	25 23.1%	7 10.1%	26 21.8%	25 18.0%	0	8 21.6%	30 18.2%	3 13.6%	0 0.0%	6 10.2%	24 20.2%	1 14.3%
7 to 9 years old	712 17.6%	43 22.8%	39 17.1%	-	37 22.0%	0 0.0%	43 42.6%	0 0.0%	11 30.6%	9 20.5%	23 21.3%	18 26.1%	25 21.0%	32 23.0%	0	7 18.9%	37 22.4%	6 27.3%	0 0.0%	19 32.2%	24 20.2%	0 0.0%
10 to 13 years old	993 24.6%	48 25.4%	64 28.1%	-	43 25.6%	0 0.0%	48 47.5%	0 0.0%	10 27.8%	12 27.3%	25 23.1%	21 30.4%		32 23.0%	0	12 32.4%	39 23.6%	8 36.4%	0.0%	17 28.8%	29 24.4%	
14 to 18 years old	901 22.3%	37 19.6%	48 21.1%	Ŭ	32 19.0%	0.0%	0.0%	37 100.0%	9 25.0%	8 18.2%	20 18.5%	14 20.3%	-	28 20.1%	0	5 13.5%	34 20.6%	2 9.1%	1 100.0%	14 23.7%	20 16.8%	
3 years old or younger	722 17.9%	28 14.8%	42 18.4%	2 9.5%	26 15.5%	28 54.9%	0.0%	0 0.0%	2 5.6%	11 25.0%	15 13.9%	9 13.0%	19 16.0%	22 15.8%	0	5 13.5%	25 15.2%	3 13.6%	0 0.0%	3 5.1%	22 18.5%	3 42.9%
Significantly different from column:*						GH	F	F	J	I										U	Т	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 40

Is your child male or female?

	0			Respor Gen		С	child's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	C	hild's Rac	е	Child's	s Health	Status		Doctor Vi st 6 Month	
	OHP			(Q4	(Q44)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Φ		6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	189	227	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	· ·
Number missing or multiple answer	39	1	0	0	1	0	1	0	1	0	0	1	0	1	0	0	0	1	0	1	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	4,060	188	227	21	167	51	100	37	35	44	108	68	119	138	0	37	165	21	1	58	119	
	99.0%	99.5%	100.0%	100.0%	99.4%	100.0%	99.0%	100.0%	97.2%	100.0%	100.0%	98.6%	100.0%	99.3%		100.0%	100.0%	95.5%	100.0%	98.3%	100.0%	100.0%
Male	2,027	97	117	12	85	22	55	20	17	28	52	37	60	73	0	18	90	5	1	29	64	Ī
	49.9%	51.6%	51.5%	57.1%	50.9%	43.1%	55.0%	54.1%	48.6%	63.6%	48.1%	54.4%	50.4%	52.9%		48.6%	54.5%	23.8%	100.0%	50.0%	53.8%	14.3%
Female	2,033	91	110	9	82	29	45	17	18	16	56	31	59	65	0	19	75	16	0	29	55	1
	50.1%	48.4%	48.5%	42.9%	49.1%	56.9%	45.0%	45.9%	51.4%	36.4%	51.9%	45.6%	49.6%	47.1%		51.4%	45.5%	76.2%	0.0%	50.0%	46.2%	85.7%
Significantly different from column:*																	R	Q				

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 41

Is your child of Hispanic or Latino origin or descent?

					espondent's Gender (Q44)		hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	CI	hild's Rad	ce	Child's	s Health S	tatus		Doctor V st 6 Montl	
	ОНР			(Q4	(Q44)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	(Q44)		6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	189	227	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	85	1	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1	0	0	1	0	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	4,014	188	227	21	167	51	100	37	36	44	108	69	119	138	0	37	164	22	1	58	119	7
	97.9%	99.5%	100.0%	100.0%	99.4%	100.0%	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	99.3%		100.0%	99.4%	100.0%	100.0%	98.3%	100.0%	100.0%
Yes, Hispanic or Latino	1,594	69	80	9	60	13	42	14	29	18	22	69	0	36	0	21	53	15	0	23	42	;
	39.7%	36.7%	35.2%	42.9%	35.9%	25.5%	42.0%	37.8%	80.6%	40.9%	20.4%	100.0%	0.0%	26.1%		56.8%	32.3%	68.2%	0.0%	39.7%	35.3%	42.9%
No, not Hispanic or Latino	2,420	119	147	12	107	38	58	23	7	26	86	0	119	102	0	16	111	7	1	35	77	_
	60.3%	63.3%	64.8%	57.1%	64.1%	74.5%	58.0%	62.2%	19.4%	59.1%	79.6%	0.0%	100.0%	73.9%		43.2%	67.7%	31.8%	100.0%	60.3%	64.7%	57.1%
Significantly different from column:*						G	F		JK	ΙK	IJ	М	L	Р		N	R	Q				

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 42

What is your child's race? Mark one or more.

Base: All respondents

base. All respondents																						
				Respor Gen		C	child's Ag	е	Respon	dent's Ed	ucation	Hispanio	(Child)	C	hild's Rad	e	Child's	s Health S	Status		Doctor Vis st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	_	•	l	(~	/		(4,55)			(5,10)		(3.	/					(44)				
	2019 State	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	4,099	189	233	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	383	13	29	3	10	1	8	4	6	4	3	12	1	0	0	0	12	1	0	7	6	0
Number no experience	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,716	176	204	18	158	50	93	33	30	40	105	57	118	139	0	37	153	21	1	52	113	7
	90.7%	93.1%	87.6%	85.7%	94.0%	98.0%	92.1%	89.2%	83.3%	90.9%	97.2%	82.6%	99.2%	100.0%		100.0%	92.7%	95.5%	100.0%	88.1%	95.0%	100.0%
White	2,802	159	183	16	143	44	84	31	20	37	101	42	116	139	0	20	142	15	1	45	104	7
	75.4%	90.3%	89.7%	88.9%	90.5%	88.0%	90.3%	93.9%	66.7%	92.5%	96.2%	73.7%	98.3%	100.0%		54.1%	92.8%	71.4%	100.0%	86.5%	92.0%	100.0%
Black or African-American	234	3	8	1	2	0	2	1	0	0	3	1	2	0	0	3	3	0	0	0	3	0
	6.3%	1.7%	3.9%	5.6%	1.3%	0.0%	2.2%	3.0%	0.0%	0.0%	2.9%	1.8%	1.7%	0.0%		8.1%	2.0%	0.0%	0.0%	0.0%	2.7%	0.0%
Asian	321	5	7	2	3	2	3	0	0	1	4	0	5	0	0	5	5	0	0	4	1	0
	8.6%	2.8%	3.4%	11.1%	1.9%	4.0%	3.2%	0.0%	0.0%	2.5%	3.8%	0.0%	4.2%	0.0%		13.5%	3.3%	0.0%	0.0%	7.7%	0.9%	0.0%
Native Hawaiian or other Pacific Islander	79	3	3	1	2	1	2	0	0	1	2	0	3	0	0	3	2	1	0	1	2	0
	2.1%	1.7%			1.3%	2.0%	2.2%	0.0%	0.0%	2.5%	1.9%	0.0%	2.5%	0.0%		8.1%	1.3%	4.8%	0.0%	1.9%	1.8%	0.0%
American Indian or Alaska Native	305	10		_	8	2	6	2	1	2	7	2	8	0	0	10	9	1	0	4	5	0
	8.2%	5.7%	6.4%	11.1%	5.1%	4.0%	6.5%	6.1%	3.3%	5.0%	6.7%	_	6.8%	0.0%		27.0%	5.9%	4.8%	0.0%	7.7%	4.4%	0.0%
Other	621	21	17	2	19	6	12	3	12	3	6	18	3	0	0	21	14	7	0	7	12	0
	16.7%	11.9%	8.3%	11.1%	12.0%	12.0%	12.9%	9.1%	40.0%	7.5%	5.7%	31.6%	2.5%	0.0%		56.8%	9.2%	33.3%	0.0%	13.5%	10.6%	0.0%

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

Question 43

What is your age?

Base: All respondents

base. All respondents																						
				Respor Gen		C	Child's Ag	е	Respon	dent's Ed	ucation	Hispanic	(Child)	С	hild's Rad	e	Child's	s Health S	Status		Doctor Vis	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	189	228	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	75	2	0	0	2	1	0	1	0	0	2	0	2	2	0	0	2	0	0	0	2	0
Number no experience	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA	NA	NA	NA
Usable responses	4,024	187	228		166	50	101	36	36	44	106		117		0	37	163		1	59	117	7
	98.2%	98.9%	100.0%	100.0%	98.8%	98.0%	100.0%	97.3%	100.0%	100.0%	98.1%	100.0%	98.3%	98.6%		100.0%	98.8%	100.0%	100.0%	100.0%	98.3%	100.0%
Under 18	147 3.7%	7 3.7%	10 4.4%	1 4.8%	6 3.6%	1 2.0%	5 5.0%	1 2.8%	0 0.0%	0 0.0%	7 6.6%	1 1.4%	6 5.1%	7 5.1%	0	0 0.0%	7 4.3%	0 0.0%	0 0.0%	4 6.8%	2.6%	0 0.0%
18 to 24	164	10 5.3%	7	0	10	9	0	1	3	4	3 2.8%	1 40/	9	8 5.00/	0	2	9	1 4.5%	0	0	10	0
25 to 34	4.1% 1,198	5.3%	3.1% 62	0.0%	6.0%	18.0% 25	0.0% 28	2.8%	8.3% 10	9.1% 12	2.8%	1.4%	7.7%			5.4% 11	5.5% 48		0.0%	0.0%	8.5% 37	0.0%
23 10 34	29.8%	29.4%	27.2%	33.3%	28.9%	50.0%	27.7%	5.6%		27.3%	31.1%	31.9%	28.2%			29.7%	29.4%		0.0%	23.7%	31.6%	42.9%
35 to 44	1,451 36.1%	76 40.6%	97 42.5%	7 33.3%	69 41.6%	12 24.0%	50 49.5%	14 38.9%	16 44.4%	20 45.5%	39 36.8%	38 55.1%	37 31.6%	• • •	0	15 40.5%	63 38.7%	l '''	1 100.0%	28 47.5%	44 37.6%	3 42.9%
45 to 54	703	25	39	4	21	1	11	13	5	4	16	6	19	18	0	6	22	3	0	10	14	1
55 to 64	17.5%	13.4%	17.1%	19.0%	12.7%	2.0%	10.9%	36.1%	13.9%	9.1%	15.1%	8.7%	16.2%	13.1%		16.2%	13.5%	13.6%	0.0%	16.9%	12.0%	14.3%
55 to 64	259 6.4%	2.7%	4.4%	0.0%	3.0%	2.0%	2.0%	5.6%	2.8%	2.3%	2.8%	1.4%	3.4%	2.9%		1 2.7%	3.1%	0.0%	0.0%	0.0%	3.4%	0.0%
65 to 74	82 2.0%	7 3.7%	1 0.4%	2	5 3.0%	1 2.0%	3.0%	3 8.3%	0	2 4.5%	5 4.7%	0	7 6.0%	5	0	2 5.4%	7 4.3%	0	0.0%	2 3.4%	5 4.3%	0 0.0%
75 or older	2.0%	3.1%	0.4%	9.5%	ა.ს%	2.0%	3.0%	0.3%	0.0%	4.5%	4.1%	0.0%	0.0%	3.0%		5.4%	4.3%	0.0%	0.0%	3.4%	4.3%	0.0%
7 O O Oldel	0.5%	1.1%	0.9%	0.0%	1.2%	0.0%	2.0%	0.0%	2.8%	2.3%	0.0%	0.0%	1.7%	1.5%		0.0%	1.2%	0.0%	0.0%	1.7%	0.0%	0.0%
35 or older	2,515	115	149		102	15		32	23	28	63	45	69		0	24	99		1	41	67	4
0: 15: 11: 15	62.5%	61.5%	65.4%	61.9%	61.4%	30.0%	67.3%	88.9%	63.9%	63.6%	59.4%	65.2%	59.0%	59.9%		64.9%	60.7%	63.6%	100.0%	69.5%	57.3%	57.1%
Significantly different from column:*						GH	FH	FG														

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 44

Are you male or female?

Base: All respondents

				Respor Ger	ndent's ider	C	child's Ag	Э	Respon	dent's Ed	ucation	Hispanic	(Child)	CI	nild's Rad	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	OHD.			(Q4	44)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	189	228	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	
Number missing or multiple answer	34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	4,065	189	228	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	•
	99.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Male	673	21	32	21	0	4	12	5	4	8	9	9	12	13	0	5	19	2	0	11	10	1
	16.6%	11.1%	14.0%	100.0%	0.0%	7.8%	11.9%	13.5%	11.1%	18.2%	8.3%	13.0%	10.1%	9.4%		13.5%	11.5%	9.1%	0.0%	18.6%	8.4%	0.0%
Female	3,392	168	196	0	168	47	89	32	32	36	99	60	107	126	0	32	146	20	1	48	109	
	83.4%	88.9%	86.0%	0.0%	100.0%	92.2%	88.1%	86.5%	88.9%	81.8%	91.7%	87.0%	89.9%	90.6%		86.5%	88.5%	90.9%	100.0%	81.4%	91.6%	100.0%
Significantly different from column:*		Α																		U	T	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11540

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 45

What is the highest grade or level of school that you have completed?

Base: All respondents

	0			Respor Gen		С	hild's Age	Э	Respon	ident's Ed	ucation	Hispanio	(Child)	С	hild's Rad	се	Child's	s Health S	Status		Doctor Vist 6 Month	
	OHP			(Q4	4)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	189	226	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	83	1	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0
Number no experience	NA	NA 188	NA 226	NA 04	NA 167	NA 51	NA 100	NA 37	NA 36	NA 44	NA 108		NA 119	NA 400	NA	NA 37	NA 164		NA	NA 58	NA 110	NA Z
Usable responses	4,016 98.0%	99.5%	100.0%	21 100.0%	99.4%	100.0%	100 99.0%	100.0%		100.0%	100.0%		100.0%	138 99.3%			99.4%		100.0%	98.3%	119 100.0%	7 100.0%
8th grade or less	96.0% 440	99.5%	23	100.0%	99.4%	100.0%	99.0%	100.0%	100.0%	100.0%	100.0%	150.0%	100.0%	99.5%	0	100.0%	99.4%	700.0%	100.0%	90.3%	7	100.0%
our grade or loss	11.0%	8.0%	10.2%	9.5%	7.8%	0.0%	9.0%	16.2%	41.7%	0.0%	0.0%	21.7%	0.0%	3.6%		16.2%	4.9%	31.8%	0.0%	12.1%	5.9%	0.0%
Some high school, but did not graduate	442	21	17	2	19	4	14	3	21	0	0	14	7	12	0	7	16	4	0	8	12	0
	11.0%	11.2%	7.5%	9.5%	11.4%	7.8%	14.0%	8.1%	58.3%	0.0%	0.0%	20.3%	5.9%	8.7%		18.9%	9.8%	18.2%	0.0%	13.8%	10.1%	0.0%
High school graduate or GED	1,174	44	57	8	36	14	22	8	0	44	0	18	26	34	0	6	39	1	1	16	27	1
	29.2%	23.4%	25.2%	38.1%	21.6%	27.5%	22.0%	21.6%	0.0%	100.0%	0.0%		21.8%			16.2%	23.8%		100.0%	27.6%	22.7%	14.3%
Some college or 2-year degree	1,269	72	83	5	67	23	33	16	0	0	72	17	55	56	0	15	66	_	0	18	49	4 57.40/
4-year college graduate	31.6%	38.3% 28	36.7% 33	23.8%	40.1% 25	45.1%	33.0%	43.2%	0.0%	0.0%	66.7% 28	24.6%	46.2% 23			40.5%	40.2% 28	27.3%	0.0%	31.0%	41.2%	57.1%
4-year conege graduate	435 10.8%	28 14.9%	33 14.6%	14.3%	25 15.0%	15.7%	17 17.0%	3 8.1%	0.0%	0.0%	25.9%	7.2%	23 19.3%	24 17.4%		5.4%	28 17.1%	1	0.0%	7 12.1%	16.0%	1 14.3%
More than 4-year college degree	256	8	13	14.576	7	2	5	1	0.070	0.070	20.070	0	8	7	0	1	7	1	0.070	2	5	14.570
	6.4%	4.3%	5.8%	4.8%	4.2%	3.9%	5.0%	2.7%	0.0%	0.0%	7.4%	0.0%	6.7%	5.1%		2.7%	4.3%	4.5%	0.0%	3.4%	4.2%	14.3%
4-year college graduate or more	691 17.2%	36 19.1%	46 20.4%	4 19.0%	32 19.2%	10 19.6%	22 22.0%	4 10.8%	0 0.0%	0 0.0%	36 33.3%		31 26.1%	31 22.5%	0	3 8.1%	35 21.3%		0 0.0%	9 15.5%	24 20.2%	2 28.6%
Significantly different from column:*	17.270	70	20. 770	10.070	10.270	10.070	22.070	10.070	K	K	IJ	M	L	22.570		0.170	21.570	1.570	3.570	10.070	20.270	20.070

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11540

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 46

How are you related to the child?

Base: All respondents

Ваве: 7111 георопастие																						
				Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanic	(Child)	C	hild's Rad	:e	Child's	s Health	Status		Doctor Vis	
	OHP			(Q4	14)		(Q39)			(Q45)		(Q4	l 1)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	189	225	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	84	5	0	0	5	2	3	0	0	1	3	1	3	3	0	2	4	1	0	1	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA		NA	NA	NA	NA
Usable responses	4,015	184	225	21	163	49	98	37	36	43	105	68	116	136	0	35	161	21	1	58	115	7
	98.0%	97.4%	100.0%	100.0%	97.0%	96.1%	97.0%	100.0%	100.0%	97.7%	97.2%	98.6%	97.5%	97.8%		94.6%	97.6%	95.5%	100.0%	98.3%	96.6%	100.0%
Mother or father	3,769	174	214	21	153	47	93	34	33	40	101	66	108	129	0	32	151	21	1	53	112	7
	93.9%	94.6%	95.1%	100.0%	93.9%	95.9%	94.9%	91.9%	91.7%	93.0%	96.2%	97.1%	93.1%	94.9%		91.4%	93.8%	100.0%	100.0%	91.4%	97.4%	100.0%
Grandparent	145	9	6	0	9	2	4	3	3	3	3	2	7	7	0	2	9	0	0	4	3	0
	3.6%	4.9%	2.7%	0.0%	5.5%	4.1%	4.1%	8.1%	8.3%	7.0%	2.9%	2.9%	6.0%	5.1%		5.7%	5.6%	0.0%	0.0%	6.9%	2.6%	0.0%
Aunt or uncle	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Older brother or sister	10	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.2%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other relative	5	1	0	0	1	0	1	0	0	0	1	0	1	0	0	1	1	0	0	1	0	0
	0.1%	0.5%	0.0%	0.0%	0.6%	0.0%	1.0%	0.0%	0.0%	0.0%	1.0%	0.0%	0.9%	0.0%		2.9%	0.6%	0.0%	0.0%	1.7%	0.0%	0.0%
Legal guardian	47	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.2%	0.0%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Someone else	22	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.5%	0.0%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

NA - Not Applicable

Question 47

Did someone help you complete this survey?

Base: All respondents (Please note that members who responded on the phone were not asked this question.)

	ОНР			Respor Gen (Q ²	der	С	hild's Age (Q39)	е	Respon	dent's Ed	ucation	Hispanio (Q4	` ′	C	hild's Rad (Q42)	e	Child's	s Health S	Status		Doctor Vi st 6 Month (Q7)	
	2019 State Ol	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	189	143	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	7
Number missing or multiple answer	1,949	85	0	15	70	24	49	12	18	20	46	38	46	54	0	25	73	12	0	28	53	3
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,150	104	143	6	98	27	52	25	18	24	62	31	73	85	0	12	92	10	1	31	66	4
	52.5%	55.0%	100.0%	28.6%	58.3%	52.9%	51.5%	67.6%	50.0%	54.5%	57.4%	44.9%	61.3%	61.2%		32.4%	55.8%	45.5%	100.0%	52.5%	55.5%	57.1%
Yes	79	1	3	0	1	1	0	0	0	1	0	1	0	1	0	0	0	1	0	0	1	0
	3.7%	1.0%	2.1%	0.0%	1.0%	3.7%	0.0%	0.0%	0.0%	4.2%	0.0%	3.2%	0.0%	1.2%		0.0%	0.0%	10.0%	0.0%	0.0%	1.5%	0.0%
No	2,071	103	140	6	97	26	52	25	18	23	62	30	73	84	0	12	92	9	1	31	65	4
	96.3%	99.0%	97.9%	100.0%	99.0%	96.3%	100.0%	100.0%	100.0%	95.8%	100.0%	96.8%	100.0%	98.8%		100.0%	100.0%	90.0%	100.0%	100.0%	98.5%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11540

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 48

How did that person help you? Mark one or more.

Base: All mail survey respondents who received help completing this survey (Q47) (Please note that members who responded on the phone were not asked this question.)

	0			-	ndent's nder	C	hild's Ag	e	Respon	ndent's Ed	ucation	Hispanio	c (Child)	CI	hild's Rad	ce	Child's	s Health S	Status		Doctor Vist 6 Month	
	ОНР			(Q	44)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	79	1	233	0	1	1	0	0	0	1	0	1	0	1	0	0	0	1	0	0	1	0
Number missing or multiple answer	0	0	230	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Usable responses	79	1	3	0	1	1	0	0	0	1	0	1	0	1	0	0	0	1	0	0	1	0
	100.0%	100.0%	1.3%		100.0%	100.0%				100.0%		100.0%		100.0%				100.0%			100.0%	
Read the questions to me	38	1	2	0	1	1	0	0	0	1	0	1	0	1	0	0	0	1	0	0	1	0
	48.1%	100.0%	66.7%		100.0%	100.0%				100.0%		100.0%		100.0%				100.0%			100.0%	
Wrote down the answers I gave	28	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35.4%	0.0%	66.7%		0.0%	0.0%				0.0%		0.0%		0.0%				0.0%			0.0%	
Answered the questions for me	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	22.8%	0.0%	0.0%		0.0%	0.0%				0.0%		0.0%		0.0%				0.0%			0.0%	
Translated the questions into my language	43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	54.4%	0.0%	0.0%		0.0%	0.0%				0.0%		0.0%		0.0%				0.0%			0.0%	
Helped in some other way	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10.1%	0.0%	0.0%		0.0%	0.0%				0.0%		0.0%		0.0%				0.0%			0.0%	

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

Question 48a

Is your child between the ages of 3 and 5 years old?

Base: All respondents

				Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanic	(Child)	C	hild's Rac	ce	Child's	s Health S	Status		Doctor V st 6 Montl	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	1)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	4,099	189	224	21	168	51	101	37	36	44	108	69	119	139	0	37	165	22	1	59	119	
Number missing or multiple answer	111	4	0	0	4	1	2	1	2	1	0	2	1	3	0	1	3	1	0	1	1	1
Number no experience	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	3,988	185	224	21	164	50	99	36	34	43	108	67	118	136	0	36	162	21	1	58	118	I
	97.3%	97.9%	100.0%	100.0%	97.6%	98.0%	98.0%	97.3%	94.4%	97.7%	100.0%	97.1%	99.2%	97.8%		97.3%	98.2%	95.5%	100.0%	98.3%	99.2%	100.0%
Yes	720	30	41	2	28	29	1	0	2	6	22	7	23	23	0	6	26	4	0	4	24	1
	18.1%	16.2%	18.3%	9.5%	17.1%	58.0%	1.0%	0.0%	5.9%	14.0%	20.4%	10.4%	19.5%	16.9%		16.7%	16.0%	19.0%	0.0%	6.9%	20.3%	14.3%
No	3,268	155	183	19	136	21	98	36	32	37	86	60	95	113	0	30	136	17	1	54	94	
	81.9%	83.8%	81.7%	90.5%	82.9%	42.0%	99.0%	100.0%	94.1%	86.0%	79.6%	89.6%	80.5%	83.1%		83.3%	84.0%	81.0%	100.0%	93.1%	79.7%	85.7%
Significantly different from column:*						GH	F	F	K		I									U	Т	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

When he or she is paying attention, how often can this child follow instructions to complete a simple task?

base. All respondents whose child is between ages of				Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	nild's Rac	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	44)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	720	30	41	2	28	29	1	0	2	6	22	7	23	23	0	6	26	4	0	4	24	1
Number missing or multiple answer	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	714	30	41	2	28	29	1	0	2	6	22	7	23	23	0	6	26	4	0	4	24	1
	99.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%		100.0%	100.0%	100.0%
None of the time	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%		0.0%	0.0%	0.0%
Some of the time	58	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8.1%	0.0%	2.4%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%		0.0%	0.0%	0.0%
Most of the time	279	12	18	0	12	12	0	0	1	3	8	2	10	8	0	4	10	2	0	2	9	0
All City of	39.1%	40.0%	43.9%	0.0%	42.9%	41.4%	0.0%		50.0%	50.0%	36.4%	28.6%	43.5%	34.8%		66.7%	38.5%	50.0%		50.0%	37.5%	0.0%
All of the time	373	18	22	2	16	17	1	0	50.00	3	14	5	13	15	0	2	16	2	0	2	15	100.001
Cignificantly different from column:*	52.2%	60.0%	53.7%	100.0%	57.1%	58.6%	100.0%		50.0%	50.0%	63.6%	71.4%	56.5%	65.2%		33.3%	61.5%	50.0%		50.0%	62.5%	100.0%
Significantly different from column:*	652	20	40	2	20	20	4		0		20	7	00	22			00	4	0	4	0.4	
All of the time or Most of the time	91.3%	30 100.0%	40 97.6%	2 100.0%	28 100.0%	29 100.0%	100.0%	0	100.0%	100.0%	22 100.0%	100.0%	23 100.0%	23 100.0%		ە 100.0%	26 100.0%	4 100.0%	0	100.0%	24 100.0%	1 100.0%
Significantly different from column:*	31.370	100.0 /0	31.0%	100.0%	100.0%	100.0%	100.076		100.0%	100.0%	100.0%	100.076	100.076	100.0%		100.076	100.0%	100.0%		100.0%	100.076	100.076
e.gg amorone nom oolanin																						

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Question 48c

How often does this child play well with others?

	۵			Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	nild's Rad	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V
Number in sample	720	30	41	2	28	29	1	0	2	6	22	7	23	23	0	6	26	4	0	4	24	1
Number missing or multiple answer	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	715	30	41	2	28	29	1	0	2	6	22	7	23	23	0	6	26	4	0	4	24	1
	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%		100.0%	100.0%	100.0%
None of the time	1 0.1%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%
Some of the time	64	1	0	1	0	1	0	0	0	1	0	0	1	1	0	0	1	0	0	0	1	0
	9.0%	3.3%	0.0%	50.0%	0.0%	3.4%	0.0%		0.0%	16.7%	0.0%	0.0%	4.3%	4.3%		0.0%	3.8%	0.0%		0.0%	4.2%	0.0%
Most of the time	305	12	25	0	12	12	0	0	1	3	8	2	10	9	0	2	9	3	0	1	9	1
	42.7%	40.0%	61.0%	0.0%	42.9%	41.4%	0.0%		50.0%	50.0%	36.4%	28.6%	43.5%	39.1%		33.3%	34.6%	75.0%		25.0%	37.5%	100.0%
All of the time	345	17	16	1	16	16	1	0	1	2	14	5	12	13	0	4	16	1	0	3	14	0
	48.3%	56.7%	39.0%	50.0%	57.1%	55.2%	100.0%		50.0%	33.3%	63.6%	71.4%	52.2%	56.5%		66.7%	61.5%	25.0%		75.0%	58.3%	0.0%
Significantly different from column:*																						
All of the time or Most of the time	650	29	41	1	28	28	1	0	2	5	22	7	22	22	0	6	25	4	0	4	23	1
	90.9%	96.7%	100.0%	50.0%	100.0%	96.6%	100.0%		100.0%	83.3%	100.0%	100.0%	95.7%	95.7%		100.0%	96.2%	100.0%		100.0%	95.8%	100.0%
Significantly different from column:*																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

How often can this child calm down when excited or all wound up?

base. All respondents whose child is between ages of		, ,		Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	nild's Rad	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	ОНР			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	720	30	41	2	28	29	1	0	2	6	22	7	23	23	0	6	26	4	0	4	24	1
Number missing or multiple answer	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	715	30	41	2	28	29	1	0	2	6	22	7	23	23	0	6	26	4	0	4	24	1
	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%		100.0%	100.0%	100.0%
None of the time	4	1	0	0	1	1	0	0	1	0	0	0	1	1	0	0	1	0	0	0	1	0
	0.6%	3.3%	0.0%	0.0%	3.6%	3.4%	0.0%		50.0%	0.0%	0.0%	0.0%	4.3%	4.3%		0.0%	3.8%	0.0%		0.0%	4.2%	0.0%
Some of the time	118	4	8	0	4	4	0	0	0	0	4	1	3	3	0	1	3	1	0	0	4	0
Mark of the time	16.5%	13.3%		0.0%	14.3%	13.8%	0.0%		0.0%	0.0%	18.2%	14.3%	13.0%	13.0%		16.7%	11.5%	25.0%		0.0%	16.7%	0.0%
Most of the time	384 53.7%	16 53.3%	22 53.7%	100.0%	14 50.0%	15 51.7%	100.0%	0	0.0%	66.7%	12 54.5%	57.1%	12 52.2%	10 43.5%	0	5 83.3%	14 53.8%	50.0%	0	75.0%	45.8%	1 100.0%
All of the time	209	9	11	0	9	9	0	0	0.070	2	6	27.170	7	9	0	00.070	8	1	0	1 1	43.070	0
	29.2%	30.0%	26.8%	0.0%	32.1%	31.0%	0.0%		50.0%	33.3%	27.3%	28.6%	30.4%	39.1%		0.0%	30.8%	25.0%		25.0%	33.3%	0.0%
Significantly different from column:*	,,		- 3,0	7	- /2						- / -			7								
All of the time or Most of the time	593	25			23	24	1	0	1	6	18	6	19	19	0	5	22	3	0	4	19	1
	82.9%	83.3%	80.5%	100.0%	82.1%	82.8%	100.0%		50.0%	100.0%	81.8%	85.7%	82.6%	82.6%		83.3%	84.6%	75.0%		100.0%	79.2%	100.0%
Significantly different from column:*																						

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

11540

PacificSource - Central Oregon
CAHPS® 5.0H Child Medicaid Without Chronic Conditions Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

How often does this child lose control of his or her temper when things do not go his or her way?

		olu (Q+OD)		Respor Gen		С	hild's Ag	Э	Respon	dent's Ed	ucation	Hispanio	c (Child)	CI	nild's Rad	e	Child's	s Health S	Status		Doctor Vi st 6 Month	
	OHP			(Q4	14)		(Q39)			(Q45)		(Q4	41)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V
Number in sample	720	30	41	2	28	29	1	0	2	6	22	7	23	23	0	6	26	4	0	4	24	1
Number missing or multiple answer	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	711	30	41	2	28	29	1	0	2	6	22	7	23	23	0	6	26	4	0	4	24	1
	98.8%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%		100.0%	100.0%	100.0%
None of the time	136	4	3	0	4	4	0	0	0	1	3	2	2	3	0	1	4	0	0	0	4	0
	19.1%	13.3%			14.3%		0.0%		0.0%	16.7%	13.6%	28.6%	8.7%	13.0%		16.7%		0.0%		0.0%	16.7%	0.0%
Some of the time	498	23	· ·	_	21	22	1	0	1	5	17	4	19	18	0	4	20	3	0	4	17	1
14 . (1) . (1)	70.0%	76.7%	78.0%	100.0%	75.0%	75.9%	100.0%		50.0%	83.3%	77.3%	57.1%	82.6%	78.3%		66.7%	76.9%	75.0%		100.0%	70.8%	100.0%
Most of the time	53 7.5%	3.3%	5 12.2%	0.0%	1 3.6%	3.4%	0.0%	0	0.0%	0.0%	1 4.5%	1 14.3%	0.0%	0.0%	0	1 16.7%	0.0%	1 25.0%	0	0.0%	4.2%	0 0.0%
All of the time	24	3.3 /0	12.270	0.078	3.076	3.470	0.076	0	0.076	0.0 /6	4.570	14.570	0.076	0.076	0	10.7 /6	0.076	23.076	0	0.076	4.270	0.078
7 01 0.10 0.110	3.4%	6.7%	2.4%	0.0%	7.1%	6.9%	0.0%		50.0%	0.0%	4.5%	0.0%	8.7%	8.7%		0.0%	7.7%	0.0%		0.0%	8.3%	0.0%
Significantly different from column:*	21.70	222 76	770	2.270	, 0	2.270	2.270		22.270	2.270	1.370	21270	211 /6	211 70		21270	11170	2.270		21270	2.270	21270
All of the time or Most of the time	77 10.8%	3 10.0%	6 14.6%	0 0.0%	3 10.7%	3 10.3%	0 0.0%	0	1 50.0%	0 0.0%	2 9.1%	1 14.3%	2 8.7%	2 8.7%	0 	1 16.7%	2 7.7%	1 25.0%	0	0 0.0%	3 12.5%	0 0.0%
Significantly different from column:*		131376	370	2.270	1 2 1 7 7	1 212 / 0	5.570		22.270	2.270	270		2 /0	211 /0		1 211 70	11170			21270		

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

In the past 6 months, were you ever asked to keep your child home from any child care or preschool because of their behavior (things like hitting, kicking, biting, tantrums or disobeying)?

	۵			Respor	der	C	hild's Ag	Э	Respon	dent's Ed	ucation	Hispanio	,	C	hild's Rad	e	Child's	s Health S	Status		Doctor Vi	
	OHP			(Q4	14)		(Q39)			(Q45)		(Q4	11)		(Q42)			(Q37)			(Q7)	
	2019 State (2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some college or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	1	J	K	L	M	N	0	Р	Q	R	S	T	U	V
Number in sample	720	30	41	2	28	29	1	0	2	6	22	7	23	23	0	6	26	4	0	4	24	1
Number missing or multiple answer	18	1	0	0	1	1	0	0	0	0	1	1	0	0	0	1	1	0	0	0	1	0
Number no experience	129	4	10	0	4	4	0	0	1	1	2	0	4	2	0	2	4	0	0	1	2	0
Usable responses	573	25	31	2	23	24	1	0	1	5	19	6	19	21	0	3	21	4	0	3	21	1
	79.6%	83.3%	75.6%	100.0%	82.1%	82.8%	100.0%		50.0%	83.3%	86.4%	85.7%	82.6%	91.3%		50.0%	80.8%	100.0%		75.0%	87.5%	100.0%
No	562	24	29	1	23	23	1	0	1	4	19	6	18	20	0	3	20	4	0	3	20	1
	98.1%	96.0%	93.5%	50.0%	100.0%	95.8%	100.0%		100.0%	80.0%	100.0%	100.0%	94.7%	95.2%		100.0%	95.2%	100.0%		100.0%	95.2%	100.0%
Yes, I was told to pick up my child early on 1 or more days	8 1.4%	0 0.0%	2 6.5%	0 0.0%	0 0.0%	0 0.0%	0.0%	0	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 	0 0.0%	0 0.0%	0 0.0%	0	0 0.0%	0 0.0%	0 0.0%
Yes, I had to keep my child home for 1 full day or more	3 0.5%	1 4.0%	0.0%	1 50.0%	0 0.0%	1 4.2%	0 0.0%	0	0.0%	1 20.0%	0 0.0%	0 0.0%	1 5.3%	1 4.8%	0	0 0.0%	1 4.8%	0 0.0%	0	0 0.0%	1 4.8%	0 0.0%
Yes permanently, I was told my child could no	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
longer attend this childcare center or	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%		0.0%	0.0%	0.0%
Significantly different from column:*																						
No	562	24	29	1	23	23	1	0	1	4	19	6	18	20	0	3	20	4	0	3	20	1
	98.1%	96.0%	93.5%	50.0%	100.0%	95.8%	100.0%		100.0%	80.0%	100.0%	100.0%	94.7%	95.2%		100.0%	95.2%	100.0%		100.0%	95.2%	100.0%
Significantly different from column:*																						

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

SURVEY INSTRUMENT





Survey Instructions

Answer each question by marking the box to the left of your answer.

You are sometimes told to skip over some questions in this survey. When this happens you will see an arrow with a note that tells you what question to answer next, like this:

 \square_1 Yes \rightarrow *If Yes, Go to Question 1* \square_2 No

Personally identifiable information will not be made public and will only be released in accordance with federal laws and regulations.

You may choose to answer this survey or not. If you choose not to, this will not affect the benefits you get. You may notice a number on the cover of this survey. This number is ONLY used to let us know if you returned your survey so we don't have to send you reminders.

If you want to know more about this study, please call 1-833-257-1377. For the hearing or speech impaired, call 711 to use the Telecommunications Relay Service (TRS).

Please answer the questions for the child listed on the envelope. Please do not answer for any other children.

- Our records show that your child is now in Oregon Health Plan. Is that right?
 - \square_1 Yes \rightarrow *If Yes, Go to Question 3* \square_2 No
- What is the name of your child's health plan? (Please print)

Your Child's Health Care in the Last 6 Months

These questions ask about your child's health care. Do <u>not</u> include care your child got when he or she stayed overnight in a hospital. Do <u>not</u> include the times your child went for dental care visits.

- 3. In the last 6 months, did your child have an illness, injury, or condition that <u>needed care</u> <u>right away</u> in a clinic, emergency room, or doctor's office?
 - ☐₁ Yes
 - \square_2 No \rightarrow *If No, Go to Question 5*

4.	In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed? \[\begin{align*} \Pi_1 & \text{Never} \\ \Pi_2 & \text{Sometimes} \\ \Pi_3 & \text{Usually} \\ \Pi_4 & \text{Always} \end{align*}	9.	In the last 6 months, did you and your child's doctor or other health provider talk about starting or stopping a prescription medicine fo your child? \square_1 Yes \square_2 No \rightarrow If No, Go to Question 13
5.	In the last 6 months, did you make any appointments for a <u>check-up or routine care</u> for your child at a doctor's office or clinic? Yes	10.	Did you and a doctor or other health provider talk about the reasons you might want your child to take a medicine? $\Box_{\scriptscriptstyle 1} \ \text{Yes} \\ \Box_{\scriptscriptstyle 2} \ \text{No}$
6.	□₂ No → If No, Go to Question 7 In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?	11.	Did you and a doctor or other health provider talk about the reasons you might <u>not</u> want your child to take a medicine? Yes No
	 □₁ Never □₂ Sometimes □₃ Usually □₄ Always 	12.	When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child? Yes
7.	In the last 6 months, <u>not</u> counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care? \square_0 None \rightarrow <i>If None, Go to Question 15</i> \square_1 1 time \square_2 2	13.	Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?
	\square_3 3 \square_4 4 \square_5 5 to 9 \square_6 10 or more times		\square_0 0 Worst health care possible \square_1 1 \square_2 2 \square_3 3 \square_4 4
8.	In the last 6 months, did you and your child's doctor or other health provider talk about specific things you could do to prevent illness in your child? Yes No		□ ₅ 5 □ ₆ 6 □ ₇ 7 □ ₈ 8 □ ₉ 9

14. In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed? □₁ Never □₂ Sometimes □₃ Usually □₄ Always	 17. In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand? □₁ Never □₂ Sometimes □₃ Usually □₄ Always
Your Child's Personal Doctor 15. A personal doctor is the one your child would see if he or she needs a checkup, has a health	 18. In the last 6 months, how often did your child's personal doctor listen carefully to you? □₁ Never □₂ Sometimes □₃ Usually
problem, or gets sick or hurt. Does your child have a personal doctor? \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 27</i>	19. In the last 6 months, how often did your child's personal doctor show respect for what you had to say?
16. In the last 6 months, how many times did your child visit his or her personal doctor for care? □₀ None → If None, Go to Question 26 □₁ 1 time	☐ Never ☐ Sometimes ☐ Usually ☐ Always
\square_2 2 \square_3 3 \square_4 4 \square_5 5 to 9 \square_6 10 or more times	 20. Is your child able to talk with doctors about his or her health care? □₁ Yes □₂ No → If No, Go to Question 22
16a. In the last 6 months, how often did you have a hard time speaking with or understanding your child's personal doctor because you spoke different languages? □₁ Never □₂ Sometimes □₃ Usually □₄ Always	21. In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for your child to understand? Never Sometimes Usually Always

22.	In the last 6 months, how often did your child's personal doctor spend enough time with your child? Never Sometimes Usually Always	 26. Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor? 0 Worst personal doctor possible 1 2
23.	In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving? Yes No	□ ₃ 3 □ ₄ 4 □ ₅ 5 □ ₆ 6 □ ₇ 7 □ ₈ 8
24.	In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor?	\square_9 9 \square_{10} 10 Best personal doctor possible
	\square_1 Yes \square_2 No \Rightarrow <i>If No, Go to Question 26</i>	Getting Health Care from Specialists
25.	In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these	When you answer the next questions, do <u>not</u> include dental visits or care your child got when he or she stayed overnight in a hospital.
	doctors or other health providers? \[\bigcup_1 \text{Never} \\ \bigcup_2 \text{Sometimes} \\ \bigcup_3 \text{Usually} \\ \bigcup_4 \text{Always} \end{aligned}	 27. Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and other doctors who specialize in one area of health care. In the last 6 months, did you make any appointments for your child to see a specialist? □₁ Yes □₂ No → If No, Go to Question 31
		28. In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed? □₁ Never □₂ Sometimes □₃ Usually □₄ Always

29. How many specialists has your child seen in the last 6 months? □₀ None → If None, Go to Question 31 □₁ 1 specialist □₂ 2 □₃ 3 □₄ 4 □₅ 5 or more specialists	 32. In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed? Never Sometimes Usually Always 33. In the last 6 months, how often did customer
30. We want to know your rating of the specialist your child saw most often in the last 6 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?	service staff at your child's health plan treat you with courtesy and respect? □¹ Never □² Sometimes □₃ Usually □⁴ Always 34. In the last 6 months, did your child's health plan give you any forms to fill out? □¹ Yes □² No → If No, Go to Question 36 35. In the last 6 months, how often were the forms from your child's health plan easy to fill out? □¹ Never □² Sometimes □₃ Usually
Your Child's Health Plan	□₄ Always
The next questions ask about your experience with your child's health plan.	
 31. In the last 6 months, did you get information or help from customer service at your child's health plan? □₁ Yes □₂ No → If No, Go to Question 34 	

36. Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan? □₀ 0 Worst health plan possible □₁ 1 □₂ 2 □₃ 3 □₄ 4 □₅ 5 □₆ 6 □٫ 7 □٫ 8 8 □٫ 9 □₁ 10 Best health plan possible	36d. In the last 6 months, if your child needed to see a dentist right away because of a dental emergency, how often did he or she get to see a dentist as soon as you wanted? □₁ Never □₂ Sometimes □₃ Usually □₄ Always □₅ My child did not have a dental emergency in the last 6 months 36e. Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how eas it was for you to find a dentist for your child? □₀ 0 Extremely difficult □₁ 1
Access to Dental Care	□ ₂ 2
36a. A regular dentist is one your child would go to for check-ups and cleanings or when he or she has a cavity or tooth pain. Does your child have a regular dentist? ☐₁ Yes ☐₂ No	□ ₃ 3 □ ₄ 4 □ ₅ 5 □ ₆ 6 □ ₇ 7 □ ₈ 8 □ ₉ 9 □ ₁₀ 10 Extremely easy
36b. In the last 6 months, did your child go to a dentist's office or clinic for care?	
□₁ Yes	About Your Child and You
 □₂ No → If No, Go to Question 36d 36c. In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating your child? □₁ Never □₂ Sometimes □₃ Usually □₄ Always 	37. In general, how would you rate your child's overall health? □₁ Excellent □₂ Very good □₃ Good □₄ Fair □₅ Poor

38.	In general, how would you rate your child's	44.	Are you male or female?
	overall mental or emotional health?		□₁ Male
	□₁ Excellent		□₂ Female
	□₂ Very good		
	$\square_{\scriptscriptstyle 3}$ Good	45.	What is the highest grade or level of school
	□₄ Fair	13.	that you have completed?
	□ _s Poor		\square_1 8th grade or less
			\square_2 Some high school, but did not
39.	What is your child's age?		graduate
	\square_{∞} Less than 1 year old		☐₃ High school graduate or GED
	•		Some college or 2-year degree
	YEARS OLD <i>(write in)</i>		□ _s 4-year college graduate
			☐ More than 4-year college degree
40.	Is your child male or female?		6 Word than 4 year conege degree
	□₁ Male	4.0	
	\square_2 Female	46.	How are you related to the child?
			☐₁ Mother or father
41.	Is your child of Hispanic or Latino origin or		☐₂ Grandparent
	descent?		☐₃ Aunt or uncle
	☐₁ Yes, Hispanic or Latino		Older brother or sister
	□₂ No, not Hispanic or Latino		□₅ Other relative
			☐ Legal guardian
12	What is your child's race? Mark one or more.		$\square_{\scriptscriptstyle 7}$ Someone else
+∠.	-		
	☐, White	47.	Did someone help you complete this survey?
	☐ Black or African-American		$\square_{\scriptscriptstyle 1}$ Yes \rightarrow <i>If Yes, Go to Question 48</i>
	a Asian		$\square_{\scriptscriptstyle 2}$ No \rightarrow If No, Go to Question 48a
	Native Hawaiian or other Pacific Islander		
		48.	How did that person help you? Mark one or
	☐ American Indian or Alaska Native ☐ Other		more.
	□ _f Other		\square _a Read the questions to me
42	William Communication		☐ Wrote down the answers I gave
43.	What is your age?		$\square_{\scriptscriptstyle c}$ Answered the questions for me
	Under 18		$\square_{\scriptscriptstyle d}$ Translated the questions into my
	18 to 24		language
	25 to 34		$\square_{\scriptscriptstyle m e}$ Helped in some other way
	□₃ 35 to 44		
	□ ₄ 45 to 54		
	□ ₅ 55 to 64		
	☐ ₆ 65 to 74		
	\square_{7} 75 or older		

Kindergarten Readiness 48a. Is your child between the ages of 3 and 5 years old? \square Yes \rightarrow *If Yes, Go to Question 48b* \square , No \rightarrow Thank you. Please return the survey in the postage-paid envelope. 48b. When he or she is paying attention, how often can this child follow instructions to complete a simple task? \square All of the time \square , Most of the time \square_3 Some of the time \square ₄ None of the time 48c. How often does this child play well with others? ☐₁ All of the time \square , Most of the time ☐ 3 Some of the time \square_4 None of the time 48d. How often can this child calm down when excited or all wound up? \square All of the time \square , Most of the time \square_3 Some of the time \square_{4} None of the time 48e. How often does this child lose control of his or her temper when things do not go his or her

way?

 \square_1 All of the time \square_2 Most of the time \square_3 Some of the time \square_4 None of the time

to keep y	our child home from any child
care or p	reschool because of their behavior
(things li	ke hitting, kicking, biting, tantrums or
disobeyi	ng)?
	This child did not attend childcare or
	preschool
	No
Пз	Yes, I was told to pick up my child
	early on 1 or more days
	Yes, I had to keep my child home for 1
	full day or more
5	Yes permanently, I was told my child
	could no longer attend this childcare
	center or preschool

48f. In the past 6 months, were you ever asked

Thank You

Please return the completed survey in the postage-paid envelope to:

Center for the Study of Services PO Box 10820 Herndon, VA 20172-9904

Please do not include any other correspondence.



Instrucciones para el cuestionario

Conteste cada pregunta marcando el cuadrito que aparece a la izquierda de la respuesta que usted elija.

A veces hay que saltarse alguna pregunta del cuestionario. Cuando esto ocurra, verá una flecha con una nota que le indicará cuál es la siguiente pregunta a la que tiene que pasar. Por ejemplo:

 \square_1 Sí \rightarrow Si contestó "Sí", pase a la pregunta 1 \square_2 No

La información personal identificable no se hará pública y solo se dará a conocer de conformidad con las leyes y reglamentos federales.

Usted puede optar por responder a esta encuesta o no. Si decide no participar, esto no afectará los beneficios que obtenga. Usted notará un número en la portada de esta encuesta. Este número se utiliza SOLO para hacernos saber si usted ya envió su encuesta para que no tengamos que enviarle recordatorios.

Si quiere informarse más sobre este estudio, llame al 1-833-257-1377. Las personas con problemas de audición o del habla pueden llamar al 711 para usar el Servicio de Retransmisión de Telecomunicaciones (TRS).

Por favor conteste las preguntas para el niño cuyo nombre está anotado en el sobre. No las conteste para ningún otro niño.

- 1. Nuestros registros muestran que su niño está ahora con Oregon Health Plan. ¿Es correcta esta información?
 - \square_1 Sí \rightarrow Si contestó "Sí", pase a la pregunta 3
 - □₂ No
- ¿Cómo se llama el plan de salud de su niño? (Por favor escriba en letra de molde)

La atención médica que recibió su niño en los últimos 6 meses

Estas preguntas son acerca de la atención médica que ha recibido su niño. <u>No</u> incluya la atención que recibió su niño cuando pasó la noche hospitalizado. <u>No</u> incluya las consultas de su niño con el dentista.

- 3. En los últimos 6 meses, ¿tuvo su niño una enfermedad, lesión o problema de salud para el cual <u>necesitó atención inmediata</u> en una clínica, en una sala de emergencia o en un consultorio médico?
 - □₁ Sí
 - \square_2 No \rightarrow Si contestó "No", pase a la pregunta 5

4.	En los últimos 6 meses, cuando su niño necesitó atención inmediata, ¿con qué frecuencia atendieron a su niño tan pronto como él o ella lo necesitaba? Nunca A veces La mayoría de las veces	8.	En los últimos 6 meses, ¿hablaron usted y el doctor u otro profesional médico de su niño sobre cosas específicas que usted podría hacer para prevenir que su niño se enferme? Sí No
5.	 □₄ Siempre En los últimos 6 meses, ¿hizo alguna cita para un chequeo o una consulta regular para su niño en un consultorio médico o en una clínica? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 7 	9.	En los últimos 6 meses, ¿hablaron usted y el doctor u otro profesional médico de su niño sobre comenzar o suspender una medicina recetada? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 13
6.	En los últimos 6 meses, ¿con qué frecuencia consiguió una cita para un chequeo o una consulta regular para su niño en un consultorio médico o en una clínica tan pronto como su niño la necesitaba? Nunca A veces La mayoría de las veces Siempre		¿Hablaron usted y un doctor u otro profesional médico sobre las razones por las que tal vez usted quiera que su niño tome una medicina? Sí No ¿Hablaron usted y un doctor u otro profesional médico sobre las razones por las que tal vez usted no quiera que su niño tome una medicina? Sí
7.	En los últimos 6 meses, <u>sin</u> contar las veces en que su niño fue a una sala de emergencia, ¿cuántas veces fue su niño a un consultorio médico o a una clínica para que lo atendieran? □₀ Ninguna vez → Si contestó "Ninguna vez", pase a la pregunta 15 □₁ 1 vez □₂ 2 □₃ 3 □₄ 4 □₅ 5 a 9 □₆ 10 veces o más	12.	Cuando hablaron de comenzar o suspender una medicina recetada para su niño, ¿le preguntó un doctor u otro profesional médico sobre lo que usted creía que sería lo mejor para su niño? Sí No

peor atención médica posible y el 10 la mejor atención médica posible, ¿qué número usaría para calificar toda la atención médica que su niño ha recibido en los últimos 6 meses?	 16. En los últimos 6 meses, ¿cuántas veces fue su niño a ver a su doctor personal para recibir atención médica? □₀ Ninguna vez → Si contestó "Ninguna vez", pase a la pregunta 26 □₁ 1 vez □₂ 2 □₃ 3 □₄ 4 □₅ 5 a 9 □₆ 10 veces o más 16a. En los últimos 6 meses, ¿con qué frecuencia se le hizo difícil hablar con el doctor personal de su niño o entenderlo porque hablaban idiomas
En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir la atención, las pruebas o el tratamiento que su niño necesitaba?	diferentes? Nunca A veces La mayoría de las veces Siempre
□₂ A veces□₃ La mayoría de las veces□₄ Siempre	17. En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le explicó las cosas sobre la salud de su niño de una manera fácil de entender?
El doctor personal de su niño	□₁ Nunca
El doctor personal es aquel a quien su niño va si necesita un chequeo, tiene un problema de salud o si se enferma o lastima. ¿Tiene su niño	 □₂ A veces □₃ La mayoría de las veces □₄ Siempre
un doctor personal? □¹ Sí □² No → Si contestó "No", pase a la pregunta 27	 18. En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le escuchó a usted con atención? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₄ Siempre
	atención médica posible, ¿qué número usaría para calificar toda la atención médica que su niño ha recibido en los últimos 6 meses? □₀ 0 La peor atención médica posible □₁ 1 □₂ 2 □₃ 3 □₄ 4 □ѕ 5 □₆ 6 □٫ 7 7 □ଃ 8 □᠀ 9 □₁₀ 10 La mejor atención médica posible En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir la atención, las pruebas o el tratamiento que su niño necesitaba? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₃ La mayoría de las veces □₄ Siempre El doctor personal de su niño El doctor personal es aquel a quien su niño va si necesita un chequeo, tiene un problema de salud o si se enferma o lastima. ¿Tiene su niño un doctor personal? □₁ Sí □₂ No → Si contestó "No", pase a la

19.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño demostró respeto por lo que usted tenía que decir? Nunca A veces La mayoría de las veces Siempre		En los últimos 6 meses, ¿atendió a su niño algún doctor u otro profesional médico además de su doctor personal? ☐ Sí ☐ No → Si contestó "No", pase a la pregunta 26
20.	¿Su niño puede hablar con los doctores sobre su atención médica? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 22	25.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño parecía estar informado y al día acerca de la atención que su niño había recibido de estos doctores u otros profesionales médicos? Nunca A veces
21.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le explicó las cosas a <u>su niño</u> de una manera fácil de entender?		□₃ La mayoría de las veces□₄ Siempre
	 □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₄ Siempre 	26.	Usando un número del 0 al 10, el 0 siendo el peor doctor personal posible y el 10 el mejor doctor personal posible, ¿qué número usaría para calificar al doctor personal de su niño? 0 El peor doctor personal posible
22.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño pasó suficiente tiempo con su niño? Nunca A veces La mayoría de las veces Siempre		□₁ 1 □₂ 2 □₃ 3 □₄ 4 □₅ 5 □₆ 6 □٫ 7 □₃ 8 □ዓ 9
23.	En los últimos 6 meses, ¿habló el doctor personal de su niño con usted sobre cómo su niño se estaba sintiendo, estaba creciendo o se estaba comportando? Sí No		□ ₁₀ 10 El mejor doctor personal posible

La atención médica que recibió de especialistas

Al contestar las siguientes preguntas <u>no</u> incluya las veces que su niño fue a ver al dentista ni la atención que recibió cuando pasó la noche hospitalizado.

27.	Los especialistas son doctores que se especializan en un área de la medicina. Pueden ser cirujanos, doctores especialistas en el corazón, las alergias, la piel y otras áreas. En los últimos 6 meses, ¿hizo alguna cita para su niño con un especialista? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 31
	pregunta 31
28.	En los últimos 6 meses, ¿con qué frecuencia consiguió una cita con un especialista para su niño tan pronto como él o ella la necesitaba? Nunca A veces La mayoría de las veces Siempre
29.	¿Cuántos especialistas ha visto su niño en los últimos 6 meses?
	\square_{\circ} Ninguno \rightarrow <i>Si contestó "Ninguno",</i> pase a la pregunta 31
	□₁ 1 especialista
	\square_2 2
	□₃ 3
	$\square_{\scriptscriptstyle 4}$ 4

□₅ 5 especialistas o más

30.	Queremos saber cómo califica al especialista al que su niño fue con más frecuencia en los últimos 6 meses. Usando un número del 0 al 10, el 0 siendo el peor especialista posible y el 10 el mejor especialista posible, ¿qué número usaría para calificar a ese especialista?
E	El plan de salud de su niño
L	as siguientes preguntas se refieren a su experiencia con el plan de salud de su niño.
31.	En los últimos 6 meses, ¿recibió información o ayuda de parte del servicio al cliente del plan de salud de su niño? ☐¹ Sí ☐² No → Si contestó "No", pase a la pregunta 34
32.	En los últimos 6 meses, ¿con qué frecuencia el servicio al cliente del plan de salud de su niño le dio la información o ayuda que usted necesitaba? Nunca A veces

☐₃ La mayoría de las veces

□₄ Siempre

33.	En los últimos 6 meses, ¿con qué frecuencia el personal de servicio al cliente del plan de salud	Acceso a atención dental
	de su niño le trató con cortesía y respeto? \[\bigcal_1 \text{Nunca} \\ \bigcal_2 \text{A veces} \\ \bigcal_3 \text{La mayoría de las veces} \\ \bigcal_4 \text{Siempre} \]	36a. Un dentista regular es a quien su niño va a ver para un chequeo y limpieza o cuando tiene una carie o un dolor de diente. ¿Su niño tiene un dentista regular?
34.	En los últimos 6 meses, ¿le dio el plan de salud de su niño algún formulario para llenar? □₁ Sí □₂ No → Si contestó "No", pase a la	☐₂ No 36b.En los últimos 6 meses, ¿fue su niño al consultorio de un dentista o a una clínica dental para recibir atención?
35.	pregunta 36 En los últimos 6 meses, ¿con qué frecuencia fueron fáciles de llenar los formularios del plan	 □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 36d
	de salud de su niño? Nunca A veces La mayoría de las veces Siempre	36c. En los últimos 6 meses, ¿con qué frecuencia el personal dental o el dentista le explicaron lo que le hacían mientras trataron a su niño? □₁ Nunca □₂ A veces
36.	Usando un número del 0 al 10, el 0 siendo el peor plan de salud posible y el 10 el mejor plan de salud posible, ¿qué número usaría para calificar al plan de salud de su niño?	□3 La mayoría de las veces □4 Siempre 36d. En los últimos 6 meses, si su niño necesitó ver a un dentista de inmediato por una emergencia dental, ¿con qué frecuencia él o ella pudo ver a un dentista tan pronto como usted quería? □1 Nunca □2 A veces □3 La mayoría de las veces □4 Siempre □5 Mi niño no tuvo una emergencia dental en los últimos 6 meses

36e. Usando un número del 0 al 10, el 0 siendo extremadamente difícil y el 10 extremadamente fácil, ¿qué número usaría para calificar cuán fácil le fue encontrar un dentista para su niño? □₀ 0 Extremadamente difícil □₁ 1 □₂ 2 □₃ 3	 39. ¿Qué edad tiene <u>su niño</u>? □₀ Menos de un año AÑOS (escriba la respuesta) 40. ¿Es su niño de sexo masculino o femenino? □₁ Masculino □₂ Femenino
□ ₄ 4 □ ₅ 5 □ ₆ 6 □ ₇ 7 □ ₈ 8	41. ¿Es su niño de origen o ascendencia hispana o latina? ☐₁ Sí, hispano o latino ☐₂ No, ni hispano ni latino
□, 9 □ ₁₀ 10 Extremadamente fácil	42. ¿A qué raza pertenece su niño? Por favor marque una o más. □ Blanca □ Negra o afroamericana
Acerca de usted y de su niño	☐ Asiática ☐ Nativo de Hawái o de otras islas del
 37. En general, ¿cómo calificaría toda la salud de su niño? □₁ Excelente □₂ Muy buena 	Pacífico Indígena americano o nativo de Alaska Otra
□₃ Buena □₄ Regular □₅ Mala	43. ¿Qué edad tiene <u>usted</u> ? ☐₀ Menos de 18 años ☐₁ 18 a 24
38. En general, ¿cómo calificaría toda la salud mental o emocional de su niño? ☐ Excelente ☐ Muy buena ☐ Buena ☐ Regular	☐₂ 25 a 34 ☐₃ 35 a 44 ☐₄ 45 a 54 ☐₅ 55 a 64 ☐₆ 65 a 74 ☐₃ 75 años o más
□ _s Mala	44. ¿Es usted hombre o mujer? ☐₁ Hombre ☐₂ Mujer

45.	usted ha completado?	Preparación para el kindergarten		
	 8 años de escuela o menos 9 a 12 años de escuela, pero sin graduarse Graduado de la escuela secundaria (high school), Diploma de escuela secundaria, preparatoria o su equivalente (o GED) 	48a. ¿Su niño tiene entre 3 y 5 años de edad? ☐ Sí → Si contestó "Sí", pase a la pregunta 48b ☐ No → Gracias. Por favor, devuelva esta encuesta en el sobre con el porte o franqueo pagado.		
	 □₄ Algunos cursos universitarios o un título universitario de un programa de 2 años □₅ Título universitario de 4 años □₆ Título universitario de más de 4 años 	48b. Cuando el niño está prestando atención, ¿con qué frecuencia puede seguir instrucciones para completar una tarea simple? Siempre		
46.	¿Qué relación tiene con el niño? Madre o padre Abuelo o abuela	 ☐₂ Casi siempre ☐₃ Algunas veces ☐₄ Nunca 		
	 ☐₃ Tía o tío ☐₄ Hermano o hermana mayor ☐₅ Otro familiar ☐₀ Tutor legal del niño ☐₀ Otra persona 	48c. ¿Con qué frecuencia el niño juega bien con los demás? □₁ Siempre □₂ Casi siempre □₃ Algunas veces □₄ Nunca		
47.	¿Le ayudó alguien a completar esta encuesta? □₁ Sí → Si contestó "Sí", pase a la pregunta 48 □₂ No → Si contestó "No", pase a la pregunta 48a	48d. ¿Con qué frecuencia puede calmarse el niño cuando está excitado? ☐₁ Siempre ☐₂ Casi siempre ☐₃ Algunas veces		
48.	¿Cómo le ayudó a usted esta persona? Marque una o más. a Me leyó las preguntasb Anotó las respuestas que le dic Contestó las preguntas por míd Tradujo las preguntas a mi idiomae Me ayudó de otra forma	 □₄ Nunca 48e. ¿Con qué frecuencia pierde el niño el control de su temperamento cuando las cosas no salen a su manera? □₁ Siempre □₂ Casi siempre □₃ Algunas veces □₄ Nunca 		

48f.	En los ultimos 6 meses, ¿alguna vez le
	pidieron que el niño se quedara en casa y no
	fuera a la guardería o preescolar debido a su
	comportamiento (por golpear, patear, morder
	hacer rabietas o desobedecer)?
	$\square_{\scriptscriptstyle 1}$ El niño no asistió a la guardería ni a
	preescolar

No

☐₃ Sí, me dijeron que recogiera al niño temprano 1 o más días

☐₄ Sí, tuve que mantener al niño en casa por 1 día completo o más

□₅ Sí, me dijeron que el niño ya no podría asistir a la guardería preescolar

Gracias

Por favor devuelva esta encuesta en el sobre con el porte o franqueo pagado a:

Center for the Study of Services PO Box 10820 Herndon, VA 20172

Por favor no incluya cualquier otra correspondencia.

CALCULATION GUIDELINES FOR GLOBAL PROPORTIONS

NCQA's HEDIS 2019, Volume 3: Specifications for Survey Measures contains detailed guidelines for calculation of survey results. These guidelines include:

- Criteria for including a survey in the results calculation. A questionnaire must have the final disposition code of *Complete and Valid Survey* to be included in the calculation of plan-level scores.
- Rules for handling appropriately answered questions (i.e., questions that comply with survey skip-pattern instructions).
- Rules for handling inappropriately answered questions (e.g., unanswered questions, multiple-mark questions, questions that should have been skipped, and questions within a skip pattern of an inappropriately answered or skipped gate item).
- Rules for calculating denominators for questions and composites. The denominator for a question is equal to the total number of responses to that question. The denominator for a composite is the average number of responses across all questions in the composite.
- Rules for calculating rolling average composites and question summary rates. For OHA analysis, rolling average measures were calculated using single year rates.
- Rules for handling changes in submission entity (i.e., if a health plan changes how it reports CAHPS results from one year to the next.)

COMPOSITE GLOBAL PROPORTIONS

Global Proportions are *average* proportions of respondents who gave the plan a favorable rating on each question in a composite. There are three steps needed to calculate the composite global proportion:

Step 1

For each question in a composite, count the number of members who selected a favorable response option:

- For all composite questions except those in the Shared Decision Making composite, the favorable responses are Usually and Always.
- For the Shared Decision Making questions, the favorable response is Yes.

Step 2

For each question, determine the proportion of respondents rating favorably (i.e., Usually/Always or Yes).

Step 3

Calculate the average proportion rating favorably across all the questions in the composite. These are the composite global proportions. Note: each question in a composite is weighted equally, regardless of how many members respond.

Using the example above, here is an illustration of the step-by-step calculation of the *Getting Care Quickly* composite global proportion. Missing responses are not included in the denominator.

Response option	Q4	Q6	Global Proportion
Never or Sometimes	1 / 5 = 0.20	1 / 4 = 0.25	(0.20 + 0.25) / 2 = 0.2250
Usually	2 / 5 = 0.40	1 / 4 = 0.25	(0.40 + 0.25) / 2 = 0.3250
Always	2 / 5 = 0.40	2 / 4 = 0.50	(0.40 + 0.50) / 2 = 0.4500
Always or Usually	4 / 5 = 0.80	3 / 4 = 0.75	(0.80 + 0.75) / 2 = 0.7750

Therefore, 80.00 percent and 75.00 percent of members respectively provided favorable responses to the *Getting Care Quickly* questions Q4 and Q6. Averaging these two proportions yields the global proportion score of 77.50 percent for the *Getting Care Quickly* composite.

GLOSSARY OF TERMS

Attributes

Areas of health plan performance and member experience assessed with the CAHPS survey

Benchmark

A reference score (e.g., the State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate) against which performance on the measure is assessed. See *Comparisons to Benchmarks and Prior-Year Results*.

CAHPS 5.0H Surveys

Consumer Assessment of Healthcare Providers and Systems (CAHPS) is a series of surveys designed to collect consumer feedback on their health care experiences. The CAHPS 5.0H Health Plan Survey asks members to report on their experiences with access to appointments and care through their health plan, communication with doctors available through the plan, and customer service. The Commercial plan version asks about member experiences in the previous 12 months, whereas the Medicaid version refers to the previous six (6) months. The Medicaid version is available for adults and children; the Commercial version is for adults only. The Adult survey is intended for respondents who are 18 and older; the Child survey asks parents or guardians about the experiences of children 17 and younger. Health plans report survey results as part of HEDIS data collection. NCQA uses survey results in health plan performance reports, to inform accreditation decisions, and to create national benchmarks for care. Health plans might also collect CAHPS survey data for internal quality improvement purposes.

Composite Measures

Composite measures combine results from related survey questions into a single score to summarize health plan performance in a specific area of care or service. The set of applicable composites varies slightly by survey version. See *Experience of Care Measures*.

Confidence Level

A confidence level is associated with tests of statistical significance of observed differences in survey scores. It is expressed as a percentage and represents how often the observed difference (e.g., between the plan's current-year rate and the relevant benchmark rate) is real and not simply due to chance. A 95% confidence level associated with a statistical test means that if repeated samples were surveyed, in 95 out of 100 samples the observed measure score would be truly different from the comparison score.

Correlation

A degree of association between two variables, or attributes, typically measured by the *Pearson correlation coefficient*. The coefficient value of 1 indicates a strong positive relationship; -1 indicates a strong negative relationship; zero indicates no relationship at all.

Denominator (*n*, or Usable Responses)

Number of valid (appropriately answered) responses available to calculate a measure result. Examples of inappropriately answered questions include ambiguously marked answers, multiple marks when a single answer choice is expected, and responses that violate survey skip patterns. The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite. If the denominator is less than 30 responses, a measure result of "Low n" was assigned.

Disposition

The final status given to a member record in the survey sample at the end of the study (e.g., completed survey, refusal, non-response, etc.) See *Member Dispositions and Response Rate*.

Effectiveness of Care

Effectiveness of Care measures are relevant to Adult surveys only and include Flu Vaccinations for Adults Ages 18–64 (FVA) and Medical Assistance with Smoking and Tobacco Use Cessation (MSC).

Eligible Population

Members who are eligible to participate in the survey based on the following criteria:

- Current enrollment (as of the date the sample frame is generated). Some members may no longer be enrolled by the time they complete the survey. They become ineligible and will be excluded from survey results based on their responses to the first two questions on the survey, which confirm membership.
- Continuous enrollment (six months for Medicaid, with no more than one enrollment break of 45 days or less);
- Member age (18 years old or older for the Adult survey and 17 years old or younger for the Child survey as of November 30 of the measurement year);
- Primary coverage (through Medicaid or a commercial product line for Medicaid and Commercial surveys, respectively).

Global proportions

Applies to composite measures. The proportion of respondents selecting the favorable response(s) (e.g., Always or Usually) averaged across the questions that make up the composite. See Question Summary Rates and Composite Global Proportions.

HEDIS

The Healthcare Effectiveness Data and Information Set (HEDIS) is a set of performance measures in the managed care industry, developed and maintained by NCQA. HEDIS was designed to allow consumers to compare health plan performance to other plans and to national or regional benchmarks as well as to track year-to-year performance. HEDIS is one component of NCQA's accreditation process, although some plans submit HEDIS data without seeking accreditation. CAHPS measures are a subset of HEDIS.

Key Drivers and Priorities for Improvement

Key Drivers are plan attributes that have been shown to be closely related to members' overall assessment of the plan. Performance on these attributes predicts how the plan is rated overall and, viewed from the industry perspective, helps to distinguish high-rated plans from poorly rated plans. Specific priorities for improvement for *your organization* are identified based on how it is currently performing on the key driver attributes compared to industry best practices.

NCQA

The National Committee for Quality Assurance (NCQA) is an independent non-profit organization that works to improve health care quality through the administration of evidence-based standards, measures, programs, and accreditation. NCQA manages voluntary accreditation programs for individual physicians, health plans, and medical groups. Health plans seek accreditation and measure performance through the administration and submission of the Healthcare Effectiveness Data and Information Set (HEDIS) and Consumer Assessment of Healthcare Providers and Systems (CAHPS) survey.

Question Summary Rate

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest (typically representing the most favorable outcome(s) from a given question on the survey). Many survey items use a *Never, Sometimes, Usually,* or *Always* response scale, with *Always* being the most favorable outcome. Results are typically reported as the proportion of members selecting *Usually* or *Always*. See *Question Summary Rates and Composite Global Proportions*.

Response Rate

Survey response rate is calculated using the following formula:

Posnonso Pato -	Complete and Eligible Surveys
Response Rate = —	[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts
	+ Added to Do Not Call (DNC) List]

Sample size

OHA's methodology used a sample size of 1,000 for Adult Medicaid samples, 800 for Child Medicaid samples, and 450 for Child Medicaid with Chronic Conditions samples.

Statistically Significant Difference

When survey results are calculated based on sample data and compared to a benchmark score (e.g., State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate), the question is whether the observed difference is real or due to chance. A difference is said to be statistically significant at a given confidence level (e.g., 95%) if it has a 95% chance of being true.

Trending

Comparison of survey results over time

Usable Responses (n)

See Denominator

Valid Response

Any acceptable (falling within a pre-defined set) response to a survey question that follows the NCQA skip pattern rules and data cleaning guidelines.