OPERATION & MAINTENANCE MANUAL

Water Quality Biofiltration Swale

Manual prepared: December 2018

DFI No. D00606



Figure 1: DFI No. D00606, looking [south east]

Identification

Drainage Facility ID (DFI): D00606

Facility Type: Water Quality Biofiltration Swale

Construction Drawings: (V-File Numbers) 45v-029

Location: District: 01

Highway No.: 047

Mile Post: 57.00 to 57.16, [right]

1. Manual Purpose

The purpose of this manual is to outline inspection needs and summarize maintenance actions.

2. Facility Location

The location map below details the facility location. The highway, mile posts, side streets, access location, and stormwater flow directions are noted on the map.

Facility location type: Roadway shoulder

Flow direction: [east and west]




Figure 2: Facility location map

3. Facility Summary

The length and width of a swale is based on the bottom dimensions.

The bottom length and bottom width of the swale is:


Bottom Length (feet)	Bottom Width (feet)
823	2-6



The depth of the swale is the vertical distance measured from the bottom of the swale to the top. The slope of the swale sides is presented by a vertical distance (rise) followed by the horizontal distance (run).

Depth and side slopes:

Depth (feet)	Rise (feet)	Run (feet)
Unknown	1	4



<u>Site Specific Information:</u> Water enters this facility from the terminus of the offramp via a 12" pipe. It then flows west through the facility before reaching an area drains at either the midpoint or end. Water is then conveyed north underneath the Sunset highway eventually finding its way to the creek immediately north of the interchange.

4. Facility Access

Maintenance access to the facility:

□Roadside pad	⊠Roadside shoulder
☐Access road with Gate	☐Access road without Gate



Figure 3: [looking southeast]

5. Operational Components / Maintenance Items

Classification

This facility is classified as an:

☑ On-line Swale	☐ Off-line Swale
A swale that does not include a high flow bypass component; flow drains into and through the facility	A swale that treats low/small flows and diverts high flows using a bypass component

Bypass Component

This facility includes a high flow bypass component:

⊠ No	□ Yes	
There is no bypass component. High flows drains into and through the facility	There is a bypass component. Only low/small flows drain into the swale. High flows are diverted around the swale using a bypass component	

Operational Components

A swale has many components that assist with treatment, conveyance, and reducing flow velocity to minimize erosion. The components in use can vary depending if the facility was designed to operate on-line or off-line. The facility components table (**Table 1**) has been provided to highlight the applicable components for this facility. The component is in use when the box contains an "x" (e.g. \boxtimes).

The Standard Operation Manual for Water Quality Biofiltration Swales (implemented March 2017) outlines facility operation, typical footprint configuration, and component definitions and details. A link to the manual is attached to the feature marker in TransGIS.

https://gis.odot.state.or.us/TransGIS/

Operational Plan

The applicable standard operational plan for this facility is:

☐ Operational Plan A		☐ Operational Plan C
An on-line swale with roadside ditches	An on-line swale with piped inlets and outlets	An off-line swale with a piped high flow bypass
A standard operational plan illustrates the general facility footprint configuration and explains the purpose of each facility component. Operational plans (A, B, C) are provided in the Standard Operation Manual.		

See Appendix A for the site specific operational plan.

Maintenance Items

Operational components marked in **Table 1** should be inspected and maintained according to Section 7. Each facility component is defined and detailed in the Standard Operation Manual using the associated ID number indicated below.

Table 1: Swale Components		ID#
Manholes/Structures		
Pre-treatment manhole		S1
Weir type flow splitter/flow splitter manhole		S2
Orifice type flow splitter/flow splitter manhole		S3
Standard manhole		S4
Swale Inlet		

Pavement sheet flow	\boxtimes	S5
Inlet Pipe (s)	\boxtimes	S6
Open channel inlet		S7
Riprap pad	\boxtimes	S8
Ground Cover		
Grass bottom	\boxtimes	S9
Grass side slopes	\boxtimes	S10
Granular drain rock		S11
Plantings		S12
Underground Components		
Geotextile fabric		S13
Water quality mix	\boxtimes	S14
Perforated pipe		S15
Porous pavers (access grid)		S16
Flow Spreader		
Rock basin (used at inlet)		S17
Anchored board (midpoint of swale or every 50 feet along swale bottom)	\boxtimes	S18
Other: aggregate check dam spaced 25'	×	S 19
Swale Outlet		
Catch basin with grate	\boxtimes	S20
Outlet Pipe (s)	\boxtimes	S21
Open channel outlet		S22
Auxiliary Outlet: N/A		S23
Outfall Type		
	⊠ C	
Waterbody (Creek/Lake/Ocean)	□L	S24
	□o	
Ditch	×	S25
Storm drain system		S26
Outfall Components		
Riprap pad		S27
Riprap bank protection	\boxtimes	S28

6. Maintenance

Maintenance Frequency/Maintain Records

- a. Inspect annually. Preferably prior to the rainy season.
- b. Clean and maintain as necessary. Refer to Activity 125 for conditions when maintenance is needed.
- c. Keep a record of inspections, maintenance, and repairs.

Maintenance Guide/Maintenance Actions

The ODOT Routine Road Maintenance Water Quality and Habitat Guide (the *Blue Book*) outlines the standard maintenance actions for water quality facilities under Activity 125.


There are standard maintenance tables for standard ODOT designs. The maintenance tables describe the maintenance component, the defect or problem, the condition when maintenance is needed, and the recommended maintenance to correct the problem. Use the following tables to maintain ODOT swales:

- Table 1 (General Maintenance): Contains general maintenance and inspection guidelines that are applicable to all ODOT water quality facilities
- Table 3 (Maintenance of Water Quality or Biofiltration Swales): Contains maintenance information for swales

The *Blue Book* can be viewed at the following website: http://www.oregon.gov/ODOT/Maintenance/Documents/blue_book.pdf

7. Limitations

Access grid installed:



Swales are designed to allow equipment access along the bottom. If an access grid is **NOT** installed, vehicles entering the swale can create depressions (tire ruts), damage vegetation, and damage structural components (e.g. flow spreaders). These conditions may result in poor treatment and drainage performance.

Equipment wheels should be kept on the tops and side slopes. Mower arms may be run along the swale bottom.

8. Waste Material Handling

Material removed from the facility is defined as waste by the Department of Environmental Quality (DEQ). Refer to the roadwaste section of the ODOT Maintenance Yard Environmental Management System (EMS) Policy and Procedures Manual for disposal options:

http://www.oregon.gov/ODOT/Maintenance/Documents/ems_manual.pdf


Contact any of the following for more detailed information about management of waste materials found on site:

ODOT Clean Water Unit	(503) 986-3008
ODOT Statewide Hazmat Coordinator	(503) 667-7442
ODOT Region 1 Hazmat Coordinator	(503) 731-8290
ODOT Region 2 Hazmat Coordinator	(503) 986-2647
ODOT Region 3 Hazmat Coordinator	(541) 957-3594
ODOT Region 4 Hazmat Coordinator	(541) 388-6186
ODOT Region 5 Hazmat Coordinator	(541) 963-1590
ODEQ Northwest Region Office	(503) 229-5263

A Appendix A – Site Specific Operational Plan

Contents:

Operational Plan: DFI D00606



Appendix B – Project Contract Plans В **Contents: Site Specific Subset of Project Contract Plan 45v-029**

	INDEX OF SHEETS
SHEET NO.	DESCRIPTION
1	Title Sheet
1A	Index Of Sheets Cont'd.
1A-2	Standard Drg. nos.
18	Sheet Layout

STATE OF OREGON DEPARTMENT OF TRANSPORTATION


PLANS FOR PROPOSED PROJECT


GRADING, DRAINAGE, STRUCTURES, PAVING, SIGNING, ILLUMINATION, SIGNALS & ROADSIDE DEVELOPMENT

US 26: SUNSET HWY @ GLENCOE ROAD PROJECT

SUNSET HIGHWAY

WASHINGTON COUNTY MAY 2012





Overall Length Of Project - 0.70 Miles

ATTENTION:

Oregon Law Requires You To Follow Rules
Adopted By The Oregon Utility Notification
Center. Those Rules Are Set Forth In
OAR 952-001-0010 Through OAR 952-001-0090.
You May Obtain Copies Of The Rules By Calling
The Center. (Note: The Telephone Number For
The Oregon Utility Center Is (503) 232-1987.)

OREGON TRANSPORTATION COMMISSION

Pat Egan CHAIR
Mary F. Olson COMMISSIONER
David Lohman COMMISSIONER
Mark Frohnmayer COMMISSIONER
Tammy Baney COMMISSIONER
Matthew L. Garrett DIRECTOR OF TRANSPORTATION

These plans were developed using ODOT design standards. Exceptions to these standards, if any, have been submitted and approved by the ODOT Chief Engineer or their delegated authority.

Approving Authority:


Naveen G. Chandra, P.E. Project Delivery Manager, Region 1

Consumence by ODOT Chief Engineer

US 26: SUNSET HWY @ GLENCOE ROAD PROJECT

SUNSET HIGHWAY WASHINGTON COUNTY

FEDERAL HIGHWAY ADMINISTRATION	PROJECT NUMBER	SHEET NO.
OREGON DIVISION	STATE	1



DATE

4-4-2012

4-4-2012

4-26-2012

No.

 Δ

2

3

(See notes 52, 53, 54 for construction notes)

REVISIONS

PGE note change

Storm sew. note added

Storm sew, note change

(55) Sta. "EB" 2554+38.32, 32.46' Rt. Remove inlet

45V-029

BY

K.M.A

K.M.A

K.M.A.

- Sta. "GA-STM1" 6+01.43 =
 Sta. "GR" 134+21,15, 38.62' Rt.
 Const. type "CG-2" inlet w/ 1' sump
 (Far pipe profile, see sht. 48-3)
 (For detail, see drg. no. RD366)
- 2 Sta. "GR" 135+15.21, 41.63' Rt. = Const. type "CG-2" inlet w/ 1' sump Rim = 190.96 F.L. out = 185.04 Pipe slope = 0.0744 ft/ft
- 3 Sta. "GA-STM1" 4+96.86 = \$ta. "GR" | 135+11.66, 92.04' Rt. Const. manhole Inst. 12" storm sew. pipe - 155.2' 10' depth (For pipe profile, see sht. 4B-3) (For detail, see drg. no. RD336)
- 4 Sta. "GA-STM1" 3+85.95, 29.02' Lt. = Sta. "GA" 2554+96.44, 16.38' Lt. Const. "G-2" inlet w/ 1' sump Rim = 184.53 F.L. out = 177.28 Pipe slope = 0.0203 f1/f1
- 5) Sta. "GA-STM1" 3+89.15 = \$1a. "GA" 2554+98.17, 12.73' Rt. Const. manhole Inst. 12" storm sew. pipe – 137.8' 10' depth (For pipe profile, see sht. 48-3)
- Sta."GA-STM1" 1+24.74, 29.50 Lt. = Sta."GA" 2552+51.28, 16.43' Lt. Const. type "G-2" inlet w/ 1' sump Rim = 173.10 F.L. out = 170.23 Pipe slope = 0.0050 ft/ft
- Sta. "GA-STM1" 1+59.10 = Sta. "GA" 2552+69.53, 12.43' Lt. Const. manhole Inst. 12" ductile iron pipe - 34.8' 5' depth Inst. 12" storm sew.pipe - 230.1' 10' depth Trench resurfacing, 20 sq. yd. (For details, see drg. no. RD302) (For pipe profile, see sht. 48-3)
- 8 Sta. "WB" 2553+25.16. 37.11' Lt. to Sta. "WB" 2554+36.76. 39.36' Lt. Const. water quality swale (For plan, see sht.GJ-5) (For profile, see sht.GJ-5) (For detail, see sht.GJ-9)
- 9 Sta. "GA-STM2" 4+27.00 = Sta. "WB" 2554+36.76, 39.36' L1. = Sta. "GB-STM1" 1+00 Const. type "D" inlet w/ 2' sump Inst. 18" storm sew. pipe -78.4' 10' depth (For pipe profile, see sht. 4B-3) (For detail, see drg. no RD370)
- 10) Sta. "GA-STM2" 2+61.50= Sta. "GA" 2555+81.19,84.21' Rt. Remove manhole Const. manhole Inst. 18" storm sew. pipe 165.5' 20' depth (For pipe profile, see sht. 4B-3)
- | "GD-STM1" 8+04.60= | Sta. "GR" 134+24.67, 45.98' Lt. | Const. type "G-2" inlet w/ 1' sump | (For pipe profile, see sht. 4B-4)
- (12) Sta."GR" 135+39.95, 40.61'Lt. Const. type "G-2" inlet w/ 1' sump Rim = 191.71 F.L. out = 187.24 Pipe slope = 0.0500 ft/ft

- (13) Sta. "GD-STM1" 7+71.40= Sta. "GR" 134+57.28, 39.89' Lt. Const. manhole Inst. 12" storm sew. pipe 116.2' (For pipe profile, see sht. 48-4)
- 14) Sta. "GD-STM1" 6+57.60=
 Sta. "GD" 2558+04.10.26.25' Lt.
 Const. type "G-2" inlet w/ 1' sump
 Inst. 12" storm sew. pipe 113.8'
 5' depth (See sht. 4B-4 for profile)
- (15) Sta. "GD-STM1" 5+42.40: Sta. "GD" 2559+20.79, 26.54' Lt. Const. type "G-2" inlet w/ 1' sump Inst. 12" storm sew. pipe 115.2' 5' depth (See sht. 4B-4 for profile)
- (6) Sta. "GC-STM1" 0+00 = Sta. "GD-STM2" 2+02.51 = Sta. "GD" 2561+36.03.61.59' Rt. Const. manhole 60" dia. Inst. 15" storm sew. pipe 279.4' 10' depth Inst. 24" storm sew. pipe 97.4' 10' depth (For pipe profile, see sht. 4B-4) (For detail, see drg. no. RD346)
- 17 Sta. "WB" 2558+49.52. 52.43' Lt. to Sto. "WB" 2562+89.77, 37.65' Lt. Const. water quality swale (For plan, see sht. GJ-4) (For detail, see sht. GJ-9)
- (18) Sta. "GD-STM2" 3+81.90 = Sta. "WB" 2558+49.52, 52.43' Lt. Const. type "D" inlet w/ 2' sump Inst. 12" storm sew. pipe 174.6' 10' depth (For pipe profile, see sht, 4B-4)
- (19) Abandon extg. manhole in-place per spec. section 00490.44
- 20 Sta. "GC-STM1" 0+97.00 = Sta. "WB" 2561+39.79, 39.85' Rt. Const. type "G-2" inlet w/ 2' sump Cut casing as necessary Inst. 12" drain pipe 20' 5' depth Inst. 24" storm sew. pipe - 70.3' 20' depth (For pipe detail, see sht. GJ-9) (For pipe profile, see sht. 5B-3)
- (21) Remove extg. CSP 169.4'
- (22) Sta. "WB" 2557+75.10, 43.30' Rt. to Sta. "WB" 2575+00.26, 49.00' Rt. Const. MFD ditch (For plan, see sht.GJ-2) (For profile, see sht.GJ-3) (For detail, see sht.GJ-9)
- 23 Sta. "GB-STM2" 2+81.90 = Sta. "GR" 139+42.93, 36.26' Lt. Const. type "G-2" inlet w/ 1' sump (For pipe profile, see sht. 4B-3)
- 24) Sta."GB-STM2" 2+06.40 = Sta."GR" 139+57.04, 36.35' Rt. Const. type "CG-2" inlet w/ 1' sump Inst. 12" storm sewer pipe 75.5' 10' depth (For pipe profile, see sht. 48-3)
- (25) Remove extg. CSP 93'
- 26 Sta. "GB" 2548+50.03, 27.61' Rt. to Sta. "GB" 2556+72.68, 93.01' Rt. Const. water quality swale (For plan, see sht. GJ-6) (For profile, see sht. GJ-6)

- Sta."GB-STM1" 3+88.20 = Sta."GB" 2553+95.68, 46.29' Rt. Const. type "D" inlet w/ 2' sump
- Sta."GB-STM1" 2+55.80 = Sta."EB" 2554+38.32.32.46' Rt. Const.type "G-2" inlet w/ 2' sump Inst.12" storm sew.pipe 132.4' (For pipe profile, see sht. 4B-3)
- (29) Sta. "WB" Line 2545+86.46, 41.44 Rt. to Sta. "WB" Line 2556+22.77, 38.50 Rt. Const. MFD ditch (For plan, see sht. GJ) (For profile, see sht. GJ) (For detail, see sht. GJ-9)
- (By others)
- (31) Relocate telephone line (By others)
- (32) Relocate power line (By others)
- Sta."GB-STM1" 1+78.40 =
 Sta."WB" 2554+37.73, 39.04' Rt.
 Cut casing as necessary
 Const. type "G-2" inlet w/ 2' sump
 Inst. 12" drain pipe 20'
 5' depth
 Inst. 18" storm sew. pipe 77.4'
 10' depth
 (For pipe detail, see sht. GJ-9)
 (For pipe profile, see sht. 48-3)
- 34) Sta. "GA-STM2" 1+00.00 =
 Sta. "GA" 2555+97.89, 65.42' Lt.
 Const. culv. end protection class 50 rip rap
 rip rap protection to elev.- 162.50
 Inst. 18" storm sew. pipe 161.5' Inst. 18" storm sew. pipe - 161.5'
 20' depth
 (For profile, see sht. 48-3)
 (For details, see drg. no RD316 & RD317)

 (35) Remove poweriines
 (By others)
- (36) Sta. "GD-STM2" 1+00.00 = Sta. "GD" 2561+22.79, 39.98' Lt. Inst. 24" ductile iron pipe 102.5' 20' depth (For profile, see sht. 48-4)
- 37) Sta. "GB-STM2" 1+00.00 =
 Sta. "GB" 2556+73.24,94.26' Lt.
 Const. storm sew. outfall with protection
 Inst. 12" storm sew. pipe 106.4'
 5' depth (For profile, see sht. 4B-3) (For outfall protection detail, see sht. GJ-10)
- 38) Sta."GA-STM1" 1+00.00 =
 Sta."WB" 2553+25.16.37.11'Lt.
 Const. storm sew. outfall with protection
 Inst. 12" storm sew. pipe 59.1'
 5' depth
 (For archite see sht 4R-3) (For profile, see sht. 4B-3) (For outfall protection detail, see sht. GJ-10)
- (39) Install power pole (By others)
- (40) Sta."GD-STM1" 3+49.20 = Sta."GD" 2551+15.62, 27.22' Lt. Const. type "G-2" inlet w/ 1' sump Inst. 12" storm sew. pipe 193.2' 5' depth (See sht. 48-4 fpr profile)

- (4) Sta. "GD-STM2" 6+56.50 = Sta. "EB" 2558+51.68. 38.16' Rt. Const. type "G-2" inlet w/ 2' sump (For pipe profile, see sht. 48-4)
- 42) Sta. "WB" 2554+35.14, 32.97' Lt. Remove inlet
- (43) Sta. "WB" 2558+50.12, 49.05' Rt. Remove inlet
- (44) Sta. "WB" 2558+48.32, 39.96' Lt. Remove inlet
- (45) Sta. "WB" 2554+33.92, 39.25' Rt. Remove inlet
- (46) Sta. "WB" 2561+39.86. 40.00' Rt. Remove inlet
- 47 Sto. "GC-STM1" 2+67.70 = Sto. "EB" 2561+47.91, 32.15' Rt. Const. type "G-2" inlet w/ 2' sump Inst. 24" storm sew. pipe 106.7' 20' depth (For pipe profile, see sht. 5B-3)
- (48) Sta. "GC" 2561+38.88. 46.00' Rt. Remove inlet
- (49) Remove extg. CSP 109.8'
- 50 Sta. "GB" 2554+03.55, 26.3 1' Rt. Remove inlet
- (51) Abandon pipe in-place per spec. section 00490.43
- Inst. bored and jacked 18" steel casing 174.6' Casing shall be minimum thickness of 0.3780" and a minimum yield strength of 35,000 psi Casing to be filled with grout per section 00405.13 of the specifications Inst. piping inside conduit per section 00445 of the specifications (For bore detail, see sht. 28-7)
- Inst. bored and jacked 24" steel casing 155.8' Casing shall be minimum thickness of 0.5000" and a minimum yield strength of 35,000 psi Casing to be filled with grout per section 00405.13 of the specifications Inst. piping inside conduit per section 00445 of the specifications (For bore detail, see sht. 28-7)
- (54) Inst. bored and jacked 30" steel casing 167.7'
 Casing shall be minimum thickness of 0.5000"
 and a minimum yield strength of 35,000 psi
 Casing to be filled with grout per section
 00405.13 of the specifications
 Inst. piping inside conduit per section 00445 of
 the specifications
 (For bore detail, see sht. 28-7)

ENGINEER OF 19.424

MARL

19,424

OREGON OREGON OF THE PROPERTY OF THE PROPERTY

TO MICHAEL 20

OREGON DEPARTMENT OF TRANSPORTATION

Harper Houf Peterson Righellis Inc. áne THE LIBERA OF LARIER SOLANDS CAPE ARGUITECTS OF WAVE YORS
2015 Strokens Store, Solin 200 Fordard OR 97202 shore 503 221.1131 www.blue.com Str. 203.221.117

> US 26: SUNSET HWY @ GLENCOE ROAD SUNSET HIGHWAY **WASHINGTON COUNTY**

Design Team Leader - Ken M. Ackerman Designed By - Jeff R. Torgerson Drafted By - Peter G. Coffmon

DRAINAGE & UTILITY NOTES

SHEET NO. 4B-2

gre-treatment:

