

OPERATION & MAINTENANCE MANUAL

Water Quality Bioslope

Manual prepared: February 2019

DFI No. D01218



Figure 1: DFI No. D01218, looking southeast

1. Identification

Drainage Facility ID (DFI): D01218
Facility Type: Water Quality Bioslope/Media Filter Drain (MFD)
Construction Drawings: (V-File Numbers) 43V-086
Location: District: 2B
Highway No.: 047
Mile Post: 64.90 – 65.36, [Right side]

2. Manual Purpose

The purpose of this manual is to outline inspection needs and summarize maintenance actions.

3. Facility Location

The location map below details the facility location. The highway, mile posts, side streets, access location, and stormwater flow directions are noted on the map. **NOTE: Mile posts are based off of the V-File, and may vary from TransGIS mile posts.**

Facility location type: **Roadway shoulder**

Flow direction: West



Figure 2: Facility Map

4. Facility Summary

The width is measured perpendicular to the edge of pavement and is equivalent to the flow length. The length is measured parallel to the edge of pavement and is equivalent to the length of the contributing impervious area.

The length and width of the applicable facility components are:

Component	Length (feet)	Width (feet)
Type 1	1,230	8
Type 2	1,150	8

The slope of the facility (for both types of bioslopes) is presented by a vertical distance (rise) followed by the horizontal distance (run).

Side Slope	Rise (feet)	Run (feet)
Bioslope	1	6




Figure 3: Bioslope Section (Typical)




Figure 4: Type 1 Bioslope with ditch configuration (No vegetated area/zone)




Figure 5: Type 2 Bioslope with ditch configuration (No vegetated area/zone)

Site Specific Information: This water quality facility has two types of bioslopes within it. The type 1 bioslope runs for 1,230 feet from mile points 65.11 to 65.36. This bioslope has a cellular confinement grid and no guardrail present. The type 2 bioslope runs for 1,150 feet from mile points 64.90 to 65.10. Type 2 has a guardrail present. The bioslope drains to the west through a manhole and into a storm drain outlet pipe. The outlet pipe drains through a rip rap pad and into Bronson Creek.




Figure 6: Type 1 Bioslope

The facility is a modified version of the typical bioslope (Figure 3). The main difference is the exclusion of a vegetation area between the edge of pavement and the bioslope section. This was developed as a result of right of way limitations, and in some locations, the prohibitive costs of moving adjacent high voltage line and frontage road.




Figure 7: Type 2 Bioslope with guardrail present

5. Facility Access

Maintenance access to the facility:

<input type="checkbox"/> Roadside pad	<input checked="" type="checkbox"/> Roadside shoulder
<input type="checkbox"/> Access road with Gate	<input type="checkbox"/> Access road without Gate



Figure 8: Maintenance access

6. Operational Components / Maintenance Items

Classification and Standard Operational (Op) Plan:

This facility is classified as a:

<input type="checkbox"/> Filter Strip (Op Plan A)	<input checked="" type="checkbox"/> Bioslope (Op Plan B)
<p>A filter strip consists of a vegetated or media slope located parallel to the edge of pavement. It maintains sheet flow of stormwater runoff over the width of the strip.</p>	<p>A bioslope consists of a filter strip and treatment zone. It is a flow-through stormwater treatment facility located along roadside embankments.</p>
<p>A standard operational plan illustrates the general facility footprint configuration and explains the purpose of each facility component. Operational plans (A, B) are provided in the Standard Operation Manual.</p>	

See Appendix A for the site specific operational plan.

Operational Components

Filter strips and bioslopes have many components that assist with treatment, conveyance, and infiltration of stormwater runoff. The components in use can vary depending on the facility design. The facility components table (Table 1) has been provided to highlight the applicable components for this facility. The component is in use when the box contains an “x” (e.g.).

The Standard Operation Manual for Water Quality Filter Strips and Bioslopes (implemented February 2019) outlines facility operation, typical footprint configuration, and component definitions and details. A link to the manual is attached to the feature marker in TransGIS.

<https://gis.odot.state.or.us/TransGIS/>

Maintenance Items

Operational components marked in Table 1 should be inspected and maintained according to Section 7. Each facility component is defined and detailed in the Standard Operation Manual using the associated ID number indicated below.

Table 1: Bioslope/Filter Strip Components		ID #
Facility Inlet		
Pavement Sheet Flow	<input checked="" type="checkbox"/>	B1
Flow Spreader	<input type="checkbox"/>	B2
Ground Cover		
Vegetated Slope	<input type="checkbox"/>	B3
Large Pumice	<input checked="" type="checkbox"/>	B4
Underground Components		
Water Quality Mix	<input type="checkbox"/>	B5
Ecology Mix	<input checked="" type="checkbox"/>	B6
Granular Drain Backfill Material	<input checked="" type="checkbox"/>	B7
Geotextile Fabric	<input checked="" type="checkbox"/>	B8
Cellular Confinement Grid	<input checked="" type="checkbox"/>	B9
Structures		
Curb/Berm	<input type="checkbox"/>	B10
Check Dam	<input type="checkbox"/>	B11
Cleanout	<input type="checkbox"/>	B12
Facility Outlet		
Perforated Drain Pipe	<input checked="" type="checkbox"/>	B13
Open Slope Outlet	<input type="checkbox"/>	B14
Open Channel Outlet	<input type="checkbox"/>	B15
Storm Drain Outlet Pipe	<input checked="" type="checkbox"/>	B16
Outfall Type		
Waterbody (Creek/Lake/Ocean)	<input checked="" type="checkbox"/> C	B17
	<input type="checkbox"/> L	
	<input type="checkbox"/> O	
Outfall Channel	<input type="checkbox"/>	B18
Storm Drain System	<input type="checkbox"/>	B19
Outfall Components		
Pervious Berm	<input type="checkbox"/>	B20
Riprap Pad	<input checked="" type="checkbox"/>	B21

7. Maintenance

Maintenance Frequency/Maintain Records

- a. Inspect annually. Preferably prior to the rainy season.
- b. Clean and maintain as necessary. Refer to Activity 125 for conditions when maintenance is needed.
- c. Keep a record of inspections, maintenance, and repairs.

Maintenance Guide/Maintenance Actions

The ODOT Routine Road Maintenance Water Quality and Habitat Guide (the *Blue Book*) outlines the standard maintenance actions for water quality facilities under Activity 125.

There are standard maintenance tables for standard ODOT designs. The maintenance tables describe the maintenance component, the defect or problem, the condition when maintenance is needed, and the recommended maintenance to correct the problem. Use the following tables to maintain ODOT filter strips and bioslopes:

- Table 1 (General Maintenance): Contains general maintenance and inspection guidelines that are applicable to all ODOT water quality facilities
- Table 4 (Water Quality Filter Strips)
- Table 5 (Water Quality Bioslopes)

The ODOT Maintenance Guide can be viewed at the following website:

<http://www.oregon.gov/ODOT/HWY/OOM/pages/mguide.aspx>

The *Blue Book* can be viewed at the following website:

http://www.oregon.gov/ODOT/Maintenance/Documents/blue_book.pdf

8. Limitations

Filter strips and bioslopes are NOT designed to allow the use of heavy equipment. Vehicles entering the facility can create depressions (tire ruts), damage vegetation, and damage structural components (e.g. flow spreaders). These conditions may result in poor treatment and drainage performance.

9. Waste Material Handling

Material removed from the facility is defined as waste by the Department of Environmental Quality (DEQ). Refer to the road waste section of the ODOT Maintenance Yard Environmental Management System (EMS) Policy and Procedures Manual for disposal options:

<http://www.oregon.gov/ODOT/HWY/OOM/pages/ems.aspx>


Contact any of the following for more detailed information about management of waste materials found on site:

ODOT Clean Water Unit	(503) 986-3008
ODOT Statewide Hazmat Coordinator	(503) 667-7442
ODOT Region 1 Hazmat Coordinator	(503) 731-8290
ODOT Region 2 Hazmat Coordinator	(503) 986-2647
ODOT Region 3 Hazmat Coordinator	(541) 957-3594
ODOT Region 4 Hazmat Coordinator	(541) 388-6186
ODOT Region 5 Hazmat Coordinator	(541) 963-1590
ODEQ Northwest Region Office	(503) 229-5263



A Appendix A – Site Specific Operational Plan

Contents:

Operational Plan: DFI D01218






± 2,380'
Water Quality Bioslope
(DFI D01218)



*Section A-A is a type 2 bioslope and is 1150 feet long from MP: 64.90 - 65.10

LEGEND	
■	Inlet
⊙	Manhole
→	Water Conveyence Direction
~→	Water Flow Direction
⇨	Traffic Flow Direction
▨	Type "3" Bioslope
▩	Type "2" Bioslope
▧	Type "1" Bioslope
----	Pipe (Facility)
- - - -	Pipe (Not part of Facility)
◁	Photo Location/Direction

Prepared By: Katrina Sepulveda	 OREGON DEPARTMENT OF TRANSPORTATION
Drafted By: Katrina Sepulveda	DFI D01218 MAINTENANCE DISTRICT 2B HWY 047 Water Quality Bioslope Sunset Highway MP 64.90 - 65.36 Washington County



*Section B-B is a type 1 bioslope and is 1,230 feet long from MP: 65.11 - 65.36

LEGEND	
■	Inlet
⊙	Manhole
→	Water Conveyence Direction
~→	Water Flow Direction
⇨	Traffic Flow Direction
▨	Type "3" Bioslope
▩	Type "2" Bioslope
▧	Type "1" Bioslope
----	Pipe (Facility)
-----	Pipe (Not part of Facility)
📍	Photo Location/Direction

Sht. 02 of 02

Prepared By:
Katrina Sepulveda

Drafted By:
Katrina Sepulveda

OREGON DEPARTMENT OF TRANSPORTATION

DFI D01218
MAINTENANCE DISTRICT 2B HWY 047
Water Quality Bioslope
Sunset Highway MP 64.90 - 65.36
Washington County

B Appendix B – Project Contract Plans

Contents:

Site Specific Subset of Project Contract Plan 43V-086


INDEX OF SHEETS	
SHEET NO.	DESCRIPTION
1	Title Sheet
1A	Index Of Sheets Cont'd.
1A-2	Std. Drg. Nos.

STATE OF OREGON
 DEPARTMENT OF TRANSPORTATION
 PLANS FOR PROPOSED PROJECT

GRADING, DRAINAGE, STRUCTURES, PAVING, SIGNING, ILLUMINATION,
 SIGNALS & ROADSIDE DEVELOPMENT


US26: NW 185TH AVE - CORNELL ROAD SEC.

SUNSET HIGHWAY
 WASHINGTON COUNTY
 APRIL 2010



Overall Length Of Site - 2.10 Miles

ATTENTION:
 Oregon Law Requires You To Follow Rules Adopted By The Oregon Utility Notification Center. Those Rules Are Set Forth In OAR 952-001-0010 Through OAR 952-001-0090. You May Obtain Copies Of The Rules By Calling The Center. (Note: The Telephone Number For The Oregon Utility Center Is (503) 232-1987.)



LET'S ALL
 WORK TOGETHER
 TO MAKE THIS
 JOB SAFE

OREGON TRANSPORTATION COMMISSION
 Gail Achterman CHAIR
 Michael Nelson VICE-CHAIR
 Janice Wilson COMMISSIONER
 Alan Brown COMMISSIONER
 David Lohman COMMISSIONER
 Matthew L. Garrett DIRECTOR OF TRANSPORTATION

These plans were developed using ODOT design standards. Exceptions to these standards, if any, have been submitted and approved by the ODOT Chief Engineer or their delegated authority.

By: *Naveen G. Chandra*
 Signature & date 2/8/10
 Naveen G. Chandra P.E. - R1 Project Delivery Manager
 Print name and title
[Signature]
 Concurrence by ODOT Chief Engineer

US26: NW 185TH AVE - CORNELL ROAD SEC.
 SUNSET HIGHWAY
 WASHINGTON COUNTY

FEDERAL HIGHWAY ADMINISTRATION	PROJECT NUMBER	SHEET NO.
OREGON DIVISION	STP-S047(085)	1



INDEX OF SHEETS, CONT'D.	
SHEET NO.	DESCRIPTION
2, 2A, 2A-2 Thru 2A-16	Typical Sections
2B, 2B-2 Thru 2B-3	Details
2C, 2C-2 Thru 2C-24	Traffic Control Plans
2C-25 Thru 2C-31	Detour Plan
2D, 2D-2	Pipe Data Sheet
3	Alignment
3A	General Construction
3B	Drainage & Utilities
3C	Drainage Profile
4	Alignment
4A	General Construction
4B	Drainage & Utilities
4C	Drainage Profile
5	Alignment
5A	General Construction
5B	Drainage & Utilities
5C	Drainage Profile
6	Alignment
6A	General Construction
6B	Drainage & Utilities
6C	Drainage Profile
7	Alignment
7A	General Construction
7B	Drainage & Utilities
6C	Drainage Profile
8	Alignment
8A	General Construction
8B	Drainage & Utilities
8C	Drainage Profile
9	Alignment
9A	General Construction
9B	Drainage & Utilities
9C	Drainage Profile
10	Alignment
10A	General Construction
10B	Drainage & Utilities
10C	Drainage Profile
11	Alignment
11A	General Construction
11B	Drainage & Utilities
11C	Drainage Profile
12	Alignment
12A	General Construction
12B	Drainage & Utilities
12C	Drainage Profile


INDEX OF SHEETS, CONT'D.	
SHEET NO.	DESCRIPTION
PERMANENT PAVEMENT MARKERS	
ST	Striping Details
ST-2 Thru ST-11 Incl.	Striping Plan
GEO/HYDRO	
GA, GA-2 Thru GA-11 Incl.	Erosion Control Plan
GA-12 Thru GA-15 Incl.	Erosion Control Details
BRIDGE NO. 21329 - NORTH RETAINING WALL	
83488	GB Geotechnical Data
83495	GB-2 Geotechnical Data
83498	GB-3 Geotechnical Data
83499	GB-4 Geotechnical Data
BRIDGE NO. 21328 - SOUTH RETAINING WALL	
83489	GC Retaining Wall Plan & Profile
83490	GC-2 Retaining Wall Plan & Profile
83491	GC-3 Retaining Wall Plan & Profile
83492	GC-4 Retaining Wall Plan & Profile
BRIDGE NO. 08404A - NW MURRAY BLVD.	
83496	GC-5 Retaining Wall Plan & Profile
83493	GC-6 North Retaining Wall Details
83494	GC-7 South Retaining Wall Details
83497	GC-8 Retaining Wall Details
ROADSIDE DEVELOPMENT	
GN, GN-2 Thru GN-8	Roadside Development Details
GN-9 Thru GN-12	Roadside Development Plan

DRAWING NO.	SHEET NO.	DESCRIPTION
83488	GB	Geotechnical Data
83495	GB-2	Geotechnical Data
83498	GB-3	Geotechnical Data
83499	GB-4	Geotechnical Data
BRIDGE NO. 21329 - NORTH RETAINING WALL		
83489	GC	Retaining Wall Plan & Profile
83490	GC-2	Retaining Wall Plan & Profile
83491	GC-3	Retaining Wall Plan & Profile
83492	GC-4	Retaining Wall Plan & Profile
BRIDGE NO. 21328 - SOUTH RETAINING WALL		
83496	GC-5	Retaining Wall Plan & Profile
83493	GC-6	North Retaining Wall Details
83494	GC-7	South Retaining Wall Details
83497	GC-8	Retaining Wall Details

INDEX OF SHEETS, CONT'D.	
DRAWING NO.	DESCRIPTION
PERMANENT SIGNING	
S-11907 Thru S-11925 Incl.	Sign Installation Plan
S-11926 Thru S-11935 Incl.	Sign Details
S-11936 Thru S-11944 Incl.	Sign Post & Data Table
ILLUMINATION	
I-1688 Thru I-1698 Incl.	Illumination Plan
I-1699	Illumination Details
TRAFFIC SIGNALS	
ITS-889 Thru ITS-895 Incl.	Communication Plan
15564 Thru 15568 Incl.	Ramp Meter Plan
15569	Ramp Meter Details
AUTOMATED TRAFFIC RECORDER #34-010	
TDS-485	Base Mounted Service Cabinet
TDS-34-010A	Traffic Recorder Plan Legend
TDS-34-010B	Traffic Recorder Loop Details
SIGN SUPPORTS	
BRIDGE NO. 08404A - NW MURRAY BLVD.	
83409	Plan, Elevation & Section
83410	Details
BRIDGE NO. 08910A - NW CORNELL RD.	
83411	Plan, Elevation & Section
BRIDGE NO. 16966 - NW BETHANY BLVD.	
83412	Plan, Elevation & Section
CANTILEVER SIGN STRUCTURES	
S-11945	Plan & Elevation

US26: NW 185TH AVE - CORNELL ROAD SEC. SUNSET HIGHWAY WASHINGTON COUNTY		
FEDERAL HIGHWAY ADMINISTRATION	PROJECT NUMBER	SHEET NO.
OREGON DIVISION	STP-SO47(085)	1A

Sec. 30, T. 1 N., R. 1 W., W.M.



- ① Sta. "LW" 2967+69.20, 46.00 Lt. Const. storm sewer pollution control manhole, (Mod.) Inst. 18" sew. pipe - 8.7' 10' depth (For details, see sht. GJ-3)
- ② Sta. "LW" 2967+69.00, 55.00 Lt. Const. manhole Inst. 18" sew. pipe - 76.1' 10' depth Const. sloped end protection
- ③ Sta. "LW" 2965+66.00, 65.25' Rt. Const. sloped end protection
- ④ Sta. "LW" 2967+50.00 to Sta. "LW" 2973+87.00 Const. MFD - 637' (Type 2) (For details, see sht. GJ)
- ⑤ Sta. "LW" 2966+15.36, 66.43' Rt. Const. sloped end protection
- ⑥ Sta. "LW" 2965+50 to Sta. "LW" 2976+00 Abandon 12" waterline (By others)
- ⑦ See sht. 5B note 9 Const. MFD
- ⑧ Sta. "LE" 2965+41.00, 46.00 Rt. Const. storm sewer pollution control manhole, (Mod.) Inst. 18" sew. pipe - 31.6' 5' depth (For details, see sht. GJ-3)
- ⑨ Sta. "LE" 2966+35.63, 46.00 Rt. Const. storm sewer pollution control manhole, (Mod.) Inst. 18" sew. pipe - 28.8' 10' depth (For details, see sht. GJ-3)
- ⑩ Sta. "LE" 2968+50.00, 44.76 Rt. Const. type "PVC" inlet (For details, see sht. GJ-2)
- ⑪ Adjust PGE/Verizon guy anchor (By others)
- ⑫ Sta. "LE" 2966+25.00 to Sta. "LE" 2968+50.84 Const. MFD - 226' (Type 2) (For details, see sht. GJ)

- ⑬ Sta. "LE" 2969+00.00, 44.20 Rt. Const. type "PVC" inlet Inst. 18" sew. pipe - 50.0' 5' depth Protect and preserve water vault (For details, see sht. GJ-2)
- ⑭ Sta. "LE" 2969+00.00 to Sta. "LE" 2978+00.00 Const. MFD - 900' (Type 2) (For details, see sht. GJ)
- ⑮ Sta. "LW" 2973+87.00 to Sta. "LW" 2997+56.50 Const. MFD - 2370' (Type 1)
- ⑯ Sta. "LW" 2970+50.00, 37.30 Lt. Const. shallow manhole Inst. 18" sew. pipe - 15.0' 10' depth Inst. 18" sew. pipe - 40.0' 10' depth Const. sloped end protection (See drg. no. RD342)
- ⑰ Sta. "LW" 2970+35.00, 37.30 Lt. Const. shallow manhole Inst. 18" sew. pipe - 15.0' 10' depth Inst. 18" sew. pipe - 40.0' 10' depth Const. sloped end protection (See drg. no. RD342)
- ⑱ Sta. "LW" 2970+50.00, 54 Lt. Const. manhole Connect to MFD (Type 3) (For details, see sht. GJ-2)
- ⑲ Sta. "LW" 2968+50.00 to Sta. "LW" 2970+50.00 Const. MFD - 200' (Type 3) (For details, see sht. GJ-2)
- ⑳ Sta. "LW" 2963+26.58, Lt. (For details, see shts. GC-2 to CG-8) Const. type "G-2" inlet Inst. 18" sew. pipe - 150.0' 5' depth
- ㉑ Sta. "LW" 2964+76.58, Lt. Const. type "G-2" inlet Inst. 18" sew. pipe - 158.4' 5' depth
- ㉒ Sta. "LW" 2966+35.01, Lt. Const. type "G-2" inlet Inst. 18" sew. pipe - 15.0' 5' depth
- ㉓ Sta. "LW" 2966+50.01, Lt. Const. type "G-2" inlet Inst. 18" sew. pipe - 15.0' 5' depth
- ㉔ Sta. "LW" 2966+65.01, Lt. Const. type "G-2" inlet Inst. 18" sew. pipe - 370.3' 5' depth
- ㉕ Sta. "LW" 2968+50.00, 55.00 Lt. Const. manhole Inst. 18" sew. pipe - 81.1' 10' depth Inst. 12" sew. pipe - 10.0' 10' depth
- ㉖ Sta. "LE" 2966+22.81, Lt. Const. median drain to extg. inlet Adjust inlet (See drg. no. RD376)
- ㉗ See sht. 3B, note 8 Const. median ditch

No.	DATE	REVISIONS	BY
①	04-01-10	Modified manhole type	D.C.G.

Adjust manhole shown thus:

Remove manhole shown thus:

Adjust inlet shown thus:

Remove inlet shown thus:

Plug and abandon pipe shown thus:

Maintain minimum 6 foot clearance between edge of existing 48" dia. waterline and all excavations.

Protect and preserve existing waterlines and water vaults.



RENEWAL DATE: 6-30-2011

OREGON DEPARTMENT OF TRANSPORTATION



REGION 1 - GEO/HYDRO UNIT

US26: NW 185TH AVE - CORNELL ROAD SEC.
SUNSET HIGHWAY
WASHINGTON COUNTY

Reviewed By - Bruce Council
Designed By - Dan Gunther
Drafted By - Dan Gunther

DRAINAGE & UTILITIES


SHEET NO. **6B**



RENEWAL DATE: 6-30-2011

OREGON DEPARTMENT OF TRANSPORTATION	
REGION 1 - GEO/HYDRO UNIT	
US26: NW 185TH AVE - CORNELL ROAD SEC. SUNSET HIGHWAY WASHINGTON COUNTY	
Reviewed By - Bruce Council Designed By - Dan Gunther Drafted By - Dan Gunther	
DRAINAGE PROFILE	SHEET NO. 6C

Sec. 30, T. 1 N., R. 1 W., W.M.





- ① See sht. 6B note 15
Const. MFD
- ② Sta. "LE" 2978+00.00, 46.15 Rt.
Const. type "PVC" inlet
(For details, see sht. GJ-2)
- ③ See sht. 6B, note 6
water valve to grade
- ④ Sta. "LE" 2978+00.00
to Sta. "LE" 2990+30.00
Const. MFD - 1230' (Type 1)
(For details, see sht. GJ)
- ⑤ See sht. 6B note 14
Const. MFD
- ⑥ See sht. 3B, note 8
Const. median ditch

- Adjust manhole shown thus:
- Remove manhole shown thus:
- Adjust inlet shown thus:
- Remove inlet shown thus:
- Plug and abandon pipe shown thus:

Maintain minimum 6 foot clearance
between edge of existing 48" dia.
waterline and all excavations.


OREGON DEPARTMENT OF TRANSPORTATION	
REGION 1 - GEO/HYDRO UNIT	
US26: NW 185TH AVE - CORNELL ROAD SEC. SUNSET HIGHWAY WASHINGTON COUNTY	
Reviewed By - Bruce Council Designed By - Dan Gunther Drafted By - Dan Gunther	
DRAINAGE & UTILITIES	SHEET NO. 7B

REGISTERED PROFESSIONAL
ENGINEER
17,573
Daniel C. Gunther
OREGON
JANUARY 17, 1995
DANIEL C. GUNTHER
RENEWAL DATE: 6-30-2011



RENEWAL DATE: 6-30-2011

OREGON DEPARTMENT OF TRANSPORTATION	
REGION 1 - GEO/HYDRO UNIT	
US26: NW 185TH AVE - CORNELL ROAD SEC. SUNSET HIGHWAY WASHINGTON COUNTY	
Reviewed By - Bruce Council Designed By - Dan Gunther Drafted By - Dan Gunther	
DRAINAGE PROFILE	SHEET NO. 7C



- ① Sta. "LW" 2990+33.76, 54.00 Lt.
Const. type "PVC" inlet
(For details, see sht. GJ-2)
- ② Sta. "LW" 2990+46.20, 54.00 Lt.
Const. type "PVC" inlet
(For details, see sht. GJ-2)
- ③ Sta. "LW" 2997+56.47, 78.10 Lt.
Const. type "PVC" inlet
Inst. 18" sew. pipe - 100.3'
5'depth
Trench resurf. - 46 sq.yd.
(For details, see sht. GJ-2)
- ④ Sta. "LW" 2998+50.00, 42.00 Lt.
Const. type "PVC" inlet
(For details, see sht. GJ-2)
- ⑤ Sta. "LE" 2990+29.96, 40.00 Rt.
Const. type "PVC" inlet
(For details, see sht. GJ-2)
- ⑥ See sht. 7B note 4
Const. MFD
- ⑦ Sta. "LE" 2990+30.00
to Sta. "LE" 2993+50.00
Const. MFD - 320' (Type 2)
(For details, see sht. GJ)
- ⑧ Sta. "LE" 2990+67.92, 46.00 Rt.
Const. type "PVC" inlet
(For details, see sht. GJ-2)
- ⑨ Sta. "LE" 2992+09.50, 43.62 Rt.
Const. type "PVC" inlet
(For details, see sht. GJ-2)
- ⑩ Sta. "LE" 2993+50.00
to Sta. "LE" 2996+96.77
Const. MFD - 347' (Type 1)
(For details, see sht. GJ)
- ⑪ Sta. "LE" 2996+96.77, 78.68 Rt.
Const. type "PVC" inlet
Inst. 18" sew. pipe - 133.4'
5'depth
Trench resurf. - 60 sq.yd.
(For details, see sht. GJ-2)
- ⑫ Sta. "LE" 2998+25.10, 42.11 Rt.
Const. type "PVC" inlet
(For details, see sht. GJ-2)

Adjust manhole shown thus:

Remove manhole shown thus:

Adjust inlet shown thus:

Remove inlet shown thus:


Plug and abandon pipe shown thus:

Maintain minimum 6 foot clearance between edge of existing 48" dia. waterline and all excavations.

Protect and preserve existing waterlines.


- ⑬ Sta. "LW" 2998+50.01 to Sta. "LW" 3007+13.05
Const. MFD - 863' (Type 1)
(For details, see sht. GJ)
- ⑭ See sht. 6B note 15
Const. MFD
- ⑮ Sta. "LE" 2998+25.00 to Sta. "LE" 3025+50.00
Const. MFD - 2725' (Type 1)
(For details, see sht. GJ)
- ⑯ See sht. 3B, note 8
Const. median ditch

- ⑰ Sta. "LE" 2987+88.55 Lt.
Route drain pipe around extg. inlet using eccentric reducer and 12" drain pipe or adjust drain pipe alignment or as directed by Engineer
- ⑱ Sta. "LW" 2988+00.00 Lt.
Route drain pipe around extg. MH using eccentric reducer and 12" drain pipe or adjust drain pipe alignment or as directed by Engineer
- ⑲ Sta. "LE" 2988+01.80 Rt.
Route drain pipe over extg. sew. pipe using eccentric reducer and 12" drain pipe or adjust drain pipe alignment or as directed by Engineer



RENEWAL DATE: 6-30-2011

OREGON DEPARTMENT OF TRANSPORTATION	
REGION 1 - GEO/HYDRO UNIT	
US26: NW 185TH AVE - CORNELL ROAD SEC. SUNSET HIGHWAY WASHINGTON COUNTY	
Reviewed By - Bruce Council Designed By - Dan Gunther Drafted By - Dan Gunther	
DRAINAGE & UTILITIES	SHEET NO. 8B




OREGON DEPARTMENT OF TRANSPORTATION

REGION 1 - GEO/HYDRO UNIT

US26: NW 185TH AVE - CORNELL ROAD SEC.
SUNSET HIGHWAY
WASHINGTON COUNTY


Reviewed By - Bruce Council
Designed By - Dan Gunther
Drafted By - Dan Gunther





RENEWAL DATE: 6-30-2011

DRAINAGE PROFILE


SHEET NO.
8C




MFD (TYPE 1) SECTION DITCH CONFIGURATION
 Horiz. Scale: 1"=10'
 Vert. Scale: 1"=10'



MFD (TYPE 1) SECTION SLOPE CONFIGURATION
 Horiz. Scale: 1"=10'
 Vert. Scale: 1"=10'



MFD (TYPE 2) SECTION DITCH CONFIGURATION
 Horiz. Scale: 1"=10'
 Vert. Scale: 1"=10'




MFD (TYPE 2) SECTION SLOPE CONFIGURATION
 Horiz. Scale: 1"=10'
 Vert. Scale: 1"=10'

OREGON DEPARTMENT OF TRANSPORTATION

REGION 1 - GEO/HYDRO UNIT

US26: NW 185TH AVE - CORNELL ROAD SEC.
 SUNSET HIGHWAY
 WASHINGTON COUNTY

Reviewed By - Bruce Council
 Designed By - Dan Gunther
 Drafted By - Dan Gunther



RENEWAL DATE: 6-30-2011

No.	DATE	REVISIONS	BY
1	04-01-10	Added drawing insert	D.C.G.
2	04-01-10	Added pipe callout	D.C.G.

WATER QUALITY DETAILS
 SHEET NO. GJ