

OPERATION & MAINTENANCE MANUAL

Bioretention Facility

Manual prepared: October, 2021

DFI No. D01433




Figure 1: DFI No. D01433, looking south

Identification

Drainage Facility ID (DFI): D01433
Facility Type: Water Quality Bioretention Facility
Construction Drawings: (V-File Numbers) 55V-014
Location: District: 01
Highway No.: 009
Mile Post: 21.35 to 21.53, left

1. Manual Purpose

The purpose of this manual is to outline inspection needs and summarize maintenance actions.

2. Facility Location

The location map below details the facility location. The highway, mile posts, side streets, access location, and stormwater flow directions are noted on the map.

Facility location type: Roadway shoulder

Flow direction: Ground Infiltration





Figure 2: Facility location map

3. Facility Summary

The length and width of a facility is based on the bottom dimensions.

The bottom length and bottom width of the facility is:


Bottom Length (feet)	Bottom Width (feet)
816	2



The depth of the facility is the vertical distance measured from the bottom of the facility to the top. The slope of the facility sides is presented by a vertical distance (rise) followed by the horizontal distance (run).

Depth and side slopes:

Depth (feet)	Rise (feet)	Run (feet)
1	1	Var. 3 - 6



Site Specific Information: The bioretention facility has a blended compost and topsoil mixture. Stormwater discharge is intended to infiltrate into the ground through the water quality soil mix to the subsurface. The facility has three separate sections (breaks at Ave. I and Ave. K), but is otherwise considered one facility.

4. Facility Access

Maintenance access to the facility:

<input type="checkbox"/> Roadside pad	<input checked="" type="checkbox"/> Roadside shoulder
<input type="checkbox"/> Access road with Gate	<input type="checkbox"/> Access road without Gate



Figure 3: post construction facility access location

5. Operational Components / Maintenance Items

Classification

This facility is classified as an:

<input checked="" type="checkbox"/> On-line Facility	<input type="checkbox"/> Off-line Facility
A facility that does not include a high flow bypass component; flow drains into and through the facility	A facility that treats low/small flows and diverts high flows using a bypass component

Bypass Component

This facility includes a high flow bypass component:

<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
There is no bypass component. High flows drains into and through the facility	There is a bypass component. Only low/small flows drain into the facility. High flows are diverted around the facility using a bypass component

Operational Components

A bioretention facility has many components that assist with treatment, conveyance, and reducing flow velocity to minimize erosion. The components in use can vary depending if the facility was designed to operate on-line or off-line. The facility components table (**Table 1**) has been provided to highlight the applicable components for this facility. The component is in use when the box contains an “x” (e.g.).

A link to the manual is attached to the feature marker in TransGIS.

<https://gis.odot.state.or.us/TransGIS/>

Operational Plan

See Appendix A for the site specific operational plan.

Maintenance Items

Operational components marked in **Table 1** should be inspected and maintained according to Section 7. Each facility component is defined and detailed in the Standard Operation Manual using the associated ID number indicated below.

Table 1: Facility Components		ID #
Manholes/Structures		
Pre-treatment manhole	<input type="checkbox"/>	S1
Weir type flow splitter/flow splitter manhole	<input type="checkbox"/>	S2
Orifice type flow splitter/flow splitter manhole	<input type="checkbox"/>	S3
Standard manhole	<input type="checkbox"/>	S4
Facility Inlet		
Pavement sheet flow	<input checked="" type="checkbox"/>	S5
Inlet Pipe (s)	<input type="checkbox"/>	S6
Open channel inlet	<input type="checkbox"/>	S7
Riprap pad	<input type="checkbox"/>	S8
Ground Cover		

Grass bottom	<input checked="" type="checkbox"/>	S9
Grass side slopes	<input checked="" type="checkbox"/>	S10
Granular drain rock	<input type="checkbox"/>	S11
Plantings	<input type="checkbox"/>	S12
Underground Components		
Geotextile fabric	<input type="checkbox"/>	S13
Water quality mix	<input checked="" type="checkbox"/>	S14
Perforated pipe	<input type="checkbox"/>	S15
Porous pavers (access grid)	<input type="checkbox"/>	S16
Flow Spreader		
Rock basin (used at inlet)	<input type="checkbox"/>	S17
Anchored board (midpoint of facility or every 50 feet along facility bottom)	<input type="checkbox"/>	S18
Other: describe type	<input type="checkbox"/>	S19
Facility Outlet		
Ground Infiltration In Place	<input checked="" type="checkbox"/>	S20
Outlet Pipe (s)	<input type="checkbox"/>	S21
Open channel outlet	<input type="checkbox"/>	S22
Auxiliary Outlet: describe type	<input type="checkbox"/>	S23
Outfall Type		
Waterbody (Creek/Lake/Ocean)	<input type="checkbox"/> C	S24
	<input type="checkbox"/> L	
	<input type="checkbox"/> O	
Ditch	<input type="checkbox"/>	S25
Ground Infiltration	<input checked="" type="checkbox"/>	S26
Outfall Components		
Riprap pad	<input type="checkbox"/>	S27
Riprap bank protection	<input type="checkbox"/>	S28

6. Maintenance

Maintenance Frequency/Maintain Records

- a. Inspect annually. Preferably prior to the rainy season.
- b. Clean and maintain as necessary. Refer to Activity 125 for conditions when maintenance is needed.
- c. Keep a record of inspections, maintenance, and repairs.

Maintenance Guide/Maintenance Actions

The ODOT Routine Road Maintenance Water Quality and Habitat Guide (the *Blue Book*) outlines the standard maintenance actions for water quality facilities under Activity 125.

There are standard maintenance tables for standard ODOT designs. The maintenance tables describe the maintenance component, the defect or problem, the condition when maintenance is needed, and the recommended maintenance to correct the problem. Use the following tables to maintain ODOT facility:

- Table 1 (General Maintenance): Contains general maintenance and inspection guidelines that are applicable to all ODOT water quality facilities
- Table 3 (Maintenance of Water Quality or Biofiltration Swales): Contains maintenance information for facility.

The *Blue Book* can be viewed at the following website:

http://www.oregon.gov/ODOT/Maintenance/Documents/blue_book.pdf

7. Limitations

Access grid installed:

<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
There are no porous pavers installed in this facility.	

Facilities are designed to allow equipment access along the bottom. If an access grid is **NOT** installed, vehicles entering the facility can create depressions (tire ruts), damage vegetation, and damage structural components (e.g. flow spreaders). These conditions may result in poor treatment and drainage performance.

Equipment wheels should be kept on the tops and side slopes. Mower arms may be run along the facility bottom.

8. Waste Material Handling

Material removed from the facility is defined as waste by the Department of Environmental Quality (DEQ). Refer to the roadwaste section of the ODOT Maintenance Yard Environmental Management System (EMS) Policy and Procedures Manual for disposal options:

http://www.oregon.gov/ODOT/Maintenance/Documents/ems_manual.pdf


Contact any of the following for more detailed information about management of waste materials found on site:

ODOT Materials Management Coordinator	(503) 731-8493
ODOT Statewide Hazmat Coordinator	(503) 667-7442
ODOT Region 1 Hazmat Coordinator	(503) 731-8290
ODOT Region 2 Hazmat Coordinator	(503) 986-2647
ODOT Region 3 Hazmat Coordinator	(541) 957-3594
ODOT Region 4 Hazmat Coordinator	(541) 388-6186
ODOT Region 5 Hazmat Coordinator	(541) 963-1590
ODEQ Northwest Region Office	(503) 229-5263

A Appendix A – Site Specific Operational Plan


Contents:

Operational Plan: DFI D01433



PLAN
N.T.S.

- LEGEND:**
- Photo Location / Direction
 - Facility Component (see table 1 in O&M Manual)
 - Facility Bottom
 - Conveyance Direction
 - Pavement / Facility Flow Path



SECTION A-A
N.T.S.



DFI D01433
MAINTENANCE DISTRICT 1 HWY US101
BIORETENTION FACILITY
HIGHWAY MP 21.35 - 21.53
CLATSOP COUNTY

Prepared By:
Jason Stroud

Drafted By:
Michael Skelton

B Appendix B – Project Contract Plans

Contents:

Site Specific Subset of Project Contract Plan 55V-014

INDEX OF SHEETS	
SHEET NO.	DESCRIPTION
A01	Title Sheet
A02	Index Of Sheets Cont. & Std. Dwg. Nos.


STATE OF OREGON
DEPARTMENT OF TRANSPORTATION

PLANS FOR PROPOSED PROJECT

**GRADING, DRAINAGE, PAVING, CURB RAMPS, SIGNING,
 ILLUMINATION, SIGNALS & ROADSIDE DEVELOPMENT**



**US101: AVE A - AVE K
 (SEASIDE) SEC.**

**OREGON COAST HIGHWAY
 CLATSOP COUNTY
 JULY 2022**



Overall Length Of Project - 0.41 Miles

ATTENTION:
 Oregon Law Requires You To Follow Rules Adopted
 By The Oregon Utility Notification Center.
 Those Rules Are Set Forth In OAR 952-001-0001
 Through OAR 952-001-0090.
 You May Obtain Copies Of The Rules By Calling
 The Center (Note: The Telephone Number For
 The Oregon Utility Notification Center Is
 (503) 232-1987).



T. 6 N., R. 10 W., W.M.



OREGON TRANSPORTATION COMMISSION

Robert Van Brocklin	CHAIR
Alando Simpson	COMMISSIONER
Julie Brown	COMMISSIONER
Sharon Smith	COMMISSIONER
Marcilynn Burke	COMMISSIONER
Kristopher W. Strickler	DIRECTOR OF TRANSPORTATION

These plans were developed using ODOT design standards. Exceptions to these standards, if any, have been submitted and approved by the ODOT Chief Engineer or their delegated authority.

Approving Authority: _____
 Signature & date

Carol Cartwright-R2 Tech Center Manager
 Print name and title

 Concurrence by ODOT Chief Engineer

**US101: AVE A - AVE K
 (SEASIDE) SEC.
 OREGON COAST HIGHWAY
 CLATSOP COUNTY**

FEDERAL HIGHWAY ADMINISTRATION	PROJECT NUMBER	SHEET NO.
OREGON DIVISION	S009(484)	A01

PE002747 000

INDEX OF SHEETS, CONT.	
ROADWAY DETAILS	
A03, A04	Survey Control Data
SHEET NO.	DESCRIPTION
A05 Thru A08 Incl.	Curb Ramp Layout Sheet
BA01, Thru BA17 Incl.	Typical Sections
BB01 Thru BB13 Incl.	Details
BC01 Thru BC33 Incl.	Curb Ramp Details
BD01	Pipe Data Sheet
ROADWAY CONSTRUCTION	
C01	Alignment
C01A	General Construction
C01B	Construction Notes
C01C	Drainage And Utilities
C01D	Drainage Notes
C01E, C01F	Profile
C02	Alignment
C02A	General Construction
C02B	Construction Notes
C02C	Drainage And Utilities
C02D	Drainage Notes
C02E	Profile
C02F	Profile
C02G	Profile
C03	Alignment
C03A	General Construction
C03B	Construction Notes
C03C	Drainage And Utilities
C03D	Profile
C03E	Profile
C04	Alignment
C04A	General Construction
C04B	Drainage And Utilities
C04C	Profile
C04D	Profile
C05	Alignment
C05A	Drainage And Utilities
C05B	Drainage Notes
C05C	Profile
TRAFFIC CONTROL	
EA01, EA02	Traffic Control Details
EB01, EB02	Traffic Control Detour Plan
EC01 Thru EC04 Incl.	Traffic Control Plan
ED01 Thru ED03 Incl.	Traffic Control Plan
EE01 Thru EE03 Incl.	Traffic Control Plan
EF01, EF02	Traffic Control Plan
EG01 Thru EG04 Incl.	Traffic Control Plan
EH01 Thru EH03 Incl.	Traffic Control Plan
EJ01, EJ02	Traffic Control Plan

INDEX OF SHEETS, CONT.	
ROADSIDE DEVELOPMENT	
SHEET NO.	DESCRIPTION
FA01 Thru FA14 Incl.	Roadside Development Planting Plan
FA15	Roadside Development Schedules
EROSION CONTROL	
FB01	Erosion And Sediment Control Layout
FB02 Thru FB11 Incl.	Erosion & Sediment Control Plan
GEOTECHNICAL	
GB01	Tall Curb Plan And Elevation
GB02	Details
GB03 Thru GB05 Incl.	Tall Curb Plan And Elevation
GB06	Details
HYDRAULIC	
HA01 Thru HA07 Incl.	Stormwater Plan
SIGNS	
LA01, LA02	Signing Plan
LB01	Sign Details
LC01 Thru LC04 Incl.	Sign & Post Data Table
SIGNALS	
MA01	Flashing Beacon Plan
MA02	Existing utilities
MB01	Flashing Beacon Plan
MB02	Existing utilities
MC01, MC02	Details
ILLUMINATION	
PA01	Illumination Legend And Light Pole Table
PA02	Illumination Plan
PA03	Geotechnical Data
PA04	Illumination Plan
PA05	Geotechnical Data
PB01	Illumination Details
PERMANENT PAVEMENT MARKINGS	
QA01	Pavement Marking Details
QB01	Pavement Marking Plan

Standard Dwg. Nos.

RD300	- Trench Backfill, Bedding, Pipe Zone And Multiple Installations	RD1070	- Concrete Truck Wash Out
RD302	- Street Cut	TM200	- Sign Installation Details
RD335	- Standard Storm Sewer Manhole	TM223	- Conventional Roads Directional Sign Layout Street Name Signs
RD336	- Standard Manhole Details	TM230	- Mounting Details For Removable Legend 4" Through 8" Letters & Numbers
RD339	- Pipe To Structure Connections	TM233	- Mounting Details For Removable Legend Various Arrow Sizes
RD344	- Standard Manhole Base Section	TM240	- Crosswalk Closure Details
RD345	- Pipe To Manhole Connections	TM457	- Vehicle, Pedestrian Signal And Pushbutton Mounting Option Details
RD346	- Large Precast Manhole	TM467	- Pedestrian Signal Mount And Pedestrian Pushbutton Details
RD348	- Manhole With Inlet	TM471	- Trenching & Conduit Installation
RD356	- Manhole Covers And Frames	TM472	- Traffic Signal Junction Boxes/Hand Holes
RD360	- Manhole Frame Adjustment	TM482	- Controller Cabinet & Service Cabinet Foundation Details
RD363	- Gutter Transition At Inlet	TM485	- Service Cabinet Wiring Details
RD364	- Concrete Inlets Type G-1, G-2, G-2M & G-2MA	TM500	- Pavement Marking Standard Detail Blocks
RD365	- Frames & Grates For Concrete Inlets	TM501	- Pavement Marking Standard Detail Blocks
RD366	- Concrete Inlets Type CG-1, CG-2	TM503	- Pavement Marking Standard Detail Blocks
RD371	- Concrete Inlet Base Type CG-3	TM521	- Durable & High Performance Pavement Markings Surface & Groove Installed Non-Profiled
RD372	- Concrete Inlet Top, Option 1, Type CG-3	TM530	- Intersection Pavement Markings (Crosswalk, Stop Bar & Bike Lane Stencil)
RD373	- Concrete Inlet Top, Option 2, Type CG-3	TM531	- Turn Arrow Marking Details
RD374	- Area Drainage Basin Or Field Inlet	TM539	- Median And Left Turn Channelization Details
RD386	- Fill Height Tables For Circular Concrete Pipe	TM560	- Alignment Layout: General
RD388	- Fill Height Tables For PVC Pipe	TM561	- Alignment Layout: Left Turn Lane, Centerline & Medians
RD390	- Fill Height Table For Corrugated HDPE Pipe	TM602	- Triangular Base Breakaway Multi-Directional Slip Base Design
RD393	- Fill Height Tables For Polypropylene Pipe	TM670	- Wood Post Sign Supports
RD399	- Stormwater Treatment And Storage Facility Field Markers	TM671	- 3 Second Gust Wind Speed Map
RD610	- Asphalt Concrete Pavement (ACP) Details	TM675	- Extruded Aluminum Panels
RD615	- Surface Edge Details	TM676	- Sign Attachments
RD700	- Curbs	TM677	- Sign Mounts
RD705	- Islands	TM678	- Secondary Sign Mounting Details
RD710	- Accessible Route Islands	TM681	- Perforated Steel Square Tube (PSST) Sign Support Installation
RD720	- Curb Line Sidewalks	TM687	- Perforated Steel Square Tube (PSST) Anchor Foundation
RD721	- Separated Sidewalks	TM688	- Perforated Steel Square Tube (PSST) Slip Base Foundation
RD722	- Sidewalk Joints And Transition Panels	TM689	- Temporary PSST Vane Anchor Installation
RD770	- Metal Handrail	TM800	- Tables, Abrupt Edge And PCMS Details
RD771	- Metal Handrail Details	TM810	- Temporary Pavement Markings
RD900	- Curb Ramp Components And Legend	TM820	- Temporary Barricades
RD901	- Curb Ramp Legend And Corner Identification	TM821	- Temporary Sign Supports
RD902	- Detectable Warning Surface Details	TM822	- Temporary Sign Supports
RD904	- Detectable Warning Surface Placement For Curb Ramps	TM840	- Closure Details
RD905	- Detectable Warning Surface Placement For Directional Curbs	TM841	- Intersection Work Zone Details
RD906	- Detectable Warning Surface Placement For Accessible Route	TM844	- Temporary Pedestrian Access Routing
RD910	- Perpendicular Curb Ramp	TM850	- 2-Lane, 2-Way Roadways
RD912	- Perpendicular Curb Ramp	TM852	- Non-Freeway Multi-Lane Sections
RD920	- Parallel Curb Ramp	TM853	- Non-Freeway Multi-Lane Sections
RD930	- Combination Curb Ramp		
RD936	- Combination Curb Ramp		
RD938	- Combination Curb Ramp Single Ramp		
RD950	- End of Walk Curb Ramp		
RD960	- Unique Curb Ramp		
RD1000	- Construction Entrances		
RD1005	- Check Dams Type 1, 3, And 4		
RD1010	- Inlet Protection Type 2, 3, 6, 7, 10 And 11		
RD1032	- Sediment Barrier Type 8		
RD1055	- Slope and Channel Matting		



R/W Map RW9635M




US101: AVE A - AVE K
(SEASIDE) SEC.
OREGON COAST HIGHWAY
CLATSOP COUNTY

FEDERAL HIGHWAY ADMINISTRATION	PROJECT NUMBER	SHEET NO.
OREGON DIVISION	SEE SHEET A01	A02

Standard Drawings located on the web at:
<http://www.oregon.gov/ODOT/Engineering/Pages/Standards.aspx>




- CONSTRUCTION NOTES**
- ① Sta. "L" 22+08 to "L" 24+88
Const. Bioretention Facility
DFI No. D01433
(For details see sht. BA04)
 - ② Inst. Type S1 marker
(See sht. RD399)
 - ③ Inst. Type S2 marker
(See sht. RD399)




LEGEND

No work area

PLAN
Scale: 1" = 30'




TYPICAL SECTION
No Scale



HWY: 009
M.P.: 21.35 - 21.53
UNIT FILE CODE
N/A
DFI/TSSU NO.
D01433

RENEWS: 06-30-2022


OREGON DEPARTMENT OF TRANSPORTATION 	
US101: AVE A - AVE K (SEASIDE) SEC. OREGON COAST HIGHWAY CLATSOP COUNTY	
Designer: Aliman Mahmoud Drafter: Michael Skelton	Reviewer: Jason Stroud Checker: N/A
STORMWATER PLAN	SHEET NO. HA01




CONSTRUCTION NOTES

① Sta. "L" 25+88 to "L" 29+85
 Const. Bioretention Facility
 DFI No. D01433
 (For details see shts. HA01 and BA04)


LEGEND


 No work area

HWY: 009
 M.P.: 21.35 - 21.53
 UNIT FILE CODE
 N/A
 DFI/TSSU NO.
 D01433


REGISTERED PROFESSIONAL ENGINEER
 89,721
 OREGON
 JULY 10, 2018
JASON DAVID STROUD


RENEWS: 06-30-2022


OREGON DEPARTMENT OF TRANSPORTATION 	
US101: AVE A - AVE K (SEASIDE) SEC. OREGON COAST HIGHWAY CLATSOP COUNTY	
Designer: Alman Mahmoud	Reviewer: Jason Stroud
Drafter: Michael Skelton	Checker: N/A
STORMWATER PLAN	SHEET NO. HA02




- CONSTRUCTION NOTES**
- ① Sta. "L" 30+40 to "L" 31+79
Const. Bioretention Facility
DFI No. D01433
(For details see shts. HA01 and BA04)
 - ② Inst. Type S1 marker
(See sht. RD399)

LEGEND


 No work area




 REGISTERED PROFESSIONAL ENGINEER
 89,721
 OREGON
 JULY 10, 2018
 JASON DAVID STROUD

HWY: 009 M.P.: 21.35 - 21.53
UNIT FILE CODE N/A
DFI/TSSU NO. D01433

RENEWS: 06-30-2022

 OREGON DEPARTMENT OF TRANSPORTATION	
US101: AVE A - AVE K (SEASIDE) SEC. OREGON COAST HIGHWAY CLATSOP COUNTY	
Designer: Alman Mahmoud	Reviewer: Jason Stroud
Drafter: Michael Skelton	Checker: N/A
STORMWATER PLAN	SHEET NO. HA03