



Oregon Department of Environmental Quality

Instructions for Using Air Contaminant Discharge Permit Application Forms

Table of contents

Purpose	2
Permit types.....	2
Cleaner Air Oregon.....	9
ACDP application forms.....	10
Simple and Standard permit renewals.....	15
Non-technical permit modifications	16
Simple and Standard technical permit modifications	16
New Source Review.....	16
Notice of Intent to Construct.....	18
Glossary of terms.....	20

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)
800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

Purpose

These instructions are provided to the owner/operator of a facility seeking an initial Air Contaminant Discharge Permit, renewal of existing ACDP, or modification to an existing ACDP. These instructions identify the application forms and describe how the forms are to be used to prepare an application. Specific instructions for completing the forms are included with each of the individual forms.

Permit types

Decide which type of ACDP is the right permit for the facility. Provided below is a list of the types of permits that may be required for a facility. In some cases, more than one type of permit may be acceptable so the applicant will have to decide which type is the right type of permit for the facility. A description of each of the permit types is provided after the table.

Permit Type	Source Categories	Permit Term	Plant Site Emission Limits (PSEL)	Netting basis	Typical Actual Emissions (tons/yr)	Initial Permitting Fees	Annual Fees ¹
Short Term Activity	Any short term activity in OAR 340-216-0054	60 days, 1 extension	No	No	NA ²	\$4,500	NA
Basic	OAR 340-216-8010, Table 1, Part A	Up to 10 years	No	No	<10	\$180	\$648, \$1,469
General	OAR 340-216-8010, Table 1, Part B (where DEQ has issued a permit for the category)	Up to 10 years	PSEL	No	<SER ³	\$1,800 ⁴	\$245, \$490, \$734, \$1,469, \$2,644, \$3,818
General Attachment	OAR 340-216-8010, Table 1, Part B (where DEQ has issued an attachment for the category)	Up to 10 years	PSEL	No	<SER	\$0	\$245 ⁵
Simple	OAR 340-216-8010, Table 1, Part B	Up to 10 years	PSEL	No	<SER	\$9,000	\$3,917, \$7,834

¹OAR 340-216-0020, Table 2, Part 2, adopted 09/21/2020.

² NA stands for "not applicable".

³ SER stands for "significant emission rate" as described in the Glossary of Terms section of these instructions.

⁴ DEQ may waive the assignment fee for an existing source requesting to be assigned to a General ACDP because the source is subject to a newly adopted area source NESHAP as long as the existing source requests assignment within 90 days of notification by DEQ.

⁵ General ACDP attachments are subject to annual Fee Class 5 pursuant to OAR 340-216-0062(3)(b).

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)

800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

Permit Type	Source Categories	Permit Term	Plant Site Emission Limits (PSEL)	Netting basis	Typical Actual Emissions (tons/yr)	Initial Permitting Fees	Annual Fees ¹
Standard	OAR 340-216-8010, Table 1, Part B or C	Up to 5 years	Source Specific PSEL	Yes	<100	\$18,000, \$63,000 (NSR/PSD)	\$15,759
Construction	OAR 340-216-8010, Table 1, Part B or C	Up to 5 years	Source Specific PSEL	Yes	NA	\$14,400	NA

All applicants for a new source Simple or Standard Air Contaminant Discharge Permit must submit a toxic air contaminant emissions inventory to determine if the source is subject to Cleaner Air Oregon. Applicants for Basic and General Air Contaminant Discharge Permits will be notified by DEQ if they are subject to Cleaner Air Oregon. More details about Cleaner Air Oregon are included below.

New sources applying for a Simple or Standard Air Contaminant Discharge Permit must also submit a short-term National Ambient Air Quality Standards analysis. See the [Short-Term 1-Hour and 24-Hour NAAQS Requirements](#) website for more details on requirements.

Short Term Activity ACDP

A Short Term Activity ACDP is a letter permit that authorizes the activity and includes any conditions placed upon the method or methods of operation of the activity. A Short Term Activity ACDP automatically terminates 60 days from the date of issuance but may be renewed for an additional 60 days one time upon request. DEQ may issue a Short Term Activity ACDP for:

- Activities that do not require a Title V permit under OAR chapter 340, division 218;
- Unexpected or emergency activities; or
- Operation of a pilot or an exploratory emissions unit.

Basic ACDP

A Basic ACDP is a permit that authorizes the operation of sources and activities listed below. A Basic ACDP is the minimum permit required for these sources and activities, but the applicant may obtain a Simple or Standard ACDP in place of the Basic ACDP. A Basic ACDP contains only the most significant and relevant rules applicable to the source and it does not contain Plant Site Emission Limits. A Basic ACDP may be issued for a period not to exceed ten years.

1. Autobody repair or painting shops painting more than 25 automobiles in a year and that are located inside the Portland AQMA.
2. Concrete manufacturing including redimix and CTB, both stationary and portable, more than 5,000 but less than 25,000 cubic yards per year output.
3. Crematory incinerators with less than 20 tons/year material input.
4. Individual natural gas or propane-fired boilers with heat input rating between 9.9 and 29.9 MMBTU/hour, constructed after June 9, 1989, that do not use more than 9,999 gallons per year of #2 diesel oil as a backup fuel.
5. Prepared feeds for animals and fowl and associated grain elevators more than 1,000 tons/year but less than 10,000 tons per year throughput.
6. Rock, concrete or asphalt crushing, both stationary and portable, more than 5,000 tons/year but less than 25,000 tons/year crushed.
7. Surface coating operations whose actual or expected usage of coating materials is greater than 250 gallons per month but does not exceed 3,500 gallons per year, excluding sources that exclusively use non-VOC and non-HAP containing coatings, e.g., powder coating operations.

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)
800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

8. Sources subject to permitting under Part B of this table, number 85 if all of the following criteria are met:
 - a) The source is not subject to any category listed on this table other than Part B number 85;
 - b) The source has requested an enforceable limit on their actual emissions, if the source were to operate uncontrolled, to below Part B number 85 of this table as applicable depending on the source's location through one or both of the following:
 - i) A limit on hours of operation;
 - ii) A limit on production;
 - c) Control devices are not required to be used or otherwise accounted for to maintain emissions levels compliant with 8.b above;
 - d) The source is not subject to and does not have any affected emissions units subject to a 40 C.F.R. part 60, part 61, or part 63 standard (NSPS or NESHAP);
 - e) The source is not subject to any specific industry or operation standard in OAR chapter 340 divisions 232, 234, or 236.
 - f) DEQ has determined that the source is not required to conduct source testing and source testing for emission factor verification will not be required.

General ACDP

A General ACDP is a permit that authorizes operation of the sources and activities listed below. General ACDPs are issued by order for a period of up to ten years and then individual sources are assigned to the General ACDP if they meet the qualifications. One significant qualification is that the actual emissions from the source must be less than the PSEs contained in the General ACDP. Generic PSEs in General ACDPs will be replaced with source specific PSEs. PSEs for General ACDPs will be set at the potential to emit for the largest emitting source in the general permit source category in the state for all regulated pollutants emitted at more than the de minimis emission level according to OAR chapter 340, division 222. Any source that does not meet the qualifications would have to obtain either a Simple or Standard ACDP.

1. Hard chrome platers, AQGP-001;
2. Decorative chrome platers, AQGP-002;
3. Halogenated solvent degreasers - batch cold, batch vapor, and in-line, AQGP-005;
4. Dry cleaners, AQGP-006;
5. Asphalt plants, AQGP-007
6. Rock crushers (>25,000 tons of rock crushed per year), AQGP-008;
7. Ready-mix concrete (>25,000 yards of concrete produced per year), AQGP-009;
8. Sawmills, planing mills, millwork, plywood manufacturing and veneer drying (>25,000 board feet per 8-hour shift), AQGP-010;
9. Boilers (>10 million Btu/hour heat input for oil fuels and >30 million Btu/hour heat input for natural gas and propane fuels), AQGP-011;
10. Crematories (>20 tons of material incinerator per year), AQGP-012;
11. Grain elevators (>10,000 tons of material throughput per year), AQGP-013;
12. Prepared feeds, flour, and cereal (>10,000 tons of material throughput per year), AQGP-014;
13. Seed cleaning (>5,000 tons of material throughput per year), AQGP-015;
14. Coffee roasters (>30 tons of coffee roasted per year), AQGP-016;
15. Bulk gasoline plants, AQGP-017;
16. Electric power generators, AQGP-018;
17. Clay manufacturing > 50 tpy, AQGP-019;
18. Hospital ethylene oxide sterilizers, AQGP-020;
19. Gasoline dispensing facilities - Stage I, AQGP-022;
20. Gasoline dispensing facilities - Stage II, AQGP-023;
21. Wood preserving, AQGP-024;
22. Large metal fabrication and finishing operations, AQGP-025;
23. Plating and polishing, AQGP-026;
24. Surface coating, AQGP-027;
25. Small metal fabrication operations, AQGP-029;

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)

800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

26. Paint and allied product manufacturing, AQGP-030; and
27. Air Curtain Incinerators, AQGP-031.

Air Curtain Incinerators can be permitted under the AQGP-031 for one year before applying for the ACI Title V General Permit.

General ACDP Attachments

If required to obtain more than one General ACDP, an owner or operator may be assigned to one General ACDP and one or more General ACDP Attachments, as long as the General ACDP and General ACDP Attachment(s) contain all requirements applicable to the source. This would allow a source to avoid having to obtain a more costly Simple or Standard ACDP if there are no General ACDPs that contain all requirements applicable to the source. If all activities at a source cannot be addressed by a General ACDP and General ACDP Attachments, the owner or operator of the source must apply for a Simple or Standards ACDP.

A source may not be assigned to a General ACDP Attachment for a source category in a higher annual fee class than the General ACDP the source is currently assigned to. Instead, a source must be reassigned to the General ACDP for the source category in the higher annual fee class and may be assigned to one or more General ACDP Attachments associated with source categories in an equal or lower annual fee class.

A General ACDP Attachment authorizes operation of the sources and activities listed below.

1. Electric Power Generators, AQGP-018a;
2. Hospital ethylene oxide sterilizers, AQGP-020a;
3. Gasoline dispensing facilities - stage I, AQGP-022a;
4. Gasoline dispensing facilities - stage II, AQGP-023a;
5. Large metal fabrication and finishing operations, AQGP-025a;
6. Plating and polishing, AQGP-026a;
7. Surface coating, AQGP-027a;
8. Small metal fabrication operations, AQGP-029a;
9. Paint and allied product manufacturing, AQGP-030a.

Simple ACDP

A Simple ACDP authorizes operation of the sources and activities listed below. A Simple ACDP is required for these sources and activities, unless there is a General ACDP available for the source and the source meets the General ACDP qualifications. In addition, the applicant may request a Standard ACDP in place of the Simple ACDP if the annual emissions are greater than the Significant Emission Rate or the applicant wants to maintain a netting basis. A Simple ACDP contains all relevant applicable requirements, source specific PSEs that are less than the SERs, and testing, monitoring, recordkeeping and reporting requirements sufficient to determine compliance with the emissions limits and standards. The Simple ACDP is issued for a period of up to 10 years.

1. Aerospace or aerospace parts manufacturing subject to RACT under OAR chapter 340, division 232.
2. Aluminum, copper, and other nonferrous foundries subject to an area source NESHAP under OAR chapter 340, division 244.
3. Aluminum production – primary.
4. Ammonia manufacturing.
5. Animal rendering and animal reduction facilities.
6. Asphalt blowing plants.
7. Asphalt felts or coating manufacturing.
8. Asphaltic concrete paving plants, both stationary and portable.
9. Bakeries, commercial over 10 tons of VOC emissions per year.
10. Battery separator manufacturing.

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)
800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

11. Lead-acid battery manufacturing and re-manufacturing.
12. Beet sugar manufacturing.
13. Oil-fired boilers and other fuel burning equipment whose total heat input rating at the source is over 10 MMBTU/hour; or individual natural gas, propane, or butane-fired boilers and other fuel burning equipment 30 MMBTU/hour or greater heat input rating.
14. Building paper and building board mills.
15. Calcium carbide manufacturing.
16. Can or drum coating subject to RACT under OAR chapter 340, division 232.²
17. Cement manufacturing.
18. Cereal preparations and associated grain elevators 10,000 or more tons/year throughput.¹
19. Charcoal manufacturing.
20. Chlorine and alkali manufacturing.
21. Chrome plating and anodizing subject to a NESHAP under OAR chapter 340, division 244.
22. Clay ceramics manufacturing subject to an area source NESHAP under OAR chapter 340, division 244.
23. Coffee roasting, roasting 30 or more green tons per year.
24. Concrete manufacturing including redi-mix and CTB, both stationary and portable, 25,000 or more cubic yards per year output.
25. Crematory incinerators 20 or more tons/year material input.
26. Degreasing operations, halogenated solvent cleanings subject to a NESHAP under OAR chapter 340, division 244.
27. Electrical power generation from combustion, excluding units used exclusively as emergency generators and units less than 500 kW.
28. Commercial ethylene oxide sterilization, excluding facilities using less than 1 ton of ethylene oxide within all consecutive 12-month periods after December 6, 1996.
29. Ferroalloy production facilities subject to an area source NESHAP under OAR chapter 340, division 244.
30. Flatwood coating subject to RACT under OAR chapter 340, division 232.²
31. Flexographic or rotogravure printing subject to RACT under OAR chapter 340, division 232.²
32. Flour, blended and/or prepared and associated grain elevators 10,000 or more tons/year throughput.¹
33. Galvanizing and pipe coating, except galvanizing operations that use less than 100 tons of zinc/year.
34. Bulk gasoline plants, bulk gasoline terminals, and pipeline facilities.
35. Gasoline dispensing facilities, excluding gasoline dispensing facilities with monthly throughput of less than 10,000 gallons of gasoline per month³.
36. Glass and glass container manufacturing subject to a NSPS under OAR chapter 340, division 238 or a NESHAP under OAR chapter 340, division 244.
37. Grain elevators used for intermediate storage 10,000 or more tons/year throughput.¹
38. Reserved.
39. Gray iron and steel foundries, malleable iron foundries, steel investment foundries, steel foundries 100 or more tons/year metal charged, not elsewhere identified.
40. Gypsum products manufacturing.
41. Hardboard manufacturing, including fiberboard.
42. Hospital sterilization operations subject to an area source NESHAP under OAR chapter 340, division 244.
43. Incinerators with two or more tons per day capacity.
44. Lime manufacturing.
45. Liquid storage tanks subject to RACT under OAR chapter 340, division 232.²
46. Magnetic tape manufacturing.
47. Manufactured home, mobile home and recreational vehicle manufacturing.
48. Marine vessel petroleum loading and unloading subject to RACT under OAR chapter 340, division 232.
49. Metal fabrication and finishing operations subject to an area source NESHAP under OAR

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)

800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

chapter 340, division 244, excluding facilities that meet all the following:

- a. Do not perform any of the operations listed in OAR 340-216-0060(3)(b)(V)(i) through (iii);
 - b. Do not perform shielded metal arc welding (SMAW) using metal fabrication and finishing hazardous air pollutant (MFHAP) containing wire or rod; and
 - c. Use less than 100 pounds of MFHAP containing welding wire and rod per year.
50. Millwork manufacturing, including kitchen cabinets and structural wood members, 25,000 or more board feet/maximum 8 hour input.
 51. Molded plastic container manufacturing, using extrusion, molding, lamination, and foam processing and molded fiberglass container manufacturing, excluding injection molding.
 52. Motor coach, travel trailer, and camper manufacturing.
 53. Motor vehicle and mobile equipment surface coating operations subject to an area source NESHAP under OAR chapter 340, division 244, excluding motor vehicle surface coating operations painting less than 10 vehicles per year or using less than 20 gallons of coating and 20 gallons of methylene chloride containing paint stripper per year, mobile equipment surface coating operations using less than 20 gallons of coating and 20 gallons of methylene chloride containing paint stripper per year, and motor vehicle surface coating operations registered pursuant to OAR 340-210-0100(2).
 54. Natural gas and oil production and processing and associated fuel burning equipment.
 55. Nitric acid manufacturing.
 56. Nonferrous metal foundries 100 or more tons/year of metal charged.
 57. Organic or inorganic chemical manufacturing and distribution with ½ or more tons per year emissions of any one criteria pollutant, sources in this category with less than ½ ton/year of each criteria pollutant are not required to have an ACDP.
 58. Paint and allied products manufacturing subject to an area source NESHAP under OAR chapter 340, division 244.
 59. Paint stripping and miscellaneous surface coating operations subject to an area source NESHAP under OAR chapter 340, division 244, excluding paint stripping and miscellaneous surface coating operations using less than 20 gallons of coating and also using less than 20 gallons of methylene chloride containing paint stripper per year.
 60. Paper or other substrate coating subject to RACT under OAR chapter 340, division 232.²
 61. Particleboard manufacturing, including strandboard, flakeboard, and waferboard.
 62. Perchloroethylene dry cleaning operations subject to an area source NESHAP under OAR chapter 340, division 244, excluding perchloroethylene dry cleaning operations registered pursuant to OAR 340-210-0100(2).
 63. Pesticide manufacturing 5,000 or more tons/year annual production.
 64. Petroleum refining and re-refining of lubricating oils and greases including asphalt production by distillation and the reprocessing of oils and/or solvents for fuels.
 65. Plating and polishing operations subject to an area source NESHAP under OAR chapter 340, division 244.
 66. Plywood manufacturing and/or veneer drying.
 67. Prepared feeds manufacturing for animals and fowl and associated grain elevators 10,000 or more tons per year throughput.
 68. Primary smelting and/or refining of ferrous and non-ferrous metals.
 69. Pulp, paper and paperboard mills.
 70. Rock, concrete or asphalt crushing, both stationary and portable, 25,000 or more tons/year crushed.
 71. Sawmills and/or planing mills 25,000 or more board feet/maximum 8 hour finished product.
 72. Secondary nonferrous metals processing subject to an Area Source NESHAP under OAR chapter 340, division 244.
 73. Secondary smelting and/or refining of ferrous and nonferrous metals.
 74. Seed cleaning and associated grain elevators 5,000 or more tons/year throughput.¹
 75. Sewage treatment facilities employing internal combustion engines for digester gasses.
 76. Soil remediation facilities, both stationary and portable.
 77. Steel works, rolling and finishing mills.
 78. Surface coating in manufacturing subject to RACT under OAR chapter 340, division 232.²

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)

800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

79. Surface coating operations with actual emissions of VOCs, if the source were to operate uncontrolled, of 10 or more tons/year.
80. Synthetic resin manufacturing.
81. Tire manufacturing.
82. Wood furniture and fixtures 25,000 or more board feet/maximum 8 hour input.
83. Wood preserving (excluding waterborne).
84. All other sources, both stationary and portable, not listed herein that DEQ determines an air quality concern exists or one which would emit significant malodorous emissions.
85. All other sources, both stationary and portable, not listed herein which would have the capacity of 5 or more tons per year of direct PM_{2.5} or PM₁₀ if located in a PM_{2.5} or PM₁₀ nonattainment or maintenance area, or 10 or more tons per year of any single criteria pollutant.⁴
86. Chemical manufacturing facilities subject to 40 C.F.R. part 63 subpart VVVVVV.
87. Stationary internal combustion engines if:
 - a. For emergency generators and firewater pumps, the aggregate engine horsepower rating is greater than 30,000 horsepower; or
 - b. For any individual non-emergency or non-fire pump engine, the engine is subject to 40 CFR part 63, subpart ZZZZ and is rated at 500 horsepower or more, excluding two stroke lean burn engines, engines burning exclusively landfill or digester gas, and four stroke engines located in remote areas; or
 - c. For any individual non-emergency engine, the engine is subject to 40 CFR part 60, subpart IIII and:
 - A. The engine has a displacement of 30 liters or more per cylinder; or
 - B. The engine has a displacement of less than 30 liters per cylinder and is rated at 500 horsepower or more and the engine and control device are either not certified by the manufacturer to meet the NSPS or not operated and maintained according to the manufacturer's emission-related instructions; or
 - d. For any individual non-emergency engine, the engine is subject to 40 CFR part 60, subpart JJJJ and is rated at 500 horsepower or more and the engine and control device are either not certified by the manufacturer to meet the NSPS or not operated and maintained according to the manufacturer's emission-related instructions.
88. All sources subject to RACT under OAR chapter 340, division 232, BACT or LAER under OAR chapter 340, division 224, a NESHAP under OAR chapter 340, division 244, a NSPS under OAR chapter 340, division 238, or State MACT under OAR 340-244-0200(2), except sources:
 - a. Exempted in any of the categories above;
 - b. For which a Basic ACDP is available; or
 - c. Registered pursuant to OAR 340-210-0100(2).
89. Pathological waste incinerators.
90. Landfills with more than 200,000 tons of waste in place and calculated methane generation rate is less than 664 metric tons per year which are subject to the requirements in OAR 340 division 239.

¹ Applies only to Special Control Areas

² Portland AQMA, Medford-Ashland AQMA or Salem-Keizer in the SKATS only

³ "monthly throughput" means the total volume of gasoline that is loaded into, or dispensed from, all gasoline storage tanks at the gasoline dispensing facility during a month. Monthly throughput is calculated by summing the volume of gasoline loaded into, or dispensed from, all gasoline storage tanks at the gasoline dispensing facility during the month, plus the total volume of gasoline loaded into, or dispensed from, all gasoline storage tanks at the gasoline dispensing facility during the previous 11 months, and then dividing that sum by 12.

⁴ A source subject to permitting from this category may be able to obtain a Basic ACDP under Part A number 8 of this table. For sources that meet the criteria of Part A number 8 of this table, the enforceable production or hours limitation in an issued ACDP may be used to demonstrate a permit is not required by Part B number 85 of this table irrespective of the term 'uncontrolled'.

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)

800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

Standard ACDP

A Standard ACDP authorizes operation of the sources and activities listed below. The applicant may also request a Standard ACDP for any source listed above. Standard ACDPs are issued for up to 5 years. The Standard ACDP includes all relevant requirements, including source specific PSELs, along with requirements for determining compliance with the emissions limits and standards.

1. Incinerators for PCBs, other hazardous wastes, or both.
2. All sources that DEQ determines have emissions that constitute a nuisance.
3. All sources electing to maintain the source's netting basis.
4. All sources that request a PSEL equal to or greater than the SER for a regulated pollutant.
5. All sources having the potential to emit 100 tons or more of any regulated pollutant, except GHG, in a year.
6. All sources having the potential to emit 10 tons or more of a single hazardous air pollutant in a year.
7. All sources having the potential to emit 25 tons or more of all hazardous air pollutants combined in a year.
8. Landfills with more than 200,000 tons of waste in place and calculated methane generation rate is greater than or equal to 664 metric tons per year which are subject to the requirements in OAR 340 division 239.

Construction ACDP

A Construction ACDP is a permit for approval of Type 3 or Type 4 construction or modification changes specified in [OAR 340-210-0225](#). The Construction ACDP includes requirements for the construction or modification of stationary sources or air pollution control equipment at sources that are required to obtain a Standard ACDP or Oregon Title V Operating Permit. The Construction ACDP does not provide authorization to operate the new construction or modification. A new or modified Standard ACDP or Title V Permit is required before operation of the new construction or modification. The Construction ACDP is optional for ACDP sources but is required for any source that has a Title V Permit.

Cleaner Air Oregon

The owner or operator of a new source applying for a Simple or Standard ACDP must submit a Cleaner Air Oregon Pre-Application Fee form ([AQ500](#)) and a toxic air contaminant emissions inventory form ([AQ520](#)). The New Source Consulting Fee in [OAR 340-216-8030](#) should also be submitted with these forms. DEQ will notify owners or operators of a new source applying for a General or Basic Air Contaminant Discharge Permit if they are subject to Cleaner Air Oregon. Currently, the only types of general permit applications that would trigger Cleaner Air Oregon requirements are Hard Chrome Electroplating ([AQGP-001](#)), Decorative Chrome Electroplating ([AQGP-002](#)), Plating and Polishing ([AQGP-026](#)). The owner or operator of an existing source will be notified by DEQ when they are required to submit an application for a Toxics Air Contaminant Permit Addendum or a modified operating permit.

After the emissions inventory for the new source is approved by DEQ, the owner or operator of the new source must calculate risk from the toxic air contaminants emitted and submit a risk assessment. Depending on the level of risk assessment performed, a modeling protocol and a risk assessment work plan must also be submitted and approved before submitting the risk assessment. The same modeling protocol can also be used if criteria pollutant modeling is required. Once the risk assessment is approved, the applicant must fill out the appropriate ACDP application forms and a Cleaner Air Oregon Permit Application form ([AQ501](#)). The owner or operator must submit the ACDP application fee and the Cleaner Air Oregon specific activity fees along with the first year's ACDP annual fee and the Cleaner Air Oregon annual fee with the application. DEQ will add permit conditions to the Air Contaminant Discharge Permit based on cancer and noncancer risk.

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)
800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

If risk is less than the Source Permit Levels in [OAR 340-245-8010](#), the source is considered a de minimis source and a memorandum to the file will be written and the review report of the operating permit will be modified to include the risk assessment verifying risk. If an operating permit is not required, the de minimis source will be tracked in a database for the emissions inventory and future communication if RBCs change or other information about risk is received such that toxic air contaminant emissions must be reevaluated.

All permitted sources are required to pay the Cleaner Air Oregon annual fee in addition to applicable specific activity fees. After the owner or operator of a new source has been permitted, the Cleaner Air Oregon annual fee will be invoiced with the existing operating permit annual fees.

For more information about the Cleaner Air Oregon application process, please visit: <https://www.oregon.gov/deq/aq/aqPermits/Pages/CAO-reg.aspx>

ACDP application forms

Once you have determined the type of permit for the facility, complete the necessary application forms as follows:

Short Term Activity ACDP

Form [AQ108](#) is used to apply for a Short Term Activity ACDP. Instructions are provided with the form. Fees are required for Short Term Activity ACDPs in accordance with [OAR 340-216-8020, Table 2, Part 1](#).

Basic ACDP

The application packet for a new Basic ACDP or renewal of an existing Basic ACDP consists of one of the following forms and a Land Use Compatibility Statement for new sources. The forms are self-explanatory so there are no additional instructions. Fees are required for new Basic ACDPs, but are not required for permit renewals. The fees are specified in [OAR 340-216-8020, Table 2, Part 1](#).

Table 1, Part A Category	Source Category	Form Number	Table 1, Part A Category	Source Category	Form Number
1	Autobody repair	AQB-001	5	Prepared Feeds	AQB-005
4	Boilers	AQB-002	6	Rock Crushers	AQB-006
2	Concrete Manufacturing	AQB-003	7	Surface Coating	AQB-007
3	Crematories	AQB-004	8	Other sources requesting enforceable limits	AQB-008

General ACDP

The application packet for assignment or re-assignment to a General ACDP consists of form AQGP- 100⁵ and one of the following forms, along with a Land Use Compatibility Statement for new sources. Use the application package for assignment or re-assignment to a General ACDP to apply for assignment or reassignment to the corresponding General ACDP Attachment. Additional information, as identified by OAR 340-216-0040(1), may be requested for a new source. Fees are required for initial assignment to a

⁵ Dry cleaners are not required to submit form AQGP-100.

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)
800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

General ACDP⁶, but are not required for reassignment. The fees are specified in OAR 340-216-8020, Table 2 and fee classifications can be found in OAR 340-216-0060(2)(b).

General ACDP #	Source Category	Form Number	General ACDP #	Source Category	Form Number
All	Required for all permits	AQGP-100	AQGP-015	Seed Cleaning	AQGP-115
All	Required for all permit reassignments	AQGP-100R	AQGP-016	Coffee Roasters	AQGP-116
AQGP-001	Hard Chrome Platers	AQGP-101	AQGP-017	Bulk Gasoline Plants	AQGP-117
AQGP-002	Decorative Chrome Platers	AQGP-102	AQGP-018 AQGP-018a	Electric Power Generators	AQGP-118
AQGP-005	Degreasers - all	AQGP 105	AQGP-019	Clay Manufacturing	AQGP-119
AQGP-006	Dry Cleaners	AQGP 106	AQGP-020 AQGP-020a	Hospital Sterilizers	AQGP-120
AQGP-007	Asphalt Plants	AQGP 107	AQGP-022 AQGP-022a	Gasoline Dispensing Facilities - Stage I	AQGP-122
AQGP-008	Rock Crushers	AQGP 108	AQGP-023 AQGP-023a	Gasoline Dispensing Facilities - Stage II	AQGP-122
AQGP-009	Concrete Manufacturers	AQGP 109	AQGP-024	Wood Preserving	AQGP-124
AQGP-010	Wood Products Facilities	AQGP-110	AQGP-025 AQGP-025a	Metal Fabrication and Finishing	AQGP-125
AQGP-011	Boilers	AQGP 111	AQGP-026 AQGP-026a	Plating and Polishing	AQGP-126
AQGP-012	Crematories	AQGP-112	AQGP-027 AQGP-027a	Surface Coating	AQGP-127
AQGP-013	Grain Elevators	AQGP-113	AQGP-029 AQGP-029a	Metal Fabrication	AQGP-129
AQGP-014	Cereal, Flour, and Prepared Feeds	AQGP-114	AQGP-031	Air Curtain Incinerator	AQGP-131

Simple and Standard ACDP

The application forms for Simple and Standard ACDPs have been organized into four "series" based on the types of information collected. These series are:

Form Series AQ100, administrative Information and non-technical permit modifications

The forms in this series collect general information about the facility, such as the type of activity, the location, the name of a contact person, etc. These forms help DEQ understand what the facility is, the

⁶ DEQ may waive the assignment fee for an existing source requesting to be assigned to a General ACDP because the source is subject to a newly adopted area source NESHAP as long as the existing source requests assignment within 90 days of notification by DEQ.

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)
800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

industrial activities conducted at the facility, and the regulatory requirements that apply to the facility.

Form Number	Description
AQ101	Administrative Information
AQ102	Facility Description
AQ103	Transfer Application or Name Change
AQ105	Non-technical permit modifications
AQ107	Relocation Notice Form
AQ108	Short Term Activity Permit Application
AQ109	Relocation Notice for Air Curtain Incinerators
AQ110	Emissions Release Parameter Details Sheet

Form Series AQ200, (Pollutant-Emitting) Device/Process Forms

Each form in this series is intended to collect descriptive information about the pollutant-emitting devices (equipment) and processes at the facility. For example, one form should be used to describe a boiler and another form should be used to describe a seed handling operation. A "Miscellaneous" form is more general in nature for use in describing devices or processes not otherwise addressed by a specific form.

Form Number	Description
AQ201	<Reserved>
AQ202	Asphalt Plants
AQ203	Rock Crusher
AQ204	Ready-mix Concrete Plant
AQ205	Volatile Organic Liquid Storage Tanks
AQ206	Material Dryers/Ovens (For facilities other than wood products facilities)
AQ207	Coffee Roasters
AQ208	Boilers (other than hogged fuel boilers)
AQ209	Crematory Incinerator
AQ210	Internal Combustion Engines and Gas Turbines
AQ211	Surface Coating Operations
AQ212	Grain/Seed/Animal Feed
AQ213	Power Generators
AQ214	Solvent Usage
AQ216	Bakeries
AQ220	Wood Products Facility Data
AQ221	Veneer Dryers
AQ222	Wood Particle Dryers
AQ223	Wood Panel Presses
AQ224	Hogged Fuel Boilers
AQ225	Wood Drying Kilns
AQ226	Wood Product Process Cyclone
AQ227	Air Curtain Incinerator
AQ230	Miscellaneous Device or Process
AQ231	Operation and Maintenance

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)

800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

Form Series AQ300, Pollution Management Forms

These forms are used to describe efforts to control and reduce air pollution by either pollution prevention measures or add-on control equipment.

Form Number	Description
AQ301	Pollution Prevention
AQ302	Electrostatic Precipitator (ESP)
AQ303	Wet Scrubber
AQ304	Baghouse
AQ305	Cyclones/Multiclones
AQ306	Fume Incinerator
AQ307	Miscellaneous Control Device

Form Series AQ400, Emissions Data Forms

These forms collect information about the types and quantities of regulated air pollutants emitted by the different devices and processes at the facility.

Form Number	Description
AQ401	Plant Site Emissions Detail (Baseline year)
AQ402	Plant Site Emissions Detail (Current/Future Operations)
AQ403	Hazardous Air Pollutant Emissions Detail
AQ404	Categorically Insignificant Activities

DEQ needs to understand the types of activities conducted at the facility, the efforts to control emissions from the activities, and the quantities of emissions that result from the activities. The applicant will be asked to complete a number of different forms to provide adequate information such that DEQ can issue an ACDP. The applicant must submit fees with the application for new permits as required by [OAR 340-216-8020, Table 2](#), Parts 1, 2, and 3.

Certain ACDP forms will need to be completed for all types of facilities. Other forms are specific to the types of activities conducted at the individual facility. The applicant should talk to a permit writer or permit coordinator at one of the regional offices listed below. Through this discussion, the permit writer or coordinator will identify which forms the applicant needs to complete. The permit writer or coordinator will also determine which fees are required to be submitted with the application. The permit coordinator will provide the applicant with a comprehensive package of forms, appropriate to the activities at the facility. The applicant needs to complete the materials and submit the application, with any required fees, to DEQ. When fees are required, submit the application to the DEQ Business Office. When fees are not required, submit the application to the appropriate regional office.

Form Series AQ500, Cleaner Air Oregon Forms

The forms in this series are used for all sources subject to Cleaner Air Oregon and include both administrative and technical documents required by the Program. Cleaner Air Oregon forms indicate where to submit technical documents. When fees are required, submit the application to the DEQ Financial Services Department – Revenue Section.

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)
800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

Form Number	Description
AQ500	Pre-Application Fee Form
AQ501	Cleaner Air Oregon Permit Application
AQ502	Permit Modification Form
AQ520	Cleaner Air Oregon Emissions Inventory
AQ521	Exposure Location Change Request Form
AQ522	Exposure Location Change Request Table
AQ523	Categorically Exempt Toxics Emissions Units
AQ540	Annual Zoning and Exposure Location Verification

DEQ offices

<p>Financial Services - Revenue Section 700 NE Multnomah Street, Suite 600 Portland, OR 97232-4100</p>	<p>Western Region 4026 Fairview Industrial Drive SE Salem, OR 97302-1142 503-378-5305</p>
<p>Eastern Region 475 NE Bellevue Dr., Suite 110 Bend, OR 97701 541-388-6146</p>	<p>Northwest Region 700 NE Multnomah Street, Suite 600 Portland, OR 97232-4100 503-229-5554</p>

The application package for a new ACDP will include forms from each of the four form series described above. If the applicant has not spoken to a permit writer about applying for an ACDP, the applicant should review the list of forms to get a sense of the types of information that they collect, relative to the type of facility to be permitted. This will help the applicant in discussing with the permit writer the application process and the forms needed. If the applicant has already spoken with a permit writer and received ACDP application forms, the applicant should review the forms received relative to the list of all ACDP forms to determine whether the applicant received all the appropriate forms for the facility. If additional forms are necessary, the applicant should contact the permit coordinator in the regional office to obtain the forms.

DEQ recommends the following process for preparing the ACDP application:

1. Catalog the usage of raw materials and fuels, production outputs, devices/processes, control devices, and monitoring systems associated with air pollutant emissions at the facility. Focus on those activities that relate to production at the facility, rather than activities relating to maintenance (e.g., paint booth at a manufacturing facility is production-oriented and must be permitted; whereas, doing touch-up painting of railings is maintenance-related and does not need to be permitted).

Gain a comprehensive understanding of the full range of activities at the facility by undertaking an inventory to identify:

- the raw materials used at the facility;
- the fuels used at the facility (not including fuel used for motor vehicles); the products produced at the facility;
- all regulated air pollutant-emitting devices and processes;
- the rates at which the devices and processes operate;
- all regulated air pollutants emitted by the devices and processes;
- all existing control devices and emissions control work practices (e.g., wet scrubbers, watering unpaved roads); and

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)
800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

- all existing monitoring systems (e.g., stack monitors, flow monitors, etc.)

By identifying all of the above initially, the applicant will obtain most of the information necessary to complete the ACDP application forms.

2. Prepare the forms from Form Series AQ100 and Cleaner Air Oregon Pre-Application Form ([AQ500](#))

[Form AQ101](#), Administrative Information, in addition to collecting name, address, location, and site contact information, also collects the owner/operator's signature certifying the information included in the application. This form will serve as the cover sheet for the permit application. The applicant must attach all other required forms to Form AQ101. Two copies of the completed application must be submitted to DEQ.

[Form AQ102](#), Facility Description, collects general information about the facility, including a process flow diagram.

[Form AQ501](#), Cleaner Air Oregon Permit Application, collects information on the permit application requirements for Cleaner Air Oregon.

3. Prepare the appropriate forms from Form Series AQ200, Device/Process Forms, based on the types of regulated air pollutant-emitting devices and processes at the facility.
4. Prepare Form Series AQ300, Pollution Management Forms.

Applicants seeking to take credit for pollution prevention measures should complete the optional Form AQ301, Pollution Prevention. Forms AQ302 through AQ307 should be used to describe any control devices at the facility.

5. Prepare Form Series AQ400 and AQ520, Emissions Data Forms, to describe the emissions from each device and process identified in Form Series AQ200. [AQ520](#) is required for all new sources applying for a Simple or Standard ACDP and also a Basic or General ACDP if required by DEQ. Base the annual emissions on the maximum projected operating rate during the permit term instead of the maximum capacity of the facility or the typical operating rate. The daily emission rate of toxic air contaminants should be based on the maximum daily production.

Simple and Standard permit renewals

Permit renewal applications are due 120 days prior to the expiration date of the permit for a Simple ACDP and 180 days prior to the expiration date of the permit for a Standard ACDP. The forms included in the renewal application will depend on whether there are any changes at the facility. At a minimum, the renewal application must include:

- A complete list of all devices or activities, or any combination of devices or activities including any air pollution control devices and any categorically insignificant activities;
- An estimate of the amount and type of each air contaminant emitted by the source in terms of hourly, daily, or monthly and yearly rates, showing calculation procedures;
- Any changes to the source since the last permit issuance and any new requirements applicable to those changes; and
- An air quality analysis, conducted in accordance with the procedures in OAR chapter 340, [division 225](#), demonstrating that the source's emissions will not cause or contribute to an exceedance or violation of an ambient air quality standard adopted under OAR chapter 340, [division 202](#), when required by DEQ.

If there are proposed changes, then [Form AQ102](#) will be required to describe the changes. If the changes

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)
800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

include new or modified equipment, then the appropriate form(s) from series AQ200, Device/Process Forms will need to be included in the application. If the changes include new or modified control equipment or pollution prevention measures, then the appropriate form(s) from series AQ300, Pollution Management Forms, will need to be included in the application. If the changes will result in a change in pollutant emissions from individual devices or processes or from the facility as a whole, then [Form AQ402](#) will have to be included in the application. In most cases, [Form AQ401](#) will not be required because the baseline emissions should not change. In some cases, there may be new emissions information available and the baseline emission rate needs to be corrected. In those cases, form AQ401 would have to be included in the application. There are no fees for permit renewals, so the application should be sent directly to the regional office.

Non-technical permit modifications

Non-technical permit modifications include, but are not limited to name changes, change of ownership and similar administrative changes. [Form AQ103](#) is used for name changes and change of ownership. [Form AQ105](#) is used for all other non-technical permit modifications, such as changing a stationary source that is assigned to a General ACDP to a portable source.

Simple and Standard technical permit modifications

An application for a permit modification is required if the permittee proposes to make changes to the facility that would result in an increase in the facility wide emissions or be subject to new requirements that are not included in the existing permit. Some changes do not require permit modifications and may be approved by the Notice of Construction (NC) procedures described later in this document. It is recommended that the permittee contact the permit writer to determine if a permit modification is required. An application for a permit modification must be submitted to DEQ at least 60 days prior to making the proposed change. It is recommended that the application be submitted far enough in advance to allow DEQ adequate time to process the application and issue the permit modification before making the proposed change(s).

At a minimum, the application for a permit modification will include forms [AQ101](#) and [AQ102](#) to describe the permit modification. If the modification includes new or modified devices, processes, or control equipment, the appropriate form(s) from series AQ200 and AQ300 will have to be included in the application. Most permit modifications will involve a change in pollutant emissions, so form [AQ402](#) will also need to be included in the application. The applicant must submit fees with the application as required by [OAR 340-216-8020, Table 2, Part 4](#) and [OAR 340-216-8030, Table 3](#).

New Source Review

These instructions are provided to the owner/operator proposing to construct a major source or to undertake a major modification as defined in [OAR 340-200-0020](#). If the construction/modification takes place in a nonattainment area or maintenance area, then the New Source Review (NSR) rules in [OAR 340-224-0050](#) or [OAR 340-224-0060](#) are applicable. If the construction/modification takes place in an attainment area, then the Prevention of Significant Deterioration (PSD) rules in [OAR 340-224-0070](#) are applicable. These instructions identify the types of information required for NSR/PSD and explain how the information may be provided to DEQ using the ACDP application forms. The applicant must submit fees with the application as required by [OAR 340-216-0020](#). The owner/operator proposing to construct a major source or to undertake a major modification must also simultaneously submit a Toxic Air Contaminant emissions inventory. The Cleaner Air Oregon team will determine if a risk assessment and a Toxic Air Contaminant Permit are required at that time.

New Source Review permits are complicated and may take up to a year to process. It is important that the correct information be provided in a timely manner. It is highly recommended that the applicant contact

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)
800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

DEQ to discuss the permit process as early as possible. In accordance with [OAR 340-224-0030](#), the following information is required in an NSR application:

Information	Submittal format
A description of the nature, location, design capacity, and typical operating schedule of the source/modification, including specifications and drawings	Forms AQ101 , AQ102 , AQ501 , and AQ200 series
An estimate of the maximum amount and type of regulated air pollutant emitted on a short-term basis (e.g., hourly or daily) and yearly, with calculations	Form AQ402
Stack parameter data (height above ground, exit diameter, exit velocity, and exit temperature) for all existing and proposed emission points from the source or modification	Form AQ110
A detailed schedule for the construction/modification	Supplemental information
A description of control devices and emissions reduction processes, and other information necessary to determine Best Available Control Technology (BACT) or Lowest Achievable Emissions Rate (LAER), technological and performance standards that apply to sources depending on whether they are located in attainment or non-attainment areas. [BACT is described in OAR 340-224-0070(1) ; LAER is described in OAR 340-224-0050(1) .]	Form AQ300 plus supporting documentation
An analysis of air quality and visibility impact of the source or modification, including meteorological and topographical data, specific details of the models used, and other information necessary to estimate air quality impacts	Supplemental Report
An analysis of air quality and visibility impacts, and the nature and extent of all commercial, residential, industrial, and other source emissions growth, that has occurred since January 1, 1978 in the area of the source or modification would significantly impact	Supplemental Report
An indication of whether the owner/operator is requesting an enhanced permitting process	Statement in cover letter
A discussion of any cross-media impacts (i.e., the transfer of air pollutants to another environmental medium, such as waste) that DEQ should take into consideration in determining appropriate control requirements at the facility	Supplemental information

The applicant must also submit the application and any additional information requested by DEQ to the Environmental Protection Agency. An electronic copy must be emailed to R10AIRPERMITREPORTS@EPA.GOV and a hard copy mailed to:

Mr. Pat Nair
 NSR Permits Team Lead
 Office of Air, Waste and Toxics Idaho Operations Office
 950 W. Bannock Street Boise, Idaho 83702

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)
 800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov



Notice of Intent to Construct

Some changes at a facility do not require a permit modification, but the permittee must still notify DEQ of the changes. [Form AQ104](#) is used for Type 1 and Type 2 changes. [Form AQ104A](#) is used for equipment that is on the "notice and go" list in OAR 340-210-0225(1)(b). If the PSEL will increase as a result of the proposed changes or new permit conditions are required as a result of the proposed change, the permittee must submit an application for a Construction ACDP or an application to modify or obtain a Standard ACDP instead of using the NC form. It is recommended that the permittee contact the permit writer to determine if a NC or permit modification is required.

There is no fee for Type 1 changes for criteria pollutants. There is a \$720 fee for Type 2 changes. If approval of a TEU under Cleaner Air Oregon is required, the owner or operator must pay the applicable TEU Risk Assessment fee [in OAR 340-216-8030 Table 3](#).

1. Type 1 changes include construction or modification for which the owner or operator is not required to obtain a permit or permit modification under OAR chapter 340, division 216, and where the changes meet the criteria in either subsection (a) or (b):
 - a. The construction or modification would:
 - A. Have emissions from any new, modified, or replaced device or activity, or any combination of devices or activities, of less than or equal to the de minimis levels defined in OAR 340-200-0020;
 - B. Not result in an increase of emissions from the source above any PSEL;
 - C. Not result in an increase of emissions from the source above the netting basis by more than or equal to the SER;
 - D. Not be used to establish a federally enforceable limit on the potential to emit; and
 - E. Not require a TACT determination under OAR 340-226-0130 or a MACT determination under OAR 340-244-0200; or
 - b. The construction or modification is one of the following:
 - A. Stationary internal combustion engines having a rated capacity <60 horsepower output;
 - B. Emergency stationary internal combustion Tier 4 engines having a rated capacity <670 horsepower (500 kilowatts) output;
 - C. Hand-held sanding equipment;
 - D. Portable vacuum blasting equipment using steel shot and vented to a fabric filter;
 - E. Shot peening operations, provided that no surface material is removed;
 - F. Replacement of equipment that is used to control processes, such as temperature, air pressure, water pressure, electrical current, flow rate, etc.;
 - G. Equipment and instrumentation used for quality control/assurance or inspection purposes;
 - H. Vacuum pumps;
 - I. Equipment used for extrusion, compression molding, and injection molding of plastics, provided that the VOC content of all mold release products or lubricants is <1% by weight;
 - J. Injection or blow-molding equipment for rubber or plastics, provided that no blowing agent other than compressed air, water, or carbon dioxide is used;
 - K. Presses or molds used for curing, post-curing, or forming composite products and plastic products, provided that the blowing agent contains no VOC or chlorinated compounds;
 - L. Equipment used exclusively for the mixing and blending of materials at ambient temperature to make water-based adhesives;
 - M. Dredging wet spoils handling and placement;
 - N. Graphic label and/or box labeling operations where the inks are applied by hand stamping or hand rolling;
 - O. Ultraviolet disinfection processes;
 - P. The cleaning and/or deburring of metal products where all tumblers are used without abrasive blasting;
 - Q. Ozone generators and ozonation equipment;

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)
800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

- R. Emissions from the storage and application of road salt (calcium chloride or sodium chloride);
 - S. Process emissions from sources which are located at private, public, or vocational education institutions, where the emissions are primarily the result of teaching and training exercises, and the institution is not engaged in the manufacture of products for commercial sale;
 - T. Degreasing units which exclusively use caustics (e.g., potassium hydroxide and sodium hydroxide);
 - U. Equipment used for hydraulic or hydrostatic testing with water-based hydraulic fluids;
 - V. Storage tanks, reservoirs, pumping and handling equipment, and control equipment used to exclusively vent such equipment of any size, limited to soaps, lubricants, hydraulic fluid, vegetable oil, grease, animal fat, aqueous salt solutions or other materials and processes using appropriate lids and covers where there is no generation of objectionable odor or airborne particulate matter or toxic air pollutants listed in OAR chapter 340, division 247;
 - W. Operation, loading and unloading storage of butane, propane, or liquefied petroleum gas with a vessel capacity less than 40,000 gallons where annual emissions are less than or equal to the de minimis levels;
 - X. Tanks, vessels and pumping equipment, with lids or other appropriate closure for storage or dispensing of aqueous solutions of inorganic salts, bases and acids;
 - Y. Ultraviolet curing processes, to the extent that toxic air contaminants as defined in OAR chapter 340, division 247 are not emitted;
 - Z. Contaminant detectors, sampling devices and recorders;
 - AA. Environmental chambers and humidity chambers using only gases that are not toxic air contaminants listed in OAR chapter 340, division 247;
 - BB. Lithographic printing equipment which uses laser printing;
 - CC. Equipment used exclusively for conveying and storage of plastic pellets that don't break down or degrade and are only used for indoor manufacturing;
 - DD. Gas cabinets using only gasses that are not regulated air pollutants;
 - EE. Salt baths using nonvolatile salts and not used in operations which result in air emissions;
 - FF. Paper shredding and carpet and paper shearing, fabric brushing and sueding as well as associated conveying systems, baling equipment, and control equipment venting such equipment. This exemption does not include carpet and fabric recycling operations;
 - GG. Hammermills used exclusively to process aluminum and/or tin cans, and control equipment exclusively venting such equipment;
 - HH. Drop hammers or hydraulic presses for forging or metal working; or
 - II. Concrete application, and installation.
2. Type 2 changes include construction or modification for which the owner or operator is not required to obtain a permit or permit modification under OAR chapter 340, division 216, and where the construction or modification would:
- a. Have emissions from any new, modified, or replaced device or activity, or any combination of devices or activities, of less than the SER defined in OAR 340-200-0020;
 - b. Not result in an increase of emissions from the source above any PSEL;
 - c. Not result in an increase of emissions from the source above the netting basis by more than or equal to the SER;
 - d. Not be used to establish a federally enforceable limit on the potential to emit;
 - e. Be used to establish a state-only enforceable limit on the potential to emit;
 - f. Not require a TACT determination under OAR 340-226-0130 or a MACT determination under OAR 340-244-0200; and
 - g. Not cause or contribute to a new exceedance of a National Ambient Air Quality Standard adopted under OAR chapter 340, division 202 for a new or replaced device or activity.

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)

800-452-4011 | TTY: 711 | deqinfo@deq.oregon.gov

Glossary of terms⁷

Carbon dioxide equivalent or CO₂e

An amount of a greenhouse gas or gases expressed as the equivalent amount of carbon dioxide, and shall be computed by multiplying the mass of each of the greenhouse gases by the global warming potential published for each gas at 40 CFR Part 98, subpart A, Table A-1—Global Warming Potentials, and adding the resulting value for each greenhouse gas to compute the total equivalent amount of carbon dioxide.

Baseline emission rate

The average actual emission rate during the baseline period. Baseline emission rate does not include increases due to voluntary fuel switches or increased hours of operation that have occurred after the baseline period.

Baseline period

Any consecutive 12 calendar month period during the calendar years 1977 or 1978 except for greenhouse gases. The baseline period for greenhouse gases is any consecutive 12 calendar month period during the calendar years 2000 through 2010. DEQ may allow the use of a prior time period upon a determination that it is more representative of normal source operation except for greenhouse gases.

De minimis emission level

Pollutant (refer to OAR 340-200-0020 for other pollutants)	De minimis (tons/year, except as noted)
Greenhouse Gases (GHG)	2,756 CO ₂ e
Carbon monoxide (CO)	1
Nitrogen oxides (NO _x)	1
Sulfur dioxide (SO ₂)	1
Volatile organic compounds (VOC)	1
Particulate matter (PM)	1
Particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers (PM ₁₀) - except Medford AQMA	1
PM ₁₀ (Medford AQMA)	0.5 (5.0 pounds/day)
Particulate matter with an aerodynamic diameter less than or equal to a nominal 2.5 micrometers (PM _{2.5})	1

Netting basis

The baseline emission rate MINUS any emission reductions required by rule, orders, or permit conditions required by the State Implementation Plan or used to avoid SIP requirements, MINUS any unassigned emissions that are reduced from allowable under OAR 340-222-0045, MINUS any emission reduction credits transferred off site, PLUS any emission increases approved through the New Source Review regulations in OAR 340 division 224 MINUS any emissions reductions required for sources whose permits

⁷ See [OAR 340-200-0020](#) for the General Air Quality Definitions.

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)

800-452-4011 | TTY: 711 | deqinfo@deg.oregon.gov

are issued after May 1, 2011 under New Source Review regulations in OAR 340 division 224, and where the netting basis initially equaled the potential to emit for a new or modified source, the netting basis will be reduced in accordance with the definition of actual emissions.

Significant Emission Rate

Pollutant (refer to OAR 340-200-0020 for other pollutants)	SER (tons/year)
Greenhouse Gases (GHG)	75,000 CO ₂ e
Carbon monoxide (CO)	100
Nitrogen oxides (NO _x)	40
Sulfur dioxide (SO ₂)	40
Volatile organic compounds (VOC)	40
Particulate matter (PM)	25
Particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers (PM ₁₀) - except Medford AQMA	15
PM ₁₀ (Medford AQMA)	5 (50 pounds/day)
PM _{2.5}	10

Unassigned emissions

The amount of emissions that are in excess of the PSEL but less than the Netting Basis.

Non-discrimination statement

DEQ does not discriminate on the basis of race, color, national origin, disability, age or sex in administration of its programs or activities. Visit DEQ's [Civil Rights and Environmental Justice page](#).

Translation or other formats

[Español](#) | [한국어](#) | [繁體中文](#) | [Русский](#) | [Tiếng Việt](#) | [العربية](#)
 800-452-4011 | TTY: 711 | deqinfo@deg.oregon.gov