



**Oregon Health Plan Report of Results for
Columbia Pacific CCO Adult Population
2019 CAHPS® 5.0H Medicaid Member Experience Survey**

Prepared for:

Oregon Health Authority

Prepared by:

Center for the Study of Services
1625 K Street NW, Suite 800
Washington, DC 20006

Table of Contents

Introduction	4
Executive Summary	5
Results on Key Survey Measures	5
Top Priorities for Quality Improvement	5
Survey Results at a Glance	7
About This Report	8
Survey Methodology	10
Survey Protocol and Timeline	10
Survey Materials	10
Sample Selection	10
Data Capture	11
Member Dispositions and Response Rate	12
Satisfaction with the Experience of Care	13
Experience of Care Measures	13
Calculation and Reporting of Results	15
Summary of Survey Results	16
Detailed Performance Charts	18
Effectiveness of Care	39
Effectiveness of Care Measures	39
Effectiveness of Care Results	39
Member Profile and Analysis of Plan Ratings by Member Segment	41

Health Status and Demographics	42
Use of Services	47
Key Driver Analysis	51
Objectives.....	51
Technical Approach	51
Industry Key Driver Model	52
Opportunities for Plan Quality Improvement	53
Health Plan Quality Improvement Resources for Key Drivers.....	55
Appendix	I
Cross-Tabulations of Survey Responses	II
Survey Instrument	III
Calculation Guidelines for Global Proportions	IV
Glossary of Terms	VI

INTRODUCTION

The Oregon Health Authority (OHA) contracts with managed care organizations, also known as Coordinated Care Organizations (CCOs), to provide health care services. Understanding the experience of people who are Oregon Health Plan (OHP) members is important to clinicians, policy makers, patients and consumers, quality monitors and regulators, provider organizations, health plans, community collaboratives, and those who are responsible for monitoring and evaluating the quality of and access to health care services.

Introduced by the Agency for Healthcare Research and Quality (AHRQ) in the mid-1990s, the Consumer Assessment of Healthcare Providers and Systems (CAHPS) program encompasses the full range of standardized surveys that ask consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers, such as accessibility of services and communication skills of providers.

OHA conducts annual CAHPS surveys asking consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers and focus on aspects of quality that consumers are best qualified to assess, such as the communication skills of providers and ease of access to health care services. The survey results help inform decisions for those involved with providing care to OHP members and to improve the quality of health care services.

The survey measures member satisfaction with the experience of care and gives a general indication of how well the health plan meets members' expectations. Surveyed members are asked to rate various aspects of the health plan based on their experience with the plan during the previous six months. In addition, the survey is used to collect data on several measures from the *Effectiveness of Care* domain.

EXECUTIVE SUMMARY

CSS administered the Adult Medicaid version of the 2019 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of Columbia Pacific CCO, hereafter referred to as Columbia Pacific between January 9 and April 9, 2019. The final Adult Medicaid survey sample for Columbia Pacific included 1,000 members. 244 members completed the survey, resulting in a response rate of 24.80 percent.

This section highlights some of the key survey findings for Columbia Pacific, including trends in CAHPS ratings and composites and comparisons to the State Oregon Health Plan results. Results are based on the rates of members answering 8, 9, or 10 for the ratings questions; *Yes* for the *Shared Decision Making* composite; and *Usually* or *Always* for all other measures. Statistical significance tests were conducted at the 95% confidence level. Up to five organizational priorities for quality improvement are also identified based on CSS's *Key Driver Analysis*.

RESULTS ON KEY SURVEY MEASURES

STATISTICALLY SIGNIFICANT IMPROVEMENTS OR DECLINES COMPARED TO 2018

Reportable Rate IMPROVED	Reportable Rate DECLINED
No statistically significant improvements	No statistically significant declines

STATISTICALLY SIGNIFICANT DIFFERENCES FROM STATE OREGON HEALTH PLAN

Reportable Rate ABOVE State OHP	Reportable Rate BELOW State OHP
2019 State OHP	
None	None

TOP PRIORITIES FOR QUALITY IMPROVEMENT

CSS's *Key Driver Analysis* identifies the areas of health plan performance and aspects of member experience that shape members' overall assessment of their health plan. To the extent that these specific areas or experiences can be improved, the overall rating of the plan should reflect these gains. Up to five quality improvement opportunities with the highest return on investment for Columbia Pacific are identified below. Effective interventions in these areas have the greatest potential impact on the *Rating of Health Plan* score.

Top Priorities for Quality Improvement

1. Improving saliency, availability, and clarity of information about how the health plan works in written materials or on the Internet
2. Improving the quality of physicians in health plan network (personal doctors)
3. Improving member access to care (scheduling appointments for routine care)
4. Improving the ability of the health plan customer service to provide members with necessary information or help
5. Improving member access to care (ease of getting needed care, tests, or treatment)

The remainder of this report examines these and other findings in greater detail.

SURVEY RESULTS AT A GLANCE

An overview of summary measures are presented in Exhibit 1. This includes CAHPS ratings and composites and comparisons to the State Oregon Health Plan results, and prior year data (where available).

EXHIBIT 1. 2019 COLUMBIA PACIFIC ADULT MEDICAID SURVEY RESULTS AT A GLANCE

CAHPS 5.0H Survey Measures		Global Proportions and Question Summary Rates		Valid Responses		2019 State OHP
		2018	2019	2018	2019	
Overall Ratings (% 8, 9, or 10)	Q13. Rating of All Health Care	74.66%	71.02%	221	176	70.83%
	Q23. Rating of Personal Doctor	79.65%	82.51%	226	183	80.14%
	Q27. Rating of Specialist Seen Most Often	81.90%	82.22%	116	90	79.45%
	Q35. Rating of Health Plan	71.23%	72.90%	285	214	70.39%
Getting Needed Care (% Always or Usually)	Getting Needed Care Composite	85.17%	82.37%	174	136	81.41%
	Q14. Easy to get needed care	85.78%	87.43%	225	175	85.15%
	Q25. Easy to see specialists	84.55%	77.32%	123	97	77.68%
Getting Care Quickly (% Always or Usually)	Getting Care Quickly Composite	88.37%	84.57%	148	128	82.65%
	Q4. Got urgent care as soon as needed	91.96%	88.04%	112	92	85.22%
	Q6. Got routine care as soon as needed	84.78%	81.10%	184	164	80.09%
How Well Doctors Communicate* (% Always or Usually)	How Well Doctors Communicate Composite	93.26%	91.86%	186	148	92.08%
	Q17. Doctor explained things	96.24%	91.89%	186	148	93.27%
	Q18. Doctor listened carefully	91.89%	91.84%	185	147	92.15%
	Q19. Doctor showed respect	94.09%	91.84%	186	147	92.82%
Customer Service (% Always or Usually)	Q20. Doctor spent enough time	90.81%	91.89%	185	148	90.07%
	Customer Service Composite	83.73%	89.79%	71	59	87.24%
	Q31. Provided needed information/help	77.46%	84.75%	71	59	81.43%
Shared Decision Making** (% Yes)	Q32. Treated with courtesy/respect	90.00%	94.83%	70	58	93.05%
	Shared Decision Making Composite	87.24%	83.95%	118	81	83.28%
	Q10. Discussed reasons to take a medicine	99.15%	95.06%	118	81	94.49%
	Q11. Discussed reasons not to take a medicine	81.20%	77.78%	117	81	77.41%
Other Areas	Q12. Discussed what was best for you	81.36%	79.01%	118	81	77.94%
	Q8. Health Promotion and Education (% Yes)	77.33%	73.71%	225	175	74.83%
Effectiveness of Care Measures	Q22. Coordination of Care (% Always or Usually)	90.91%	84.09%	110	88	82.51%
	Advising Smokers and Tobacco Users to Quit	75.49%	63.86%	102	83	73.41%
	Discussing Cessation Medications	49.00%	47.67%	100	86	52.91%
	Discussing Cessation Strategies	40.82%	29.76%	98	84	46.43% ▼
	Flu Vaccinations for Adults	36.40%	38.12%	283	223	39.20%

If n is less than 30, "Low n" is displayed next to score.

Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the denominator threshold (n=30). All statistical tests are conducted at the 95% confidence level prior to rounding. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as ▲ when your rate is higher or ▼ when it is lower.

ABOUT THIS REPORT

The key features of this 2019 CAHPS report, prepared by CSS for Columbia Pacific, are highlighted below.

- Survey results presented in this report were calculated following the NCQA guidelines published in *HEDIS 2019, Volume 3: Specifications for Survey Measures* unless otherwise noted. Summary Results are reported regardless of whether the denominator threshold is met, however, any summary measure where the denominator is less than 30 is marked as “Low n”.
- Throughout the report, the 2019 Columbia Pacific survey results are compared to the 2019 State OHP. The 2019 State OHP is calculated by pooling Adult Medicaid survey responses across CCOs surveyed by the Oregon Health Authority.
- *Executive Summary* provides a high-level overview of survey findings. This section highlights the areas where Columbia Pacific performs significantly above or below the State Oregon Health Plan performance. If prior-year survey results are available, any statistically significant improvements or declines on key survey measures are also noted. Up to five top organizational priorities for quality improvement based on CSS’s *Key Driver Analysis* are identified.
- *Summary of Survey Results* presents the 2019 Columbia Pacific survey scores on key measures, including question summary rates (QSRs), global proportions, and changes in QSR and global proportion scores from the previous year (if applicable); and comparisons to relevant Oregon Health Plan benchmarks. Statistically significant differences in scores are noted.
- *Detailed Performance Charts* are provided for the rating questions, composite measures, and individual survey items representing the various CAHPS domains of care. The 2019 Columbia Pacific QSRs and global proportions are compared to the 2019 State OHP on all measures. Where available, a three-year trend in scores is also shown.
- *Member Profile and Analysis of Plan Ratings by Member Segment* compares the 2019 Columbia Pacific respondent profile to the appropriate reference distribution (i.e., all plans included in the 2019 State OHP) of demographic characteristics and utilization variables. Variation in *Rating of Health Plan* measure by member segment is examined.
- A one-page summary of the *Effectiveness of Care* measures includes comparisons to prior-year results (if available) as well as to the 2019 State OHP rates. All rates are calculated according to the NCQA guidelines, but are presented regardless of their eligibility for NCQA reporting.

- *Key Driver Analysis* identifies those aspects of member experience (key drivers) that are closely related to the overall rating of the plan. The *CSS Key Driver Model* quantifies the contribution of each key driver to the overall evaluation of the plan. The 2019 Columbia Pacific results on each key driver are compared to the highest score among the one Adult Medicaid plans contributing to the 2019 State OHP, yielding a measure of available room for improvement in each area. The result is then weighted by the key driver's contribution to the overall *Rating of Health Plan* score. Opportunities for improvement are prioritized based on the expected improvement in the *Columbia Pacific Rating of Health Plan* score due to improved performance on the key driver. A separate section of the report provides some helpful resources for health plan quality improvement.
- The *Appendix* includes:
 - Detailed cross-tabulations of survey responses for every survey question, with additional tables summarizing performance on key survey measures;
 - A copy of the survey instrument;
 - Step-by-step guidelines for calculating composite global proportions; and
 - A glossary of terms.

SURVEY METHODOLOGY

SURVEY PROTOCOL AND TIMELINE

CSS administered the Adult Medicaid version of the 2019 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of Columbia Pacific using a mixed methodology of internet, mail, and telephone. The Oregon Health Authority's mixed methodology consisted of the following milestones:

- A prenotification letter with an invitation to complete the survey online, which was mailed on January 9;
- An initial questionnaire with cover letter, which was mailed on January 16;
- A replacement questionnaire with cover letter, which was mailed on February 13;
- A telephone follow-up phase targeting non-respondents, with up to four telephone follow-up attempts spaced at different times of the day and on different days of the week, which started on March 6; and
- Close of data collection on April 9, 2019.

SURVEY MATERIALS

The survey instruments (both English and Spanish) used for Columbia Pacific are provided in the Appendix. CSS designed the survey following instructions from OHA and the NCQA specifications detailed in *HEDIS 2019, Volume 3: Specifications for Survey Measures and Quality Assurance Plan for HEDIS 2019 Survey Measures*. The materials referred to Oregon Health Plan and included the Oregon Health Authority logo on all of the mailing materials. Each survey package included a postage-paid return envelope. Besides the core CAHPS questions, the survey included 14 additional questions added by OHA. These included questions on mobility impairment, cultural competency, and access to dental care. All mailings included a duplex English and Spanish cover letter. Members received either an English or Spanish survey based on language information provided by Oregon Health Authority. Members had the option to request the survey in the other language using a telephone request line.

SAMPLE SELECTION

CSS followed Oregon Health Authority's instructions to generate the survey sample for Columbia Pacific. Sample-eligible members were defined as plan members who were 18 years old or older as of November 30, 2018; were currently enrolled; had been continuously enrolled for six months (with no more than one enrollment break of 45 days or less); and whose primary coverage was through Medicaid. Prior to sampling, CSS carefully inspected the member file(s) and

informed the Oregon Health Authority of any errors or irregularities found (such as missing address elements or subscriber numbers). Once the quality assurance process had been completed, CSS processed member addresses through the USPS National Change of Address (NCOA) service to ensure that the mailing addresses were up-to-date.

The final sample was generated using a random selection methodology, with no more than one member per household selected to receive the survey. The exception to this rule was any CCO that failed to meet the desired sample size in which case more than one member per household could be selected. CSS assigned each sampled member a unique identification number, which was used to track their progress throughout the data collection process.

The Oregon Health Authority chose to oversample for targeted race and ethnicity groups to ensure these groups were appropriately represented in the state sample. Data for those sample members only appear in the State OHP results and not the individual CCO results. The final survey sample for Columbia Pacific included 1,000 members.

DATA CAPTURE

Questionnaires returned by mail were recorded using either manual data entry or optical scanning. Responses recorded via manual data entry were keyed by two independent data entry operators, and any discrepancies between the two response records were flagged and reconciled by a supervisor. Individual responses on surveys recorded via optical scanning were sent to data entry operators if the scanning technology was unable to identify the specific response option selected with a pre-defined degree of certainty.

Computer Assisted Telephone Interviewing (CATI) technology was used to electronically capture survey responses obtained during telephone interviews. Members were able to complete the survey in either English or Spanish. On-site CATI supervisors maintained quality control by monitoring the telephone interviews and keyboard entry of interviewers in real time. In addition, CSS research staff remotely monitored interviews on a regular basis. Due to the multiple mailings and varied modes of data collection, multiple survey responses could be received from the same sample member. In those cases, CSS included only one survey response (the most complete survey) in the final analysis dataset.

MEMBER DISPOSITIONS AND RESPONSE RATE

Among the Columbia Pacific sample members who met final eligibility criteria, 244 completed the survey, resulting in a response rate of 24.80 percent. Additional detail on sample member status at the end of data collection (dispositions) is provided in Exhibit 2.

EXHIBIT 2. 2019 COLUMBIA PACIFIC ADULT MEDICAID CAHPS SURVEY: SAMPLE MEMBER DISPOSITIONS AND RESPONSE RATE

Disposition	Total		2019 State OHP
	Number	% Initial Sample	
Initial Sample	1,000	100.00%	---
Disposition			
Complete and Eligible - Mail	160	16.00%	16.85%
Complete and Eligible - Phone	76	7.60%	6.74%
Complete and Eligible - Internet	8	0.80%	0.75%
Complete and Eligible - Total	244	24.40%	24.34%
Does not meet Eligible Population criteria	11	1.10%	1.66%
Incomplete (but Eligible)	25	2.50%	2.83%
Ineligible	5	0.50%	1.17%
- Language barrier	0	0.00%	0.39%
- Mentally or physically incapacitated	5	0.50%	0.81%
- Deceased	0	0.00%	0.14%
Refusal	63	6.30%	6.41%
Nonresponse after maximum attempts	646	64.60%	62.66%
Added to Do Not Call (DNC) list	6	0.60%	0.77%
Response Rate*		24.80%	25.09%

10430

*Response rate = Complete and Eligible Surveys/[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts + Added to Do Not Call (DNC) List]

SATISFACTION WITH THE EXPERIENCE OF CARE

EXPERIENCE OF CARE MEASURES

CAHPS Health Plan Survey 5.0H, Adult Medicaid version includes four global **rating questions** that ask respondents to rate the following items on a 0 to 10 scale:

- **Rating of Personal Doctor** (0 = worst personal doctor possible; 10 = best personal doctor possible)
- **Rating of Specialist Seen Most Often** (0 = worst specialist possible; 10 = best specialist possible)
- **Rating of All Health Care** (0 = worst health care possible; 10 = best health care possible)
- **Rating of Health Plan** (0 = worst health plan possible; 10 = best health plan possible)

The results for five **composite measures** are also reported. Composite measures combine results from related survey questions into a single measure to summarize health plan performance in the areas listed below.

- **Getting Needed Care** combines responses to two survey questions that address member access to care:
 - *In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?*
 - *In the last 6 months, how often did you get an appointment to see a specialist as soon as you needed?*
- **Getting Care Quickly** combines responses to two survey questions that address timely availability of both urgent and routine care:
 - *In the last 6 months, when you needed care right away, how often did you get care as soon as you needed?*
 - *In the last 6 months, how often did you get an appointment for a check-up or routine care at a doctor's office or clinic as soon as you needed?*
- **How Well Doctors Communicate** combines responses to four survey questions that address physician communication:
 - *In the last 6 months, how often did your personal doctor explain things in a way that was easy to understand?*

- *In the last 6 months, how often did your personal doctor listen carefully to you?*
- *In the last 6 months, how often did your personal doctor show respect for what you had to say?*
- *In the last 6 months, how often did your personal doctor spend enough time with you?*
- **Customer Service** combines responses to two survey questions that ask about member experience with the health plan’s customer service:
 - *In the last 6 months, how often did your health plan’s customer service staff give you the information or help you needed?*
 - *In the last 6 months, how often did your health plan’s customer service staff treat you with courtesy and respect?*
- **Shared Decision Making** combines responses to three survey questions that focus on decisions about taking prescription medicines:
 - *Did you and a doctor or other health provider talk about the reasons you might want to take a medicine?*
 - *Did you and a doctor or other health provider talk about the reasons you might not want to take a medicine?*
 - *When you talked about starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for you?*

In addition to the five composite measures listed above, question summary rates are also reported for two survey items summarizing the following concepts:

- **Health Promotion and Education**

In the last 6 months, did you and a doctor or other health provider talk about specific things you could do to prevent illness?

- **Coordination of Care**

In the last 6 months, how often did your personal doctor seem informed and up-to-date about the care you got from these doctors or other health providers?

CALCULATION AND REPORTING OF RESULTS

QUESTION SUMMARY RATES AND COMPOSITE GLOBAL PROPORTIONS

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest from a given question on the survey.

- Rating questions use a 0 to 10 scale with 10 being the most favorable response. Results are reported as the proportion of members selecting one of the top three responses (8, 9, or 10).
- Most survey items use a *Never, Sometimes, Usually, or Always* scale, with *Always* being the most favorable response. Results are reported as the proportion of members selecting *Usually* or *Always*.
- *Shared Decision Making* and *Health Promotion and Education* use a *Yes* or *No* scale, with *Yes* being the desired response. Results are reported as the proportion of members selecting *Yes*.

Composite Global Proportions express the proportion of respondents selecting the response option(s) of interest from a given group of questions on the survey. They are calculated by first determining the proportion of respondents selecting the reported response(s) on each survey question contributing to the composite and subsequently averaging these proportions across all items in the composite.

- For composite measures except *Shared Decision Making*, results are reported as *Usually* or *Always* global proportions.
- For the *Shared Decision Making* composite, the proportion of *Yes* is reported.

Throughout the report, all question summary rates and composite global proportions are rounded to two decimal places for display purposes (e.g., 0.23456 is displayed as 23.46%). However, all calculations involving rates and proportions, including statistical significance testing, are carried out prior to rounding. For more details on the calculations please refer to *HEDIS 2019, Volume 3: Specifications for Survey Measures* or consult the Appendix.

DENOMINATOR THRESHOLD

The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite (note: composite denominators are rounded for display purposes). If the rate denominator is less than 30, a measure result of “Low n” was assigned. This report presents results for all measures, regardless of denominator size. Any result that does not meet the denominator threshold of 30 valid responses is denoted with “Low n” to inform interpretations of results.

COMPARISONS TO BENCHMARKS AND PRIOR-YEAR RESULTS

Throughout the report, the 2019 Columbia Pacific results are compared to the 2019 State OHP as well as to the highest and lowest performing CCO. The 2019 State OHP is calculated by pooling Adult Medicaid survey responses across CCOs surveyed by the Oregon Health Authority. If available, prior-year survey results are provided for comparison and year-to-year changes in results are tested for statistical significance. All of the statistical tests are carried out at the 95% confidence level (i.e., there is a 95% probability that the observed difference is not due to chance).

SUMMARY OF SURVEY RESULTS

Exhibit 3 provides a high-level Columbia Pacific performance overview on key survey measures. These include overall ratings, composite global proportions, and QSRs for additional content areas. Where applicable, changes in scores over time and comparisons to benchmarks are reported and tested for statistical significance.

EXHIBIT 3. 2019 COLUMBIA PACIFIC ADULT MEDICAID CAHPS SURVEY: SUMMARY OF RESULTS ON KEY MEASURES

CAHPS 5.0H Survey Measures*	2019 Rate	Difference** between 2019 Rate and...	
		2018 Rate	2019 State OHP
Ratings			
Rating of Personal Doctor	82.51%	2.87%	2.38%
Rating of Specialist Seen Most Often	82.22%	0.33%	2.77%
Rating of All Health Care	71.02%	-3.64%	0.20%
Rating of Health Plan	72.90%	1.67%	2.51%
Composite Measures			
Getting Needed Care	82.37%	-2.79%	0.96%
Getting Care Quickly	84.57%	-3.80%	1.92%
How Well Doctors Communicate	91.86%	-1.39%	-0.21%
Customer Service	89.79%	6.05%	2.55%
Shared Decision Making	83.95%	-3.28%	0.67%
Additional Content Areas			
Health Promotion and Education	73.71%	-3.62%	-1.12%
Coordination of Care	84.09%	-6.82%	1.58%

* Results were calculated following NCQA specifications and prior year results may differ from those previously reported.

** Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the small denominator threshold (n=30). All differences in rates are calculated prior to rounding and are rounded for display purposes only. All statistical tests are conducted at the 95% confidence level. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as ▲ when your current-year rate is higher or ▼ when it is lower.

DETAILED PERFORMANCE CHARTS


This section of the report includes detailed charts for composite global proportions, rating question summary rates (QSRs), as well as additional QSRs for individual survey items. The charts have the following features:

TREND IN RESULTS

- Columbia Pacific survey scores are trended over three consecutive years of data collection, if available. A result may not be available if the survey was not administered in a given year or if the measure is new or is not deemed appropriate for trending. In such cases, “No data” appears in place of the score.
- Where appropriate, changes in the distribution of favorable ratings over time are shown in the *Top Rating Distribution* panel of the chart (i.e., percent responding 8 vs. percent responding 9 or 10, or percent responding *Usually* vs. percent responding *Always*).
- The number of valid responses (*n*) appears above each bar. If the number of responses is less than 30, “Low *n*” appears next to the value of *n*, indicating that the result does not meet the denominator threshold. CSS calculates all rates regardless of this threshold.
- Statistical comparisons are conducted between the current-year rate and each of the prior-year rates, if available. Where appropriate, differences in both standard (e.g., 8 + 9 + 10 or *Usually* + *Always*) as well as top-box (e.g., 9 + 10 or *Always*) rates are tested for statistical significance at the 95% confidence level. Statistically significant differences are indicated with a ★ symbol next to the comparison score. For example, ★ appearing next to the 2018 rate denotes a statistically significant difference between the 2019 and 2018 rates.

Rating of Personal Doctor

Percent Responding 8, 9, or 10




10430

Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Rating of Specialist Seen Most Often

Percent Responding 8, 9, or 10




10430

Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Rating of All Health Care

Percent Responding 8, 9, or 10




10430

Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Rating of Health Plan

Percent Responding 8, 9, or 10




10430

Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Getting Needed Care (Composite)

Percent Responding Always or Usually



10430


Tests of statistical significance were conducted for the following reportable rates: *(Always + Usually)* and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.


Getting Needed Care (Contributing Items)

Percent Responding Always or Usually

Q14. In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?



Q25. In the last 6 months, how often did you get an appointment to see a specialist as soon as you needed?




10430

Tests of statistical significance were conducted for the following reportable rates: (*Always + Usually*) and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Getting Care Quickly (Composite)

Percent Responding Always or Usually



10430

Tests of statistical significance were conducted for the following reportable rates: *(Always + Usually)* and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Getting Care Quickly (Contributing Items)

Percent Responding Always or Usually

Q4. In the last 6 months, when you needed care right away, how often did you get care as soon as you needed?



Q6. In the last 6 months, how often did you get an appointment for a check-up or routine care at a doctor's office or clinic as soon as you needed?




10430

Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

How Well Doctors Communicate (Composite)

Percent Responding Always or Usually



10430

Tests of statistical significance were conducted for the following reportable rates: (*Always + Usually*) and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

How Well Doctors Communicate (Contributing Items)

Percent Responding Always or Usually

Q17. In the last 6 months, how often did your personal doctor explain things in a way that was easy to understand?



Q18. In the last 6 months, how often did your personal doctor listen carefully to you?



10430

Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

How Well Doctors Communicate (Contributing Items)

Percent Responding Always or Usually

Q19. In the last 6 months, how often did your personal doctor show respect for what you had to say?



Q20. In the last 6 months, how often did your personal doctor spend enough time with you?




10430

Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Customer Service (Composite)

Percent Responding Always or Usually



10430


Tests of statistical significance were conducted for the following reportable rates: *(Always + Usually)* and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Customer Service (Contributing Items)

Percent Responding Always or Usually

Q31. In the last 6 months, how often did your health plan's customer service give you the information or help you needed?



Q32. In the last 6 months, how often did your health plan's customer service staff treat you with courtesy and respect?




10430

Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Shared Decision Making (Composite)

Percent Responding Yes



10430


Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.


Shared Decision Making (Contributing Items)

Percent Responding Yes

Q10. Did you and a doctor or other health provider talk about the reasons you might want to take a medicine?



Q11. Did you and a doctor or other health provider talk about the reasons you might not want to take a medicine?



10430


Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Shared Decision Making (Contributing Items)

Percent Responding Yes

Q12. When you talked about starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for you?




10430

Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Health Promotion and Education (Single Item)

Percent Responding Yes




10430

Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Coordination of Care (Single Item)

Percent Responding Always or Usually



10430

Tests of statistical significance were conducted for the following reportable rates: *(Always + Usually)* and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Written Materials and the Internet Provided Needed Information (Single Item)

Percent Responding Always or Usually

Q29. In the last 6 months, how often did the written materials or the Internet provide the information you needed about how your health plan works?



10430


Tests of statistical significance were conducted for the following reportable rates: (*Always + Usually*) and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Forms from Plan Were Easy to Fill Out (Single Item)

Percent Responding Always or Usually

Q34. In the last 6 months, how often were the forms from your health plan easy to fill out? (Note: Respondents who did not have to fill out any forms from the health plan are counted as answering "Always".)



10430

Tests of statistical significance were conducted for the following reportable rates: (*Always + Usually*) and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

EFFECTIVENESS OF CARE

The *Effectiveness of Care* domain for the Medicaid product line includes the following measures: *Flu Vaccinations for Adults Ages 18–64 (FVA)* and *Medical Assistance with Smoking and Tobacco Use Cessation (MSC)*. The *FVA* measure is a single-year rate. The *MSC* measure is typically based on two years of data collection and is calculated using the NCQA rolling average methodology. For OHP, the *MSC* measure is calculated using a single-year rate. A brief description of each measure, as it appears in *HEDIS 2019, Volume 3: Specifications for Survey Measures, Section 2: Effectiveness of Care*, is reproduced below. Please refer to *Volume 3* for additional information on the measures, including rolling average calculation methodology and NCQA reporting rules.

EFFECTIVENESS OF CARE MEASURES

FLU VACCINATIONS FOR ADULTS AGES 18–64 (FVA)

This measure represents the percentage of members 18–64 years of age who received a flu vaccination between July 1 of the measurement year and the date when the survey was completed.

MEDICAL ASSISTANCE WITH SMOKING AND TOBACCO USE CESSATION (MSC)

The following components of the *MSC* measure assess different facets of providing medical assistance with smoking and tobacco use cessation:

- *Advising Smokers and Tobacco Users to Quit* –the percentage of current smokers or tobacco users who received advice to quit during the measurement year.
- *Discussing Cessation Medications* –the percentage of current smokers or tobacco users who discussed or were recommended cessation medications during the measurement year.
- *Discussing Cessation Strategies* –the percentage of current smokers or tobacco users who discussed or were provided cessation methods or strategies during the measurement year.

EFFECTIVENESS OF CARE RESULTS

Exhibit 4 provides a summary of Columbia Pacific results on HEDIS *Effectiveness of Care* measures. Comparisons to prior-year rates (if available) as well as to the 2019 State OHP rates with statistical significance tests are included.

EXHIBIT 4. 2019 COLUMBIA PACIFIC ADULT MEDICAID CAHPS SURVEY: EFFECTIVENESS OF CARE RESULTS

Effectiveness of Care Measures*	2019 Rate	Difference** between 2019 Rate and...	
		2018 Rate	2019 State OHP
Flu Vaccinations for Adults (FVA)			
Flu Vaccinations for Adults	38.12%	1.72%	-1.08%
Medical Assistance with Smoking and Tobacco Use Cessation (MSC)			
Advising Smokers and Tobacco Users to Quit	63.86%	-11.63%	-9.55%
Discussing Cessation Medications	47.67%	-1.33%	-5.24%
Discussing Cessation Strategies	29.76%	-11.05%	-16.67% ▼

10430

* *Effectiveness of Care* results were calculated by CSS following NCQA specifications with the exception that rates for the MSC measure were calculated using a single year rate methodology.

** Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the denominator threshold (n=30). All differences in rates are calculated prior to rounding and are rounded for display purposes only. All statistical tests are conducted at the 95% confidence level. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as ▲ when your rate is higher or ▼ when it is lower.

MEMBER PROFILE AND ANALYSIS OF PLAN RATINGS BY MEMBER SEGMENT

This section of the report presents a detailed profile of the Columbia Pacific membership. In addition to member demographics and health status, responses to survey items that assess utilization of healthcare services are included.

A health plan's membership mix is shaped by multiple factors, most of which are beyond the scope of this survey. These include benefit design, geography, availability of health plan choices, and member self-selection into products that best meet their needs. CSS's analysis of industry data suggests that there is considerable variation in member demographic makeup and utilization patterns across plans. To the extent that various member segments have distinct healthcare needs, utilization patterns, expectations, experiences, as well as attitudes and perceptions, their ratings of the *same* health plan will likely differ.

Certain member characteristics (e.g., health status) appear to be directly related to differences in healthcare needs and utilization levels. For example, some plans have predominantly healthy members, whose interactions with care providers and the plan tend to be limited. By contrast, other plans serve populations with higher rates of illness. These members tend to have more frequent encounters with the healthcare system and as a result may become more experienced users of health plans. The ways in which members use the plan, the frequency of their interactions with providers and staff, and their overall level of familiarity with how the plan works may affect ratings.

In addition to health care needs and utilization patterns, demographic characteristics have been shown to influence survey responses. For example, all else being equal, older respondents and members of certain ethnic groups (e.g., Hispanic or Latino respondents) tend to rate their health care providers and plans more positively. By contrast, more educated members rate more critically, regardless of age or ethnicity.

While the interplay between these membership variables (often referred to as the plan's "case mix") and health plan ratings is complex, health plan ratings clearly vary across demographic groups and user segments. Understanding the plan's case mix can help managers to gain insight into possible sources of this variation.

The charts on the following pages compare the Columbia Pacific membership profile to the relevant Oregon Health Plan distribution on demographic characteristics and utilization patterns. The pie chart in the upper half of each panel contrasts the distribution of the Columbia Pacific membership on a given member attribute (e.g., gender, education level, number of doctor visits, etc.) with the Oregon Health Plan distribution on the same attribute. The bar chart in the lower half of each panel shows how the overall rating of the plan varies by member segment.


HEALTH STATUS AND DEMOGRAPHICS

The following characteristics are profiled in this section:


- Respondent's self-reported health status
- Respondent's self-reported mental or emotional health status
- Respondent's age
- Respondent's gender
- Respondent's education level
- Respondent's race
- Respondent's ethnicity (Hispanic or Latino)

Q36. In general, how would you rate your overall health?

Your Organization




State OHP*




■ Excellent ■ Very good ■ Good ■ Fair ■ Poor

Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q36**




Q37. In general, how would you rate your overall mental or emotional health?

Your Organization




State OHP*



■ Excellent ■ Very good ■ Good ■ Fair ■ Poor

Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q37**




Note: all percentages are rounded for display. *Rating of Health Plan* score should be interpreted with caution if the size of the group (pie slice) is small.

10430


* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

** Includes members who answered the question and provided a valid response to Q35 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q35 or if no one rated the plan as 8, 9, or 10.


Q47. What is your age?



Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q47**



Q48. Are you male or female?



Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q48**




Note: all percentages are rounded for display. *Rating of Health Plan* score should be interpreted with caution if the size of the group (pie slice) is small.

10430


* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

** Includes members who answered the question and provided a valid response to Q35 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q35 or if no one rated the plan as 8, 9, or 10.

Q49. What is the highest grade or level of school that you have completed?



Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q49**



Note: all percentages are rounded for display. *Rating of Health Plan* score should be interpreted with caution if the size of the group (pie slice) is small.

10430

* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

** Includes members who answered the question and provided a valid response to Q35 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q35 or if no one rated the plan as 8, 9, or 10.

<p>Q51. What is your race? Mark one or more.</p> <p>% White</p>	<p>Q51. What is your race? Mark one or more.</p> <p>% Black or African-American</p>	<p>Q51. What is your race? Mark one or more.</p> <p>% Asian</p>
<p>Your Organization State OHP*</p> <p>Percent of White Members Rating Their Plan as 8, 9, or 10** 73%</p>	<p>Your Organization State OHP*</p> <p>Percent of Black or African-American Members Rating Their Plan as 8, 9, or 10** 67%</p>	<p>Your Organization State OHP*</p> <p>Percent of Asian Members Rating Their Plan as 8, 9, or 10** 67%</p>
<p>Q51. What is your race? Mark one or more.</p> <p>% Native Hawaiian or other Pacific Islander</p>	<p>Q51. What is your race? Mark one or more.</p> <p>% American Indian or Alaska Native</p>	<p>Q50. Are you of Hispanic or Latino origin or descent?</p> <p>% Yes, Hispanic or Latino</p>
<p>Your Organization State OHP*</p> <p>Percent of Native Hawaiian or other Pacific Islander Members Rating Their Plan as 8, 9, or 10** 100%</p>	<p>Your Organization State OHP*</p> <p>Percent of American Indian or Alaska Native Members Rating Their Plan as 8, 9, or 10** 33%</p>	<p>Your Organization State OHP*</p> <p>Percent of Yes, Hispanic or Latino Members Rating Their Plan as 8, 9, or 10** 73%</p>

Note: all percentages are rounded for display. *Rating of Health Plan* score should be interpreted with caution if the size of the group (pie slice) is small.

10430


* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

** Includes members who answered the question and provided a valid response to Q35 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q35 or if no one rated the plan as 8, 9, or 10.

USE OF SERVICES

The following utilization measures are included in this section:

- Seeking urgent care
- Making appointments for routine care
- Discussing prescription medications with doctor
- Having a personal doctor
- Receiving care from a provider other than personal doctor
- Making an appointment to see a specialist
- Number of visits to a doctor's office or clinic
- Number of specialists seen
- Seeing a doctor or other health provider for a chronic condition
- Taking prescription medications




Note: all percentages are rounded for display. *Rating of Health Plan* score should be interpreted with caution if the size of the group (pie slice) is small.

10430


* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

** Includes members who answered the question and provided a valid response to Q35 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q35 or if no one rated the plan as 8, 9, or 10.


Q7. In the last 6 months, not counting the times you went to an emergency room, how many times did you go to a doctor's office or clinic to get health care for yourself?




Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q7**



Q26. How many specialists have you seen in the last 6 months? (Note: the question applies only to those respondents who had appointments with specialists.)



Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q26**



Note: all percentages are rounded for display. *Rating of Health Plan* score should be interpreted with caution if the size of the group (pie slice) is small.

10430

* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.



** Includes members who answered the question and provided a valid response to Q35 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q35 or if no one rated the plan as 8, 9, or 10.

Q43. In the last 6 months, did you get health care 3 or more times for the same condition or problem? (% Yes)

Q45. Do you now need or take medicine prescribed by a doctor? Do not include birth control. (% Yes)

Your Organization

State OHP*





Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q43 (Yes/No)**



Your Organization

State OHP*



Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q45 (Yes/No)**



Note: all percentages are rounded for display. *Rating of Health Plan* score should be interpreted with caution if the size of the group (pie slice) is small.

10430

* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

** Includes members who answered the question and provided a valid response to Q35 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q35 or if no one rated the plan as 8, 9, or 10.

KEY DRIVER ANALYSIS

OBJECTIVES

CSS's *Key Driver Analysis (KDA)* highlights some of the key differences between high- and low-rated health plans at the industry level. The principal objectives of the KDA are:

- To isolate a set of plan attributes, or key drivers, that distinguish high-rated plans from low-rated plans;
- To highlight industry best practices on the key driver measures;
- To compare the current performance of Columbia Pacific to industry best practices in these areas; and
- To estimate the impact of improving performance on these measures on the *Rating of Health Plan* measure.

TECHNICAL APPROACH

INDUSTRY VIEW

Industry-level analysis, which uses health plans as units of analysis, has several important advantages compared to the alternative approach, which focuses on member experiences *within* a single plan. Certain plan attributes are strongly related to member satisfaction *at the industry level*. However, these relationships may be missed if we focus on only one plan at a time. For example, it has been shown that plans that are rated highly on measures of access and availability of care tend to have high overall ratings. Conversely, poor access scores are associated with low overall plan scores. This relationship is clear when ratings are compared *across* plans. However, *within* a specific plan, member experiences may not be sufficiently varied to reveal the underlying relationship. That is, if all members are equally dissatisfied with access to care, this measure will show a misleadingly low correlation with the overall rating of the plan. As a result, the plan may underestimate the key role of access to care as a driver of member satisfaction and miss a critical opportunity for improvement.

In addition, expressing every CAHPS survey variable as a plan-level rate yields a complete and rich information set on each plan. This effectively eliminates any “gaps” in respondent-level data from a single plan caused by survey skip patterns and allows every response to be used in the analysis.

Finally, in addition to the standard CAHPS performance measures, other sources of differences between health plans can be explored, increasing the explanatory power of the model and allowing for more precise estimation of the individual key driver effects. These include experience rates, which are based on responses to the CAHPS screener questions. Screeners establish whether a member had a particular type of experience or interaction with the plan (e.g.,

contacted customer service, searched for information in the plan’s written materials, etc.) CSS’s analysis shows that these experience variables explain a significant portion of the plan’s overall satisfaction score. Additional components of the overall score include utilization rates and demographic characteristics of the plan’s membership, addressed in more detail in the *Member Profile and Analysis of Plan Ratings by Member Segment* section of this report. Clearly, from the plan’s perspective, some of these factors are more actionable than others. However, to yield an accurate model of key drivers of member satisfaction, the analysis must consider any and all measurable influences on the overall rating of the plan.

KEY DRIVER MODEL DEVELOPMENT

The CSS *Key Driver Model* was developed based on a dataset of CAHPS survey results of 311 Adult Medicaid plans included in NCQA’s Quality Compass database in 2018 and 2017. CSS performed regression analysis of health plan ratings to identify the sources of variation in overall scores across the industry spectrum, using individual health plans as units of analysis. Regression analysis expresses mathematically the relationship between plan attributes (predictors) and the global *Rating of Health Plan* score, controlling for interdependencies among the predictors and other factors that may influence ratings (e.g., member demographics, utilization patterns, etc.) Predictors were chosen carefully to yield a model that is both meaningful and actionable from the health plan’s point of view.

All of the plan variables, including potential drivers of satisfaction (i.e., variables that the plan may consider actionable) and control variables (member demographics, health status, utilization rates, product type, and year of data collection) were entered into the regression model, and the independent contribution of each variable was estimated. As in the past, CSS excluded *Rating of All Health Care* from the list of predictors both because of its high correlation with *Rating of Health Plan* and the presence of other survey items that measure more specific aspects of member experience. If included, *Rating of all Health Care* would account for a large portion of the variance and confound coefficient estimates for the remaining variables in the model.

INDUSTRY KEY DRIVER MODEL

The table below lists six key drivers of Adult Medicaid member experience in order of importance, from highest to lowest, based on their relative contribution to the *Rating of Health Plan* score. These variables have statistically significant coefficients in the regression model (p -value < 0.05). Performance on these variables, together with the control variables, explains 60 percent of the industry variation in Adult Medicaid health plan ratings. Note that this ordering reflects *only* the strength of the overall relationship between each key driver and the health plan score at the industry level. It does not take into account how Columbia Pacific is currently performing on these measures. Improvement targets identified specifically for Columbia Pacific, which consider both the strength of the key driver and the current level of performance in the area, are presented graphically in the next section.

Ratings of the plan are strongly related to members’ ability to get the care they need when they need it (Q14). Making appointments for routine care at a doctor’s office or clinic (Q5) may also be viewed as an indirect measure of access and availability of care. *Rating of Personal Doctor* and *Rating of Specialist Seen Most Often* may reflect the quality of the health plan’s network and its ability to contract with better providers.

Key Driver	Interpretation
Q14. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of plan members reporting that the necessary care, tests, or treatment were easy to get, the higher the overall plan score
Q5. Made appointments for routine care at a doctor's office or clinic (percent <i>Yes</i>)	The higher the proportion of members who made appointments for check-up or routine care at a doctor's office or clinic during the past 6 months, the higher the overall plan score
Q23. Rating of Personal Doctor (percent 8, 9, or 10)	The higher the proportion of members rating their personal doctor as 8, 9, or 10, the higher the overall plan score
Q29. Written materials or the Internet provided needed information (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of members reporting that they found the information they needed in the plan's written materials or the Internet, the higher the overall plan score
Q27. Rating of Specialist Seen Most Often (percent 8, 9, or 10)	The higher the proportion of members rating their specialist as 8, 9, or 10, the higher the overall plan score
Q31. Health plan customer service provided needed information or help (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of members who were able to get the information or help they needed from customer service, the higher the overall plan score











OPPORTUNITIES FOR PLAN QUALITY IMPROVEMENT

Specific improvement opportunities for Columbia Pacific are presented in Exhibit 5. The ordering reflects both the strength of each key driver in the broad industry context and how Columbia Pacific is currently performing on the measure.

The middle panel of the chart compares how Columbia Pacific is performing compared to the *best practice* score on each key driver. CSS defined the best practice score as the highest score among the one Adult Medicaid plans contributing to the 2019 State OHP. Room for improvement, represented by the green arrows on the chart, is the difference between the current level of Columbia Pacific performance and the best practice score.

The bar chart on the right displays the expected improvement in the overall *Rating of Health Plan* score Columbia Pacific could achieve if it performed on par with the best practice plan on each of the key driver measures. Each bar represents room for improvement on the key driver weighted by its contribution to the *Rating of Health Plan* score.

EXHIBIT 5. 2019 COLUMBIA PACIFIC ADULT MEDICAID CAHPS SURVEY: KEY AREAS AND PRIORITIES FOR IMPROVEMENT

Current Key Driver Performance		Room for Improvement on Key Driver	Overall Improvement Opportunity
2019 Rate		Percentage Point Difference Between Current Key Driver Score and the Best Practice Score*	Expected Percentage Point Improvement in Rating of Health Plan score (percent 8, 9, or 10) if Key Driver Performs at Best Practice Level
Q29. Plan's written materials/Internet provided needed information (percent <i>Always</i> or <i>Usually</i>)	55.26%	+17.81%  73.08%	 +2.19%
Q23. Rating of Personal Doctor (percent 8, 9, or 10)	82.51%	+6.16%  88.67%	 +1.53%
Q5. Made appointments for routine care at a doctor's office or clinic (percent <i>Yes</i>)	70.00%	+4.33%  74.33%	 +0.78%
Q31. Customer service provided needed information or help (percent <i>Always</i> or <i>Usually</i>)	84.75%	+4.38%  89.13%	 +0.50%
Q14. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i>)	87.43%	+0.96%  88.38%	 +0.42%

* Best score on the key driver measure among all plans included in the 2019 State OHP

HEALTH PLAN QUALITY IMPROVEMENT RESOURCES FOR KEY DRIVERS

CSS's Industry *Key Driver Analysis* lists improvement opportunities and priorities for Columbia Pacific. The following is a list of possible interventions and resources related to each of the key drivers. This section is included as a guide to assist you in your quality improvement efforts. Some of these resources may be more applicable to Columbia Pacific than others, especially because many of the cited interventions are intended to be implemented at the practice or provider level. For a useful introduction to quality improvement (QI), refer to The Agency for Health Care Research and Quality's (AHRQ) reference guide that includes descriptions of QI strategies in health delivery systems (<https://www.ahrq.gov/sites/default/files/wysiwyg/cahps/quality-improvement/improvement-guide/4-approach-qi-process/cahps-section-4-ways-to-approach-qi-process.pdf>).

IMPROVING ACCESS TO CARE: SCHEDULING APPOINTMENTS FOR ROUTINE CARE AND THE EASE OF GETTING NEEDED CARE, TESTS, OR TREATMENT (Q5 & Q14)

Removing barriers to care is central to improving the health care experience of plan members. The following resources suggest ways to improve patient access to care, tests, and treatment.

- *Same-Day Appointment Scheduling* – The Agency for Healthcare Research and Quality (AHRQ) recommends a method of scheduling that leaves part of each physician's day open for same-day appointments, rather than a traditional scheduling model that books appointments weeks or months in advance. Because the method does not differentiate between urgent and routine care, patients with non-urgent concerns are able to schedule appointments sooner than under traditional scheduling methods. For more information, see <http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/access/strategy6a-openaccess.html>.
- *Implement Process Improvements to Streamline Patient Flow* – Delays experienced by patients while waiting for care, tests, or treatment can be minimized through a variety of mechanisms. For example, reallocating tasks such as physical exams and ordering x-rays to physician's assistants and nurse practitioners frees up physicians' time to attend to more pressing patient concerns. The exact form of these improvements will vary widely by practice. See <http://www.ahrq.gov/research/findings/final-reports/ptflow/index.html> for AHRQ's guide to plan and implement patient flow improvement strategies.
- *Patient-Centered Medical Homes (PCMH)* – This model increases patient access to physicians, reducing barriers to receiving care (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2869425/>). There are many valuable sources of information on the medical home model of care and health equity. To start, see this Institute of Medicine report: <https://nam.edu/wp-content/uploads/2015/06/PatientCenteredMedicalHome.pdf>. Family Medicine for America's Health is a collaboration of family medicine organizations dedicated to improving health care by expanding and emphasizing primary care, particularly through the use of patient-centered medical homes. For AHRQ's resources detailing transitioning a practice to a patient-centered medical home model, see <http://www.pcmh.ahrq.gov/>.

- *Alternative Access Centers* – This brief (http://www.rwjf.org/content/dam/farm/reports/issue_briefs/2015/rwjf419415) from the Robert Wood Johnson Foundation highlights the growing capacity of retail clinics and telemedicine to meet patient medical needs, particularly in rural and underserved communities and for patients with acute but non-serious conditions who need care quickly. Providing patients with alternative venues to access health care, rather than the traditional doctor’s office or hospital, lowers barriers to care (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4795318/>).

IMPROVING SALIENCY, AVAILABILITY, AND CLARITY OF HEALTH PLAN INFORMATION IN WRITTEN MATERIALS OR INTERNET (Q29)

It is important that health plan information be provided to members and that the information addresses member concerns. The first resource highlights the importance of making plan information available in a variety of formats for different member audiences. The remaining resources focus on helping members get the most out of the information provided by the plan.

- *Make Plan Information Accessible to All Members* – A Health Research and Educational Trust study found that demographic characteristics, including education, age, gender, and income, significantly impacted use of an Internet-based decision tool. The tool provided cost information as well as a health and wellness assessment. The study suggests that effort beyond Internet-based tools is necessary to reach certain demographics. For further information, see <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3447236/>.
- *Increase Access to Trusted Health Information* – Many people look to their health plan for information not only on how the health plan works, but also on resources to help them improve their health, particularly when dealing with chronic illnesses. The National Institute of Diabetes and Digestive and Kidney Diseases offers an online resource (<https://www.niddk.nih.gov/health-information/communication-programs/ndep/health-professionals/practice-transformation-physicians-health-care-teams/information-systems>) that describes how information systems can be used to encourage better outcomes for chronic conditions, specifically diabetes. A recent meta-analysis confirmed that improved access to trusted health information leads to improved outcomes (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5818676/>).
- *Evaluate the Organization’s Health Literacy Programs* – The CDC has developed guidance on evaluating an organization’s health literacy program, including recommended sources of communication and health literacy measures. See <http://www.cdc.gov/healthliteracy/researchevaluate/program-evaluation.html>. The CDC’s National Prevention Information Network also offers tools to create health materials in plain language to reduce health disparities (<https://npin.cdc.gov/pages/health-communication-language-and-literacy>).
- *Improve Patient Health Literacy* – This guide by the Office of Disease Prevention and Health Promotion outlines steps to improve health literacy, which may help patients to better absorb the information they obtain from written materials or the Internet. For detailed steps, see <http://www.health.gov/communication/literacy/#tools>. AHRQ has also developed its own health literacy toolkit to support physicians (<https://www.ahrq.gov/professionals/quality-patient-safety/quality-resources/tools/literacy-toolkit/healthlittoolkit2.html>).

IMPROVING ABILITY OF CUSTOMER SERVICE TO PROVIDE MEMBERS WITH INFORMATION OR HELP (Q31)

As representatives of the plan, customer service staff must ensure that members have confidence and trust in their ability to address their concerns. The following resources contain recommendations for improving customer service.

- *Develop Customer Service Standards* – To improve customer service, the Agency for Healthcare Research and Quality suggests first articulating which aspects of customer service are most important to your organization. After developing these standards, monitor performance and promote accountability among staff. For more information, see <http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6q-custservice-standards.html>.
- *Iterative Improvement for Member Services* – This RAND paper details a case study in which a health plan used additional surveys to supplement CAHPS results and thoroughly assess member dissatisfaction with customer service. Throughout the process, plan leadership continually examined and adjusted improvement goals. The intervention resulted in a reduction of wait time for customer service calls and increased member satisfaction with customer service, as measured on the CAHPS survey. See http://www.rand.org/pubs/working_papers/WR517.html.
- *Implement Service Recovery Procedures* – When customers have a complaint, service recovery programs support customer service personnel in identifying and remedying the problem. While complaints may be inevitable, proper handling of complaints can reassure patients and restore loyalty to the health plan. For more information, see <http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6p-service-recovery.html>.

IMPROVING QUALITY OF PHYSICIANS IN HEALTH PLAN NETWORK (Q23 & Q27)

These resources concentrate on improving the physician-patient relationship, with a focus on communication. Implementing the solutions proposed here may result in patients' increased rating of doctors.

- *Improve Physician Communication* – Much of patient dissatisfaction stems from a failure of effective physician communication (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3096184/>). Seminars and workshops for physicians serve as a resource for physicians to learn and practice patient-centered communication techniques. For example, The California Quality Collaborative has identified nine effective strategies for improving patient experience with health care providers in their *Improving the Patient Experience Change Package* (see http://www.calquality.org/storage/Improving_Pt_Experience_Spread_Change_Pkg_UpdatedMay2011.pdf). For general recommendations related to physician communication, see <https://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6gtraining.html>.

- *Help Patients Communicate* – Patients who can effectively communicate their needs tend to have higher satisfaction with their care. AHRQ recommends four interventions that prepare patients to better communicate with their providers, including record sharing, writing down talking points prior to visits, and “coached care” programs. See <http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6i-shared-decisionmaking.html> and <http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6htools.html>. For a sample communication document that providers can distribute to patients before or during visits, see <http://www.rwjf.org/content/dam/farm/toolkits/toolkits/2013/rwjf404048>.
- *Build Physician-Patient Relationships* – An article published in the British Journal of General Practice found that patients seeing their preferred doctor rated their satisfaction with visits significantly higher than patients who did not have a doctor preference or those who would have preferred to see a different doctor. Prioritizing continuity of care by honoring patients’ physician preferences may increase patient satisfaction (<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1326072/>). Additionally, a study of English National Health Service data found that confidence and trust in a doctor is an important predictor of overall patient satisfaction (<http://www.ncbi.nlm.nih.gov/pubmed/18416910/>), while a Harvard study found that a positive physician-patient relationship correlates with better healthcare outcomes (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3981763/>).
- *Improve Referral Communication* – The coordination of care between primary and specialist providers can be a challenge and may affect patient perceptions of their specialist care. Improving the coordination of care and case management can increase patient satisfaction with their specialist. For examples of interventions that improve care coordination efficiency and quality, see <https://innovations.ahrq.gov/profiles/electronic-referrals-and-communications-reduce-wait-times-specialty-appointments-and> as well as <https://innovations.ahrq.gov/profiles/referring-physicians-send-electronic-handoff-note-pertinent-patient-information-emergency>.

APPENDIX

CROSS-TABULATIONS OF SURVEY RESPONSES

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Satisfaction With the Experience of Care

Survey Measures*	Global Proportions		
	2019 State OHP	Plan Rate	
		2019	2018
Ratings			
Rating of Personal Doctor	80.14%	82.51%	79.65%
Rating of Specialist	79.45%	82.22%	81.90%
Rating of All Health Care	70.83%	71.02%	74.66%
Rating of Health Plan	70.39%	72.90%	71.23%
Composites			
Getting Needed Care	81.41%	82.37%	85.17%
Getting Care Quickly	82.65%	84.57%	88.37%
How Well Doctors Communicate	92.08%	91.86%	93.26%
Customer Service	87.24%	89.79%	83.73%
Shared Decision Making	83.28%	83.95%	87.24%
Additional Content Areas			
Health Promotion and Education	74.83%	73.71%	77.33%
Coordination of Care	82.51%	84.09%	90.91%

* Results were calculated by CSS following NCQA specifications. A lighter display is used to indicate that the measure does not meet the denominator threshold (n=30).

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Effectiveness of Care

		2019 Rate (Single Year)	2018 Rate (Single Year)
Flu Vaccinations for Adults Ages 18-64 (FVA)			
<i>Base: All eligible respondents flagged by the plan as being age 18 to 64 as of July 1 of the measurement year</i>			
Flu Vaccinations for Adults	Received a flu vaccination	85	103
	Usable responses	223	283
	FVA Rate	38.1%	36.4%
Medical Assistance with Smoking and Tobacco Use Cessation (MSC)			
<i>Base: All eligible respondents who smoke or use tobacco</i>			
Advising Smokers and Tobacco Users to Quit	Advised to quit	53	77
	Usable responses	83	102
	MSC Rate	63.9%	75.5%
Discussing Cessation Medications	Discussed medications	41	49
	Usable responses	86	100
	MSC Rate	47.7%	49.0%
Discussing Cessation Strategies	Discussed strategies	25	40
	Usable responses	84	98
	MSC Rate	29.8%	40.8%

10430

Note: Results are presented regardless of whether the plan meets the denominator threshold of 30 valid responses. A lighter display is used to indicate that the measure does not meet the denominator threshold (n=30).

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 3

In the last 6 months, did you have an illness, injury, or condition that needed care right away in a clinic, emergency room, or doctor's office?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	304	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	107	2	0	1	1	0	0	2	2	0	0	0	2	2	0	0	1	1	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,687	242	304	95	140	43	65	127	129	85	19	12	219	197	1	33	72	76	86	58	137	40
	97.8%	99.2%	100.0%	99.0%	99.3%	100.0%	100.0%	98.4%	98.5%	100.0%	100.0%	100.0%	99.1%	99.0%	100.0%	100.0%	98.6%	98.7%	100.0%	100.0%	99.3%	100.0%
Yes	1,904	95	126	29	64	10	32	51	48	37	6	5	87	81	0	10	16	30	46	7	58	25
	40.6%	39.3%	41.4%	30.5%	45.7%	23.3%	49.2%	40.2%	37.2%	43.5%	31.6%	41.7%	39.7%	41.1%	0.0%	30.3%	22.2%	39.5%	53.5%	12.1%	42.3%	62.5%
No	2,783	147	178	66	76	33	33	76	81	48	13	7	132	116	1	23	56	46	40	51	79	15
	59.4%	60.7%	58.6%	69.5%	54.3%	76.7%	50.8%	59.8%	62.8%	56.5%	68.4%	58.3%	60.3%	58.9%	100.0%	69.7%	77.8%	60.5%	46.5%	87.9%	57.7%	37.5%
Significantly different from column:*				E	D	GH	F	F									RS	Q	Q	UV	TV	TU

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 4

In the last 6 months, when you needed care right away, how often did you get care as soon as you needed?

Base: All respondents who needed care right away (Q3)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,904	95	112	29	64	10	32	51	48	37	6	5	87	81	0	10	16	30	46	7	58	25
Number missing or multiple answer	71	3	0	2	1	1	1	1	2	1	0	0	3	3	0	0	0	1	2	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,833	92	112	27	63	9	31	50	46	36	6	5	84	78	0	10	16	29	44	6	57	25
	96.3%	96.8%	100.0%	93.1%	98.4%	90.0%	96.9%	98.0%	95.8%	97.3%	100.0%	100.0%	96.6%	96.3%	---	100.0%	100.0%	96.7%	95.7%	85.7%	98.3%	100.0%
Never	45	1	1	1	0	1	0	0	0	0	0	1	0	0	0	1	0	0	1	0	1	0
	2.5%	1.1%	0.9%	3.7%	0.0%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%	20.0%	0.0%	0.0%	---	10.0%	0.0%	0.0%	2.3%	0.0%	1.8%	0.0%
Sometimes	226	10	8	3	7	1	6	3	6	4	0	3	7	8	0	1	1	1	7	1	6	2
	12.3%	10.9%	7.1%	11.1%	11.1%	11.1%	19.4%	6.0%	13.0%	11.1%	0.0%	60.0%	8.3%	10.3%	---	10.0%	6.3%	3.4%	15.9%	16.7%	10.5%	8.0%
Usually	469	25	39	8	17	2	10	13	11	11	2	0	24	23	0	2	2	12	11	0	17	8
	25.6%	27.2%	34.8%	29.6%	27.0%	22.2%	32.3%	26.0%	23.9%	30.6%	33.3%	0.0%	28.6%	29.5%	---	20.0%	12.5%	41.4%	25.0%	0.0%	29.8%	32.0%
Always	1,093	56	64	15	39	5	15	34	29	21	4	1	53	47	0	6	13	16	25	5	33	15
	59.6%	60.9%	57.1%	55.6%	61.9%	55.6%	48.4%	68.0%	63.0%	58.3%	66.7%	20.0%	63.1%	60.3%	---	60.0%	81.3%	55.2%	56.8%	83.3%	57.9%	60.0%
Significantly different from column:*																						
Usually or Always	1,562	81	103	23	56	7	25	47	40	32	6	1	77	70	0	8	15	28	36	5	50	23
	85.2%	88.0%	92.0%	85.2%	88.9%	77.8%	80.6%	94.0%	87.0%	88.9%	100.0%	20.0%	91.7%	89.7%	---	80.0%	93.8%	96.6%	81.8%	83.3%	87.7%	92.0%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 5

In the last 6 months, did you make any appointments for a check-up or routine care at a doctor's office or clinic?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	306	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	61	4	0	1	3	2	0	2	2	2	0	0	4	4	0	0	2	2	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,733	240	306	95	138	41	65	127	129	83	19	12	217	195	1	33	71	75	86	58	138	40
	98.7%	98.4%	100.0%	99.0%	97.9%	95.3%	100.0%	98.4%	98.5%	97.6%	100.0%	100.0%	98.2%	98.0%	100.0%	100.0%	97.3%	97.4%	100.0%	100.0%	100.0%	100.0%
Yes	3,326	168	206	63	100	24	45	94	91	55	15	7	154	135	1	24	45	50	66	9	119	37
	70.3%	70.0%	67.3%	66.3%	72.5%	58.5%	69.2%	74.0%	70.5%	66.3%	78.9%	58.3%	71.0%	69.2%	100.0%	72.7%	63.4%	66.7%	76.7%	15.5%	86.2%	92.5%
No	1,407	72	100	32	38	17	20	33	38	28	4	5	63	60	0	9	26	25	20	49	19	3
	29.7%	30.0%	32.7%	33.7%	27.5%	41.5%	30.8%	26.0%	29.5%	33.7%	21.1%	41.7%	29.0%	30.8%	0.0%	27.3%	36.6%	33.3%	23.3%	84.5%	13.8%	7.5%
Significantly different from column:*																				UV	T	T

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 6

In the last 6 months, how often did you get an appointment for a check-up or routine care at a doctor's office or clinic as soon as you needed?

Base: All respondents who made an appointment for a check-up or routine care (Q5)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,326	168	184	63	100	24	45	94	91	55	15	7	154	135	1	24	45	50	66	9	119	37
Number missing or multiple answer	102	4	0	4	0	0	2	2	2	1	0	0	3	3	0	0	2	0	2	0	3	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,224	164	184	59	100	24	43	92	89	54	15	7	151	132	1	24	43	50	64	9	116	36
	96.9%	97.6%	100.0%	93.7%	100.0%	100.0%	95.6%	97.9%	97.8%	98.2%	100.0%	100.0%	98.1%	97.8%	100.0%	100.0%	95.6%	100.0%	97.0%	100.0%	97.5%	97.3%
Never	102	5	1	2	3	0	1	4	4	1	0	1	4	3	0	2	0	2	3	2	3	0
	3.2%	3.0%	0.5%	3.4%	3.0%	0.0%	2.3%	4.3%	4.5%	1.9%	0.0%	14.3%	2.6%	2.3%	0.0%	8.3%	0.0%	4.0%	4.7%	22.2%	2.6%	0.0%
Sometimes	540	26	27	8	17	8	7	10	13	9	2	2	23	21	0	3	4	8	12	1	21	4
	16.7%	15.9%	14.7%	13.6%	17.0%	33.3%	16.3%	10.9%	14.6%	16.7%	13.3%	28.6%	15.2%	15.9%	0.0%	12.5%	9.3%	16.0%	18.8%	11.1%	18.1%	11.1%
Usually	909	44	47	19	25	6	14	24	26	16	2	2	42	38	0	6	9	16	19	3	30	10
	28.2%	26.8%	25.5%	32.2%	25.0%	25.0%	32.6%	26.1%	29.2%	29.6%	13.3%	28.6%	27.8%	28.8%	0.0%	25.0%	20.9%	32.0%	29.7%	33.3%	25.9%	27.8%
Always	1,673	89	109	30	55	10	21	54	46	28	11	2	82	70	1	13	30	24	30	3	62	22
	51.9%	54.3%	59.2%	50.8%	55.0%	41.7%	48.8%	58.7%	51.7%	51.9%	73.3%	28.6%	54.3%	53.0%	100.0%	54.2%	69.8%	48.0%	46.9%	33.3%	53.4%	61.1%
Significantly different from column:*																	RS	Q	Q			
Usually or Always	2,582	133	156	49	80	16	35	78	72	44	13	4	124	108	1	19	39	40	49	6	92	32
	80.1%	81.1%	84.8%	83.1%	80.0%	66.7%	81.4%	84.8%	80.9%	81.5%	86.7%	57.1%	82.1%	81.8%	100.0%	79.2%	90.7%	80.0%	76.6%	66.7%	79.3%	88.9%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 7

In the last 6 months, not counting the times you went to an emergency room, how many times did you go to a doctor's office or clinic to get health care for yourself?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	300	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	118	8	0	3	5	2	0	6	5	2	1	0	8	7	0	1	2	3	2	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,676	236	300	93	136	41	65	123	126	83	18	12	213	192	1	32	71	74	84	58	138	40
	97.5%	96.7%	100.0%	96.9%	96.5%	95.3%	100.0%	95.3%	96.2%	97.6%	94.7%	100.0%	96.4%	96.5%	100.0%	97.0%	97.3%	96.1%	97.7%	100.0%	100.0%	100.0%
None	1,175	58	71	31	26	11	18	28	33	20	4	3	52	48	1	8	22	23	13	58	0	0
	25.1%	24.6%	23.7%	33.3%	19.1%	26.8%	27.7%	22.8%	26.2%	24.1%	22.2%	25.0%	24.4%	25.0%	100.0%	25.0%	31.0%	31.1%	15.5%	100.0%	0.0%	0.0%
1 time	864	48	58	23	24	8	10	29	29	13	4	3	42	38	0	8	21	15	11	0	48	0
	18.5%	20.3%	19.3%	24.7%	17.6%	19.5%	15.4%	23.6%	23.0%	15.7%	22.2%	25.0%	19.7%	19.8%	0.0%	25.0%	29.6%	20.3%	13.1%	0.0%	34.8%	0.0%
2	852	44	51	11	29	8	11	21	21	18	1	1	39	34	0	6	12	14	15	0	44	0
	18.2%	18.6%	17.0%	11.8%	21.3%	19.5%	16.9%	17.1%	16.7%	21.7%	5.6%	8.3%	18.3%	17.7%	0.0%	18.8%	16.9%	18.9%	17.9%	0.0%	31.9%	0.0%
3	598	33	35	13	20	5	10	18	16	11	5	4	29	28	0	3	5	9	18	0	33	0
	12.8%	14.0%	11.7%	14.0%	14.7%	12.2%	15.4%	14.6%	12.7%	13.3%	27.8%	33.3%	13.6%	14.6%	0.0%	9.4%	7.0%	12.2%	21.4%	0.0%	23.9%	0.0%
4	392	13	33	5	8	4	3	6	10	3	0	0	13	13	0	0	2	6	5	0	13	0
	8.4%	5.5%	11.0%	5.4%	5.9%	9.8%	4.6%	4.9%	7.9%	3.6%	0.0%	0.0%	6.1%	6.8%	0.0%	0.0%	2.8%	8.1%	6.0%	0.0%	9.4%	0.0%
5 to 9	536	24	37	7	17	1	11	12	12	11	1	1	23	19	0	4	7	7	10	0	0	24
	11.5%	10.2%	12.3%	7.5%	12.5%	2.4%	16.9%	9.8%	9.5%	13.3%	5.6%	8.3%	10.8%	9.9%	0.0%	12.5%	9.9%	9.5%	11.9%	0.0%	0.0%	60.0%
10 or more times	259	16	15	3	12	4	2	9	5	7	3	0	15	12	0	3	2	0	12	0	0	16
	5.5%	6.8%	5.0%	3.2%	8.8%	9.8%	3.1%	7.3%	4.0%	8.4%	16.7%	0.0%	7.0%	6.3%	0.0%	9.4%	2.8%	0.0%	14.3%	0.0%	0.0%	40.0%
5 or more times	795	40	52	10	29	5	13	21	17	18	4	1	38	31	0	7	9	7	22	0	0	40
	17.0%	16.9%	17.3%	10.8%	21.3%	12.2%	20.0%	17.1%	13.5%	21.7%	22.2%	8.3%	17.8%	16.1%	0.0%	21.9%	12.7%	9.5%	26.2%	0.0%	0.0%	100.0%
Significantly different from column:*				E	D												S	S	QR	V	V	TU

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 8

In the last 6 months, did you and a doctor or other health provider talk about specific things you could do to prevent illness?

Base: All respondents who went to a doctor's office/clinic to get care (Q7)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,501	178	225	62	110	30	47	95	93	63	14	9	161	144	0	24	49	51	71	0	138	40
Number missing or multiple answer	40	3	0	1	2	0	2	1	3	0	0	0	3	3	0	0	0	1	2	0	2	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,461	175	225	61	108	30	45	94	90	63	14	9	158	141	0	24	49	50	69	0	136	39
	98.9%	98.3%	100.0%	98.4%	98.2%	100.0%	95.7%	98.9%	96.8%	100.0%	100.0%	100.0%	98.1%	97.9%	---	100.0%	100.0%	98.0%	97.2%	---	98.6%	97.5%
Yes	2,590	129	174	43	82	16	35	74	65	47	13	5	119	107	0	15	40	34	50	0	96	33
	74.8%	73.7%	77.3%	70.5%	75.9%	53.3%	77.8%	78.7%	72.2%	74.6%	92.9%	55.6%	75.3%	75.9%	---	62.5%	81.6%	68.0%	72.5%	---	70.6%	84.6%
No	871	46	51	18	26	14	10	20	25	16	1	4	39	34	0	9	9	16	19	0	40	6
	25.2%	26.3%	22.7%	29.5%	24.1%	46.7%	22.2%	21.3%	27.8%	25.4%	7.1%	44.4%	24.7%	24.1%	---	37.5%	18.4%	32.0%	27.5%	---	29.4%	15.4%
Significantly different from column:*						GH	F	F														

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 9

In the last 6 months, did you and a doctor or other health provider talk about starting or stopping a prescription medicine?

Base: All respondents who went to a doctor's office/clinic to get care (Q7)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,501	178	223	62	110	30	47	95	93	63	14	9	161	144	0	24	49	51	71	0	138	40
Number missing or multiple answer	33	1	0	1	0	0	0	1	0	0	0	0	0	1	0	0	0	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,468	177	223	61	110	30	47	94	93	63	14	9	161	143	0	24	49	51	70	0	137	40
	99.1%	99.4%	100.0%	98.4%	100.0%	100.0%	100.0%	98.9%	100.0%	100.0%	100.0%	100.0%	100.0%	99.3%	---	100.0%	100.0%	100.0%	98.6%	---	99.3%	100.0%
Yes	1,900	82	121	25	56	14	22	45	40	31	9	5	76	71	0	9	21	22	37	0	60	22
	54.8%	46.3%	54.3%	41.0%	50.9%	46.7%	46.8%	47.9%	43.0%	49.2%	64.3%	55.6%	47.2%	49.7%	---	37.5%	42.9%	43.1%	52.9%	---	43.8%	55.0%
No	1,568	95	102	36	54	16	25	49	53	32	5	4	85	72	0	15	28	29	33	0	77	18
	45.2%	53.7%	45.7%	59.0%	49.1%	53.3%	53.2%	52.1%	57.0%	50.8%	35.7%	44.4%	52.8%	50.3%	---	62.5%	57.1%	56.9%	47.1%	---	56.2%	45.0%
Significantly different from column:*		A																				

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 10

Did you and a doctor or other health provider talk about the reasons you might want to take a medicine?

Base: All respondents who went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q9)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,900	82	118	25	56	14	22	45	40	31	9	5	76	71	0	9	21	22	37	0	60	22
Number missing or multiple answer	13	1	0	0	1	0	0	1	0	1	0	0	1	1	0	0	0	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,887	81	118	25	55	14	22	44	40	30	9	5	75	70	0	9	21	22	36	0	59	22
	99.3%	98.8%	100.0%	100.0%	98.2%	100.0%	100.0%	97.8%	100.0%	96.8%	100.0%	100.0%	98.7%	98.6%	---	100.0%	100.0%	100.0%	97.3%	---	98.3%	100.0%
Yes	1,783	77	117	24	52	14	22	40	37	29	9	5	71	67	0	8	21	20	35	0	57	20
	94.5%	95.1%	99.2%	96.0%	94.5%	100.0%	100.0%	90.9%	92.5%	96.7%	100.0%	100.0%	94.7%	95.7%	---	88.9%	100.0%	90.9%	97.2%	---	96.6%	90.9%
No	104	4	1	1	3	0	0	4	3	1	0	0	4	3	0	1	0	2	1	0	2	2
	5.5%	4.9%	0.8%	4.0%	5.5%	0.0%	0.0%	9.1%	7.5%	3.3%	0.0%	0.0%	5.3%	4.3%	---	11.1%	0.0%	9.1%	2.8%	---	3.4%	9.1%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 11

Did you and a doctor or other health provider talk about the reasons you might not want to take a medicine?

Base: All respondents who went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q9)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,900	82	117	25	56	14	22	45	40	31	9	5	76	71	0	9	21	22	37	0	60	22
Number missing or multiple answer	23	1	0	0	1	0	0	1	0	1	0	0	1	1	0	0	0	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,877	81	117	25	55	14	22	44	40	30	9	5	75	70	0	9	21	22	36	0	59	22
	98.8%	98.8%	100.0%	100.0%	98.2%	100.0%	100.0%	97.8%	100.0%	96.8%	100.0%	100.0%	98.7%	98.6%	---	100.0%	100.0%	100.0%	97.3%	---	98.3%	100.0%
Yes	1,453	63	95	21	41	10	19	33	31	23	8	2	60	56	0	6	15	18	28	0	44	19
	77.4%	77.8%	81.2%	84.0%	74.5%	71.4%	86.4%	75.0%	77.5%	76.7%	88.9%	40.0%	80.0%	80.0%	---	66.7%	71.4%	81.8%	77.8%	---	74.6%	86.4%
No	424	18	22	4	14	4	3	11	9	7	1	3	15	14	0	3	6	4	8	0	15	3
	22.6%	22.2%	18.8%	16.0%	25.5%	28.6%	13.6%	25.0%	22.5%	23.3%	11.1%	60.0%	20.0%	20.0%	---	33.3%	28.6%	18.2%	22.2%	---	25.4%	13.6%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 12

When you talked about starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for you?

Base: All respondents who went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q9)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,900	82	118	25	56	14	22	45	40	31	9	5	76	71	0	9	21	22	37	0	60	22
Number missing or multiple answer	23	1	0	0	1	0	1	0	1	0	0	0	1	1	0	0	0	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,877	81	118	25	55	14	21	45	39	31	9	5	75	70	0	9	21	22	36	0	59	22
	98.8%	98.8%	100.0%	100.0%	98.2%	100.0%	95.5%	100.0%	97.5%	100.0%	100.0%	100.0%	98.7%	98.6%	---	100.0%	100.0%	100.0%	97.3%	---	98.3%	100.0%
Yes	1,463	64	96	19	44	11	17	35	29	25	9	2	61	56	0	7	18	19	25	0	44	20
	77.9%	79.0%	81.4%	76.0%	80.0%	78.6%	81.0%	77.8%	74.4%	80.6%	100.0%	40.0%	81.3%	80.0%	---	77.8%	85.7%	86.4%	69.4%	---	74.6%	90.9%
No	414	17	22	6	11	3	4	10	10	6	0	3	14	14	0	2	3	3	11	0	15	2
	22.1%	21.0%	18.6%	24.0%	20.0%	21.4%	19.0%	22.2%	25.6%	19.4%	0.0%	60.0%	18.7%	20.0%	---	22.2%	14.3%	13.6%	30.6%	---	25.4%	9.1%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 13

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your health care in the last 6 months?

Base: All respondents who went to a doctor's office/clinic to get care (Q7)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,501	178	221	62	110	30	47	95	93	63	14	9	161	144	0	24	49	51	71	0	138	40
Number missing or multiple answer	39	2	0	1	0	0	0	1	0	1	0	0	1	1	0	0	0	0	0	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,462	176	221	61	110	30	47	94	93	62	14	9	160	143	0	24	49	51	71	0	136	40
	98.9%	98.9%	100.0%	98.4%	100.0%	100.0%	100.0%	98.9%	100.0%	98.4%	100.0%	100.0%	99.4%	99.3%	---	100.0%	100.0%	100.0%	100.0%	---	98.6%	100.0%
0 Worst health care possible	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	---	0.0%	0.0%	0.0%	0.0%	---	0.0%	0.0%
1	17	1	0	1	0	1	0	0	0	0	0	1	0	0	0	1	0	0	1	0	1	0
	0.5%	0.6%	0.0%	1.6%	0.0%	3.3%	0.0%	0.0%	0.0%	0.0%	0.0%	11.1%	0.0%	0.0%	---	4.2%	0.0%	0.0%	1.4%	---	0.7%	0.0%
2	34	1	0	1	0	0	1	0	1	0	0	0	1	1	0	0	0	0	1	0	1	0
	1.0%	0.6%	0.0%	1.6%	0.0%	0.0%	2.1%	0.0%	1.1%	0.0%	0.0%	0.0%	0.6%	0.7%	---	0.0%	0.0%	0.0%	1.4%	---	0.7%	0.0%
3	59	3	0	0	3	1	1	1	2	1	0	1	2	3	0	0	1	2	0	0	3	0
	1.7%	1.7%	0.0%	0.0%	2.7%	3.3%	2.1%	1.1%	2.2%	1.6%	0.0%	11.1%	1.3%	2.1%	---	0.0%	2.0%	3.9%	0.0%	---	2.2%	0.0%
4	66	2	6	1	1	1	1	0	1	1	0	0	2	2	0	0	1	0	1	0	2	0
	1.9%	1.1%	2.7%	1.6%	0.9%	3.3%	2.1%	0.0%	1.1%	1.6%	0.0%	0.0%	1.3%	1.4%	---	0.0%	2.0%	0.0%	1.4%	---	1.5%	0.0%
5	217	9	9	3	6	0	4	5	7	2	0	1	8	7	0	2	0	4	5	0	6	3
	6.3%	5.1%	4.1%	4.9%	5.5%	0.0%	8.5%	5.3%	7.5%	3.2%	0.0%	11.1%	5.0%	4.9%	---	8.3%	0.0%	7.8%	7.0%	---	4.4%	7.5%
6	199	13	14	4	9	4	2	7	6	4	3	0	13	11	0	2	4	1	8	0	10	3
	5.7%	7.4%	6.3%	6.6%	8.2%	13.3%	4.3%	7.4%	6.5%	6.5%	21.4%	0.0%	8.1%	7.7%	---	8.3%	8.2%	2.0%	11.3%	---	7.4%	7.5%
7	396	22	27	11	11	2	10	10	13	9	0	1	21	18	0	4	3	9	9	0	18	4
	11.4%	12.5%	12.2%	18.0%	10.0%	6.7%	21.3%	10.6%	14.0%	14.5%	0.0%	11.1%	13.1%	12.6%	---	16.7%	6.1%	17.6%	12.7%	---	13.2%	10.0%
8	706	35	45	14	21	6	5	24	14	16	4	1	33	33	0	0	6	12	17	0	27	8
	20.4%	19.9%	20.4%	23.0%	19.1%	20.0%	10.6%	25.5%	15.1%	25.8%	28.6%	11.1%	20.6%	23.1%	---	0.0%	12.2%	23.5%	23.9%	---	19.9%	20.0%
9	557	28	38	6	20	4	6	16	16	7	3	1	25	22	0	4	9	9	8	0	23	5
	16.1%	15.9%	17.2%	9.8%	18.2%	13.3%	12.8%	17.0%	17.2%	11.3%	21.4%	11.1%	15.6%	15.4%	---	16.7%	18.4%	17.6%	11.3%	---	16.9%	12.5%
10 Best health care possible	1,189	62	82	20	39	11	17	31	33	22	4	3	55	46	0	11	25	14	21	0	45	17
	34.3%	35.2%	37.1%	32.8%	35.5%	36.7%	36.2%	33.0%	35.5%	35.5%	28.6%	33.3%	34.4%	32.2%	---	45.8%	51.0%	27.5%	29.6%	---	33.1%	42.5%

NA - Not Applicable

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 13

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your health care in the last 6 months?

Base: All respondents who went to a doctor's office/clinic to get care (Q7)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,501	178	221	62	110	30	47	95	93	63	14	9	161	144	0	24	49	51	71	0	138	40
Number missing or multiple answer	39	2	0	1	0	0	0	1	0	1	0	0	1	1	0	0	0	0	0	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,462	176	221	61	110	30	47	94	93	62	14	9	160	143	0	24	49	51	71	0	136	40
	98.9%	98.9%	100.0%	98.4%	100.0%	100.0%	100.0%	98.9%	100.0%	98.4%	100.0%	100.0%	99.4%	99.3%	---	100.0%	100.0%	100.0%	100.0%	---	98.6%	100.0%
0 to 4	198	7	6	3	4	3	3	1	4	2	0	2	5	6	0	1	2	2	3	0	7	0
	5.7%	4.0%	2.7%	4.9%	3.6%	10.0%	6.4%	1.1%	4.3%	3.2%	0.0%	22.2%	3.1%	4.2%	---	4.2%	4.1%	3.9%	4.2%	---	5.1%	0.0%
5	217	9	9	3	6	0	4	5	7	2	0	1	8	7	0	2	0	4	5	0	6	3
	6.3%	5.1%	4.1%	4.9%	5.5%	0.0%	8.5%	5.3%	7.5%	3.2%	0.0%	11.1%	5.0%	4.9%	---	8.3%	0.0%	7.8%	7.0%	---	4.4%	7.5%
6 or 7	595	35	41	15	20	6	12	17	19	13	3	1	34	29	0	6	7	10	17	0	28	7
	17.2%	19.9%	18.6%	24.6%	18.2%	20.0%	25.5%	18.1%	20.4%	21.0%	21.4%	11.1%	21.3%	20.3%	---	25.0%	14.3%	19.6%	23.9%	---	20.6%	17.5%
8 to 10	2,452	125	165	40	80	21	28	71	63	45	11	5	113	101	0	15	40	35	46	0	95	30
	70.8%	71.0%	74.7%	65.6%	72.7%	70.0%	59.6%	75.5%	67.7%	72.6%	78.6%	55.6%	70.6%	70.6%	---	62.5%	81.6%	68.6%	64.8%	---	69.9%	75.0%
Significantly different from column:*																S		Q				
0 to 6	614	29	29	10	19	7	9	13	17	8	3	3	26	24	0	5	6	7	16	0	23	6
	17.7%	16.5%	13.1%	16.4%	17.3%	23.3%	19.1%	13.8%	18.3%	12.9%	21.4%	33.3%	16.3%	16.8%	---	20.8%	12.2%	13.7%	22.5%	---	16.9%	15.0%
7 to 8	1,102	57	72	25	32	8	15	34	27	25	4	2	54	51	0	4	9	21	26	0	45	12
	31.8%	32.4%	32.6%	41.0%	29.1%	26.7%	31.9%	36.2%	29.0%	40.3%	28.6%	22.2%	33.8%	35.7%	---	16.7%	18.4%	41.2%	36.6%	---	33.1%	30.0%
9 to 10	1,746	90	120	26	59	15	23	47	49	29	7	4	80	68	0	15	34	23	29	0	68	22
	50.4%	51.1%	54.3%	42.6%	53.6%	50.0%	48.9%	50.0%	52.7%	46.8%	50.0%	44.4%	50.0%	47.6%	---	62.5%	69.4%	45.1%	40.8%	---	50.0%	55.0%
Significantly different from column:*																RS	Q	Q				

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 14

In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?

Base: All respondents who went to a doctor's office/clinic to get care (Q7)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,501	178	225	62	110	30	47	95	93	63	14	9	161	144	0	24	49	51	71	0	138	40
Number missing or multiple answer	32	3	0	2	1	0	1	2	3	0	0	0	3	1	0	2	0	0	3	0	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,469	175	225	60	109	30	46	93	90	63	14	9	158	143	0	22	49	51	68	0	135	40
	99.1%	98.3%	100.0%	96.8%	99.1%	100.0%	97.9%	97.9%	96.8%	100.0%	100.0%	100.0%	98.1%	99.3%	---	91.7%	100.0%	100.0%	95.8%	---	97.8%	100.0%
Never	80	3	2	3	0	1	2	0	2	0	0	2	1	1	0	2	0	1	2	0	2	1
	2.3%	1.7%	0.9%	5.0%	0.0%	3.3%	4.3%	0.0%	2.2%	0.0%	0.0%	22.2%	0.6%	0.7%	---	9.1%	0.0%	2.0%	2.9%	---	1.5%	2.5%
Sometimes	435	19	30	5	14	4	10	5	8	9	2	3	16	17	0	1	3	5	11	0	15	4
	12.5%	10.9%	13.3%	8.3%	12.8%	13.3%	21.7%	5.4%	8.9%	14.3%	14.3%	33.3%	10.1%	11.9%	---	4.5%	6.1%	9.8%	16.2%	---	11.1%	10.0%
Usually	1,137	48	62	19	29	7	15	26	29	15	3	1	46	43	0	5	6	20	21	0	40	8
	32.8%	27.4%	27.6%	31.7%	26.6%	23.3%	32.6%	28.0%	32.2%	23.8%	21.4%	11.1%	29.1%	30.1%	---	22.7%	12.2%	39.2%	30.9%	---	29.6%	20.0%
Always	1,817	105	131	33	66	18	19	62	51	39	9	3	95	82	0	14	40	25	34	0	78	27
	52.4%	60.0%	58.2%	55.0%	60.6%	60.0%	41.3%	66.7%	56.7%	61.9%	64.3%	33.3%	60.1%	57.3%	---	63.6%	81.6%	49.0%	50.0%	---	57.8%	67.5%
Significantly different from column:*		A					H	G								RS	Q	Q				
Usually or Always	2,954	153	193	52	95	25	34	88	80	54	12	4	141	125	0	19	46	45	55	0	118	35
	85.2%	87.4%	85.8%	86.7%	87.2%	83.3%	73.9%	94.6%	88.9%	85.7%	85.7%	44.4%	89.2%	87.4%	---	86.4%	93.9%	88.2%	80.9%	---	87.4%	87.5%
Significantly different from column:*							H	G								S	Q					

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 15

A personal doctor is the one you would see if you need a check-up, want advice about a health problem, or get sick or hurt. Do you have a personal doctor?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	305	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	56	6	0	3	2	3	0	2	2	2	0	1	3	3	0	2	3	1	1	2	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,738	238	305	93	139	40	65	127	129	83	19	11	218	196	1	31	70	76	85	56	136	40
	98.8%	97.5%	100.0%	96.9%	98.6%	93.0%	100.0%	98.4%	98.5%	97.6%	100.0%	91.7%	98.6%	98.5%	100.0%	93.9%	95.9%	98.7%	98.8%	96.6%	98.6%	100.0%
Yes	3,960	190	239	69	116	26	49	110	106	63	16	8	175	157	1	23	53	58	72	31	114	40
	83.6%	79.8%	78.4%	74.2%	83.5%	65.0%	75.4%	86.6%	82.2%	75.9%	84.2%	72.7%	80.3%	80.1%	100.0%	74.2%	75.7%	76.3%	84.7%	55.4%	83.8%	100.0%
No	778	48	66	24	23	14	16	17	23	20	3	3	43	39	0	8	17	18	13	25	22	0
	16.4%	20.2%	21.6%	25.8%	16.5%	35.0%	24.6%	13.4%	17.8%	24.1%	15.8%	27.3%	19.7%	19.9%	0.0%	25.8%	24.3%	23.7%	15.3%	44.6%	16.2%	0.0%
Significantly different from column:*						H		F												UV	TV	TU

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 16

In the last 6 months, how many times did you visit your personal doctor to get care for yourself?

Base: All respondents who have a personal doctor (Q15)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,960	190	225	69	116	26	49	110	106	63	16	8	175	157	1	23	53	58	72	31	114	40
Number missing or multiple answer	107	2	0	1	1	0	1	1	0	2	0	0	2	2	0	0	0	1	0	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,853	188	225	68	115	26	48	109	106	61	16	8	173	155	1	23	53	57	72	30	113	40
	97.3%	98.9%	100.0%	98.6%	99.1%	100.0%	98.0%	99.1%	100.0%	96.8%	100.0%	100.0%	98.9%	98.7%	100.0%	100.0%	100.0%	98.3%	100.0%	96.8%	99.1%	100.0%
None	789	39	38	19	18	5	8	24	21	13	3	1	35	32	1	4	14	16	8	28	9	1
	20.5%	20.7%	16.9%	27.9%	15.7%	19.2%	16.7%	22.0%	19.8%	21.3%	18.8%	12.5%	20.2%	20.6%	100.0%	17.4%	26.4%	28.1%	11.1%	93.3%	8.0%	2.5%
1 time	1,037	51	65	24	26	7	17	26	31	15	4	0	49	43	0	6	13	18	19	1	42	8
	26.9%	27.1%	28.9%	35.3%	22.6%	26.9%	35.4%	23.9%	29.2%	24.6%	25.0%	0.0%	28.3%	27.7%	0.0%	26.1%	24.5%	31.6%	26.4%	3.3%	37.2%	20.0%
2	832	39	49	9	29	5	8	25	22	12	4	3	35	32	0	6	12	8	17	0	32	5
	21.6%	20.7%	21.8%	13.2%	25.2%	19.2%	16.7%	22.9%	20.8%	19.7%	25.0%	37.5%	20.2%	20.6%	0.0%	26.1%	22.6%	14.0%	23.6%	0.0%	28.3%	12.5%
3	482	24	28	7	17	4	4	16	12	9	3	2	22	19	0	4	4	3	17	1	16	6
	12.5%	12.8%	12.4%	10.3%	14.8%	15.4%	8.3%	14.7%	11.3%	14.8%	18.8%	25.0%	12.7%	12.3%	0.0%	17.4%	7.5%	5.3%	23.6%	3.3%	14.2%	15.0%
4	306	14	16	2	11	4	1	8	8	4	1	1	12	11	0	1	5	5	3	0	9	4
	7.9%	7.4%	7.1%	2.9%	9.6%	15.4%	2.1%	7.3%	7.5%	6.6%	6.3%	12.5%	6.9%	7.1%	0.0%	4.3%	9.4%	8.8%	4.2%	0.0%	8.0%	10.0%
5 to 9	315	18	25	6	12	1	10	7	9	8	1	1	17	15	0	2	4	7	7	0	3	15
	8.2%	9.6%	11.1%	8.8%	10.4%	3.8%	20.8%	6.4%	8.5%	13.1%	6.3%	12.5%	9.8%	9.7%	0.0%	8.7%	7.5%	12.3%	9.7%	0.0%	2.7%	37.5%
10 or more times	92	3	4	1	2	0	0	3	3	0	0	0	3	3	0	0	1	0	1	0	2	1
	2.4%	1.6%	1.8%	1.5%	1.7%	0.0%	0.0%	2.8%	2.8%	0.0%	0.0%	0.0%	1.7%	1.9%	0.0%	0.0%	1.9%	0.0%	1.4%	0.0%	1.8%	2.5%
5 or more times	407	21	29	7	14	1	10	10	12	8	1	1	20	18	0	2	5	7	8	0	5	16
	10.6%	11.2%	12.9%	10.3%	12.2%	3.8%	20.8%	9.2%	11.3%	13.1%	6.3%	12.5%	11.6%	11.6%	0.0%	8.7%	9.4%	12.3%	11.1%	0.0%	4.4%	40.0%
Significantly different from column:*							H	G												V	V	TU

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 17

In the last 6 months, how often did your personal doctor explain things in a way that was easy to understand?

Base: All respondents who have a personal doctor and who visited their personal doctor to get care (Q15 & Q16)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,064	149	186	49	97	21	40	85	85	48	13	7	138	123	0	19	39	41	64	2	104	39
Number missing or multiple answer	20	1	0	0	1	0	0	1	0	1	0	0	1	1	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,044	148	186	49	96	21	40	84	85	47	13	7	137	122	0	19	38	41	64	2	103	39
	99.3%	99.3%	100.0%	100.0%	99.0%	100.0%	100.0%	98.8%	100.0%	97.9%	100.0%	100.0%	99.3%	99.2%	---	100.0%	97.4%	100.0%	100.0%	100.0%	99.0%	100.0%
Never	34	3	1	1	2	1	1	1	2	0	1	0	3	3	0	0	0	1	2	0	1	2
	1.1%	2.0%	0.5%	2.0%	2.1%	4.8%	2.5%	1.2%	2.4%	0.0%	7.7%	0.0%	2.2%	2.5%	---	0.0%	0.0%	2.4%	3.1%	0.0%	1.0%	5.1%
Sometimes	171	9	6	4	5	1	3	5	6	3	0	1	8	9	0	0	1	2	5	0	7	1
	5.6%	6.1%	3.2%	8.2%	5.2%	4.8%	7.5%	6.0%	7.1%	6.4%	0.0%	14.3%	5.8%	7.4%	---	0.0%	2.6%	4.9%	7.8%	0.0%	6.8%	2.6%
Usually	619	23	33	8	15	3	10	10	13	9	1	3	20	17	0	4	1	9	13	0	17	6
	20.3%	15.5%	17.7%	16.3%	15.6%	14.3%	25.0%	11.9%	15.3%	19.1%	7.7%	42.9%	14.6%	13.9%	---	21.1%	2.6%	22.0%	20.3%	0.0%	16.5%	15.4%
Always	2,220	113	146	36	74	16	26	68	64	35	11	3	106	93	0	15	36	29	44	2	78	30
	72.9%	76.4%	78.5%	73.5%	77.1%	76.2%	65.0%	81.0%	75.3%	74.5%	84.6%	42.9%	77.4%	76.2%	---	78.9%	94.7%	70.7%	68.8%	100.0%	75.7%	76.9%
Significantly different from column:*																	RS	Q	Q			
Usually or Always	2,839	136	179	44	89	19	36	78	77	44	12	6	126	110	0	19	37	38	57	2	95	36
	93.3%	91.9%	96.2%	89.8%	92.7%	90.5%	90.0%	92.9%	90.6%	93.6%	92.3%	85.7%	92.0%	90.2%	---	100.0%	97.4%	92.7%	89.1%	100.0%	92.2%	92.3%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 18

In the last 6 months, how often did your personal doctor listen carefully to you?

Base: All respondents who have a personal doctor and who visited their personal doctor to get care (Q15 & Q16)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,064	149	185	49	97	21	40	85	85	48	13	7	138	123	0	19	39	41	64	2	104	39
Number missing or multiple answer	19	2	0	1	1	0	1	1	1	1	0	0	2	2	0	0	1	0	1	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,045	147	185	48	96	21	39	84	84	47	13	7	136	121	0	19	38	41	63	2	102	39
	99.4%	98.7%	100.0%	98.0%	99.0%	100.0%	97.5%	98.8%	98.8%	97.9%	100.0%	100.0%	98.6%	98.4%	---	100.0%	97.4%	100.0%	98.4%	100.0%	98.1%	100.0%
Never	43	3	2	0	3	1	1	1	2	0	1	0	3	3	0	0	0	1	2	0	1	2
	1.4%	2.0%	1.1%	0.0%	3.1%	4.8%	2.6%	1.2%	2.4%	0.0%	7.7%	0.0%	2.2%	2.5%	---	0.0%	0.0%	2.4%	3.2%	0.0%	1.0%	5.1%
Sometimes	196	9	13	4	5	1	3	5	8	1	0	2	7	8	0	1	1	1	7	0	8	1
	6.4%	6.1%	7.0%	8.3%	5.2%	4.8%	7.7%	6.0%	9.5%	2.1%	0.0%	28.6%	5.1%	6.6%	---	5.3%	2.6%	2.4%	11.1%	0.0%	7.8%	2.6%
Usually	608	26	39	14	12	4	7	15	9	15	2	0	26	23	0	3	1	7	18	0	17	8
	20.0%	17.7%	21.1%	29.2%	12.5%	19.0%	17.9%	17.9%	10.7%	31.9%	15.4%	0.0%	19.1%	19.0%	---	15.8%	2.6%	17.1%	28.6%	0.0%	16.7%	20.5%
Always	2,198	109	131	30	76	15	28	63	65	31	10	5	100	87	0	15	36	32	36	2	76	28
	72.2%	74.1%	70.8%	62.5%	79.2%	71.4%	71.8%	75.0%	77.4%	66.0%	76.9%	71.4%	73.5%	71.9%	---	78.9%	94.7%	78.0%	57.1%	100.0%	74.5%	71.8%
Significantly different from column:*				E	D												RS	QS	QR			
Usually or Always	2,806	135	170	44	88	19	35	78	74	46	12	5	126	110	0	18	37	39	54	2	93	36
	92.2%	91.8%	91.9%	91.7%	91.7%	90.5%	89.7%	92.9%	88.1%	97.9%	92.3%	71.4%	92.6%	90.9%	---	94.7%	97.4%	95.1%	85.7%	100.0%	91.2%	92.3%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 19

In the last 6 months, how often did your personal doctor show respect for what you had to say?

Base: All respondents who have a personal doctor and who visited their personal doctor to get care (Q15 & Q16)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,064	149	186	49	97	21	40	85	85	48	13	7	138	123	0	19	39	41	64	2	104	39
Number missing or multiple answer	13	2	0	1	1	0	1	1	1	1	0	0	2	2	0	0	1	0	1	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,051	147	186	48	96	21	39	84	84	47	13	7	136	121	0	19	38	41	63	2	102	39
	99.6%	98.7%	100.0%	98.0%	99.0%	100.0%	97.5%	98.8%	98.8%	97.9%	100.0%	100.0%	98.6%	98.4%	---	100.0%	97.4%	100.0%	98.4%	100.0%	98.1%	100.0%
Never	48	4	2	0	4	1	2	1	3	0	1	1	3	4	0	0	0	2	2	0	2	2
	1.6%	2.7%	1.1%	0.0%	4.2%	4.8%	5.1%	1.2%	3.6%	0.0%	7.7%	14.3%	2.2%	3.3%	---	0.0%	0.0%	4.9%	3.2%	0.0%	2.0%	5.1%
Sometimes	171	8	9	5	3	1	1	6	6	2	0	0	8	8	0	0	1	0	6	0	7	0
	5.6%	5.4%	4.8%	10.4%	3.1%	4.8%	2.6%	7.1%	7.1%	4.3%	0.0%	0.0%	5.9%	6.6%	---	0.0%	2.6%	0.0%	9.5%	0.0%	6.9%	0.0%
Usually	472	20	33	9	11	0	6	14	8	11	1	2	18	16	0	3	1	6	13	0	12	7
	15.5%	13.6%	17.7%	18.8%	11.5%	0.0%	15.4%	16.7%	9.5%	23.4%	7.7%	28.6%	13.2%	13.2%	---	15.8%	2.6%	14.6%	20.6%	0.0%	11.8%	17.9%
Always	2,360	115	142	34	78	19	30	63	67	34	11	4	107	93	0	16	36	33	42	2	81	30
	77.4%	78.2%	76.3%	70.8%	81.3%	90.5%	76.9%	75.0%	79.8%	72.3%	84.6%	57.1%	78.7%	76.9%	---	84.2%	94.7%	80.5%	66.7%	100.0%	79.4%	76.9%
Significantly different from column:*																	S		Q			
Usually or Always	2,832	135	175	43	89	19	36	77	75	45	12	6	125	109	0	19	37	39	55	2	93	37
	92.8%	91.8%	94.1%	89.6%	92.7%	90.5%	92.3%	91.7%	89.3%	95.7%	92.3%	85.7%	91.9%	90.1%	---	100.0%	97.4%	95.1%	87.3%	100.0%	91.2%	94.9%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 20

In the last 6 months, how often did your personal doctor spend enough time with you?

Base: All respondents who have a personal doctor and who visited their personal doctor to get care (Q15 & Q16)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,064	149	185	49	97	21	40	85	85	48	13	7	138	123	0	19	39	41	64	2	104	39
Number missing or multiple answer	23	1	0	0	1	0	0	1	0	1	0	0	1	1	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,041	148	185	49	96	21	40	84	85	47	13	7	137	122	0	19	38	41	64	2	103	39
	99.2%	99.3%	100.0%	100.0%	99.0%	100.0%	100.0%	98.8%	100.0%	97.9%	100.0%	100.0%	99.3%	99.2%	---	100.0%	97.4%	100.0%	100.0%	100.0%	99.0%	100.0%
Never	57	1	4	0	1	0	0	1	1	0	0	0	1	1	0	0	0	1	0	0	0	1
	1.9%	0.7%	2.2%	0.0%	1.0%	0.0%	0.0%	1.2%	1.2%	0.0%	0.0%	0.0%	0.7%	0.8%	---	0.0%	0.0%	2.4%	0.0%	0.0%	0.0%	2.6%
Sometimes	245	11	13	5	6	3	4	4	8	2	1	2	9	9	0	2	2	2	7	0	9	2
	8.1%	7.4%	7.0%	10.2%	6.3%	14.3%	10.0%	4.8%	9.4%	4.3%	7.7%	28.6%	6.6%	7.4%	---	10.5%	5.3%	4.9%	10.9%	0.0%	8.7%	5.1%
Usually	702	31	40	17	14	4	9	18	17	13	1	2	29	25	0	5	3	7	20	0	20	9
	23.1%	20.9%	21.6%	34.7%	14.6%	19.0%	22.5%	21.4%	20.0%	27.7%	7.7%	28.6%	21.2%	20.5%	---	26.3%	7.9%	17.1%	31.3%	0.0%	19.4%	23.1%
Always	2,037	105	128	27	75	14	27	61	59	32	11	3	98	87	0	12	33	31	37	2	74	27
	67.0%	70.9%	69.2%	55.1%	78.1%	66.7%	67.5%	72.6%	69.4%	68.1%	84.6%	42.9%	71.5%	71.3%	---	63.2%	86.8%	75.6%	57.8%	100.0%	71.8%	69.2%
Significantly different from column:*				E	D											S		Q				
Usually or Always	2,739	136	168	44	89	18	36	79	76	45	12	5	127	112	0	17	36	38	57	2	94	36
	90.1%	91.9%	90.8%	89.8%	92.7%	85.7%	90.0%	94.0%	89.4%	95.7%	92.3%	71.4%	92.7%	91.8%	---	89.5%	94.7%	92.7%	89.1%	100.0%	91.3%	92.3%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 21

In the last 6 months, did you get care from a doctor or other health provider besides your personal doctor?

Base: All respondents who have a personal doctor and who visited their personal doctor to get care (Q15 & Q16)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,064	149	182	49	97	21	40	85	85	48	13	7	138	123	0	19	39	41	64	2	104	39
Number missing or multiple answer	28	1	0	0	1	0	1	0	1	0	0	0	1	1	0	0	0	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,036	148	182	49	96	21	39	85	84	48	13	7	137	122	0	19	39	41	63	2	103	39
	99.1%	99.3%	100.0%	100.0%	99.0%	100.0%	97.5%	100.0%	98.8%	100.0%	100.0%	100.0%	99.3%	99.2%	---	100.0%	100.0%	100.0%	98.4%	100.0%	99.0%	100.0%
Yes	1,921	91	116	23	66	12	27	50	48	31	10	4	85	77	0	11	20	21	46	0	53	34
	63.3%	61.5%	63.7%	46.9%	68.8%	57.1%	69.2%	58.8%	57.1%	64.6%	76.9%	57.1%	62.0%	63.1%	---	57.9%	51.3%	51.2%	73.0%	0.0%	51.5%	87.2%
No	1,115	57	66	26	30	9	12	35	36	17	3	3	52	45	0	8	19	20	17	2	50	5
	36.7%	38.5%	36.3%	53.1%	31.3%	42.9%	30.8%	41.2%	42.9%	35.4%	23.1%	42.9%	38.0%	36.9%	---	42.1%	48.7%	48.8%	27.0%	100.0%	48.5%	12.8%
Significantly different from column:*				E	D												S	S	QR		V	U

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 22

In the last 6 months, how often did your personal doctor seem informed and up-to-date about the care you got from these doctors or other health providers?

Base: All respondents who have a personal doctor, visited their personal doctor, and got care from another health provider besides their personal doctor (Q15, Q16, & Q21)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,921	91	110	23	66	12	27	50	48	31	10	4	85	77	0	11	20	21	46	0	53	34
Number missing or multiple answer	46	3	0	0	3	0	1	2	1	2	0	0	3	3	0	0	1	0	2	0	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,875	88	110	23	63	12	26	48	47	29	10	4	82	74	0	11	19	21	44	0	50	34
	97.6%	96.7%	100.0%	100.0%	95.5%	100.0%	96.3%	96.0%	97.9%	93.5%	100.0%	100.0%	96.5%	96.1%	---	100.0%	95.0%	100.0%	95.7%	---	94.3%	100.0%
Never	88	5	1	2	3	0	2	3	2	3	0	1	4	4	0	0	0	1	4	0	4	1
	4.7%	5.7%	0.9%	8.7%	4.8%	0.0%	7.7%	6.3%	4.3%	10.3%	0.0%	25.0%	4.9%	5.4%	---	0.0%	0.0%	4.8%	9.1%	---	8.0%	2.9%
Sometimes	240	9	9	2	7	3	1	5	5	2	2	0	9	8	0	1	1	2	5	0	2	6
	12.8%	10.2%	8.2%	8.7%	11.1%	25.0%	3.8%	10.4%	10.6%	6.9%	20.0%	0.0%	11.0%	10.8%	---	9.1%	5.3%	9.5%	11.4%	---	4.0%	17.6%
Usually	539	27	37	9	18	3	9	15	12	11	4	0	27	23	0	4	4	7	16	0	18	9
	28.7%	30.7%	33.6%	39.1%	28.6%	25.0%	34.6%	31.3%	25.5%	37.9%	40.0%	0.0%	32.9%	31.1%	---	36.4%	21.1%	33.3%	36.4%	---	36.0%	26.5%
Always	1,008	47	63	10	35	6	14	25	28	13	4	3	42	39	0	6	14	11	19	0	26	18
	53.8%	53.4%	57.3%	43.5%	55.6%	50.0%	53.8%	52.1%	59.6%	44.8%	40.0%	75.0%	51.2%	52.7%	---	54.5%	73.7%	52.4%	43.2%	---	52.0%	52.9%
Significantly different from column:*																	S		Q			
Usually or Always	1,547	74	100	19	53	9	23	40	40	24	8	3	69	62	0	10	18	18	35	0	44	27
	82.5%	84.1%	90.9%	82.6%	84.1%	75.0%	88.5%	83.3%	85.1%	82.8%	80.0%	75.0%	84.1%	83.8%	---	90.9%	94.7%	85.7%	79.5%	---	88.0%	79.4%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 23

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your personal doctor?

Base: All respondents who have a personal doctor (Q15)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,960	190	226	69	116	26	49	110	106	63	16	8	175	157	1	23	53	58	72	31	114	40
Number missing or multiple answer	129	7	0	5	2	1	2	4	2	5	0	0	7	7	0	0	2	3	1	3	3	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,831	183	226	64	114	25	47	106	104	58	16	8	168	150	1	23	51	55	71	28	111	39
	96.7%	96.3%	100.0%	92.8%	98.3%	96.2%	95.9%	96.4%	98.1%	92.1%	100.0%	100.0%	96.0%	95.5%	100.0%	100.0%	96.2%	94.8%	98.6%	90.3%	97.4%	97.5%
0 Worst personal doctor possible	27	1	2	0	1	0	0	1	1	0	0	0	1	1	0	0	0	1	0	0	0	1
	0.7%	0.5%	0.9%	0.0%	0.9%	0.0%	0.0%	0.9%	1.0%	0.0%	0.0%	0.0%	0.6%	0.7%	0.0%	0.0%	0.0%	1.8%	0.0%	0.0%	0.0%	2.6%
1	21	1	0	0	1	1	0	0	0	0	1	0	1	1	0	0	0	0	1	0	0	1
	0.5%	0.5%	0.0%	0.0%	0.9%	4.0%	0.0%	0.0%	0.0%	0.0%	6.3%	0.0%	0.6%	0.7%	0.0%	0.0%	0.0%	0.0%	1.4%	0.0%	0.0%	2.6%
2	30	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.8%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
3	37	2	2	1	1	0	1	1	1	1	0	1	1	2	0	0	0	1	1	0	2	0
	1.0%	1.1%	0.9%	1.6%	0.9%	0.0%	2.1%	0.9%	1.0%	1.7%	0.0%	12.5%	0.6%	1.3%	0.0%	0.0%	0.0%	1.8%	1.4%	0.0%	1.8%	0.0%
4	67	1	3	0	1	1	0	0	0	1	0	0	1	1	0	0	0	1	0	0	1	0
	1.7%	0.5%	1.3%	0.0%	0.9%	4.0%	0.0%	0.0%	0.0%	1.7%	0.0%	0.0%	0.6%	0.7%	0.0%	0.0%	0.0%	1.8%	0.0%	0.0%	0.9%	0.0%
5	156	9	8	5	4	1	1	7	5	4	0	0	8	9	0	0	3	1	4	2	5	1
	4.1%	4.9%	3.5%	7.8%	3.5%	4.0%	2.1%	6.6%	4.8%	6.9%	0.0%	0.0%	4.8%	6.0%	0.0%	0.0%	5.9%	1.8%	5.6%	7.1%	4.5%	2.6%
6	124	8	12	4	4	0	3	5	5	3	0	1	7	7	0	1	0	0	8	1	5	2
	3.2%	4.4%	5.3%	6.3%	3.5%	0.0%	6.4%	4.7%	4.8%	5.2%	0.0%	12.5%	4.2%	4.7%	0.0%	4.3%	0.0%	0.0%	11.3%	3.6%	4.5%	5.1%
7	299	10	18	1	9	0	1	9	6	3	1	0	10	9	0	1	0	4	6	1	6	3
	7.8%	5.5%	8.0%	1.6%	7.9%	0.0%	2.1%	8.5%	5.8%	5.2%	6.3%	0.0%	6.0%	6.0%	0.0%	4.3%	0.0%	7.3%	8.5%	3.6%	5.4%	7.7%
8	662	31	31	17	13	4	9	17	13	13	4	0	30	26	0	4	7	7	16	3	21	6
	17.3%	16.9%	13.7%	26.6%	11.4%	16.0%	19.1%	16.0%	12.5%	22.4%	25.0%	0.0%	17.9%	17.3%	0.0%	17.4%	13.7%	12.7%	22.5%	10.7%	18.9%	15.4%
9	687	35	48	13	22	7	9	19	20	11	4	2	33	29	0	5	11	16	8	10	17	8
	17.9%	19.1%	21.2%	20.3%	19.3%	28.0%	19.1%	17.9%	19.2%	19.0%	25.0%	25.0%	19.6%	19.3%	0.0%	21.7%	21.6%	29.1%	11.3%	35.7%	15.3%	20.5%
10 Best personal doctor possible	1,721	85	101	23	58	11	23	47	53	22	6	4	76	65	1	12	30	24	27	11	54	17
	44.9%	46.4%	44.7%	35.9%	50.9%	44.0%	48.9%	44.3%	51.0%	37.9%	37.5%	50.0%	45.2%	43.3%	100.0%	52.2%	58.8%	43.6%	38.0%	39.3%	48.6%	43.6%

NA - Not Applicable

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 23

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your personal doctor?

Base: All respondents who have a personal doctor (Q15)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,960	190	226	69	116	26	49	110	106	63	16	8	175	157	1	23	53	58	72	31	114	40
Number missing or multiple answer	129	7	0	5	2	1	2	4	2	5	0	0	7	7	0	0	2	3	1	3	3	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,831	183	226	64	114	25	47	106	104	58	16	8	168	150	1	23	51	55	71	28	111	39
	96.7%	96.3%	100.0%	92.8%	98.3%	96.2%	95.9%	96.4%	98.1%	92.1%	100.0%	100.0%	96.0%	95.5%	100.0%	100.0%	96.2%	94.8%	98.6%	90.3%	97.4%	97.5%
0 to 4	182	5	8	1	4	2	1	2	2	2	1	1	4	5	0	0	0	3	2	0	3	2
	4.8%	2.7%	3.5%	1.6%	3.5%	8.0%	2.1%	1.9%	1.9%	3.4%	6.3%	12.5%	2.4%	3.3%	0.0%	0.0%	0.0%	5.5%	2.8%	0.0%	2.7%	5.1%
5	156	9	8	5	4	1	1	7	5	4	0	0	8	9	0	0	3	1	4	2	5	1
	4.1%	4.9%	3.5%	7.8%	3.5%	4.0%	2.1%	6.6%	4.8%	6.9%	0.0%	0.0%	4.8%	6.0%	0.0%	0.0%	5.9%	1.8%	5.6%	7.1%	4.5%	2.6%
6 or 7	423	18	30	5	13	0	4	14	11	6	1	1	17	16	0	2	0	4	14	2	11	5
	11.0%	9.8%	13.3%	7.8%	11.4%	0.0%	8.5%	13.2%	10.6%	10.3%	6.3%	12.5%	10.1%	10.7%	0.0%	8.7%	0.0%	7.3%	19.7%	7.1%	9.9%	12.8%
8 to 10	3,070	151	180	53	93	22	41	83	86	46	14	6	139	120	1	21	48	47	51	24	92	31
	80.1%	82.5%	79.6%	82.8%	81.6%	88.0%	87.2%	78.3%	82.7%	79.3%	87.5%	75.0%	82.7%	80.0%	100.0%	91.3%	94.1%	85.5%	71.8%	85.7%	82.9%	79.5%
Significantly different from column:*																	S		Q			
0 to 6	462	22	28	10	12	3	5	14	12	9	1	2	19	21	0	1	3	4	14	3	13	5
	12.1%	12.0%	12.4%	15.6%	10.5%	12.0%	10.6%	13.2%	11.5%	15.5%	6.3%	25.0%	11.3%	14.0%	0.0%	4.3%	5.9%	7.3%	19.7%	10.7%	11.7%	12.8%
7 to 8	961	41	49	18	22	4	10	26	19	16	5	0	40	35	0	5	7	11	22	4	27	9
	25.1%	22.4%	21.7%	28.1%	19.3%	16.0%	21.3%	24.5%	18.3%	27.6%	31.3%	0.0%	23.8%	23.3%	0.0%	21.7%	13.7%	20.0%	31.0%	14.3%	24.3%	23.1%
9 to 10	2,408	120	149	36	80	18	32	66	73	33	10	6	109	94	1	17	41	40	35	21	71	25
	62.9%	65.6%	65.9%	56.3%	70.2%	72.0%	68.1%	62.3%	70.2%	56.9%	62.5%	75.0%	64.9%	62.7%	100.0%	73.9%	80.4%	72.7%	49.3%	75.0%	64.0%	64.1%
Significantly different from column:*																	S	S	QR			

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 24

In the last 6 months, did you make any appointments to see a specialist?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	301	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	34	2	0	0	2	0	1	1	0	2	0	0	2	2	0	0	1	1	0	0	1	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,760	242	301	96	139	43	64	128	131	83	19	12	219	197	1	33	72	76	86	58	137	39
	99.3%	99.2%	100.0%	100.0%	98.6%	100.0%	98.5%	99.2%	100.0%	97.6%	100.0%	100.0%	99.1%	99.0%	100.0%	100.0%	98.6%	98.7%	100.0%	100.0%	99.3%	97.5%
Yes	2,079	97	128	29	66	12	26	57	53	35	6	4	90	79	0	14	17	32	45	5	57	31
	43.7%	40.1%	42.5%	30.2%	47.5%	27.9%	40.6%	44.5%	40.5%	42.2%	31.6%	33.3%	41.1%	40.1%	0.0%	42.4%	23.6%	42.1%	52.3%	8.6%	41.6%	79.5%
No	2,681	145	173	67	73	31	38	71	78	48	13	8	129	118	1	19	55	44	41	53	80	8
	56.3%	59.9%	57.5%	69.8%	52.5%	72.1%	59.4%	55.5%	59.5%	57.8%	68.4%	66.7%	58.9%	59.9%	100.0%	57.6%	76.4%	57.9%	47.7%	91.4%	58.4%	20.5%
Significantly different from column:*				E	D												RS	Q	Q	UV	TV	TU

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 25

In the last 6 months, how often did you get an appointment to see a specialist as soon as you needed?

Base: All respondents who made an appointment to see a specialist (Q24)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	2,079	97	123	29	66	12	26	57	53	35	6	4	90	79	0	14	17	32	45	5	57	31
Number missing or multiple answer	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,056	97	123	29	66	12	26	57	53	35	6	4	90	79	0	14	17	32	45	5	57	31
	98.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	---	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	114	6	4	3	3	1	2	3	4	2	0	0	6	3	0	3	0	4	2	2	4	0
	5.5%	6.2%	3.3%	10.3%	4.5%	8.3%	7.7%	5.3%	7.5%	5.7%	0.0%	0.0%	6.7%	3.8%	---	21.4%	0.0%	12.5%	4.4%	40.0%	7.0%	0.0%
Sometimes	345	16	15	5	11	3	7	6	11	5	0	1	15	14	0	1	1	3	11	1	10	4
	16.8%	16.5%	12.2%	17.2%	16.7%	25.0%	26.9%	10.5%	20.8%	14.3%	0.0%	25.0%	16.7%	17.7%	---	7.1%	5.9%	9.4%	24.4%	20.0%	17.5%	12.9%
Usually	603	34	36	12	22	4	7	23	17	13	3	2	31	29	0	5	6	11	17	0	22	10
	29.3%	35.1%	29.3%	41.4%	33.3%	33.3%	26.9%	40.4%	32.1%	37.1%	50.0%	50.0%	34.4%	36.7%	---	35.7%	35.3%	34.4%	37.8%	0.0%	38.6%	32.3%
Always	994	41	68	9	30	4	10	25	21	15	3	1	38	33	0	5	10	14	15	2	21	17
	48.3%	42.3%	55.3%	31.0%	45.5%	33.3%	38.5%	43.9%	39.6%	42.9%	50.0%	25.0%	42.2%	41.8%	---	35.7%	58.8%	43.8%	33.3%	40.0%	36.8%	54.8%
Significantly different from column:*																						
Usually or Always	1,597	75	104	21	52	8	17	48	38	28	6	3	69	62	0	10	16	25	32	2	43	27
	77.7%	77.3%	84.6%	72.4%	78.8%	66.7%	65.4%	84.2%	71.7%	80.0%	100.0%	75.0%	76.7%	78.5%	---	71.4%	94.1%	78.1%	71.1%	40.0%	75.4%	87.1%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 26

How many specialists have you seen in the last 6 months?

Base: All respondents who made an appointment to see a specialist (Q24)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	2,079	97	121	29	66	12	26	57	53	35	6	4	90	79	0	14	17	32	45	5	57	31
Number missing or multiple answer	28	1	0	0	1	0	0	1	0	1	0	0	1	1	0	0	0	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,051	96	121	29	65	12	26	56	53	34	6	4	89	78	0	14	17	32	44	5	56	31
	98.7%	99.0%	100.0%	100.0%	98.5%	100.0%	100.0%	98.2%	100.0%	97.1%	100.0%	100.0%	98.9%	98.7%	---	100.0%	100.0%	100.0%	97.8%	100.0%	98.2%	100.0%
None	98	6	4	2	4	1	2	3	2	3	1	0	6	4	0	2	2	3	1	2	4	0
	4.8%	6.3%	3.3%	6.9%	6.2%	8.3%	7.7%	5.4%	3.8%	8.8%	16.7%	0.0%	6.7%	5.1%	---	14.3%	11.8%	9.4%	2.3%	40.0%	7.1%	0.0%
1 specialist	1,029	45	63	13	31	7	14	23	27	14	3	3	41	35	0	8	11	15	18	3	28	11
	50.2%	46.9%	52.1%	44.8%	47.7%	58.3%	53.8%	41.1%	50.9%	41.2%	50.0%	75.0%	46.1%	44.9%	---	57.1%	64.7%	46.9%	40.9%	60.0%	50.0%	35.5%
2	541	28	31	7	21	3	8	17	15	10	2	1	26	24	0	3	2	10	15	0	16	12
	26.4%	29.2%	25.6%	24.1%	32.3%	25.0%	30.8%	30.4%	28.3%	29.4%	33.3%	25.0%	29.2%	30.8%	---	21.4%	11.8%	31.3%	34.1%	0.0%	28.6%	38.7%
3	226	11	15	4	6	1	2	7	5	5	0	0	10	9	0	1	1	2	7	0	6	5
	11.0%	11.5%	12.4%	13.8%	9.2%	8.3%	7.7%	12.5%	9.4%	14.7%	0.0%	0.0%	11.2%	11.5%	---	7.1%	5.9%	6.3%	15.9%	0.0%	10.7%	16.1%
4	76	2	5	2	0	0	0	2	2	0	0	0	2	2	0	0	1	1	0	0	2	0
	3.7%	2.1%	4.1%	6.9%	0.0%	0.0%	0.0%	3.6%	3.8%	0.0%	0.0%	0.0%	2.2%	2.6%	---	0.0%	5.9%	3.1%	0.0%	0.0%	3.6%	0.0%
5 or more specialists	81	4	3	1	3	0	0	4	2	2	0	0	4	4	0	0	0	1	3	0	0	3
	3.9%	4.2%	2.5%	3.4%	4.6%	0.0%	0.0%	7.1%	3.8%	5.9%	0.0%	0.0%	4.5%	5.1%	---	0.0%	0.0%	3.1%	6.8%	0.0%	0.0%	9.7%
3 or more specialists	383	17	23	7	9	1	2	13	9	7	0	0	16	15	0	1	2	4	10	0	8	8
	18.7%	17.7%	19.0%	24.1%	13.8%	8.3%	7.7%	23.2%	17.0%	20.6%	0.0%	0.0%	18.0%	19.2%	---	7.1%	11.8%	12.5%	22.7%	0.0%	14.3%	25.8%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 27

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents who saw a specialist (Q24 & Q26)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,953	90	116	27	61	11	24	53	51	31	5	4	83	74	0	12	15	29	43	3	52	31
Number missing or multiple answer	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,942	90	116	27	61	11	24	53	51	31	5	4	83	74	0	12	15	29	43	3	52	31
	99.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	---	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
0 Worst specialist possible	22	1	1	1	0	0	0	1	0	0	1	0	1	0	0	1	0	0	1	0	0	0
	1.1%	1.1%	0.9%	3.7%	0.0%	0.0%	0.0%	1.9%	0.0%	0.0%	20.0%	0.0%	1.2%	0.0%	---	8.3%	0.0%	0.0%	2.3%	0.0%	0.0%	0.0%
1	15	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.8%	0.0%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	---	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2	12	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.6%	0.0%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	---	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
3	26	1	1	0	1	0	0	1	0	1	0	0	1	1	0	0	0	0	1	1	0	0
	1.3%	1.1%	0.9%	0.0%	1.6%	0.0%	0.0%	1.9%	0.0%	3.2%	0.0%	0.0%	1.2%	1.4%	---	0.0%	0.0%	0.0%	2.3%	33.3%	0.0%	0.0%
4	24	2	1	0	2	0	1	1	2	0	0	1	1	1	0	0	0	1	1	0	2	0
	1.2%	2.2%	0.9%	0.0%	3.3%	0.0%	4.2%	1.9%	3.9%	0.0%	0.0%	25.0%	1.2%	1.4%	---	0.0%	0.0%	3.4%	2.3%	0.0%	3.8%	0.0%
5	85	4	2	2	2	1	0	3	2	2	0	0	4	4	0	0	0	0	4	0	2	2
	4.4%	4.4%	1.7%	7.4%	3.3%	9.1%	0.0%	5.7%	3.9%	6.5%	0.0%	0.0%	4.8%	5.4%	---	0.0%	0.0%	9.3%	0.0%	3.8%	6.5%	
6	74	4	5	3	1	0	1	3	4	0	0	1	3	2	0	2	0	1	3	0	3	1
	3.8%	4.4%	4.3%	11.1%	1.6%	0.0%	4.2%	5.7%	7.8%	0.0%	0.0%	25.0%	3.6%	2.7%	---	16.7%	0.0%	3.4%	7.0%	0.0%	5.8%	3.2%
7	141	4	9	2	2	0	0	4	0	4	0	0	4	4	0	0	0	1	2	0	1	3
	7.3%	4.4%	7.8%	7.4%	3.3%	0.0%	0.0%	7.5%	0.0%	12.9%	0.0%	0.0%	4.8%	5.4%	---	0.0%	0.0%	3.4%	4.7%	0.0%	1.9%	9.7%
8	314	19	17	4	15	3	6	10	10	8	1	1	18	19	0	0	4	7	8	0	14	3
	16.2%	21.1%	14.7%	14.8%	24.6%	27.3%	25.0%	18.9%	19.6%	25.8%	20.0%	25.0%	21.7%	25.7%	---	0.0%	26.7%	24.1%	18.6%	0.0%	26.9%	9.7%
9	403	22	26	7	15	3	8	11	11	9	1	0	21	19	0	3	2	10	10	0	11	11
	20.8%	24.4%	22.4%	25.9%	24.6%	27.3%	33.3%	20.8%	21.6%	29.0%	20.0%	0.0%	25.3%	25.7%	---	25.0%	13.3%	34.5%	23.3%	0.0%	21.2%	35.5%
10 Best specialist possible	826	33	52	8	23	4	8	19	22	7	2	1	30	24	0	6	9	9	13	2	19	11
	42.5%	36.7%	44.8%	29.6%	37.7%	36.4%	33.3%	35.8%	43.1%	22.6%	40.0%	25.0%	36.1%	32.4%	---	50.0%	60.0%	31.0%	30.2%	66.7%	36.5%	35.5%

NA - Not Applicable

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 27

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents who saw a specialist (Q24 & Q26)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,953	90	116	27	61	11	24	53	51	31	5	4	83	74	0	12	15	29	43	3	52	31
Number missing or multiple answer	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,942	90	116	27	61	11	24	53	51	31	5	4	83	74	0	12	15	29	43	3	52	31
	99.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	---	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
0 to 4	99	4	5	1	3	0	1	3	2	1	1	1	3	2	0	1	0	1	3	1	2	0
	5.1%	4.4%	4.3%	3.7%	4.9%	0.0%	4.2%	5.7%	3.9%	3.2%	20.0%	25.0%	3.6%	2.7%	---	8.3%	0.0%	3.4%	7.0%	33.3%	3.8%	0.0%
5	85	4	2	2	2	1	0	3	2	2	0	0	4	4	0	0	0	0	4	0	2	2
	4.4%	4.4%	1.7%	7.4%	3.3%	9.1%	0.0%	5.7%	3.9%	6.5%	0.0%	0.0%	4.8%	5.4%	---	0.0%	0.0%	9.3%	0.0%	3.8%	6.5%	
6 or 7	215	8	14	5	3	0	1	7	4	4	0	1	7	6	0	2	0	2	5	0	4	4
	11.1%	8.9%	12.1%	18.5%	4.9%	0.0%	4.2%	13.2%	7.8%	12.9%	0.0%	25.0%	8.4%	8.1%	---	16.7%	0.0%	6.9%	11.6%	0.0%	7.7%	12.9%
8 to 10	1,543	74	95	19	53	10	22	40	43	24	4	2	69	62	0	9	15	26	31	2	44	25
	79.5%	82.2%	81.9%	70.4%	86.9%	90.9%	91.7%	75.5%	84.3%	77.4%	80.0%	50.0%	83.1%	83.8%	---	75.0%	100.0%	89.7%	72.1%	66.7%	84.6%	80.6%
Significantly different from column:*																						
0 to 6	258	12	12	6	6	1	2	9	8	3	1	2	10	8	0	3	0	2	10	1	7	3
	13.3%	13.3%	10.3%	22.2%	9.8%	9.1%	8.3%	17.0%	15.7%	9.7%	20.0%	50.0%	12.0%	10.8%	---	25.0%	0.0%	6.9%	23.3%	33.3%	13.5%	9.7%
7 to 8	455	23	26	6	17	3	6	14	10	12	1	1	22	23	0	0	4	8	10	0	15	6
	23.4%	25.6%	22.4%	22.2%	27.9%	27.3%	25.0%	26.4%	19.6%	38.7%	20.0%	25.0%	26.5%	31.1%	---	0.0%	26.7%	27.6%	23.3%	0.0%	28.8%	19.4%
9 to 10	1,229	55	78	15	38	7	16	30	33	16	3	1	51	43	0	9	11	19	23	2	30	22
	63.3%	61.1%	67.2%	55.6%	62.3%	63.6%	66.7%	56.6%	64.7%	51.6%	60.0%	25.0%	61.4%	58.1%	---	75.0%	73.3%	65.5%	53.5%	66.7%	57.7%	71.0%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 28

In the last 6 months, did you look for any information in written materials or on the Internet about how your health plan works?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	302	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	37	3	0	1	2	0	2	1	1	2	0	0	3	3	0	0	0	2	0	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,757	241	302	95	139	43	63	128	130	83	19	12	218	196	1	33	73	75	86	57	137	40
	99.2%	98.8%	100.0%	99.0%	98.6%	100.0%	96.9%	99.2%	99.2%	97.6%	100.0%	100.0%	98.6%	98.5%	100.0%	100.0%	100.0%	97.4%	100.0%	98.3%	99.3%	100.0%
Yes	889	39	56	13	24	6	13	18	15	19	3	1	36	31	0	5	11	9	17	4	23	12
	18.7%	16.2%	18.5%	13.7%	17.3%	14.0%	20.6%	14.1%	11.5%	22.9%	15.8%	8.3%	16.5%	15.8%	0.0%	15.2%	15.1%	12.0%	19.8%	7.0%	16.8%	30.0%
No	3,868	202	246	82	115	37	50	110	115	64	16	11	182	165	1	28	62	66	69	53	114	28
	81.3%	83.8%	81.5%	86.3%	82.7%	86.0%	79.4%	85.9%	88.5%	77.1%	84.2%	91.7%	83.5%	84.2%	100.0%	84.8%	84.9%	88.0%	80.2%	93.0%	83.2%	70.0%
Significantly different from column:*									J	I										V		T

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 29

In the last 6 months, how often did the written materials or the Internet provide the information you needed about how your health plan works?

Base: All respondents who looked for information in written materials or on the Internet about how their health plan works (Q28)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	889	39	52	13	24	6	13	18	15	19	3	1	36	31	0	5	11	9	17	4	23	12
Number missing or multiple answer	10	1	0	0	1	0	0	1	0	1	0	0	1	1	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	879	38	52	13	23	6	13	17	15	18	3	1	35	30	0	5	10	9	17	4	22	12
	98.9%	97.4%	100.0%	100.0%	95.8%	100.0%	100.0%	94.4%	100.0%	94.7%	100.0%	100.0%	97.2%	96.8%	---	100.0%	90.9%	100.0%	100.0%	100.0%	95.7%	100.0%
Never	63	3	4	3	0	0	2	1	1	2	0	0	3	3	0	0	0	1	2	1	1	1
	7.2%	7.9%	7.7%	23.1%	0.0%	0.0%	15.4%	5.9%	6.7%	11.1%	0.0%	0.0%	8.6%	10.0%	---	0.0%	0.0%	11.1%	11.8%	25.0%	4.5%	8.3%
Sometimes	263	14	19	4	8	2	6	4	7	5	0	1	11	10	0	2	2	2	9	2	9	3
	29.9%	36.8%	36.5%	30.8%	34.8%	33.3%	46.2%	23.5%	46.7%	27.8%	0.0%	100.0%	31.4%	33.3%	---	40.0%	20.0%	22.2%	52.9%	50.0%	40.9%	25.0%
Usually	335	13	17	5	8	2	4	7	3	7	3	0	13	10	0	3	5	4	4	0	8	5
	38.1%	34.2%	32.7%	38.5%	34.8%	33.3%	30.8%	41.2%	20.0%	38.9%	100.0%	0.0%	37.1%	33.3%	---	60.0%	50.0%	44.4%	23.5%	0.0%	36.4%	41.7%
Always	218	8	12	1	7	2	1	5	4	4	0	0	8	7	0	0	3	2	2	1	4	3
	24.8%	21.1%	23.1%	7.7%	30.4%	33.3%	7.7%	29.4%	26.7%	22.2%	0.0%	0.0%	22.9%	23.3%	---	0.0%	30.0%	22.2%	11.8%	25.0%	18.2%	25.0%
Significantly different from column:*																						
Usually or Always	553	21	29	6	15	4	5	12	7	11	3	0	21	17	0	3	8	6	6	1	12	8
	62.9%	55.3%	55.8%	46.2%	65.2%	66.7%	38.5%	70.6%	46.7%	61.1%	100.0%	0.0%	60.0%	56.7%	---	60.0%	80.0%	66.7%	35.3%	25.0%	54.5%	66.7%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 30

In the last 6 months, did you get information or help from your health plan's customer service?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	298	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	80	2	0	1	1	0	0	2	1	1	0	0	2	2	0	0	0	0	1	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,714	242	298	95	140	43	65	127	130	84	19	12	219	197	1	33	73	77	85	58	138	39
	98.3%	99.2%	100.0%	99.0%	99.3%	100.0%	100.0%	98.4%	99.2%	98.8%	100.0%	100.0%	99.1%	99.0%	100.0%	100.0%	100.0%	100.0%	98.8%	100.0%	100.0%	97.5%
Yes	1,159	60	72	29	29	15	11	32	25	25	7	3	55	44	0	13	18	16	25	9	37	14
	24.6%	24.8%	24.2%	30.5%	20.7%	34.9%	16.9%	25.2%	19.2%	29.8%	36.8%	25.0%	25.1%	22.3%	0.0%	39.4%	24.7%	20.8%	29.4%	15.5%	26.8%	35.9%
No	3,555	182	226	66	111	28	54	95	105	59	12	9	164	153	1	20	55	61	60	49	101	25
	75.4%	75.2%	75.8%	69.5%	79.3%	65.1%	83.1%	74.8%	80.8%	70.2%	63.2%	75.0%	74.9%	77.7%	100.0%	60.6%	75.3%	79.2%	70.6%	84.5%	73.2%	64.1%
Significantly different from column:*						G	F							P	N					V		T

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 31

In the last 6 months, how often did your health plan's customer service give you the information or help you needed?

Base: All respondents who tried to get information from the health plan's customer service (Q30)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,159	60	71	29	29	15	11	32	25	25	7	3	55	44	0	13	18	16	25	9	37	14
Number missing or multiple answer	23	1	0	1	0	0	0	1	0	1	0	0	1	1	0	0	1	0	0	1	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,136	59	71	28	29	15	11	31	25	24	7	3	54	43	0	13	17	16	25	8	37	14
	98.0%	98.3%	100.0%	96.6%	100.0%	100.0%	100.0%	96.9%	100.0%	96.0%	100.0%	100.0%	98.2%	97.7%	---	100.0%	94.4%	100.0%	100.0%	88.9%	100.0%	100.0%
Never	28	3	5	2	1	1	0	2	1	1	0	1	2	1	0	2	0	2	1	1	1	1
	2.5%	5.1%	7.0%	7.1%	3.4%	6.7%	0.0%	6.5%	4.0%	4.2%	0.0%	33.3%	3.7%	2.3%	---	15.4%	0.0%	12.5%	4.0%	12.5%	2.7%	7.1%
Sometimes	183	6	11	2	4	1	2	3	5	0	1	2	4	2	0	3	1	3	2	0	5	1
	16.1%	10.2%	15.5%	7.1%	13.8%	6.7%	18.2%	9.7%	20.0%	0.0%	14.3%	66.7%	7.4%	4.7%	---	23.1%	5.9%	18.8%	8.0%	0.0%	13.5%	7.1%
Usually	323	15	20	8	6	5	3	6	5	9	0	0	14	12	0	2	4	4	7	1	10	4
	28.4%	25.4%	28.2%	28.6%	20.7%	33.3%	27.3%	19.4%	20.0%	37.5%	0.0%	0.0%	25.9%	27.9%	---	15.4%	23.5%	25.0%	28.0%	12.5%	27.0%	28.6%
Always	602	35	35	16	18	8	6	20	14	14	6	0	34	28	0	6	12	7	15	6	21	8
	53.0%	59.3%	49.3%	57.1%	62.1%	53.3%	54.5%	64.5%	56.0%	58.3%	85.7%	0.0%	63.0%	65.1%	---	46.2%	70.6%	43.8%	60.0%	75.0%	56.8%	57.1%
Significantly different from column:*																						
Usually or Always	925	50	55	24	24	13	9	26	19	23	6	0	48	40	0	8	16	11	22	7	31	12
	81.4%	84.7%	77.5%	85.7%	82.8%	86.7%	81.8%	83.9%	76.0%	95.8%	85.7%	0.0%	88.9%	93.0%	---	61.5%	94.1%	68.8%	88.0%	87.5%	83.8%	85.7%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 32

In the last 6 months, how often did your health plan's customer service staff treat you with courtesy and respect?

Base: All respondents who tried to get information from the health plan's customer service (Q30)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,159	60	70	29	29	15	11	32	25	25	7	3	55	44	0	13	18	16	25	9	37	14
Number missing or multiple answer	23	2	0	0	2	0	0	2	0	1	1	0	2	1	0	1	1	1	0	0	0	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,136	58	70	29	27	15	11	30	25	24	6	3	53	43	0	12	17	15	25	9	37	12
	98.0%	96.7%	100.0%	100.0%	93.1%	100.0%	100.0%	93.8%	100.0%	96.0%	85.7%	100.0%	96.4%	97.7%	---	92.3%	94.4%	93.8%	100.0%	100.0%	100.0%	85.7%
Never	17	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.5%	0.0%	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	---	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	62	3	5	2	1	1	0	2	2	0	0	1	2	0	0	3	0	2	1	0	3	0
	5.5%	5.2%	7.1%	6.9%	3.7%	6.7%	0.0%	6.7%	8.0%	0.0%	0.0%	33.3%	3.8%	0.0%	---	25.0%	0.0%	13.3%	4.0%	0.0%	8.1%	0.0%
Usually	224	12	11	7	5	5	3	4	4	6	2	2	10	9	0	2	3	2	7	1	7	4
	19.7%	20.7%	15.7%	24.1%	18.5%	33.3%	27.3%	13.3%	16.0%	25.0%	33.3%	66.7%	18.9%	20.9%	---	16.7%	17.6%	13.3%	28.0%	11.1%	18.9%	33.3%
Always	833	43	52	20	21	9	8	24	19	18	4	0	41	34	0	7	14	11	17	8	27	8
	73.3%	74.1%	74.3%	69.0%	77.8%	60.0%	72.7%	80.0%	76.0%	75.0%	66.7%	0.0%	77.4%	79.1%	---	58.3%	82.4%	73.3%	68.0%	88.9%	73.0%	66.7%
Significantly different from column:*																						
Usually or Always	1,057	55	63	27	26	14	11	28	23	24	6	2	51	43	0	9	17	13	24	9	34	12
	93.0%	94.8%	90.0%	93.1%	96.3%	93.3%	100.0%	93.3%	92.0%	100.0%	100.0%	66.7%	96.2%	100.0%	---	75.0%	100.0%	86.7%	96.0%	100.0%	91.9%	100.0%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 33

In the last 6 months, did your health plan give you any forms to fill out?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	302	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	124	6	0	3	3	2	1	3	2	2	1	1	4	3	0	3	3	1	2	2	3	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,670	238	302	93	138	41	64	126	129	83	18	11	217	196	1	30	70	76	84	56	135	39
	97.4%	97.5%	100.0%	96.9%	97.9%	95.3%	98.5%	97.7%	98.5%	97.6%	94.7%	91.7%	98.2%	98.5%	100.0%	90.9%	95.9%	98.7%	97.7%	96.6%	97.8%	97.5%
Yes	1,422	64	104	30	33	13	17	33	34	23	6	3	60	54	0	8	21	19	22	12	37	13
	30.4%	26.9%	34.4%	32.3%	23.9%	31.7%	26.6%	26.2%	26.4%	27.7%	33.3%	27.3%	27.6%	27.6%	0.0%	26.7%	30.0%	25.0%	26.2%	21.4%	27.4%	33.3%
No	3,248	174	198	63	105	28	47	93	95	60	12	8	157	142	1	22	49	57	62	44	98	26
	69.6%	73.1%	65.6%	67.7%	76.1%	68.3%	73.4%	73.8%	73.6%	72.3%	66.7%	72.7%	72.4%	72.4%	100.0%	73.3%	70.0%	75.0%	73.8%	78.6%	72.6%	66.7%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 34

In the last 6 months, how often were the forms from your health plan easy to fill out?*

Base: All respondents who received forms to fill out from the health plan (Q33)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,670	238	300	93	138	41	64	126	129	83	18	11	217	196	1	30	70	76	84	56	135	39
Number missing or multiple answer	29	2	0	0	2	0	1	1	2	0	0	0	2	1	0	1	1	0	1	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,641	236	300	93	136	41	63	125	127	83	18	11	215	195	1	29	69	76	83	55	134	39
	99.4%	99.2%	100.0%	100.0%	98.6%	100.0%	98.4%	99.2%	98.4%	100.0%	100.0%	100.0%	99.1%	99.5%	100.0%	96.7%	98.6%	100.0%	98.8%	98.2%	99.3%	100.0%
Never	54	2	6	2	0	0	0	2	2	0	0	0	2	2	0	0	1	0	1	0	2	0
	1.2%	0.8%	2.0%	2.2%	0.0%	0.0%	0.0%	1.6%	1.6%	0.0%	0.0%	0.0%	0.9%	1.0%	0.0%	0.0%	1.4%	0.0%	1.2%	0.0%	1.5%	0.0%
Sometimes	216	15	13	9	5	3	3	8	9	3	2	2	12	10	0	3	3	5	6	4	9	2
	4.7%	6.4%	4.3%	9.7%	3.7%	7.3%	4.8%	6.4%	7.1%	3.6%	11.1%	18.2%	5.6%	5.1%	0.0%	10.3%	4.3%	6.6%	7.2%	7.3%	6.7%	5.1%
Usually	508	18	31	9	9	5	4	9	6	11	1	0	18	16	0	2	4	6	7	1	9	7
	10.9%	7.6%	10.3%	9.7%	6.6%	12.2%	6.3%	7.2%	4.7%	13.3%	5.6%	0.0%	8.4%	8.2%	0.0%	6.9%	5.8%	7.9%	8.4%	1.8%	6.7%	17.9%
Always	3,863	201	250	73	122	33	56	106	110	69	15	9	183	167	1	24	61	65	69	50	114	30
	83.2%	85.2%	83.3%	78.5%	89.7%	80.5%	88.9%	84.8%	86.6%	83.1%	83.3%	81.8%	85.1%	85.6%	100.0%	82.8%	88.4%	85.5%	83.1%	90.9%	85.1%	76.9%
Significantly different from column:*				E	D																	
Usually or Always	4,371	219	281	82	131	38	60	115	116	80	16	9	201	183	1	26	65	71	76	51	123	37
	94.2%	92.8%	93.7%	88.2%	96.3%	92.7%	95.2%	92.0%	91.3%	96.4%	88.9%	81.8%	93.5%	93.8%	100.0%	89.7%	94.2%	93.4%	91.6%	92.7%	91.8%	94.9%
Significantly different from column:*				E	D																	

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

**Respondents answering "No" to question 33 are reported to NCQA as "Always" in question 34, and are used in calculating the Question Summary Rate.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your health plan?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	285	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	657	30	0	8	21	9	4	16	16	10	2	1	28	24	0	5	9	10	10	7	19	3
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,137	214	285	88	120	34	61	113	115	75	17	11	193	175	1	28	64	67	76	51	119	37
	86.3%	87.7%	100.0%	91.7%	85.1%	79.1%	93.8%	87.6%	87.8%	88.2%	89.5%	91.7%	87.3%	87.9%	100.0%	84.8%	87.7%	87.0%	88.4%	87.9%	86.2%	92.5%
0 Worst health plan possible	38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
1	24	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.6%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2	27	1	0	1	0	0	1	0	1	0	0	0	1	1	0	0	0	0	1	0	0	1
	0.7%	0.5%	0.0%	1.1%	0.0%	0.0%	1.6%	0.0%	0.9%	0.0%	0.0%	0.0%	0.5%	0.6%	0.0%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	2.7%
3	44	1	4	0	1	0	0	1	1	0	0	0	0	1	0	0	1	0	0	1	0	0
	1.1%	0.5%	1.4%	0.0%	0.8%	0.0%	0.0%	0.9%	0.9%	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	1.6%	0.0%	0.0%	2.0%	0.0%	0.0%
4	75	5	2	4	1	1	0	4	2	2	1	0	5	3	0	2	1	3	0	2	2	0
	1.8%	2.3%	0.7%	4.5%	0.8%	2.9%	0.0%	3.5%	1.7%	2.7%	5.9%	0.0%	2.6%	1.7%	0.0%	7.1%	1.6%	4.5%	0.0%	3.9%	1.7%	0.0%
5	299	16	20	8	8	4	5	7	7	8	0	0	15	13	0	3	2	9	5	6	10	0
	7.2%	7.5%	7.0%	9.1%	6.7%	11.8%	8.2%	6.2%	6.1%	10.7%	0.0%	0.0%	7.8%	7.4%	0.0%	10.7%	3.1%	13.4%	6.6%	11.8%	8.4%	0.0%
6	226	13	13	7	6	3	4	6	7	5	1	2	11	10	0	3	2	3	7	1	11	1
	5.5%	6.1%	4.6%	8.0%	5.0%	8.8%	6.6%	5.3%	6.1%	6.7%	5.9%	18.2%	5.7%	5.7%	0.0%	10.7%	3.1%	4.5%	9.2%	2.0%	9.2%	2.7%
7	492	22	41	9	13	5	6	11	11	9	2	1	20	17	0	5	5	6	11	5	11	5
	11.9%	10.3%	14.4%	10.2%	10.8%	14.7%	9.8%	9.7%	9.6%	12.0%	11.8%	9.1%	10.4%	9.7%	0.0%	17.9%	7.8%	9.0%	14.5%	9.8%	9.2%	13.5%
8	790	49	61	20	27	6	16	25	23	19	5	2	45	43	0	3	11	20	16	6	32	9
	19.1%	22.9%	21.4%	22.7%	22.5%	17.6%	26.2%	22.1%	20.0%	25.3%	29.4%	18.2%	23.3%	24.6%	0.0%	10.7%	17.2%	29.9%	21.1%	11.8%	26.9%	24.3%
9	704	34	41	13	21	4	12	18	20	10	4	3	30	29	0	4	12	11	11	15	13	5
	17.0%	15.9%	14.4%	14.8%	17.5%	11.8%	19.7%	15.9%	17.4%	13.3%	23.5%	27.3%	15.5%	16.6%	0.0%	14.3%	18.8%	16.4%	14.5%	29.4%	10.9%	13.5%
10 Best health plan possible	1,418	73	101	26	43	11	17	41	43	22	4	3	66	58	1	8	30	15	25	15	40	16
	34.3%	34.1%	35.4%	29.5%	35.8%	32.4%	27.9%	36.3%	37.4%	29.3%	23.5%	27.3%	34.2%	33.1%	100.0%	28.6%	46.9%	22.4%	32.9%	29.4%	33.6%	43.2%

NA - Not Applicable

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your health plan?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	285	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	657	30	0	8	21	9	4	16	16	10	2	1	28	24	0	5	9	10	10	7	19	3
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,137	214	285	88	120	34	61	113	115	75	17	11	193	175	1	28	64	67	76	51	119	37
	86.3%	87.7%	100.0%	91.7%	85.1%	79.1%	93.8%	87.6%	87.8%	88.2%	89.5%	91.7%	87.3%	87.9%	100.0%	84.8%	87.7%	87.0%	88.4%	87.9%	86.2%	92.5%
0 to 4	208	7	8	5	2	1	1	5	4	2	1	0	6	5	0	2	2	3	1	3	2	1
	5.0%	3.3%	2.8%	5.7%	1.7%	2.9%	1.6%	4.4%	3.5%	2.7%	5.9%	0.0%	3.1%	2.9%	0.0%	7.1%	3.1%	4.5%	1.3%	5.9%	1.7%	2.7%
5	299	16	20	8	8	4	5	7	7	8	0	0	15	13	0	3	2	9	5	6	10	0
	7.2%	7.5%	7.0%	9.1%	6.7%	11.8%	8.2%	6.2%	6.1%	10.7%	0.0%	0.0%	7.8%	7.4%	0.0%	10.7%	3.1%	13.4%	6.6%	11.8%	8.4%	0.0%
6 or 7	718	35	54	16	19	8	10	17	18	14	3	3	31	27	0	8	7	9	18	6	22	6
	17.4%	16.4%	18.9%	18.2%	15.8%	23.5%	16.4%	15.0%	15.7%	18.7%	17.6%	27.3%	16.1%	15.4%	0.0%	28.6%	10.9%	13.4%	23.7%	11.8%	18.5%	16.2%
8 to 10	2,912	156	203	59	91	21	45	84	86	51	13	8	141	130	1	15	53	46	52	36	85	30
	70.4%	72.9%	71.2%	67.0%	75.8%	61.8%	73.8%	74.3%	74.8%	68.0%	76.5%	72.7%	73.1%	74.3%	100.0%	53.6%	82.8%	68.7%	68.4%	70.6%	71.4%	81.1%
Significantly different from column:*														P		N						
0 to 6	733	36	41	20	16	8	10	18	18	15	2	2	32	28	0	8	6	15	13	10	23	2
	17.7%	16.8%	14.4%	22.7%	13.3%	23.5%	16.4%	15.9%	15.7%	20.0%	11.8%	18.2%	16.6%	16.0%	0.0%	28.6%	9.4%	22.4%	17.1%	19.6%	19.3%	5.4%
7 to 8	1,282	71	102	29	40	11	22	36	34	28	7	3	65	60	0	8	16	26	27	11	43	14
	31.0%	33.2%	35.8%	33.0%	33.3%	32.4%	36.1%	31.9%	29.6%	37.3%	41.2%	27.3%	33.7%	34.3%	0.0%	28.6%	25.0%	38.8%	35.5%	21.6%	36.1%	37.8%
9 to 10	2,122	107	142	39	64	15	29	59	63	32	8	6	96	87	1	12	42	26	36	30	53	21
	51.3%	50.0%	49.8%	44.3%	53.3%	44.1%	47.5%	52.2%	54.8%	42.7%	47.1%	54.5%	49.7%	49.7%	100.0%	42.9%	65.6%	38.8%	47.4%	58.8%	44.5%	56.8%
Significantly different from column:*																RS	Q	Q				

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35a

In the last 6 months, did you have a health problem for which you needed special medical equipment, such as a cane, a wheelchair, or oxygen equipment?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	293	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	249	13	0	3	9	2	1	9	9	3	0	0	12	10	0	2	2	4	5	2	8	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,545	231	293	93	132	41	64	120	122	82	19	12	209	189	1	31	71	73	81	56	130	38
	94.8%	94.7%	100.0%	96.9%	93.6%	95.3%	98.5%	93.0%	93.1%	96.5%	100.0%	100.0%	94.6%	95.0%	100.0%	93.9%	97.3%	94.8%	94.2%	96.6%	94.2%	95.0%
Yes	755	36	29	9	26	1	10	24	12	18	4	1	33	28	0	7	6	6	23	3	18	14
	16.6%	15.6%	9.9%	9.7%	19.7%	2.4%	15.6%	20.0%	9.8%	22.0%	21.1%	8.3%	15.8%	14.8%	0.0%	22.6%	8.5%	8.2%	28.4%	5.4%	13.8%	36.8%
No	3,790	195	264	84	106	40	54	96	110	64	15	11	176	161	1	24	65	67	58	53	112	24
	83.4%	84.4%	90.1%	90.3%	80.3%	97.6%	84.4%	80.0%	90.2%	78.0%	78.9%	91.7%	84.2%	85.2%	100.0%	77.4%	91.5%	91.8%	71.6%	94.6%	86.2%	63.2%
Significantly different from column:*		C		E	D	H		F	J	I							S	S	QR	V	V	TU

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35b

In the last 6 months, how often was it easy to get the medical equipment you needed through your health plan?

Base: All respondents who needed special equipment (Q35a)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	755	36	29	9	26	1	10	24	12	18	4	1	33	28	0	7	6	6	23	3	18	14
Number missing or multiple answer	27	2	0	0	2	0	2	0	2	0	0	0	2	1	0	1	0	0	2	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	728	34	29	9	24	1	8	24	10	18	4	1	31	27	0	6	6	6	21	3	16	14
	96.4%	94.4%	100.0%	100.0%	92.3%	100.0%	80.0%	100.0%	83.3%	100.0%	100.0%	100.0%	93.9%	96.4%	---	85.7%	100.0%	100.0%	91.3%	100.0%	88.9%	100.0%
Never	143	6	3	1	5	0	2	4	1	3	2	0	6	3	0	3	2	1	3	0	1	5
	19.6%	17.6%	10.3%	11.1%	20.8%	0.0%	25.0%	16.7%	10.0%	16.7%	50.0%	0.0%	19.4%	11.1%	---	50.0%	33.3%	16.7%	14.3%	0.0%	6.3%	35.7%
Sometimes	105	4	4	1	3	0	1	3	0	3	0	0	3	4	0	0	0	0	4	0	2	2
	14.4%	11.8%	13.8%	11.1%	12.5%	0.0%	12.5%	12.5%	0.0%	16.7%	0.0%	0.0%	9.7%	14.8%	---	0.0%	0.0%	0.0%	19.0%	0.0%	12.5%	14.3%
Usually	168	9	7	4	4	0	1	7	3	4	1	0	8	6	0	2	1	0	7	1	4	3
	23.1%	26.5%	24.1%	44.4%	16.7%	0.0%	12.5%	29.2%	30.0%	22.2%	25.0%	0.0%	25.8%	22.2%	---	33.3%	16.7%	0.0%	33.3%	33.3%	25.0%	21.4%
Always	312	15	15	3	12	1	4	10	6	8	1	1	14	14	0	1	3	5	7	2	9	4
	42.9%	44.1%	51.7%	33.3%	50.0%	100.0%	50.0%	41.7%	60.0%	44.4%	25.0%	100.0%	45.2%	51.9%	---	16.7%	50.0%	83.3%	33.3%	66.7%	56.3%	28.6%
Significantly different from column:*																						
Usually or Always	480	24	22	7	16	1	5	17	9	12	2	1	22	20	0	3	4	5	14	3	13	7
	65.9%	70.6%	75.9%	77.8%	66.7%	100.0%	62.5%	70.8%	90.0%	66.7%	50.0%	100.0%	71.0%	74.1%	---	50.0%	66.7%	83.3%	66.7%	100.0%	81.3%	50.0%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35c

In the last 6 months, did you have any health problems that needed special therapy, such as physical, occupational, or speech therapy?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	302	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	97	3	0	1	2	1	0	2	3	0	0	0	3	3	0	0	0	0	2	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,697	241	302	95	139	42	65	127	128	85	19	12	218	196	1	33	73	77	84	58	136	40
	98.0%	98.8%	100.0%	99.0%	98.6%	97.7%	100.0%	98.4%	97.7%	100.0%	100.0%	100.0%	98.6%	98.5%	100.0%	100.0%	100.0%	100.0%	97.7%	100.0%	98.6%	100.0%
Yes	920	46	51	13	33	6	15	25	22	20	2	4	41	42	0	3	6	13	26	1	29	14
	19.6%	19.1%	16.9%	13.7%	23.7%	14.3%	23.1%	19.7%	17.2%	23.5%	10.5%	33.3%	18.8%	21.4%	0.0%	9.1%	8.2%	16.9%	31.0%	1.7%	21.3%	35.0%
No	3,777	195	251	82	106	36	50	102	106	65	17	8	177	154	1	30	67	64	58	57	107	26
	80.4%	80.9%	83.1%	86.3%	76.3%	85.7%	76.9%	80.3%	82.8%	76.5%	89.5%	66.7%	81.2%	78.6%	100.0%	90.9%	91.8%	83.1%	69.0%	98.3%	78.7%	65.0%
Significantly different from column:*																	S	S	QR	UV	T	T

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35d

In the last 6 months, how often was it easy to get the special therapy you needed through your health plan?

Base: All respondents who needed special therapy (Q35c)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	920	46	49	13	33	6	15	25	22	20	2	4	41	42	0	3	6	13	26	1	29	14
Number missing or multiple answer	34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	886	46	49	13	33	6	15	25	22	20	2	4	41	42	0	3	6	13	26	1	29	14
	96.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	134	6	7	2	4	3	2	1	1	3	1	1	5	4	0	2	0	3	3	0	3	3
	15.1%	13.0%	14.3%	15.4%	12.1%	50.0%	13.3%	4.0%	4.5%	15.0%	50.0%	25.0%	12.2%	9.5%	---	66.7%	0.0%	23.1%	11.5%	0.0%	10.3%	21.4%
Sometimes	156	8	5	3	5	1	3	4	7	1	0	2	6	7	0	0	1	1	6	0	7	1
	17.6%	17.4%	10.2%	23.1%	15.2%	16.7%	20.0%	16.0%	31.8%	5.0%	0.0%	50.0%	14.6%	16.7%	---	0.0%	16.7%	7.7%	23.1%	0.0%	24.1%	7.1%
Usually	212	12	16	5	7	1	3	8	3	7	1	0	11	12	0	0	1	2	8	0	8	4
	23.9%	26.1%	32.7%	38.5%	21.2%	16.7%	20.0%	32.0%	13.6%	35.0%	50.0%	0.0%	26.8%	28.6%	---	0.0%	16.7%	15.4%	30.8%	0.0%	27.6%	28.6%
Always	384	20	21	3	17	1	7	12	11	9	0	1	19	19	0	1	4	7	9	1	11	6
	43.3%	43.5%	42.9%	23.1%	51.5%	16.7%	46.7%	48.0%	50.0%	45.0%	0.0%	25.0%	46.3%	45.2%	---	33.3%	66.7%	53.8%	34.6%	100.0%	37.9%	42.9%
Significantly different from column:*																						
Usually or Always	596	32	37	8	24	2	10	20	14	16	1	1	30	31	0	1	5	9	17	1	19	10
	67.3%	69.6%	75.5%	61.5%	72.7%	33.3%	66.7%	80.0%	63.6%	80.0%	50.0%	25.0%	73.2%	73.8%	---	33.3%	83.3%	69.2%	65.4%	100.0%	65.5%	71.4%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35e

In the last 6 months, how often did a doctor or other health provider talk too fast when talking to you?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	298	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	177	5	0	4	0	1	0	3	3	1	0	0	4	4	0	0	2	0	1	3	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,617	239	298	92	141	42	65	126	128	84	19	12	217	195	1	33	71	77	85	55	137	40
	96.3%	98.0%	100.0%	95.8%	100.0%	97.7%	100.0%	97.7%	97.7%	98.8%	100.0%	100.0%	98.2%	98.0%	100.0%	100.0%	97.3%	100.0%	98.8%	94.8%	99.3%	100.0%
Never	3,559	191	238	68	117	33	49	103	102	65	17	8	173	156	1	24	64	63	59	50	106	29
	77.1%	79.9%	79.9%	73.9%	83.0%	78.6%	75.4%	81.7%	79.7%	77.4%	89.5%	66.7%	79.7%	80.0%	100.0%	72.7%	90.1%	81.8%	69.4%	90.9%	77.4%	72.5%
Sometimes	764	37	46	20	17	6	14	17	19	16	2	2	35	32	0	5	4	14	18	3	26	7
	16.5%	15.5%	15.4%	21.7%	12.1%	14.3%	21.5%	13.5%	14.8%	19.0%	10.5%	16.7%	16.1%	16.4%	0.0%	15.2%	5.6%	18.2%	21.2%	5.5%	19.0%	17.5%
Usually	144	6	6	2	4	2	2	2	4	1	0	1	5	4	0	2	1	0	5	1	3	2
	3.1%	2.5%	2.0%	2.2%	2.8%	4.8%	3.1%	1.6%	3.1%	1.2%	0.0%	8.3%	2.3%	2.1%	0.0%	6.1%	1.4%	0.0%	5.9%	1.8%	2.2%	5.0%
Always	150	5	8	2	3	1	0	4	3	2	0	1	4	3	0	2	2	0	3	1	2	2
	3.2%	2.1%	2.7%	2.2%	2.1%	2.4%	0.0%	3.2%	2.3%	2.4%	0.0%	8.3%	1.8%	1.5%	0.0%	6.1%	2.8%	0.0%	3.5%	1.8%	1.5%	5.0%
Significantly different from column:*																						
Never or Sometimes	4,323	228	284	88	134	39	63	120	121	81	19	10	208	188	1	29	68	77	77	53	132	36
	93.6%	95.4%	95.3%	95.7%	95.0%	92.9%	96.9%	95.2%	94.5%	96.4%	100.0%	83.3%	95.9%	96.4%	100.0%	87.9%	95.8%	100.0%	90.6%	96.4%	96.4%	90.0%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35f

In the last 6 months, how often did a doctor or other health provider interrupt you when you were talking?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	294	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	177	7	0	2	2	2	0	2	3	1	0	0	4	4	0	0	2	1	1	3	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,617	237	294	94	139	41	65	127	128	84	19	12	217	195	1	33	71	76	85	55	135	40
	96.3%	97.1%	100.0%	97.9%	98.6%	95.3%	100.0%	98.4%	97.7%	98.8%	100.0%	100.0%	98.2%	98.0%	100.0%	100.0%	97.3%	98.7%	98.8%	94.8%	97.8%	100.0%
Never	3,830	195	255	76	115	34	53	104	109	64	17	10	179	158	1	28	63	62	67	51	106	32
	83.0%	82.3%	86.7%	80.9%	82.7%	82.9%	81.5%	81.9%	85.2%	76.2%	89.5%	83.3%	82.5%	81.0%	100.0%	84.8%	88.7%	81.6%	78.8%	92.7%	78.5%	80.0%
Sometimes	645	36	31	18	18	7	9	20	15	18	2	1	33	31	0	5	7	10	17	3	25	7
	14.0%	15.2%	10.5%	19.1%	12.9%	17.1%	13.8%	15.7%	11.7%	21.4%	10.5%	8.3%	15.2%	15.9%	0.0%	15.2%	9.9%	13.2%	20.0%	5.5%	18.5%	17.5%
Usually	67	4	6	0	4	0	3	1	2	2	0	1	3	4	0	0	1	2	1	1	3	0
	1.5%	1.7%	2.0%	0.0%	2.9%	0.0%	4.6%	0.8%	1.6%	2.4%	0.0%	8.3%	1.4%	2.1%	0.0%	0.0%	1.4%	2.6%	1.2%	1.8%	2.2%	0.0%
Always	75	2	2	0	2	0	0	2	2	0	0	0	2	2	0	0	0	2	0	0	1	1
	1.6%	0.8%	0.7%	0.0%	1.4%	0.0%	0.0%	1.6%	1.6%	0.0%	0.0%	0.0%	0.9%	1.0%	0.0%	0.0%	0.0%	2.6%	0.0%	0.0%	0.7%	2.5%
Significantly different from column:*																						
Never or Sometimes	4,475	231	286	94	133	41	62	124	124	82	19	11	212	189	1	33	70	72	84	54	131	39
	96.9%	97.5%	97.3%	100.0%	95.7%	100.0%	95.4%	97.6%	96.9%	97.6%	100.0%	91.7%	97.7%	96.9%	100.0%	100.0%	98.6%	94.7%	98.8%	98.2%	97.0%	97.5%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35g

In the last 6 months, how often did a doctor or other health provider use a condescending, sarcastic or rude tone or manner with you?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	293	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	184	9	0	4	2	3	0	3	4	1	0	1	5	5	0	1	2	1	3	3	5	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,610	235	293	92	139	40	65	126	127	84	19	11	216	194	1	32	71	76	83	55	133	40
	96.2%	96.3%	100.0%	95.8%	98.6%	93.0%	100.0%	97.7%	96.9%	98.8%	100.0%	91.7%	97.7%	97.5%	100.0%	97.0%	97.3%	98.7%	96.5%	94.8%	96.4%	100.0%
Never	4,092	202	255	79	119	35	57	106	110	71	17	10	185	164	1	29	68	68	62	53	113	31
	88.8%	86.0%	87.0%	85.9%	85.6%	87.5%	87.7%	84.1%	86.6%	84.5%	89.5%	90.9%	85.6%	84.5%	100.0%	90.6%	95.8%	89.5%	74.7%	96.4%	85.0%	77.5%
Sometimes	418	24	28	10	14	5	5	14	9	12	2	0	23	22	0	2	3	5	15	2	13	7
	9.1%	10.2%	9.6%	10.9%	10.1%	12.5%	7.7%	11.1%	7.1%	14.3%	10.5%	0.0%	10.6%	11.3%	0.0%	6.3%	4.2%	6.6%	18.1%	3.6%	9.8%	17.5%
Usually	56	6	6	3	3	0	3	3	5	1	0	1	5	6	0	0	0	1	5	0	5	1
	1.2%	2.6%	2.0%	3.3%	2.2%	0.0%	4.6%	2.4%	3.9%	1.2%	0.0%	9.1%	2.3%	3.1%	0.0%	0.0%	0.0%	1.3%	6.0%	0.0%	3.8%	2.5%
Always	44	3	4	0	3	0	0	3	3	0	0	0	3	2	0	1	0	2	1	0	2	1
	1.0%	1.3%	1.4%	0.0%	2.2%	0.0%	0.0%	2.4%	2.4%	0.0%	0.0%	0.0%	1.4%	1.0%	0.0%	3.1%	0.0%	2.6%	1.2%	0.0%	1.5%	2.5%
Significantly different from column:*																						
Never or Sometimes	4,510	226	283	89	133	40	62	120	119	83	19	10	208	186	1	31	71	73	77	55	126	38
	97.8%	96.2%	96.6%	96.7%	95.7%	100.0%	95.4%	95.2%	93.7%	98.8%	100.0%	90.9%	96.3%	95.9%	100.0%	96.9%	100.0%	96.1%	92.8%	100.0%	94.7%	95.0%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35h

In the last 6 months, did you feel you could trust a doctor or other health provider with your medical care?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	292	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	228	12	0	3	6	2	1	6	6	3	0	0	9	9	0	0	2	2	4	2	8	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,566	232	292	93	135	41	64	123	125	82	19	12	212	190	1	33	71	75	82	56	130	40
	95.2%	95.1%	100.0%	96.9%	95.7%	95.3%	98.5%	95.3%	95.4%	96.5%	100.0%	100.0%	95.9%	95.5%	100.0%	100.0%	97.3%	97.4%	95.3%	96.6%	94.2%	100.0%
Yes, definitely	3,229	169	211	62	104	31	46	89	94	56	16	6	157	140	1	22	58	57	52	40	94	30
	70.7%	72.8%	72.3%	66.7%	77.0%	75.6%	71.9%	72.4%	75.2%	68.3%	84.2%	50.0%	74.1%	73.7%	100.0%	66.7%	81.7%	76.0%	63.4%	71.4%	72.3%	75.0%
Yes, somewhat	1,084	50	63	26	23	7	13	29	23	22	3	4	44	40	0	8	12	11	25	11	31	7
	23.7%	21.6%	21.6%	28.0%	17.0%	17.1%	20.3%	23.6%	18.4%	26.8%	15.8%	33.3%	20.8%	21.1%	0.0%	24.2%	16.9%	14.7%	30.5%	19.6%	23.8%	17.5%
No	253	13	18	5	8	3	5	5	8	4	0	2	11	10	0	3	1	7	5	5	5	3
	5.5%	5.6%	6.2%	5.4%	5.9%	7.3%	7.8%	4.1%	6.4%	4.9%	0.0%	16.7%	5.2%	5.3%	0.0%	9.1%	1.4%	9.3%	6.1%	8.9%	3.8%	7.5%
Yes, definitely or Yes, somewhat	4,313	219	274	88	127	38	59	118	117	78	19	10	201	180	1	30	70	68	77	51	125	37
	94.5%	94.4%	93.8%	94.6%	94.1%	92.7%	92.2%	95.9%	93.6%	95.1%	100.0%	83.3%	94.8%	94.7%	100.0%	90.9%	98.6%	90.7%	93.9%	91.1%	96.2%	92.5%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35i

A regular dentist is one you would go to for check-ups and cleanings or when you have a cavity or tooth pain. Do you have a regular dentist?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	300	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	200	10	0	4	2	1	2	3	4	2	0	0	6	5	0	1	1	1	4	2	6	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,594	234	300	92	139	42	63	126	127	83	19	12	215	194	1	32	72	76	82	56	132	38
	95.8%	95.9%	100.0%	95.8%	98.6%	97.7%	96.9%	97.7%	96.9%	97.6%	100.0%	100.0%	97.3%	97.5%	100.0%	97.0%	98.6%	98.7%	95.3%	96.6%	95.7%	95.0%
Yes	2,570	126	167	39	85	25	35	64	62	50	12	8	115	108	0	13	52	38	34	23	79	21
	55.9%	53.8%	55.7%	42.4%	61.2%	59.5%	55.6%	50.8%	48.8%	60.2%	63.2%	66.7%	53.5%	55.7%	0.0%	40.6%	72.2%	50.0%	41.5%	41.1%	59.8%	55.3%
No	2,024	108	133	53	54	17	28	62	65	33	7	4	100	86	1	19	20	38	48	33	53	17
	44.1%	46.2%	44.3%	57.6%	38.8%	40.5%	44.4%	49.2%	51.2%	39.8%	36.8%	33.3%	46.5%	44.3%	100.0%	59.4%	27.8%	50.0%	58.5%	58.9%	40.2%	44.7%
Significantly different from column:*				E	D												RS	Q	Q	U	T	

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35j

In the last 6 months, did you go to a dentist's office or clinic for care?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	298	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	191	8	0	3	1	0	1	3	3	1	0	0	4	4	0	0	1	0	3	1	6	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,603	236	298	93	140	43	64	126	128	84	19	12	217	195	1	33	72	77	83	57	132	39
	96.0%	96.7%	100.0%	96.9%	99.3%	100.0%	98.5%	97.7%	97.7%	98.8%	100.0%	100.0%	98.2%	98.0%	100.0%	100.0%	98.6%	100.0%	96.5%	98.3%	95.7%	97.5%
Yes	1,877	87	132	25	60	17	19	49	45	31	9	5	79	71	0	13	31	25	27	7	64	14
	40.8%	36.9%	44.3%	26.9%	42.9%	39.5%	29.7%	38.9%	35.2%	36.9%	47.4%	41.7%	36.4%	36.4%	0.0%	39.4%	43.1%	32.5%	32.5%	12.3%	48.5%	35.9%
No	2,726	149	166	68	80	26	45	77	83	53	10	7	138	124	1	20	41	52	56	50	68	25
	59.2%	63.1%	55.7%	73.1%	57.1%	60.5%	70.3%	61.1%	64.8%	63.1%	52.6%	58.3%	63.6%	63.6%	100.0%	60.6%	56.9%	67.5%	67.5%	87.7%	51.5%	64.1%
Significantly different from column:*				E	D															UV	T	T

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35k

In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating you?

Base: All respondents who went to a dentist's office/clinic to get care (Q35)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,877	87	129	25	60	17	19	49	45	31	9	5	79	71	0	13	31	25	27	7	64	14
Number missing or multiple answer	25	1	0	0	1	0	1	0	1	0	0	0	1	0	0	1	0	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,852	86	129	25	59	17	18	49	44	31	9	5	78	71	0	12	31	25	26	7	63	14
	98.7%	98.9%	100.0%	100.0%	98.3%	100.0%	94.7%	100.0%	97.8%	100.0%	100.0%	100.0%	98.7%	100.0%	---	92.3%	100.0%	100.0%	96.3%	100.0%	98.4%	100.0%
Never	26	3	3	1	2	0	2	1	2	1	0	0	3	3	0	0	0	1	1	1	1	1
	1.4%	3.5%	2.3%	4.0%	3.4%	0.0%	11.1%	2.0%	4.5%	3.2%	0.0%	0.0%	3.8%	4.2%	---	0.0%	0.0%	4.0%	3.8%	14.3%	1.6%	7.1%
Sometimes	149	9	7	2	7	3	3	3	6	2	1	0	9	7	0	2	4	3	2	1	6	2
	8.0%	10.5%	5.4%	8.0%	11.9%	17.6%	16.7%	6.1%	13.6%	6.5%	11.1%	0.0%	11.5%	9.9%	---	16.7%	12.9%	12.0%	7.7%	14.3%	9.5%	14.3%
Usually	359	11	13	3	8	3	0	8	4	5	2	0	11	10	0	1	6	2	2	1	9	1
	19.4%	12.8%	10.1%	12.0%	13.6%	17.6%	0.0%	16.3%	9.1%	16.1%	22.2%	0.0%	14.1%	14.1%	---	8.3%	19.4%	8.0%	7.7%	14.3%	14.3%	7.1%
Always	1,318	63	106	19	42	11	13	37	32	23	6	5	55	51	0	9	21	19	21	4	47	10
	71.2%	73.3%	82.2%	76.0%	71.2%	64.7%	72.2%	75.5%	72.7%	74.2%	66.7%	100.0%	70.5%	71.8%	---	75.0%	67.7%	76.0%	80.8%	57.1%	74.6%	71.4%
Significantly different from column:*																						
Usually or Always	1,677	74	119	22	50	14	13	45	36	28	8	5	66	61	0	10	27	21	23	5	56	11
	90.6%	86.0%	92.2%	88.0%	84.7%	82.4%	72.2%	91.8%	81.8%	90.3%	88.9%	100.0%	84.6%	85.9%	---	83.3%	87.1%	84.0%	88.5%	71.4%	88.9%	78.6%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35I

If you tried to get an appointment for yourself with a dentist who specializes in a particular type of dental care (such as root canals or gum disease) in the last 6 months, how often did you get an appointment as soon as you wanted?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	296	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	317	15	0	5	5	0	2	8	5	3	1	0	9	9	0	1	4	0	6	3	11	1
Number no experience	3,087	170	176	71	98	36	43	90	94	57	17	7	159	142	1	24	53	55	61	40	94	30
Usable responses	1,390	59	120	20	38	7	20	31	32	25	1	5	53	48	0	8	16	22	19	15	33	9
	29.0%	24.2%	40.5%	20.8%	27.0%	16.3%	30.8%	24.0%	24.4%	29.4%	5.3%	41.7%	24.0%	24.1%	0.0%	24.2%	21.9%	28.6%	22.1%	25.9%	23.9%	22.5%
Never	499	20	53	8	11	3	7	9	12	6	1	2	17	16	0	3	6	7	5	7	9	2
	35.9%	33.9%	44.2%	40.0%	28.9%	42.9%	35.0%	29.0%	37.5%	24.0%	100.0%	40.0%	32.1%	33.3%	---	37.5%	37.5%	31.8%	26.3%	46.7%	27.3%	22.2%
Sometimes	235	6	13	3	3	0	3	3	3	3	0	1	5	5	0	1	2	1	3	1	4	1
	16.9%	10.2%	10.8%	15.0%	7.9%	0.0%	15.0%	9.7%	9.4%	12.0%	0.0%	20.0%	9.4%	10.4%	---	12.5%	12.5%	4.5%	15.8%	6.7%	12.1%	11.1%
Usually	264	12	19	4	8	1	5	6	8	4	0	1	11	10	0	1	2	4	6	2	7	3
	19.0%	20.3%	15.8%	20.0%	21.1%	14.3%	25.0%	19.4%	25.0%	16.0%	0.0%	20.0%	20.8%	20.8%	---	12.5%	12.5%	18.2%	31.6%	13.3%	21.2%	33.3%
Always	392	21	35	5	16	3	5	13	9	12	0	1	20	17	0	3	6	10	5	5	13	3
	28.2%	35.6%	29.2%	25.0%	42.1%	42.9%	25.0%	41.9%	28.1%	48.0%	0.0%	20.0%	37.7%	35.4%	---	37.5%	37.5%	45.5%	26.3%	33.3%	39.4%	33.3%
Significantly different from column:*																						
Usually or Always	656	33	54	9	24	4	10	19	17	16	0	2	31	27	0	4	8	14	11	7	20	6
	47.2%	55.9%	45.0%	45.0%	63.2%	57.1%	50.0%	61.3%	53.1%	64.0%	0.0%	40.0%	58.5%	56.3%	---	50.0%	50.0%	63.6%	57.9%	46.7%	60.6%	66.7%
Significantly different from column:*																						

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35m

In the last 6 months, if you needed to see a dentist right away because of a dental emergency, how often did you get to see a dentist as soon as you wanted?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	299	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	290	13	0	4	4	0	0	8	6	1	1	0	7	7	0	1	3	1	4	2	10	1
Number no experience	3,241	175	184	73	101	35	47	92	94	62	17	7	164	146	1	25	53	59	62	44	96	32
Usable responses	1,263	56	115	19	36	8	18	29	31	22	1	5	50	46	0	7	17	17	20	12	32	7
	26.3%	23.0%	38.5%	19.8%	25.5%	18.6%	27.7%	22.5%	23.7%	25.9%	5.3%	41.7%	22.6%	23.1%	0.0%	21.2%	23.3%	22.1%	23.3%	20.7%	23.2%	17.5%
Never	457	19	48	7	11	5	3	10	8	8	1	1	17	17	0	1	5	7	6	7	6	1
	36.2%	33.9%	41.7%	36.8%	30.6%	62.5%	16.7%	34.5%	25.8%	36.4%	100.0%	20.0%	34.0%	37.0%	---	14.3%	29.4%	41.2%	30.0%	58.3%	18.8%	14.3%
Sometimes	191	10	19	3	7	2	5	3	8	2	0	3	7	7	0	2	2	2	6	0	8	2
	15.1%	17.9%	16.5%	15.8%	19.4%	25.0%	27.8%	10.3%	25.8%	9.1%	0.0%	60.0%	14.0%	15.2%	---	28.6%	11.8%	11.8%	30.0%	0.0%	25.0%	28.6%
Usually	218	7	18	2	5	0	2	5	6	1	0	0	7	6	0	1	2	2	2	2	5	0
	17.3%	12.5%	15.7%	10.5%	13.9%	0.0%	11.1%	17.2%	19.4%	4.5%	0.0%	0.0%	14.0%	13.0%	---	14.3%	11.8%	11.8%	10.0%	16.7%	15.6%	0.0%
Always	397	20	30	7	13	1	8	11	9	11	0	1	19	16	0	3	8	6	6	3	13	4
	31.4%	35.7%	26.1%	36.8%	36.1%	12.5%	44.4%	37.9%	29.0%	50.0%	0.0%	20.0%	38.0%	34.8%	---	42.9%	47.1%	35.3%	30.0%	25.0%	40.6%	57.1%
Significantly different from column:*																						
Usually or Always	615	27	48	9	18	1	10	16	15	12	0	1	26	22	0	4	10	8	8	5	18	4
	48.7%	48.2%	41.7%	47.4%	50.0%	12.5%	55.6%	55.2%	48.4%	54.5%	0.0%	20.0%	52.0%	47.8%	---	57.1%	58.8%	47.1%	40.0%	41.7%	56.3%	57.1%
Significantly different from column:*																						

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35n

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	271	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	824	41	0	17	19	5	4	27	22	11	3	0	36	32	1	3	7	10	18	9	23	7
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,970	203	271	79	122	38	61	102	109	74	16	12	185	167	0	30	66	67	68	49	115	33
	82.8%	83.2%	100.0%	82.3%	86.5%	88.4%	93.8%	79.1%	83.2%	87.1%	84.2%	100.0%	83.7%	83.9%	0.0%	90.9%	90.4%	87.0%	79.1%	84.5%	83.3%	82.5%
0 Extremely difficult	347	16	25	7	8	2	5	8	8	5	0	2	12	12	0	3	3	5	7	6	7	2
	8.7%	7.9%	9.2%	8.9%	6.6%	5.3%	8.2%	7.8%	7.3%	6.8%	0.0%	16.7%	6.5%	7.2%	---	10.0%	4.5%	7.5%	10.3%	12.2%	6.1%	6.1%
1	89	2	10	0	2	1	0	1	0	2	0	0	2	2	0	0	0	2	0	0	2	0
	2.2%	1.0%	3.7%	0.0%	1.6%	2.6%	0.0%	1.0%	0.0%	2.7%	0.0%	0.0%	1.1%	1.2%	---	0.0%	0.0%	3.0%	0.0%	0.0%	1.7%	0.0%
2	106	9	12	4	5	1	4	4	4	3	2	2	7	6	0	3	3	2	3	1	6	1
	2.7%	4.4%	4.4%	5.1%	4.1%	2.6%	6.6%	3.9%	3.7%	4.1%	12.5%	16.7%	3.8%	3.6%	---	10.0%	4.5%	3.0%	4.4%	2.0%	5.2%	3.0%
3	130	6	9	3	3	2	0	4	2	4	0	0	6	5	0	1	3	2	1	1	4	1
	3.3%	3.0%	3.3%	3.8%	2.5%	5.3%	0.0%	3.9%	1.8%	5.4%	0.0%	0.0%	3.2%	3.0%	---	3.3%	4.5%	3.0%	1.5%	2.0%	3.5%	3.0%
4	134	6	5	3	3	3	1	2	1	4	1	0	6	5	0	1	1	3	2	2	3	1
	3.4%	3.0%	1.8%	3.8%	2.5%	7.9%	1.6%	2.0%	0.9%	5.4%	6.3%	0.0%	3.2%	3.0%	---	3.3%	1.5%	4.5%	2.9%	4.1%	2.6%	3.0%
5	470	30	45	14	16	6	11	13	16	13	1	1	28	25	0	4	9	8	13	5	17	6
	11.8%	14.8%	16.6%	17.7%	13.1%	15.8%	18.0%	12.7%	14.7%	17.6%	6.3%	8.3%	15.1%	15.0%	---	13.3%	13.6%	11.9%	19.1%	10.2%	14.8%	18.2%
6	164	6	10	2	4	1	1	4	5	1	0	1	3	6	0	0	4	2	0	3	3	0
	4.1%	3.0%	3.7%	2.5%	3.3%	2.6%	1.6%	3.9%	4.6%	1.4%	0.0%	8.3%	1.6%	3.6%	---	0.0%	6.1%	3.0%	0.0%	6.1%	2.6%	0.0%
7	310	15	18	7	8	4	5	6	9	6	0	0	15	13	0	2	4	8	3	5	8	2
	7.8%	7.4%	6.6%	8.9%	6.6%	10.5%	8.2%	5.9%	8.3%	8.1%	0.0%	0.0%	8.1%	7.8%	---	6.7%	6.1%	11.9%	4.4%	10.2%	7.0%	6.1%
8	444	19	24	9	10	3	7	9	12	4	3	2	17	15	0	4	3	8	8	5	11	3
	11.2%	9.4%	8.9%	11.4%	8.2%	7.9%	11.5%	8.8%	11.0%	5.4%	18.8%	16.7%	9.2%	9.0%	---	13.3%	4.5%	11.9%	11.8%	10.2%	9.6%	9.1%
9	367	20	28	7	13	3	4	13	11	7	2	2	18	18	0	2	5	9	6	3	14	3
	9.2%	9.9%	10.3%	8.9%	10.7%	7.9%	6.6%	12.7%	10.1%	9.5%	12.5%	16.7%	9.7%	10.8%	---	6.7%	7.6%	13.4%	8.8%	6.1%	12.2%	9.1%
10 Extremely easy	1,409	74	85	23	50	12	23	38	41	25	7	2	71	60	0	10	31	18	25	18	40	14
	35.5%	36.5%	31.4%	29.1%	41.0%	31.6%	37.7%	37.3%	37.6%	33.8%	43.8%	16.7%	38.4%	35.9%	---	33.3%	47.0%	26.9%	36.8%	36.7%	34.8%	42.4%

NA - Not Applicable

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35n

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	271	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	824	41	0	17	19	5	4	27	22	11	3	0	36	32	1	3	7	10	18	9	23	7
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,970	203	271	79	122	38	61	102	109	74	16	12	185	167	0	30	66	67	68	49	115	33
	82.8%	83.2%	100.0%	82.3%	86.5%	88.4%	93.8%	79.1%	83.2%	87.1%	84.2%	100.0%	83.7%	83.9%	0.0%	90.9%	90.4%	87.0%	79.1%	84.5%	83.3%	82.5%
0 to 4	806	39	61	17	21	9	10	19	15	18	3	4	33	30	0	8	10	14	13	10	22	5
	20.3%	19.2%	22.5%	21.5%	17.2%	23.7%	16.4%	18.6%	13.8%	24.3%	18.8%	33.3%	17.8%	18.0%	---	26.7%	15.2%	20.9%	19.1%	20.4%	19.1%	15.2%
5	470	30	45	14	16	6	11	13	16	13	1	1	28	25	0	4	9	8	13	5	17	6
	11.8%	14.8%	16.6%	17.7%	13.1%	15.8%	18.0%	12.7%	14.7%	17.6%	6.3%	8.3%	15.1%	15.0%	---	13.3%	13.6%	11.9%	19.1%	10.2%	14.8%	18.2%
6 or 7	474	21	28	9	12	5	6	10	14	7	0	1	18	19	0	2	8	10	3	8	11	2
	11.9%	10.3%	10.3%	11.4%	9.8%	13.2%	9.8%	9.8%	12.8%	9.5%	0.0%	8.3%	9.7%	11.4%	---	6.7%	12.1%	14.9%	4.4%	16.3%	9.6%	6.1%
8 to 10	2,220	113	137	39	73	18	34	60	64	36	12	6	106	93	0	16	39	35	39	26	65	20
	55.9%	55.7%	50.6%	49.4%	59.8%	47.4%	55.7%	58.8%	58.7%	48.6%	75.0%	50.0%	57.3%	55.7%	---	53.3%	59.1%	52.2%	57.4%	53.1%	56.5%	60.6%
Significantly different from column:*																						
0 to 6	1,440	75	116	33	41	16	22	36	36	32	4	6	64	61	0	12	23	24	26	18	42	11
	36.3%	36.9%	42.8%	41.8%	33.6%	42.1%	36.1%	35.3%	33.0%	43.2%	25.0%	50.0%	34.6%	36.5%	---	40.0%	34.8%	35.8%	38.2%	36.7%	36.5%	33.3%
7 to 8	754	34	42	16	18	7	12	15	21	10	3	2	32	28	0	6	7	16	11	10	19	5
	19.0%	16.7%	15.5%	20.3%	14.8%	18.4%	19.7%	14.7%	19.3%	13.5%	18.8%	16.7%	17.3%	16.8%	---	20.0%	10.6%	23.9%	16.2%	20.4%	16.5%	15.2%
9 to 10	1,776	94	113	30	63	15	27	51	52	32	9	4	89	78	0	12	36	27	31	21	54	17
	44.7%	46.3%	41.7%	38.0%	51.6%	39.5%	44.3%	50.0%	47.7%	43.2%	56.3%	33.3%	48.1%	46.7%	---	40.0%	54.5%	40.3%	45.6%	42.9%	47.0%	51.5%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 36

In general, how would you rate your overall health?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	304	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	190	8	0	2	1	0	0	3	2	1	0	0	3	3	0	0	0	0	0	0	5	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,604	236	304	94	140	43	65	126	129	84	19	12	218	196	1	33	73	77	86	58	133	38
	96.0%	96.7%	100.0%	97.9%	99.3%	100.0%	100.0%	97.7%	98.5%	98.8%	100.0%	100.0%	98.6%	98.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	96.4%	95.0%
Poor	403	19	20	8	11	2	6	11	14	2	2	1	18	14	0	5	0	0	19	3	9	7
	8.8%	8.1%	6.6%	8.5%	7.9%	4.7%	9.2%	8.7%	10.9%	2.4%	10.5%	8.3%	8.3%	7.1%	0.0%	15.2%	0.0%	0.0%	22.1%	5.2%	6.8%	18.4%
Fair	1,179	67	74	29	38	8	22	37	40	24	2	3	62	55	0	11	0	0	67	10	40	15
	25.6%	28.4%	24.3%	30.9%	27.1%	18.6%	33.8%	29.4%	31.0%	28.6%	10.5%	25.0%	28.4%	28.1%	0.0%	33.3%	0.0%	0.0%	77.9%	17.2%	30.1%	39.5%
Good	1,571	77	101	31	46	14	24	39	38	33	6	3	74	66	1	8	0	77	0	23	44	7
	34.1%	32.6%	33.2%	33.0%	32.9%	32.6%	36.9%	31.0%	29.5%	39.3%	31.6%	25.0%	33.9%	33.7%	100.0%	24.2%	0.0%	100.0%	0.0%	39.7%	33.1%	18.4%
Very good	1,053	51	79	14	35	10	9	30	25	17	7	4	43	42	0	7	51	0	0	17	25	8
	22.9%	21.6%	26.0%	14.9%	25.0%	23.3%	13.8%	23.8%	19.4%	20.2%	36.8%	33.3%	19.7%	21.4%	0.0%	21.2%	69.9%	0.0%	0.0%	29.3%	18.8%	21.1%
Excellent	398	22	30	12	10	9	4	9	12	8	2	1	21	19	0	2	22	0	0	5	15	1
	8.6%	9.3%	9.9%	12.8%	7.1%	20.9%	6.2%	7.1%	9.3%	9.5%	10.5%	8.3%	9.6%	9.7%	0.0%	6.1%	30.1%	0.0%	0.0%	8.6%	11.3%	2.6%
Excellent or Very good	1,451	73	109	26	45	19	13	39	37	25	9	5	64	61	0	9	73	0	0	22	40	9
	31.5%	30.9%	35.9%	27.7%	32.1%	44.2%	20.0%	31.0%	28.7%	29.8%	47.4%	41.7%	29.4%	31.1%	0.0%	27.3%	100.0%	0.0%	0.0%	37.9%	30.1%	23.7%
Significantly different from column:*						G	F										RS	Q	Q			

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 37

In general, how would you rate your overall mental or emotional health?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	300	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	171	9	0	2	2	1	0	3	3	0	0	1	3	3	0	1	1	1	2	1	7	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,623	235	300	94	139	42	65	126	128	85	19	11	218	196	1	32	72	76	84	57	131	39
	96.4%	96.3%	100.0%	97.9%	98.6%	97.7%	100.0%	97.7%	97.7%	100.0%	100.0%	91.7%	98.6%	98.5%	100.0%	97.0%	98.6%	98.7%	97.7%	98.3%	94.9%	97.5%
Poor	328	15	24	7	8	4	6	5	9	4	2	1	14	10	0	5	0	6	9	2	9	3
	7.1%	6.4%	8.0%	7.4%	5.8%	9.5%	9.2%	4.0%	7.0%	4.7%	10.5%	9.1%	6.4%	5.1%	0.0%	15.6%	0.0%	7.9%	10.7%	3.5%	6.9%	7.7%
Fair	1,044	48	58	19	29	8	15	25	31	13	3	1	46	42	0	6	4	15	28	13	28	6
	22.6%	20.4%	19.3%	20.2%	20.9%	19.0%	23.1%	19.8%	24.2%	15.3%	15.8%	9.1%	21.1%	21.4%	0.0%	18.8%	5.6%	19.7%	33.3%	22.8%	21.4%	15.4%
Good	1,422	67	79	25	41	11	20	35	42	19	5	3	63	58	0	7	16	26	23	13	35	13
	30.8%	28.5%	26.3%	26.6%	29.5%	26.2%	30.8%	27.8%	32.8%	22.4%	26.3%	27.3%	28.9%	29.6%	0.0%	21.9%	22.2%	34.2%	27.4%	22.8%	26.7%	33.3%
Very good	1,121	73	87	26	46	13	15	44	27	39	6	3	66	63	0	9	34	21	18	21	42	10
	24.2%	31.1%	29.0%	27.7%	33.1%	31.0%	23.1%	34.9%	21.1%	45.9%	31.6%	27.3%	30.3%	32.1%	0.0%	28.1%	47.2%	27.6%	21.4%	36.8%	32.1%	25.6%
Excellent	708	32	52	17	15	6	9	17	19	10	3	3	29	23	1	5	18	8	6	8	17	7
	15.3%	13.6%	17.3%	18.1%	10.8%	14.3%	13.8%	13.5%	14.8%	11.8%	15.8%	27.3%	13.3%	11.7%	100.0%	15.6%	25.0%	10.5%	7.1%	14.0%	13.0%	17.9%
Excellent or Very good	1,829	105	139	43	61	19	24	61	46	49	9	6	95	86	1	14	52	29	24	29	59	17
	39.6%	44.7%	46.3%	45.7%	43.9%	45.2%	36.9%	48.4%	35.9%	57.6%	47.4%	54.5%	43.6%	43.9%	100.0%	43.8%	72.2%	38.2%	28.6%	50.9%	45.0%	43.6%
Significantly different from column:*									J	I							RS	Q	Q			

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 38

Have you had either a flu shot or flu spray in the nose since July 1, 2018?*

Base: All respondents who were flagged as being 18 to 64 as of July 1 of the measurement year

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,092	229	290	88	135	42	64	117	127	78	17	12	208	187	1	31	70	74	78	54	130	38
Number missing or multiple answer	122	5	0	1	0	0	0	1	1	0	0	0	1	1	0	0	0	0	1	0	4	1
Number no experience	64	1	7	1	0	1	0	0	0	0	0	1	0	0	0	1	0	0	1	0	1	0
Usable responses	3,906	223	283	86	135	41	64	116	126	78	17	11	207	186	1	30	70	74	76	54	125	37
	95.5%	97.4%	97.6%	97.7%	100.0%	97.6%	100.0%	99.1%	99.2%	100.0%	100.0%	91.7%	99.5%	99.5%	100.0%	96.8%	100.0%	100.0%	97.4%	100.0%	96.2%	97.4%
Yes	1,531	85	103	20	63	13	14	56	46	30	7	4	77	68	1	13	30	26	28	13	54	15
	39.2%	38.1%	36.4%	23.3%	46.7%	31.7%	21.9%	48.3%	36.5%	38.5%	41.2%	36.4%	37.2%	36.6%	100.0%	43.3%	42.9%	35.1%	36.8%	24.1%	43.2%	40.5%
No	2,375	138	180	66	72	28	50	60	80	48	10	7	130	118	0	17	40	48	48	41	71	22
	60.8%	61.9%	63.6%	76.7%	53.3%	68.3%	78.1%	51.7%	63.5%	61.5%	58.8%	63.6%	62.8%	63.4%	0.0%	56.7%	57.1%	64.9%	63.2%	75.9%	56.8%	59.5%
Significantly different from column:*				E	D		H	G												U	T	

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

**A plan's score for the HEDIS Flu Vaccinations for Adults measure will include only those members flagged as being age 18 to 64 as of July 1 of the measurement year.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 39

Do you now smoke cigarettes or use tobacco every day, some days, or not at all?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	301	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	153	6	0	0	1	0	1	0	1	0	0	0	1	1	0	0	0	0	1	0	5	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,641	238	301	96	140	43	64	129	130	85	19	12	220	198	1	33	73	77	85	58	133	39
	96.8%	97.5%	100.0%	100.0%	99.3%	100.0%	98.5%	100.0%	99.2%	100.0%	100.0%	100.0%	99.5%	99.5%	100.0%	100.0%	100.0%	100.0%	98.8%	100.0%	96.4%	97.5%
Every day	858	59	67	29	28	8	24	25	32	22	3	4	53	49	0	7	11	20	26	18	27	9
	18.5%	24.8%	22.3%	30.2%	20.0%	18.6%	37.5%	19.4%	24.6%	25.9%	15.8%	33.3%	24.1%	24.7%	0.0%	21.2%	15.1%	26.0%	30.6%	31.0%	20.3%	23.1%
Some days	436	28	36	13	15	4	4	20	17	10	1	1	27	25	0	3	6	12	10	9	10	6
	9.4%	11.8%	12.0%	13.5%	10.7%	9.3%	6.3%	15.5%	13.1%	11.8%	5.3%	8.3%	12.3%	12.6%	0.0%	9.1%	8.2%	15.6%	11.8%	15.5%	7.5%	15.4%
Not at all	3,324	150	196	53	97	31	36	83	80	53	15	7	139	123	1	23	56	45	48	31	95	24
	71.6%	63.0%	65.1%	55.2%	69.3%	72.1%	56.3%	64.3%	61.5%	62.4%	78.9%	58.3%	63.2%	62.1%	100.0%	69.7%	76.7%	58.4%	56.5%	53.4%	71.4%	61.5%
Don't know	23	1	2	1	0	0	0	1	1	0	0	0	1	1	0	0	0	0	1	0	1	0
	0.5%	0.4%	0.7%	1.0%	0.0%	0.0%	0.0%	0.8%	0.8%	0.0%	0.0%	0.0%	0.5%	0.5%	0.0%	0.0%	0.0%	0.0%	1.2%	0.0%	0.8%	0.0%
Every day or Some days	1,294	87	103	42	43	12	28	45	49	32	4	5	80	74	0	10	17	32	36	27	37	15
	27.9%	36.6%	34.2%	43.8%	30.7%	27.9%	43.8%	34.9%	37.7%	37.6%	21.1%	41.7%	36.4%	37.4%	0.0%	30.3%	23.3%	41.6%	42.4%	46.6%	27.8%	38.5%
Significantly different from column:*		A		E	D												RS	Q	Q	U	T	

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 40

In the last 6 months, how often were you advised to quit smoking or using tobacco by a doctor or other health provider in your plan?

Base: All respondents who smoke cigarettes or use tobacco (Q39)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,294	87	102	42	43	12	28	45	49	32	4	5	80	74	0	10	17	32	36	27	37	15
Number missing or multiple answer	23	4	0	2	2	0	1	3	4	0	0	0	4	3	0	1	0	0	3	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,271	83	102	40	41	12	27	42	45	32	4	5	76	71	0	9	17	32	33	26	36	15
	98.2%	95.4%	100.0%	95.2%	95.3%	100.0%	96.4%	93.3%	91.8%	100.0%	100.0%	100.0%	95.0%	95.9%	---	90.0%	100.0%	100.0%	91.7%	96.3%	97.3%	100.0%
Never	338	30	25	18	11	4	14	11	14	14	1	2	27	27	0	2	5	17	8	17	9	2
	26.6%	36.1%	24.5%	45.0%	26.8%	33.3%	51.9%	26.2%	31.1%	43.8%	25.0%	40.0%	35.5%	38.0%	---	22.2%	29.4%	53.1%	24.2%	65.4%	25.0%	13.3%
Sometimes	263	20	17	8	12	5	4	11	15	4	1	2	18	15	0	5	3	7	9	3	11	4
	20.7%	24.1%	16.7%	20.0%	29.3%	41.7%	14.8%	26.2%	33.3%	12.5%	25.0%	40.0%	23.7%	21.1%	---	55.6%	17.6%	21.9%	27.3%	11.5%	30.6%	26.7%
Usually	223	13	27	5	8	2	6	5	6	6	1	1	12	13	0	0	5	3	5	2	8	3
	17.5%	15.7%	26.5%	12.5%	19.5%	16.7%	22.2%	11.9%	13.3%	18.8%	25.0%	20.0%	15.8%	18.3%	---	0.0%	29.4%	9.4%	15.2%	7.7%	22.2%	20.0%
Always	447	20	33	9	10	1	3	15	10	8	1	0	19	16	0	2	4	5	11	4	8	6
	35.2%	24.1%	32.4%	22.5%	24.4%	8.3%	11.1%	35.7%	22.2%	25.0%	25.0%	0.0%	25.0%	22.5%	---	22.2%	23.5%	15.6%	33.3%	15.4%	22.2%	40.0%
Significantly different from column:*		A				H	G															
Sometimes, Usually, or Always	933	53	77	22	30	8	13	31	31	18	3	3	49	44	0	7	12	15	25	9	27	13
	73.4%	63.9%	75.5%	55.0%	73.2%	66.7%	48.1%	73.8%	68.9%	56.3%	75.0%	60.0%	64.5%	62.0%	---	77.8%	70.6%	46.9%	75.8%	34.6%	75.0%	86.7%
Significantly different from column:*						H	G										S	R	UV	T	T	

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 41

In the last 6 months, how often was medication recommended or discussed by a doctor or health provider to assist you with quitting smoking or using tobacco? Examples of medication are: nicotine gum, patch, nasal spray, inhaler, or prescription medication.

Base: All respondents who smoke cigarettes or use tobacco (Q39)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
Number in sample	1,294	87	100	42	43	12	28	45	49	32	4	5	80	74	0	10	17	32	36	27	37	15
Number missing or multiple answer	24	1	0	1	0	0	0	1	1	0	0	0	1	1	0	0	0	0	1	1	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,270	86	100	41	43	12	28	44	48	32	4	5	79	73	0	10	17	32	35	26	37	15
	98.1%	98.9%	100.0%	97.6%	100.0%	100.0%	100.0%	97.8%	98.0%	100.0%	100.0%	100.0%	98.8%	98.6%	---	100.0%	100.0%	100.0%	97.2%	96.3%	100.0%	100.0%
Never	598	45	51	25	19	9	17	18	24	19	1	2	42	39	0	5	7	22	15	18	18	6
	47.1%	52.3%	51.0%	61.0%	44.2%	75.0%	60.7%	40.9%	50.0%	59.4%	25.0%	40.0%	53.2%	53.4%	---	50.0%	41.2%	68.8%	42.9%	69.2%	48.6%	40.0%
Sometimes	256	23	12	9	14	2	5	16	11	9	3	1	22	21	0	2	4	8	10	4	13	2
	20.2%	26.7%	12.0%	22.0%	32.6%	16.7%	17.9%	36.4%	22.9%	28.1%	75.0%	20.0%	27.8%	28.8%	---	20.0%	23.5%	25.0%	28.6%	15.4%	35.1%	13.3%
Usually	181	13	19	5	8	1	6	6	9	4	0	2	11	10	0	3	4	1	8	3	4	6
	14.3%	15.1%	19.0%	12.2%	18.6%	8.3%	21.4%	13.6%	18.8%	12.5%	0.0%	40.0%	13.9%	13.7%	---	30.0%	23.5%	3.1%	22.9%	11.5%	10.8%	40.0%
Always	235	5	18	2	2	0	0	4	4	0	0	0	4	3	0	0	2	1	2	1	2	1
	18.5%	5.8%	18.0%	4.9%	4.7%	0.0%	0.0%	9.1%	8.3%	0.0%	0.0%	0.0%	5.1%	4.1%	---	0.0%	11.8%	3.1%	5.7%	3.8%	5.4%	6.7%
Significantly different from column:*		AC																				
Sometimes, Usually, or Always	672	41	49	16	24	3	11	26	24	13	3	3	37	34	0	5	10	10	20	8	19	9
	52.9%	47.7%	49.0%	39.0%	55.8%	25.0%	39.3%	59.1%	50.0%	40.6%	75.0%	60.0%	46.8%	46.6%	---	50.0%	58.8%	31.3%	57.1%	30.8%	51.4%	60.0%
Significantly different from column:*						H		F									S	R				

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 42

In the last 6 months, how often did your doctor or health provider discuss or provide methods and strategies other than medication to assist you with quitting smoking or using tobacco? Examples of methods and strategies are: telephone helpline, individual or group counseling, or cessation program.

Base: All respondents who smoke cigarettes or use tobacco (Q39)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,294	87	98	42	43	12	28	45	49	32	4	5	80	74	0	10	17	32	36	27	37	15
Number missing or multiple answer	32	3	0	2	0	0	0	2	2	0	0	0	2	2	0	0	1	0	1	2	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,262	84	98	40	43	12	28	43	47	32	4	5	78	72	0	10	16	32	35	25	37	15
	97.5%	96.6%	100.0%	95.2%	100.0%	100.0%	100.0%	95.6%	95.9%	100.0%	100.0%	100.0%	97.5%	97.3%	---	100.0%	94.1%	100.0%	97.2%	92.6%	100.0%	100.0%
Never	676	59	58	30	28	11	20	27	33	23	2	3	55	50	0	8	10	26	22	21	27	6
	53.6%	70.2%	59.2%	75.0%	65.1%	91.7%	71.4%	62.8%	70.2%	71.9%	50.0%	60.0%	70.5%	69.4%	---	80.0%	62.5%	81.3%	62.9%	84.0%	73.0%	40.0%
Sometimes	241	17	16	8	9	1	5	11	9	6	2	2	15	15	0	2	4	4	9	4	6	7
	19.1%	20.2%	16.3%	20.0%	20.9%	8.3%	17.9%	25.6%	19.1%	18.8%	50.0%	40.0%	19.2%	20.8%	---	20.0%	25.0%	12.5%	25.7%	16.0%	16.2%	46.7%
Usually	157	5	10	1	4	0	2	3	3	2	0	0	5	5	0	0	2	1	2	0	2	1
	12.4%	6.0%	10.2%	2.5%	9.3%	0.0%	7.1%	7.0%	6.4%	6.3%	0.0%	0.0%	6.4%	6.9%	---	0.0%	12.5%	3.1%	5.7%	0.0%	5.4%	6.7%
Always	188	3	14	1	2	0	1	2	2	1	0	0	3	2	0	0	0	1	2	0	2	1
	14.9%	3.6%	14.3%	2.5%	4.7%	0.0%	3.6%	4.7%	4.3%	3.1%	0.0%	0.0%	3.8%	2.8%	---	0.0%	0.0%	3.1%	5.7%	0.0%	5.4%	6.7%
Significantly different from column:*		AC																				
Sometimes, Usually, or Always	586	25	40	10	15	1	8	16	14	9	2	2	23	22	0	2	6	6	13	4	10	9
	46.4%	29.8%	40.8%	25.0%	34.9%	8.3%	28.6%	37.2%	29.8%	28.1%	50.0%	40.0%	29.5%	30.6%	---	20.0%	37.5%	18.8%	37.1%	16.0%	27.0%	60.0%
Significantly different from column:*		A																			V	U

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 43

In the last 6 months, did you get health care 3 or more times for the same condition or problem?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	303	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	174	11	0	2	3	0	1	4	3	1	1	0	5	4	0	1	2	2	1	1	6	3
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,620	233	303	94	138	43	64	125	128	84	18	12	216	195	1	32	71	75	85	57	132	37
	96.4%	95.5%	100.0%	97.9%	97.9%	100.0%	98.5%	96.9%	97.7%	98.8%	94.7%	100.0%	97.7%	98.0%	100.0%	97.0%	97.3%	97.4%	98.8%	98.3%	95.7%	92.5%
Yes	1,613	78	104	22	55	9	28	40	40	30	5	5	71	65	0	9	12	21	43	1	49	27
	34.9%	33.5%	34.3%	23.4%	39.9%	20.9%	43.8%	32.0%	31.3%	35.7%	27.8%	41.7%	32.9%	33.3%	0.0%	28.1%	16.9%	28.0%	50.6%	1.8%	37.1%	73.0%
No	3,007	155	199	72	83	34	36	85	88	54	13	7	145	130	1	23	59	54	42	56	83	10
	65.1%	66.5%	65.7%	76.6%	60.1%	79.1%	56.3%	68.0%	68.8%	64.3%	72.2%	58.3%	67.1%	66.7%	100.0%	71.9%	83.1%	72.0%	49.4%	98.2%	62.9%	27.0%
Significantly different from column:*				E	D	G	F									S	S	QR	UV	TV	TU	

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 44

Is this a condition or problem that has lasted for at least 3 months? Do not include pregnancy or menopause.

Base: All respondents who saw a doctor 3 or more times for the same condition or problem (Q43)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,613	78	102	22	55	9	28	40	40	30	5	5	71	65	0	9	12	21	43	1	49	27
Number missing or multiple answer	23	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,590	77	102	22	55	9	28	40	40	30	5	5	71	65	0	9	11	21	43	1	48	27
	98.6%	98.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	---	100.0%	91.7%	100.0%	100.0%	100.0%	98.0%	100.0%
Yes	1,401	69	92	20	49	8	25	36	37	28	3	2	67	60	0	8	6	20	41	1	42	25
	88.1%	89.6%	90.2%	90.9%	89.1%	88.9%	89.3%	90.0%	92.5%	93.3%	60.0%	40.0%	94.4%	92.3%	---	88.9%	54.5%	95.2%	95.3%	100.0%	87.5%	92.6%
No	189	8	10	2	6	1	3	4	3	2	2	3	4	5	0	1	5	1	2	0	6	2
	11.9%	10.4%	9.8%	9.1%	10.9%	11.1%	10.7%	10.0%	7.5%	6.7%	40.0%	60.0%	5.6%	7.7%	---	11.1%	45.5%	4.8%	4.7%	0.0%	12.5%	7.4%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 45

Do you now need or take medicine prescribed by a doctor? Do not include birth control.

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	301	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	169	9	0	1	1	0	0	2	2	0	0	0	2	2	0	0	3	0	0	1	5	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,625	235	301	95	140	43	65	127	129	85	19	12	219	197	1	33	70	77	86	57	133	39
	96.5%	96.3%	100.0%	99.0%	99.3%	100.0%	100.0%	98.4%	98.5%	100.0%	100.0%	100.0%	99.1%	99.0%	100.0%	100.0%	95.9%	100.0%	100.0%	98.3%	96.4%	97.5%
Yes	3,110	162	202	56	106	22	41	99	96	53	11	5	154	139	1	19	37	51	72	22	102	33
	67.2%	68.9%	67.1%	58.9%	75.7%	51.2%	63.1%	78.0%	74.4%	62.4%	57.9%	41.7%	70.3%	70.6%	100.0%	57.6%	52.9%	66.2%	83.7%	38.6%	76.7%	84.6%
No	1,515	73	99	39	34	21	24	28	33	32	8	7	65	58	0	14	33	26	14	35	31	6
	32.8%	31.1%	32.9%	41.1%	24.3%	48.8%	36.9%	22.0%	25.6%	37.6%	42.1%	58.3%	29.7%	29.4%	0.0%	42.4%	47.1%	33.8%	16.3%	61.4%	23.3%	15.4%
Significantly different from column:*				E	D	H	H	FG									S	S	QR	UV	T	T

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 46

Is this medicine to treat a condition that has lasted for at least 3 months? Do not include pregnancy or menopause.

Base: All respondents who need or take medicine prescribed by a doctor (Q45)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,110	162	192	56	106	22	41	99	96	53	11	5	154	139	1	19	37	51	72	22	102	33
Number missing or multiple answer	38	1	0	1	0	0	0	1	0	1	0	0	1	1	0	0	1	0	0	1	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,072	161	192	55	106	22	41	98	96	52	11	5	153	138	1	19	36	51	72	21	102	33
	98.8%	99.4%	100.0%	98.2%	100.0%	100.0%	100.0%	99.0%	100.0%	98.1%	100.0%	100.0%	99.4%	99.3%	100.0%	100.0%	97.3%	100.0%	100.0%	95.5%	100.0%	100.0%
Yes	2,911	156	185	54	102	21	37	98	91	52	11	4	149	134	1	18	34	49	71	20	100	31
	94.8%	96.9%	96.4%	98.2%	96.2%	95.5%	90.2%	100.0%	94.8%	100.0%	100.0%	80.0%	97.4%	97.1%	100.0%	94.7%	94.4%	96.1%	98.6%	95.2%	98.0%	93.9%
No	161	5	7	1	4	1	4	0	5	0	0	1	4	4	0	1	2	2	1	1	2	2
	5.2%	3.1%	3.6%	1.8%	3.8%	4.5%	9.8%	0.0%	5.2%	0.0%	0.0%	20.0%	2.6%	2.9%	0.0%	5.3%	5.6%	3.9%	1.4%	4.8%	2.0%	6.1%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 47

What is your age?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	302	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	156	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	5	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,638	237	302	96	141	43	65	129	131	85	19	12	221	199	1	33	71	77	86	57	133	39
	96.7%	97.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	97.3%	100.0%	100.0%	98.3%	96.4%	97.5%
18 to 24	390	13	25	5	8	13	0	0	10	3	0	3	10	8	0	4	9	1	3	4	9	0
	8.4%	5.5%	8.3%	5.2%	5.7%	30.2%	0.0%	0.0%	7.6%	3.5%	0.0%	25.0%	4.5%	4.0%	0.0%	12.1%	12.7%	1.3%	3.5%	7.0%	6.8%	0.0%
25 to 34	604	30	47	13	17	30	0	0	10	15	4	1	29	23	0	7	10	13	7	7	16	5
	13.0%	12.7%	15.6%	13.5%	12.1%	69.8%	0.0%	0.0%	7.6%	17.6%	21.1%	8.3%	13.1%	11.6%	0.0%	21.2%	14.1%	16.9%	8.1%	12.3%	12.0%	12.8%
35 to 44	542	20	44	10	10	0	20	0	13	6	1	2	18	17	0	3	4	8	8	7	10	3
	11.7%	8.4%	14.6%	10.4%	7.1%	0.0%	30.8%	0.0%	9.9%	7.1%	5.3%	16.7%	8.1%	8.5%	0.0%	9.1%	5.6%	10.4%	9.3%	12.3%	7.5%	7.7%
45 to 54	779	45	71	20	25	0	45	0	25	18	2	6	39	39	0	4	9	16	20	11	24	10
	16.8%	19.0%	23.5%	20.8%	17.7%	0.0%	69.2%	0.0%	19.1%	21.2%	10.5%	50.0%	17.6%	19.6%	0.0%	12.1%	12.7%	20.8%	23.3%	19.3%	18.0%	25.6%
55 to 64	1,597	113	98	40	73	0	0	113	69	34	10	0	110	97	1	14	34	36	40	24	65	19
	34.4%	47.7%	32.5%	41.7%	51.8%	0.0%	0.0%	87.6%	52.7%	40.0%	52.6%	0.0%	49.8%	48.7%	100.0%	42.4%	47.9%	46.8%	46.5%	42.1%	48.9%	48.7%
65 to 74	468	14	16	8	6	0	0	14	4	7	2	0	13	14	0	0	5	3	6	4	8	1
	10.1%	5.9%	5.3%	8.3%	4.3%	0.0%	0.0%	10.9%	3.1%	8.2%	10.5%	0.0%	5.9%	7.0%	0.0%	0.0%	7.0%	3.9%	7.0%	7.0%	6.0%	2.6%
75 or older	258	2	1	0	2	0	0	2	0	2	0	0	2	1	0	1	0	0	2	0	1	1
	5.6%	0.8%	0.3%	0.0%	1.4%	0.0%	0.0%	1.6%	0.0%	2.4%	0.0%	0.0%	0.9%	0.5%	0.0%	3.0%	0.0%	0.0%	2.3%	0.0%	0.8%	2.6%
55 or older	2,323	129	115	48	81	0	0	129	73	43	12	0	125	112	1	15	39	39	48	28	74	21
	50.1%	54.4%	38.1%	50.0%	57.4%	0.0%	0.0%	100.0%	55.7%	50.6%	63.2%	0.0%	56.6%	56.3%	100.0%	45.5%	54.9%	50.6%	55.8%	49.1%	55.6%	53.8%
Significantly different from column:*		C				H	H	FG				M	L									

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 48

Are you male or female?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	303	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	141	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	5	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,653	237	303	96	141	43	65	129	131	85	19	12	221	199	1	33	71	77	86	57	133	39
	97.1%	97.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	97.3%	100.0%	100.0%	98.3%	96.4%	97.5%
Male	1,969	96	114	96	0	18	30	48	53	34	7	5	89	77	1	16	26	31	37	31	52	10
	42.3%	40.5%	37.6%	100.0%	0.0%	41.9%	46.2%	37.2%	40.5%	40.0%	36.8%	41.7%	40.3%	38.7%	100.0%	48.5%	36.6%	40.3%	43.0%	54.4%	39.1%	25.6%
Female	2,684	141	189	0	141	25	35	81	78	51	12	7	132	122	0	17	45	46	49	26	81	29
	57.7%	59.5%	62.4%	0.0%	100.0%	58.1%	53.8%	62.8%	59.5%	60.0%	63.2%	58.3%	59.7%	61.3%	0.0%	51.5%	63.4%	59.7%	57.0%	45.6%	60.9%	74.4%
Significantly different from column:*				E	D															V		T

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 49

What is the highest grade or level of school that you have completed?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	301	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	212	9	0	2	0	1	0	1	0	0	0	1	0	1	0	1	2	0	2	1	7	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,582	235	301	94	141	42	65	128	131	85	19	11	221	198	1	32	71	77	84	57	131	39
	95.6%	96.3%	100.0%	97.9%	100.0%	97.7%	100.0%	99.2%	100.0%	100.0%	100.0%	91.7%	100.0%	99.5%	100.0%	97.0%	97.3%	100.0%	97.7%	98.3%	94.9%	97.5%
8th grade or less	259	3	9	1	2	0	2	1	3	0	0	1	2	2	0	1	0	0	3	1	2	0
	5.7%	1.3%	3.0%	1.1%	1.4%	0.0%	3.1%	0.8%	2.3%	0.0%	0.0%	9.1%	0.9%	1.0%	0.0%	3.1%	0.0%	0.0%	3.6%	1.8%	1.5%	0.0%
Some high school, but did not graduate	521	34	30	12	22	6	8	20	34	0	0	3	30	28	0	4	10	8	15	7	20	5
	11.4%	14.5%	10.0%	12.8%	15.6%	14.3%	12.3%	15.6%	26.0%	0.0%	0.0%	27.3%	13.6%	14.1%	0.0%	12.5%	14.1%	10.4%	17.9%	12.3%	15.3%	12.8%
High school graduate or GED	1,622	94	116	40	54	14	28	52	94	0	0	6	86	78	1	13	27	30	36	25	54	12
	35.4%	40.0%	38.5%	42.6%	38.3%	33.3%	43.1%	40.6%	71.8%	0.0%	0.0%	54.5%	38.9%	39.4%	100.0%	40.6%	38.0%	39.0%	42.9%	43.9%	41.2%	30.8%
Some college or 2-year degree	1,594	85	105	34	51	18	24	43	0	85	0	1	84	75	0	10	25	33	26	20	45	18
	34.8%	36.2%	34.9%	36.2%	36.2%	42.9%	36.9%	33.6%	0.0%	100.0%	0.0%	9.1%	38.0%	37.9%	0.0%	31.3%	35.2%	42.9%	31.0%	35.1%	34.4%	46.2%
4-year college graduate	358	10	29	4	6	1	3	6	0	0	10	0	10	9	0	1	4	3	3	4	4	2
	7.8%	4.3%	9.6%	4.3%	4.3%	2.4%	4.6%	4.7%	0.0%	0.0%	52.6%	0.0%	4.5%	4.5%	0.0%	3.1%	5.6%	3.9%	3.6%	7.0%	3.1%	5.1%
More than 4-year college degree	228	9	12	3	6	3	0	6	0	0	9	0	9	6	0	3	5	3	1	0	6	2
	5.0%	3.8%	4.0%	3.2%	4.3%	7.1%	0.0%	4.7%	0.0%	0.0%	47.4%	0.0%	4.1%	3.0%	0.0%	9.4%	7.0%	3.9%	1.2%	0.0%	4.6%	5.1%
4-year college graduate or more	586	19	41	7	12	4	3	12	0	0	19	0	19	15	0	4	9	6	4	4	10	4
	12.8%	8.1%	13.6%	7.4%	8.5%	9.5%	4.6%	9.4%	0.0%	0.0%	100.0%	0.0%	8.6%	7.6%	0.0%	12.5%	12.7%	7.8%	4.8%	7.0%	7.6%	10.3%
Significantly different from column:*		AC																				

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 50

Are you of Hispanic or Latino origin or descent?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	302	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	241	11	0	2	2	0	0	4	3	0	0	0	0	3	0	1	4	0	2	3	7	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,553	233	302	94	139	43	65	125	128	85	19	12	221	196	1	32	69	77	84	55	131	39
	95.0%	95.5%	100.0%	97.9%	98.6%	100.0%	100.0%	96.9%	97.7%	100.0%	100.0%	100.0%	100.0%	98.5%	100.0%	97.0%	94.5%	100.0%	97.7%	94.8%	94.9%	97.5%
Yes, Hispanic or Latino	541	12	20	5	7	4	8	0	10	1	0	12	0	6	0	4	5	3	4	3	8	1
	11.9%	5.2%	6.6%	5.3%	5.0%	9.3%	12.3%	0.0%	7.8%	1.2%	0.0%	100.0%	0.0%	3.1%	0.0%	12.5%	7.2%	3.9%	4.8%	5.5%	6.1%	2.6%
No, not Hispanic or Latino	4,012	221	282	89	132	39	57	125	118	84	19	0	221	190	1	28	64	74	80	52	123	38
	88.1%	94.8%	93.4%	94.7%	95.0%	90.7%	87.7%	100.0%	92.2%	98.8%	100.0%	0.0%	100.0%	96.9%	100.0%	87.5%	92.8%	96.1%	95.2%	94.5%	93.9%	97.4%
Significantly different from column:*		A																				

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 51

What is your race? Mark one or more.

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	306	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	295	11	10	2	2	1	2	1	4	0	0	2	2	0	0	0	3	2	1	1	8	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,499	233	296	94	139	42	63	128	127	85	19	10	219	199	1	33	70	75	85	57	130	38
	93.8%	95.5%	96.7%	97.9%	98.6%	97.7%	96.9%	99.2%	96.9%	100.0%	100.0%	83.3%	99.1%	100.0%	100.0%	100.0%	95.9%	97.4%	98.8%	98.3%	94.2%	95.0%
White	3,700	217	276	84	133	35	62	120	120	81	15	7	206	199	0	18	65	67	82	50	123	37
	82.2%	93.1%	93.2%	89.4%	95.7%	83.3%	98.4%	93.8%	94.5%	95.3%	78.9%	70.0%	94.1%	100.0%	0.0%	54.5%	92.9%	89.3%	96.5%	87.7%	94.6%	97.4%
Black or African-American	177	3	5	2	1	0	2	1	3	0	0	1	2	0	1	2	0	1	2	1	2	0
	3.9%	1.3%	1.7%	2.1%	0.7%	0.0%	3.2%	0.8%	2.4%	0.0%	0.0%	10.0%	0.9%	0.0%	100.0%	6.1%	0.0%	1.3%	2.4%	1.8%	1.5%	0.0%
Asian	243	6	8	3	3	3	1	2	1	4	1	0	6	0	0	6	4	1	1	2	3	1
	5.4%	2.6%	2.7%	3.2%	2.2%	7.1%	1.6%	1.6%	0.8%	4.7%	5.3%	0.0%	2.7%	0.0%	0.0%	18.2%	5.7%	1.3%	1.2%	3.5%	2.3%	2.6%
Native Hawaiian or other Pacific Islander	51	2	2	1	1	2	0	0	1	1	0	0	2	0	0	2	1	1	0	0	2	0
	1.1%	0.9%	0.7%	1.1%	0.7%	4.8%	0.0%	0.0%	0.8%	1.2%	0.0%	0.0%	0.9%	0.0%	0.0%	6.1%	1.4%	1.3%	0.0%	0.0%	1.5%	0.0%
American Indian or Alaska Native	418	13	19	6	7	4	2	7	8	4	1	1	11	0	0	13	2	3	8	6	4	3
	9.3%	5.6%	6.4%	6.4%	5.0%	9.5%	3.2%	5.5%	6.3%	4.7%	5.3%	10.0%	5.0%	0.0%	0.0%	39.4%	2.9%	4.0%	9.4%	10.5%	3.1%	7.9%
Other	454	13	16	7	6	4	2	7	8	2	2	3	10	0	0	13	4	4	5	3	6	3
	10.1%	5.6%	5.4%	7.4%	4.3%	9.5%	3.2%	5.5%	6.3%	2.4%	10.5%	30.0%	4.6%	0.0%	0.0%	39.4%	5.7%	5.3%	5.9%	5.3%	4.6%	7.9%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 52

Did someone help you complete this survey?

Base: All respondents (Please note that members who responded on the phone were not asked this question.)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	244	251	96	141	43	65	129	131	85	19	12	221	199	1	33	73	77	86	58	138	40
Number missing or multiple answer	1,361	76	0	34	35	13	25	31	40	22	6	3	64	52	0	14	15	23	33	21	40	14
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,433	168	251	62	106	30	40	98	91	63	13	9	157	147	1	19	58	54	53	37	98	26
	71.6%	68.9%	100.0%	64.6%	75.2%	69.8%	61.5%	76.0%	69.5%	74.1%	68.4%	75.0%	71.0%	73.9%	100.0%	57.6%	79.5%	70.1%	61.6%	63.8%	71.0%	65.0%
Yes	566	14	13	8	6	2	3	9	12	1	0	2	12	13	0	1	3	3	8	5	8	1
	16.5%	8.3%	5.2%	12.9%	5.7%	6.7%	7.5%	9.2%	13.2%	1.6%	0.0%	22.2%	7.6%	8.8%	0.0%	5.3%	5.2%	5.6%	15.1%	13.5%	8.2%	3.8%
No	2,867	154	238	54	100	28	37	89	79	62	13	7	145	134	1	18	55	51	45	32	90	25
	83.5%	91.7%	94.8%	87.1%	94.3%	93.3%	92.5%	90.8%	86.8%	98.4%	100.0%	77.8%	92.4%	91.2%	100.0%	94.7%	94.8%	94.4%	84.9%	86.5%	91.8%	96.2%
Significantly different from column:*		A							J	I												

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Columbia Pacific CCO

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 53

How did that person help you? Mark one or more.

Base: All respondents who had help completing the survey (Q52) (Please note that members who responded on the phone were not asked this question.)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	566	14	306	8	6	2	3	9	12	1	0	2	12	13	0	1	3	3	8	5	8	1
Number missing or multiple answer	3	1	294	0	1	0	0	1	1	0	0	0	1	1	0	0	0	0	1	1	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	563	13	12	8	5	2	3	8	11	1	0	2	11	12	0	1	3	3	7	4	8	1
	99.5%	92.9%	3.9%	100.0%	83.3%	100.0%	100.0%	88.9%	91.7%	100.0%	---	100.0%	91.7%	92.3%	---	100.0%	100.0%	100.0%	87.5%	80.0%	100.0%	100.0%
Read the questions to me	270	10	4	7	3	2	2	6	8	1	0	2	8	9	0	1	2	2	6	3	7	0
	48.0%	76.9%	33.3%	87.5%	60.0%	100.0%	66.7%	75.0%	72.7%	100.0%	---	100.0%	72.7%	75.0%	---	100.0%	66.7%	66.7%	85.7%	75.0%	87.5%	0.0%
Wrote down the answers I gave	245	8	6	5	3	2	2	4	6	1	0	2	6	7	0	1	2	1	5	2	6	0
	43.5%	61.5%	50.0%	62.5%	60.0%	100.0%	66.7%	50.0%	54.5%	100.0%	---	100.0%	54.5%	58.3%	---	100.0%	66.7%	33.3%	71.4%	50.0%	75.0%	0.0%
Answered the questions for me	186	3	3	2	1	0	2	1	3	0	0	1	2	3	0	0	1	1	1	1	1	1
	33.0%	23.1%	25.0%	25.0%	20.0%	0.0%	66.7%	12.5%	27.3%	0.0%	---	50.0%	18.2%	25.0%	---	0.0%	33.3%	33.3%	14.3%	25.0%	12.5%	100.0%
Translated the questions into my language	73	3	2	2	1	0	1	2	3	0	0	1	2	3	0	0	1	0	2	1	2	0
	13.0%	23.1%	16.7%	25.0%	20.0%	0.0%	33.3%	25.0%	27.3%	0.0%	---	50.0%	18.2%	25.0%	---	0.0%	33.3%	0.0%	28.6%	25.0%	25.0%	0.0%
Helped in some other way	58	2	2	0	2	0	0	2	2	0	0	0	2	2	0	0	1	0	1	1	1	0
	10.3%	15.4%	16.7%	0.0%	40.0%	0.0%	0.0%	25.0%	18.2%	0.0%	---	0.0%	18.2%	16.7%	---	0.0%	33.3%	0.0%	14.3%	25.0%	12.5%	0.0%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

SURVEY INSTRUMENT

Survey Instructions

Answer each question by marking the box to the left of your answer.

You are sometimes told to skip over some questions in this survey. When this happens you will see an arrow with a note that tells you what question to answer next, like this:

- ₁ Yes → **If Yes, Go to Question 1**
₂ No

Personally identifiable information will not be made public and will only be released in accordance with federal laws and regulations.

You may choose to answer this survey or not. If you choose not to, this will not affect the benefits you get. You may notice a number on the cover of this survey. This number is **ONLY** used to let us know if you returned your survey so we don't have to send you reminders.

If you want to know more about this study, please call 1-833-257-1377. For the hearing or speech impaired, call 711 to use the Telecommunications Relay Service (TRS).

1. Our records show that you are now in Oregon Health Plan. Is that right?

- ₁ Yes → **If Yes, Go to Question 3**
₂ No

2. What is the name of your health plan?
(Please print)

Your Health Care in the Last 6 Months

These questions ask about your own health care. Do not include care you got when you stayed overnight in a hospital. Do not include the times you went for dental care visits.

3. In the last 6 months, did you have an illness, injury, or condition that needed care right away in a clinic, emergency room, or doctor's office?

- ₁ Yes
₂ No → **If No, Go to Question 5**

4. In the last 6 months, when you needed care right away, how often did you get care as soon as you needed?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

5. In the last 6 months, did you make any appointments for a check-up or routine care at a doctor's office or clinic?

- ₁ Yes
- ₂ No → **If No, Go to Question 7**

6. In the last 6 months, how often did you get an appointment for a check-up or routine care at a doctor's office or clinic as soon as you needed?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

7. In the last 6 months, not counting the times you went to an emergency room, how many times did you go to a doctor's office or clinic to get health care for yourself?

- ₀ None → **If None, Go to Question 15**
- ₁ 1 time
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5 to 9
- ₆ 10 or more times

8. In the last 6 months, did you and a doctor or other health provider talk about specific things you could do to prevent illness?

- ₁ Yes
- ₂ No

9. In the last 6 months, did you and a doctor or other health provider talk about starting or stopping a prescription medicine?

- ₁ Yes
- ₂ No → **If No, Go to Question 13**

10. Did you and a doctor or other health provider talk about the reasons you might want to take a medicine?

- ₁ Yes
- ₂ No

11. Did you and a doctor or other health provider talk about the reasons you might not want to take a medicine?

- ₁ Yes
- ₂ No

12. When you talked about starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for you?

- ₁ Yes
- ₂ No

13. Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your health care in the last 6 months?

- ₀ 0 Worst health care possible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 Best health care possible

14. In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

Your Personal Doctor

15. A personal doctor is the one you would see if you need a check-up, want advice about a health problem, or get sick or hurt. Do you have a personal doctor?

- ₁ Yes
- ₂ No → **If No, Go to Question 24**

16. In the last 6 months, how many times did you visit your personal doctor to get care for yourself?

- ₀ None → **If None, Go to Question 23**
- ₁ 1 time
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5 to 9
- ₆ 10 or more times

17. In the last 6 months, how often did your personal doctor explain things in a way that was easy to understand?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

18. In the last 6 months, how often did your personal doctor listen carefully to you?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

19. In the last 6 months, how often did your personal doctor show respect for what you had to say?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

20. In the last 6 months, how often did your personal doctor spend enough time with you?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

21. In the last 6 months, did you get care from a doctor or other health provider besides your personal doctor?

- ₁ Yes
- ₂ No → **If No, Go to Question 23**

22. In the last 6 months, how often did your personal doctor seem informed and up-to-date about the care you got from these doctors or other health providers?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

23. Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your personal doctor?

- ₀ 0 Worst personal doctor possible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 Best personal doctor possible

Getting Health Care From Specialists

When you answer the next questions, do not include dental visits or care you got when you stayed overnight in a hospital.

24. Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and other doctors who specialize in one area of health care. In the last 6 months, did you make any appointments to see a specialist?

- ₁ Yes
- ₂ No → ***If No, Go to Question 28***

25. In the last 6 months, how often did you get an appointment to see a specialist as soon as you needed?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

26. How many specialists have you seen in the last 6 months?

- ₀ None → ***If None, Go to Question 28***
- ₁ 1 specialist
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5 or more specialists

27. We want to know your rating of the specialist you saw most often in the last 6 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

- ₀ 0 Worst specialist possible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 Best specialist possible

Your Health Plan

The next questions ask about your experience with your health plan.

28. In the last 6 months, did you look for any information in written materials or on the Internet about how your health plan works?

- ₁ Yes
- ₂ No → ***If No, Go to Question 30***

29. In the last 6 months, how often did the written materials or the Internet provide the information you needed about how your health plan works?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

30. In the last 6 months, did you get information or help from your health plan's customer service?

- ₁ Yes
- ₂ No → **If No, Go to Question 33**

31. In the last 6 months, how often did your health plan's customer service give you the information or help you needed?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

32. In the last 6 months, how often did your health plan's customer service staff treat you with courtesy and respect?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

33. In the last 6 months, did your health plan give you any forms to fill out?

- ₁ Yes
- ₂ No → **If No, Go to Question 35**

34. In the last 6 months, how often were the forms from your health plan easy to fill out?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

35. Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your health plan?

- ₀ 0 Worst health plan possible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 Best health plan possible

35a. In the last 6 months, did you have a health problem for which you needed special medical equipment, such as a cane, a wheelchair, or oxygen equipment?

- ₁ Yes
- ₂ No → **If No, Go to Question 35c**

35b. In the last 6 months, how often was it easy to get the medical equipment you needed through your health plan?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

35c. In the last 6 months, did you have any health problems that needed special therapy, such as physical, occupational, or speech therapy?

- ₁ Yes
- ₂ No → **If No, Go to Question 35e**

35d. In the last 6 months, how often was it easy to get the special therapy you needed through your health plan?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

Additional Questions

The following questions ask about how much you think your doctor or other health provider respects your beliefs, attitudes, language and behavior.

35e. In the last 6 months, how often did a doctor or other health provider talk too fast when talking to you?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

35f. In the last 6 months, how often did a doctor or other health provider interrupt you when you were talking?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

35g. In the last 6 months, how often did a doctor or other health provider use a condescending, sarcastic or rude tone or manner with you?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

35h. In the last 6 months, did you feel you could trust a doctor or other health provider with your medical care?

- ₁ Yes, definitely
- ₂ Yes, somewhat
- ₃ No

Access to Dental Care

35i. A regular dentist is one you would go to for check-ups and cleanings or when you have a cavity or tooth pain. Do you have a regular dentist?

- ₁ Yes
- ₂ No

35j. In the last 6 months, did you go to a dentist's office or clinic for care?

- ₁ Yes
- ₂ No → ***If No, Go to Question 35I***

35k. In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating you?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

35l. If you tried to get an appointment for yourself with a dentist who specializes in a particular type of dental care (such as root canals or gum disease) in the last 6 months, how often did you get an appointment as soon as you wanted?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always
- ₅ I did not try to get an appointment with a specialist dentist for myself in the last 6 months

35m. In the last 6 months, if you needed to see a dentist right away because of a dental emergency, how often did you get to see a dentist as soon as you wanted?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always
- ₅ I did not have a dental emergency in the last 6 months

35n. Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist?

- ₀ 0 Extremely difficult
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 Extremely easy

About You

36. In general, how would you rate your overall health?

- ₁ Excellent
- ₂ Very Good
- ₃ Good
- ₄ Fair
- ₅ Poor

37. In general, how would you rate your overall mental or emotional health?

- ₁ Excellent
- ₂ Very Good
- ₃ Good
- ₄ Fair
- ₅ Poor

38. Have you had either a flu shot or flu spray in the nose since July 1, 2018?

- ₁ Yes
- ₂ No
- ₃ Don't know

39. Do you now smoke cigarettes or use tobacco every day, some days, or not at all?

- ₁ Every day
- ₂ Some days
- ₃ Not at all → ***If Not at All, Go to Question 43***
- ₄ Don't know → ***If Don't know, Go to Question 43***

40. In the last 6 months, how often were you advised to quit smoking or using tobacco by a doctor or other health provider in your plan?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

41. In the last 6 months, how often was medication recommended or discussed by a doctor or health provider to assist you with quitting smoking or using tobacco? Examples of medication are: nicotine gum, patch, nasal spray, inhaler, or prescription medication.

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

42. In the last 6 months, how often did your doctor or health provider discuss or provide methods and strategies other than medication to assist you with quitting smoking or using tobacco? Examples of methods and strategies are: telephone helpline, individual or group counseling, or cessation program.

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

43. In the last 6 months, did you get health care 3 or more times for the same condition or problem?

- ₁ Yes
- ₂ No → ***If No, Go to Question 45***

44. Is this a condition or problem that has lasted for at least 3 months? Do not include pregnancy or menopause.

- ₁ Yes
- ₂ No

45. Do you now need or take medicine prescribed by a doctor? Do not include birth control.

- ₁ Yes
- ₂ No → ***If No, Go to Question 47***

46. Is this medicine to treat a condition that has lasted for at least 3 months? Do not include pregnancy or menopause.

- ₁ Yes
- ₂ No

47. What is your age?

- ₁ 18 to 24
- ₂ 25 to 34
- ₃ 35 to 44
- ₄ 45 to 54
- ₅ 55 to 64
- ₆ 65 to 74
- ₇ 75 or older

48. Are you male or female?

- ₁ Male
- ₂ Female

49. What is the highest grade or level of school that you have completed?

- ₁ 8th grade or less
- ₂ Some high school, but did not graduate
- ₃ High school graduate or GED
- ₄ Some college or 2-year degree
- ₅ 4-year college graduate
- ₆ More than 4-year college degree

50. Are you of Hispanic or Latino origin or descent?

- ₁ Yes, Hispanic or Latino
- ₂ No, Not Hispanic or Latino

51. What is your race? Mark one or more.

- _a White
- _b Black or African-American
- _c Asian
- _d Native Hawaiian or other Pacific Islander
- _e American Indian or Alaska Native
- _f Other

52. Did someone help you complete this survey?

- ₁ Yes → ***If Yes, Go to Question 53***
- ₂ No → ***Thank you. Please return the completed survey in the postage-paid envelope.***

53. How did that person help you? Mark one or more.

- _a Read the questions to me
- _b Wrote down the answers I gave
- _c Answered the questions for me
- _d Translated the questions into my language
- _e Helped in some other way

Thank You

Please return the completed survey in the postage-paid envelope to:

Center for the Study of Services
PO Box 10820
Herndon, VA 20172

Please do not include any other correspondence.

Instrucciones para el cuestionario

Conteste cada pregunta marcando el cuadro que aparece a la izquierda de la respuesta que usted elija.

A veces hay que saltarse alguna pregunta del cuestionario. Cuando esto ocurra, verá una flecha con una nota que le indicará cuál es la siguiente pregunta a la que tiene que pasar. Por ejemplo:

- ₁ Sí → ***Si contestó “Sí”, pase a la pregunta 1***
₂ No

La información personal identificable no se hará pública y solo se dará a conocer de conformidad con las leyes y reglamentos federales.

Usted puede optar por responder a esta encuesta o no. Si decide no participar, esto no afectará los beneficios que obtenga. Usted notará un número en la portada de esta encuesta. Este número se utiliza SOLO para hacernos saber si usted ya envió su encuesta para que no tengamos que enviarle recordatorios.

Si quiere informarse más sobre este estudio, llame al 1-833-257-1377. Las personas con problemas de audición o del habla pueden llamar al 711 para usar el Servicio de Retransmisión de Telecomunicaciones (TRS).

1. Nuestros registros muestran que usted está ahora con Oregon Health Plan. ¿Es correcta esta información?

- ₁ Sí → ***Si contestó “Sí”, pase a la pregunta 3***
₂ No

2. ¿Cómo se llama su plan de salud? *(Por favor escriba en letra de molde)*

La atención médica que usted recibió en los últimos 6 meses

Estas preguntas son acerca de la atención médica que usted ha recibido. No incluya la atención que recibió cuando pasó la noche hospitalizado. No incluya las consultas al dentista.

3. En los últimos 6 meses, ¿tuvo usted una enfermedad, lesión o problema de salud para el cual necesitó atención inmediata en una clínica, en una sala de emergencia o en un consultorio médico?

- ₁ Sí
₂ No → ***Si contestó “No”, pase a la pregunta 5***

4. En los últimos 6 meses, cuando usted necesitó atención inmediata, ¿con qué frecuencia lo atendieron tan pronto como lo necesitaba?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

5. En los últimos 6 meses, ¿hizo alguna cita para un chequeo o una consulta regular en un consultorio médico o en una clínica?

- ₁ Sí
- ₂ No → ***Si contestó "No", pase a la pregunta 7***

6. En los últimos 6 meses, ¿con qué frecuencia consiguió una cita para un chequeo o una consulta regular en un consultorio médico o en una clínica tan pronto como la necesitaba?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

7. En los últimos 6 meses, sin contar las veces en que fue a una sala de emergencia, ¿cuántas veces fue a un consultorio médico o a una clínica para recibir atención médica para usted mismo?

- ₀ Ninguna vez → ***Si contestó "Ninguna vez", pase a la pregunta 15***
- ₁ 1 vez
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5 a 9
- ₆ 10 veces o más

8. En los últimos 6 meses, ¿hablaron usted y un doctor u otro profesional médico sobre cosas específicas que usted podría hacer para prevenir enfermedades?

- ₁ Sí
- ₂ No

9. En los últimos 6 meses, ¿hablaron usted y un doctor u otro profesional médico sobre comenzar o suspender una medicina recetada?

- ₁ Sí
- ₂ No → ***Si contestó "No", pase a la pregunta 13***

10. ¿Hablaron usted y un doctor u otro profesional médico sobre las razones por las que tal vez quiera tomar una medicina?

- ₁ Sí
- ₂ No

11. ¿Hablaron usted y un doctor u otro profesional médico sobre las razones por las que tal vez no quiera tomar una medicina?

- ₁ Sí
- ₂ No

12. Cuando hablaron de comenzar o suspender una medicina recetada, ¿le preguntó un doctor u otro profesional médico sobre lo que usted creía que sería lo mejor para usted?

- ₁ Sí
- ₂ No

13. Usando un número del 0 al 10, el 0 siendo la peor atención médica posible y el 10 la mejor atención médica posible, ¿qué número usaría para calificar a toda la atención médica que ha recibido en los últimos 6 meses?

- ₀ 0 La peor atención médica posible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 La mejor atención médica posible

14. En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir la atención médica, las pruebas o el tratamiento que usted necesitaba?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

Su doctor personal

15. El doctor personal es aquel a quien usted va si necesita un chequeo, quiere pedir consejo sobre un problema de salud o si se enferma o lastima. ¿Tiene usted un doctor personal?

- ₁ Sí
- ₂ No → **Si contestó “No”, pase a la pregunta 24**

16. En los últimos 6 meses, ¿cuántas veces fue a ver a su doctor personal para recibir atención médica para usted mismo?

- ₀ Ninguna vez → **Si contestó “Ninguna vez”, pase a la pregunta 23**
- ₁ 1 vez
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5 a 9
- ₆ 10 veces o más

17. En los últimos 6 meses, ¿con qué frecuencia su doctor personal le explicó las cosas de una manera fácil de entender?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

18. En los últimos 6 meses, ¿con qué frecuencia su doctor personal le escuchó con atención?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

19. En los últimos 6 meses, ¿con qué frecuencia su doctor personal demostró respeto por lo que usted tenía que decir?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

20. En los últimos 6 meses, ¿con qué frecuencia su doctor personal pasó suficiente tiempo con usted?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

21. En los últimos 6 meses, ¿lo atendió algún doctor u otro profesional médico además de su doctor personal?

- ₁ Sí
- ₂ No → **Si contestó "No", pase a la pregunta 23**

22. En los últimos 6 meses, ¿con qué frecuencia parecía su doctor personal estar informado y al día acerca de la atención que usted había recibido de estos doctores u otros profesionales médicos?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

23. Usando un número del 0 al 10, el 0 siendo el peor doctor personal posible y el 10 el mejor doctor personal posible, ¿qué número usaría para calificar a su doctor personal?

- ₀ 0 El peor doctor personal posible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 El mejor doctor personal posible

La atención médica que recibió de especialistas

Al contestar las siguientes preguntas no incluya las veces que fue a ver al dentista ni la atención que recibió cuando pasó la noche hospitalizado.

24. Los especialistas son doctores que se especializan en un área de la medicina. Pueden ser cirujanos, doctores especialistas en el corazón, las alergias, la piel y otras áreas. En los últimos 6 meses, ¿hizo alguna cita con un especialista?

- ₁ Sí
- ₂ No → **Si contestó "No", pase a la pregunta 28**

25. En los últimos 6 meses, ¿con qué frecuencia consiguió una cita con un especialista tan pronto como usted la necesitaba?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

26. ¿Cuántos especialistas ha visto en los últimos 6 meses?

- ₀ Ninguno → **Si contestó "Ninguno", pase a la pregunta 28**
- ₁ 1 especialista
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5 especialistas o más

27. Queremos saber cómo califica al especialista al que fue con más frecuencia en los últimos 6 meses. Usando un número del 0 al 10, el 0 siendo el peor especialista posible y el 10 el mejor especialista posible, ¿qué número usaría para calificar al especialista?

- ₀ 0 El peor especialista posible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 El mejor especialista posible

Su plan de salud

Las siguientes preguntas se refieren a su experiencia con su plan de salud.

28. En los últimos 6 meses, ¿buscó alguna información en materiales escritos o en la Internet sobre cómo funciona su plan de salud?

- ₁ Sí
- ₂ No → ***Si contestó “No”, pase a la pregunta 30***

29. En los últimos 6 meses, ¿con qué frecuencia encontró la información que usted necesitaba sobre cómo funciona su plan de salud en materiales escritos o en la Internet?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

30. En los últimos 6 meses, ¿recibió información o ayuda de parte del servicio al cliente de su plan de salud?

- ₁ Sí
- ₂ No → ***Si contestó “No”, pase a la pregunta 33***

31. En los últimos 6 meses, ¿con qué frecuencia el servicio al cliente de su plan de salud le dio la información o ayuda que usted necesitaba?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

32. En los últimos 6 meses, ¿con qué frecuencia el personal de servicio al cliente de su plan de salud le trató con cortesía y respeto?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

33. En los últimos 6 meses, ¿le dio su plan de salud algún formulario para que lo llenara?

- ₁ Sí
- ₂ No → ***Si contestó “No”, pase a la pregunta 35***

34. En los últimos 6 meses, ¿con qué frecuencia fueron fáciles de llenar los formularios de su plan de salud?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

35. Usando un número del 0 al 10, el 0 siendo el peor plan de salud posible y el 10 el mejor plan de salud posible, ¿qué número usaría para calificar su plan de salud?

- ₀ 0 El peor plan de salud posible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 El mejor plan de salud posible

35a. En los últimos 6 meses, ¿tuvo usted un problema de salud para el cual necesitó equipo especial, tal como un bastón, silla de rueda, o equipo de oxígeno?

- ₁ Sí
- ₂ No → ***Si contestó “No”, pase a la pregunta 35c***

35b. En los últimos 6 meses, ¿con qué frecuencia fue fácil para usted conseguir el equipo médico que usted necesitaba a través de su plan de salud?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

35c. En los últimos 6 meses, ¿tuvo usted un problema de salud para el cual necesitó terapia especial, tal como terapia física, ocupacional o terapia del habla?

- ₁ Sí
- ₂ No → ***Si contestó “No”, pase a la pregunta 35e***

35d. En los últimos 6 meses, ¿con qué frecuencia fue fácil para usted conseguir la terapia especial que usted necesitaba a través de su plan de salud?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

Preguntas adicionales

Las siguientes preguntas son sobre cuánto usted piensa que su doctor u otro proveedor de salud respeta sus creencias, actitudes, lenguaje y comportamiento.

35e. En los últimos 6 meses, ¿con qué frecuencia un doctor u otro proveedor de salud le habló muy rápido?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

35f. En los últimos 6 meses, ¿con qué frecuencia un doctor u otro proveedor de salud le interrumpió cuando usted estaba hablando?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

35g. En los últimos 6 meses, ¿con qué frecuencia un doctor u otro proveedor de salud uso un tono condescendiente, sarcástico o grosero con usted?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

35h. En los últimos 6 meses, ¿sintió usted que podía confiarle su atención médica al doctor u otro proveedor de salud?

- ₁ Sí, definitivamente
- ₂ Sí, algo
- ₃ No

Acceso a atención dental

35i. Un dentista regular es a quien usted va a ver para un chequeo y limpieza o cuando tiene una carie o un dolor de diente. ¿Usted tiene un dentista regular?

- ₁ Sí
- ₂ No

35j. En los últimos 6 meses, ¿fue usted al consultorio de un dentista o a una clínica dental para recibir atención?

- ₁ Sí
- ₂ No → ***Si contestó "No", pase a la pregunta 35l***

35k. En los últimos 6 meses, ¿con qué frecuencia el personal dental o el dentista le explicaron lo que le hacían durante el tratamiento?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

35l. Si usted trató de conseguir una cita para usted con un dentista que se especializaba en un tipo de atención dental en particular (como una endodoncia (root canal) o enfermedad de las encías) en los últimos 6 meses, ¿con qué frecuencia le dieron una cita tan pronto como la quería?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre
- ₅ No traté de conseguir una cita con un especialista dental para mí en los últimos 6 meses

35m. En los últimos 6 meses, si usted necesitó ver a un dentista de inmediato por una emergencia dental, ¿con qué frecuencia pudo ver usted a un dentista tan pronto como quería?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre
- ₅ No tuve una emergencia dental en los últimos 6 meses

35n. Usando un número del 0 al 10, el 0 siendo extremadamente difícil y el 10 extremadamente fácil, ¿qué número usaría para calificar cuán fácil le fue encontrar un dentista?

- ₀ 0 Extremadamente difícil
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 Extremadamente fácil

Acerca de usted

36. En general, ¿cómo calificaría toda su salud?

- ₁ Excelente
- ₂ Muy buena
- ₃ Buena
- ₄ Regular
- ₅ Mala

37. En general, ¿cómo calificaría toda su salud mental o emocional?

- ₁ Excelente
- ₂ Muy buena
- ₃ Buena
- ₄ Regular
- ₅ Mala

38. Desde el 1 de julio del 2018, ¿le han puesto la vacuna para la influenza o gripe ya sea en inyección o con un rociador o espray nasal?

- ₁ Sí
- ₂ No
- ₃ No sé

39. Actualmente, ¿fuma cigarrillos o usa tabaco todos los días, algunos días o nunca?

- ₁ Todos los días
- ₂ Algunos días
- ₃ No fumo en absoluto → ***Si contestó “No fumo en absoluto”, pase a la pregunta 43***
- ₄ No sé → ***Si contestó “No sé”, pase a la pregunta 43***

40. En los últimos 6 meses, ¿qué tan seguido le aconsejó un doctor u otro profesional médico de su seguro que dejara de fumar o usar tabaco?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

41. En los últimos 6 meses, ¿qué tan seguido le recomendó, o habló un doctor o profesional médico sobre medicamentos para ayudarlo(a) a dejar de fumar o usar tabaco? Ejemplos de medicamentos son: chicle o goma de mascar con nicotina, parche, rociador o aerosol nasal, inhalador o medicamentos con receta.

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

42. En los últimos 6 meses, ¿qué tan seguido le ofreció o habló con su doctor o profesional médico sobre métodos y estrategias, aparte de medicamentos, para ayudarlo(a) a dejar de fumar o usar tabaco? Ejemplos de métodos y estrategias son: una línea telefónica de ayuda, consejería individual o terapia de grupo o un programa para dejar de fumar.

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

43. En los últimos 6 meses, ¿recibió usted atención médica 3 veces o más para la misma enfermedad o problema?

- ₁ Sí
- ₂ No → ***Si contestó "No", pase a la pregunta 45***

44. ¿Se trata de una enfermedad o problema que ha durado al menos 3 meses? No incluya el embarazo ni la menopausia.

- ₁ Sí
- ₂ No

45. ¿Necesita o toma ahora alguna medicina recetada por un doctor? No incluya anticonceptivos.

- ₁ Sí
- ₂ No → ***Si contestó "No", pase a la pregunta 47***

46. ¿Es esta medicina para tratar una enfermedad o problema que ha durado al menos 3 meses? No incluya el embarazo ni la menopausia.

- ₁ Sí
- ₂ No

47. ¿Qué edad tiene?

- ₁ 18 a 24 años
- ₂ 25 a 34
- ₃ 35 a 44
- ₄ 45 a 54
- ₅ 55 a 64
- ₆ 65 a 74
- ₇ 75 años o más

48. ¿Es usted hombre o mujer?

- ₁ Hombre
- ₂ Mujer

49. ¿Cuál es el grado o nivel escolar más alto que usted ha completado?

- ₁ 8 años de escuela o menos
- ₂ 9 a 12 años de escuela, pero sin graduarse
- ₃ Graduado de la escuela secundaria (*high school*), Diploma de escuela secundaria, preparatoria o su equivalente (o GED)
- ₄ Algunos cursos universitarios o un título universitario de un programa de 2 años
- ₅ Título universitario de 4 años
- ₆ Título universitario de más de 4 años

50. ¿Es usted de origen o ascendencia hispana o latina?

- ₁ Sí, hispano o latino
- ₂ No, ni hispano ni latino

51. ¿A qué raza pertenece? Marque una o más.

- _a Blanca
- _b Negra o afroamericana
- _c Asiática
- _d Nativa de Hawái o de otras islas del Pacífico
- _e Indígena americana o nativa de Alaska
- _f Otra

52. ¿Le ayudó alguien a completar esta encuesta?

- ₁ Sí → ***Si contestó "Sí", pase a la pregunta 53***
- ₂ No → ***Gracias. Por favor, devuelva esta encuesta en el sobre con el porte o franqueo pagado.***

53. ¿Cómo le ayudó a usted esta persona? Marque una o más.

- _a Me leyó las preguntas
- _b Anotó las respuestas que le di
- _c Contestó las preguntas por mí
- _d Tradujo las preguntas a mi idioma
- _e Me ayudó de otra forma

Gracias

Por favor devuelva esta encuesta en el sobre con el porte o franqueo pagado a:

Center for the Study of Services
PO Box 10820
Herndon, VA 20172

Por favor no incluya cualquier otra correspondencia.

CALCULATION GUIDELINES FOR GLOBAL PROPORTIONS

NCQA's *HEDIS 2019, Volume 3: Specifications for Survey Measures* contains detailed guidelines for calculation of survey results. These guidelines include:

- Criteria for including a survey in the results calculation. A questionnaire must have the final disposition code of *Complete and Valid Survey* to be included in the calculation of plan-level scores.
- Rules for handling appropriately answered questions (i.e., questions that comply with survey skip-pattern instructions).
- Rules for handling inappropriately answered questions (e.g., unanswered questions, multiple-mark questions, questions that should have been skipped, and questions within a skip pattern of an inappropriately answered or skipped gate item).
- Rules for calculating denominators for questions and composites. The denominator for a question is equal to the total number of responses to that question. The denominator for a composite is the average number of responses across all questions in the composite.
- Rules for calculating rolling average composites and question summary rates. *For OHA analysis, rolling average measures were calculated using single year rates.*
- Rules for handling changes in submission entity (i.e., if a health plan changes how it reports CAHPS results from one year to the next.)

COMPOSITE GLOBAL PROPORTIONS

Global Proportions are *average* proportions of respondents who gave the plan a favorable rating on each question in a composite. There are three steps needed to calculate the composite global proportion:

Step 1

For each question in a composite, count the number of members who selected a favorable response option:

- For all composite questions except those in the *Shared Decision Making* composite, the favorable responses are Usually and Always.
- For the *Shared Decision Making* questions, the favorable response is Yes.

Step 2

For each question, determine the proportion of respondents rating favorably (i.e., *Usually/Always* or *Yes*).

Step 3

Calculate the average proportion rating favorably across all the questions in the composite. These are the composite global proportions. Note: each question in a composite is weighted equally, regardless of how many members respond.

Using the example above, here is an illustration of the step-by-step calculation of the *Getting Care Quickly* composite global proportion. Missing responses are not included in the denominator.

Response option	Q4	Q6	Global Proportion
<i>Never or Sometimes</i>	$1 / 5 = 0.20$	$1 / 4 = 0.25$	$(0.20 + 0.25) / 2 = 0.2250$
<i>Usually</i>	$2 / 5 = 0.40$	$1 / 4 = 0.25$	$(0.40 + 0.25) / 2 = 0.3250$
<i>Always</i>	$2 / 5 = 0.40$	$2 / 4 = 0.50$	$(0.40 + 0.50) / 2 = 0.4500$
<i>Always or Usually</i>	$4 / 5 = 0.80$	$3 / 4 = 0.75$	$(0.80 + 0.75) / 2 = 0.7750$

Therefore, 80.00 percent and 75.00 percent of members respectively provided favorable responses to the *Getting Care Quickly* questions Q4 and Q6. Averaging these two proportions yields the global proportion score of 77.50 percent for the *Getting Care Quickly* composite.

GLOSSARY OF TERMS

Attributes	Areas of health plan performance and member experience assessed with the CAHPS survey
Benchmark	A reference score (e.g., the State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate) against which performance on the measure is assessed. See <i>Comparisons to Benchmarks and Prior-Year Results</i> .
CAHPS 5.0H Surveys	Consumer Assessment of Healthcare Providers and Systems (CAHPS) is a series of surveys designed to collect consumer feedback on their health care experiences. The CAHPS 5.0H Health Plan Survey asks members to report on their experiences with access to appointments and care through their health plan, communication with doctors available through the plan, and customer service. The Commercial plan version asks about member experiences in the previous 12 months, whereas the Medicaid version refers to the previous six (6) months. The Medicaid version is available for adults and children; the Commercial version is for adults only. The Adult survey is intended for respondents who are 18 and older; the Child survey asks parents or guardians about the experiences of children 17 and younger. Health plans report survey results as part of HEDIS data collection. NCQA uses survey results in health plan performance reports, to inform accreditation decisions, and to create national benchmarks for care. Health plans might also collect CAHPS survey data for internal quality improvement purposes.
Composite Measures	Composite measures combine results from related survey questions into a single score to summarize health plan performance in a specific area of care or service. The set of applicable composites varies slightly by survey version. See <i>Experience of Care Measures</i> .
Confidence Level	A confidence level is associated with tests of statistical significance of observed differences in survey scores. It is expressed as a percentage and represents how often the observed difference (e.g., between the plan's current-year rate and the relevant benchmark rate) is real and not simply due to chance. A 95% confidence level associated with a statistical test means that if repeated samples were surveyed, in 95 out of 100 samples the observed measure score would be truly different from the comparison score.
Correlation	A degree of association between two variables, or attributes, typically measured by the <i>Pearson correlation coefficient</i> . The coefficient value of 1 indicates a strong positive relationship; -1 indicates a strong negative relationship; zero indicates no relationship at all.
Denominator (<i>n</i> , or Usable Responses)	Number of valid (appropriately answered) responses available to calculate a measure result. Examples of inappropriately answered questions include ambiguously marked answers, multiple marks when a single answer choice is expected, and responses that violate survey skip patterns. The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite. If the denominator is less than 30 responses, a measure result of "Low n" was assigned.

Disposition	The final status given to a member record in the survey sample at the end of the study (e.g., completed survey, refusal, non-response, etc.) See <i>Member Dispositions and Response Rate</i> .
Effectiveness of Care	Effectiveness of Care measures are relevant to Adult surveys only and include <i>Flu Vaccinations for Adults Ages 18–64 (FVA)</i> and <i>Medical Assistance with Smoking and Tobacco Use Cessation (MSC)</i> .
Eligible Population	Members who are eligible to participate in the survey based on the following criteria: <ul style="list-style-type: none"> - Current enrollment (as of the date the sample frame is generated). Some members may no longer be enrolled by the time they complete the survey. They become ineligible and will be excluded from survey results based on their responses to the first two questions on the survey, which confirm membership. - Continuous enrollment (six months for Medicaid, with no more than one enrollment break of 45 days or less); - Member age (18 years old or older for the Adult survey and 17 years old or younger for the Child survey as of November 30 of the measurement year); - Primary coverage (through Medicaid or a commercial product line for Medicaid and Commercial surveys, respectively).
Global proportions	Applies to composite measures. The proportion of respondents selecting the favorable response(s) (e.g., <i>Always</i> or <i>Usually</i>) averaged across the questions that make up the composite. See <i>Question Summary Rates and Composite Global Proportions</i> .
HEDIS	The Healthcare Effectiveness Data and Information Set (HEDIS) is a set of performance measures in the managed care industry, developed and maintained by NCQA. HEDIS was designed to allow consumers to compare health plan performance to other plans and to national or regional benchmarks as well as to track year-to-year performance. HEDIS is one component of NCQA's accreditation process, although some plans submit HEDIS data without seeking accreditation. CAHPS measures are a subset of HEDIS.
Key Drivers and Priorities for Improvement	Key Drivers are plan attributes that have been shown to be closely related to members' overall assessment of the plan. Performance on these attributes predicts how the plan is rated overall and, viewed from the industry perspective, helps to distinguish high-rated plans from poorly rated plans. Specific priorities for improvement for <i>your organization</i> are identified based on how it is currently performing on the key driver attributes compared to industry best practices.
NCQA	The National Committee for Quality Assurance (NCQA) is an independent non-profit organization that works to improve health care quality through the administration of evidence-based standards, measures, programs, and accreditation. NCQA manages voluntary accreditation programs for individual physicians, health plans, and medical groups. Health plans seek accreditation and measure performance through the administration and submission of the Healthcare Effectiveness Data and Information Set (HEDIS) and Consumer Assessment of Healthcare Providers and Systems (CAHPS) survey.

Question Summary Rate	Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest (typically representing the most favorable outcome(s) from a given question on the survey). Many survey items use a <i>Never, Sometimes, Usually, or Always</i> response scale, with <i>Always</i> being the most favorable outcome. Results are typically reported as the proportion of members selecting <i>Usually</i> or <i>Always</i> . See <i>Question Summary Rates and Composite Global Proportions</i> .
Response Rate	Survey response rate is calculated using the following formula:
	$\text{Response Rate} = \frac{\text{Complete and Eligible Surveys}}{[\text{Complete and Eligible} + \text{Incomplete (but Eligible)} + \text{Refusal} + \text{Nonresponse after maximum attempts} + \text{Added to Do Not Call (DNC) List}]}$
Sample size	OHA’s methodology used a sample size of 1,000 for Adult Medicaid samples, 800 for Child Medicaid samples, and 450 for Child Medicaid with Chronic Conditions samples.
Statistically Significant Difference	When survey results are calculated based on sample data and compared to a benchmark score (e.g., State Oregon Health Plan, the highest or lowest performing CCO, or the CCO’s own prior-year rate), the question is whether the observed difference is real or due to chance. A difference is said to be statistically significant at a given confidence level (e.g., 95%) if it has a 95% chance of being true.
Trending	Comparison of survey results over time
Usable Responses (n)	See <i>Denominator</i>
Valid Response	Any acceptable (falling within a pre-defined set) response to a survey question that follows the NCQA skip pattern rules and data cleaning guidelines.