



**Oregon Health Plan Report of Results for
Health Share of Oregon Adult Population
2019 CAHPS® 5.0H Medicaid Member Experience Survey**

Prepared for:

Oregon Health Authority

Prepared by:

Center for the Study of Services
1625 K Street NW, Suite 800
Washington, DC 20006

Table of Contents

Introduction.....	4
Executive Summary	5
Results on Key Survey Measures.....	5
Top Priorities for Quality Improvement	5
Survey Results at a Glance	7
About This Report.....	8
Survey Methodology.....	10
Survey Protocol and Timeline.....	10
Survey Materials.....	10
Sample Selection	10
Data Capture	11
Member Dispositions and Response Rate	12
Satisfaction with the Experience of Care	13
Experience of Care Measures.....	13
Calculation and Reporting of Results	15
Summary of Survey Results	16
Detailed Performance Charts	18
Effectiveness of Care.....	39
Effectiveness of Care Measures	39
Effectiveness of Care Results.....	39
Member Profile and Analysis of Plan Ratings by Member Segment	41

Health Status and Demographics	42
Use of Services	47
Key Driver Analysis	51
Objectives.....	51
Technical Approach	51
Industry Key Driver Model	52
Opportunities for Plan Quality Improvement	53
Health Plan Quality Improvement Resources for Key Drivers.....	55
Appendix	I
Cross-Tabulations of Survey Responses	II
Survey Instrument	III
Calculation Guidelines for Global Proportions	IV
Glossary of Terms	VI

INTRODUCTION

The Oregon Health Authority (OHA) contracts with managed care organizations, also known as Coordinated Care Organizations (CCOs), to provide health care services. Understanding the experience of people who are Oregon Health Plan (OHP) members is important to clinicians, policy makers, patients and consumers, quality monitors and regulators, provider organizations, health plans, community collaboratives, and those who are responsible for monitoring and evaluating the quality of and access to health care services.

Introduced by the Agency for Healthcare Research and Quality (AHRQ) in the mid-1990s, the Consumer Assessment of Healthcare Providers and Systems (CAHPS) program encompasses the full range of standardized surveys that ask consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers, such as accessibility of services and communication skills of providers.

OHA conducts annual CAHPS surveys asking consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers and focus on aspects of quality that consumers are best qualified to assess, such as the communication skills of providers and ease of access to health care services. The survey results help inform decisions for those involved with providing care to OHP members and to improve the quality of health care services.

The survey measures member satisfaction with the experience of care and gives a general indication of how well the health plan meets members' expectations. Surveyed members are asked to rate various aspects of the health plan based on their experience with the plan during the previous six months. In addition, the survey is used to collect data on several measures from the *Effectiveness of Care* domain.

EXECUTIVE SUMMARY

CSS administered the Adult Medicaid version of the 2019 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of Health Share of Oregon, hereafter referred to as Health Share between January 9 and April 9, 2019. The final Adult Medicaid survey sample for Health Share included 1,000 members. 211 members completed the survey, resulting in a response rate of 22.03 percent.

This section highlights some of the key survey findings for Health Share, including trends in CAHPS ratings and composites and comparisons to the State Oregon Health Plan results. Results are based on the rates of members answering 8, 9, or 10 for the ratings questions; *Yes* for the *Shared Decision Making* composite; and *Usually* or *Always* for all other measures. Statistical significance tests were conducted at the 95% confidence level. Up to five organizational priorities for quality improvement are also identified based on CSS's *Key Driver Analysis*.

RESULTS ON KEY SURVEY MEASURES

STATISTICALLY SIGNIFICANT IMPROVEMENTS OR DECLINES COMPARED TO 2018

Reportable Rate IMPROVED	Reportable Rate DECLINED
No statistically significant improvements	No statistically significant declines

STATISTICALLY SIGNIFICANT DIFFERENCES FROM STATE OREGON HEALTH PLAN

Reportable Rate ABOVE State OHP	Reportable Rate BELOW State OHP
2019 State OHP	
None	None

TOP PRIORITIES FOR QUALITY IMPROVEMENT

CSS's *Key Driver Analysis* identifies the areas of health plan performance and aspects of member experience that shape members' overall assessment of their health plan. To the extent that these specific areas or experiences can be improved, the overall rating of the plan should reflect these gains. Up to five quality improvement opportunities with the highest return on investment for Health Share are identified below. Effective interventions in these areas have the greatest potential impact on the *Rating of Health Plan* score.

Top Priorities for Quality Improvement

1. Improving the quality of physicians in health plan network (personal doctors)
2. Improving the ability of the health plan customer service to provide members with necessary information or help
3. Improving member access to care (ease of getting needed care, tests, or treatment)
4. Improving saliency, availability, and clarity of information about how the health plan works in written materials or on the Internet
5. Improving member access to care (scheduling appointments for routine care)

The remainder of this report examines these and other findings in greater detail.

SURVEY RESULTS AT A GLANCE

An overview of summary measures are presented in Exhibit 1. This includes CAHPS ratings and composites and comparisons to the State Oregon Health Plan results, and prior year data (where available).

EXHIBIT 1. 2019 HEALTH SHARE ADULT MEDICAID SURVEY RESULTS AT A GLANCE

CAHPS 5.0H Survey Measures		Global Proportions and Question Summary Rates		Valid Responses		2019 State OHP
		2018	2019	2018	2019	
Overall Ratings (% 8, 9, or 10)	Q13. Rating of All Health Care	72.91%	77.92%	203	154	70.83%
	Q23. Rating of Personal Doctor	72.81%	80.81%	217	172	80.14%
	Q27. Rating of Specialist Seen Most Often	77.14%	82.05%	105	78	79.45%
	Q35. Rating of Health Plan	74.38%	70.27%	242	185	70.39%
Getting Needed Care (% Always or Usually)	Getting Needed Care Composite	83.58%	80.08%	158	120	81.41%
	Q14. Easy to get needed care	86.63%	85.16%	202	155	85.15%
	Q25. Easy to see specialists	80.53%	75.00%	113	84	77.68%
Getting Care Quickly (% Always or Usually)	Getting Care Quickly Composite	81.81%	83.31%	147	106	82.65%
	Q4. Got urgent care as soon as needed	88.07%	85.51%	109	69	85.22%
	Q6. Got routine care as soon as needed	75.54%	81.12%	184	143	80.09%
How Well Doctors Communicate* (% Always or Usually)	How Well Doctors Communicate Composite	87.92%	91.41%	180	131	92.08%
	Q17. Doctor explained things	87.78%	92.37%	180	131	93.27%
	Q18. Doctor listened carefully	86.67%	92.37%	180	131	92.15%
	Q19. Doctor showed respect	88.89%	91.60%	180	131	92.82%
Customer Service (% Always or Usually)	Q20. Doctor spent enough time	88.33%	89.31%	180	131	90.07%
	Customer Service Composite	86.66%	84.56%	79	58	87.24%
	Q31. Provided needed information/help	81.01%	76.27%	79	59	81.43%
Shared Decision Making** (% Yes)	Q32. Treated with courtesy/respect	92.31%	92.86%	78	56	93.05%
	Shared Decision Making Composite	87.18%	81.25%	102	93	83.28%
	Q10. Discussed reasons to take a medicine	97.12%	93.55%	104	93	94.49%
	Q11. Discussed reasons not to take a medicine	79.41%	80.65%	102	93	77.41%
Other Areas	Q12. Discussed what was best for you	85.00%	69.57% ▼	100	92	77.94%
	Q8. Health Promotion and Education (% Yes)	82.67%	75.82%	202	153	74.83%
	Q22. Coordination of Care (% Always or Usually)	80.00%	84.00%	115	75	82.51%
Effectiveness of Care Measures	Advising Smokers and Tobacco Users to Quit	80.65%	73.91%	62	46	73.41%
	Discussing Cessation Medications	67.74%	47.83%	62	46	52.91%
	Discussing Cessation Strategies	54.84%	43.48%	62	46	46.43%
	Flu Vaccinations for Adults	39.57%	38.99%	235	159	39.20%

If n is less than 30, "Low n" is displayed next to score.

Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the denominator threshold (n=30). All statistical tests are conducted at the 95% confidence level prior to rounding. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as ▲ when your rate is higher or ▼ when it is lower.

ABOUT THIS REPORT

The key features of this 2019 CAHPS report, prepared by CSS for Health Share, are highlighted below.

- Survey results presented in this report were calculated following the NCQA guidelines published in *HEDIS 2019, Volume 3: Specifications for Survey Measures* unless otherwise noted. Summary Results are reported regardless of whether the denominator threshold is met, however, any summary measure where the denominator is less than 30 is marked as “Low n”.
- Throughout the report, the 2019 Health Share survey results are compared to the 2019 State OHP. The 2019 State OHP is calculated by pooling Adult Medicaid survey responses across CCOs surveyed by the Oregon Health Authority.
- *Executive Summary* provides a high-level overview of survey findings. This section highlights the areas where Health Share performs significantly above or below the State Oregon Health Plan performance. If prior-year survey results are available, any statistically significant improvements or declines on key survey measures are also noted. Up to five top organizational priorities for quality improvement based on CSS’s *Key Driver Analysis* are identified.
- *Summary of Survey Results* presents the 2019 Health Share survey scores on key measures, including question summary rates (QSRs), global proportions, and changes in QSR and global proportion scores from the previous year (if applicable); and comparisons to relevant Oregon Health Plan benchmarks. Statistically significant differences in scores are noted.
- *Detailed Performance Charts* are provided for the rating questions, composite measures, and individual survey items representing the various CAHPS domains of care. The 2019 Health Share QSRs and global proportions are compared to the 2019 State OHP on all measures. Where available, a three-year trend in scores is also shown.
- *Member Profile and Analysis of Plan Ratings by Member Segment* compares the 2019 Health Share respondent profile to the appropriate reference distribution (i.e., all plans included in the 2019 State OHP) of demographic characteristics and utilization variables. Variation in *Rating of Health Plan* measure by member segment is examined.
- A one-page summary of the *Effectiveness of Care* measures includes comparisons to prior-year results (if available) as well as to the 2019 State OHP rates. All rates are calculated according to the NCQA guidelines, but are presented regardless of their eligibility for NCQA reporting.

- *Key Driver Analysis* identifies those aspects of member experience (key drivers) that are closely related to the overall rating of the plan. The *CSS Key Driver Model* quantifies the contribution of each key driver to the overall evaluation of the plan. The 2019 Health Share results on each key driver are compared to the highest score among the one Adult Medicaid plans contributing to the 2019 State OHP, yielding a measure of available room for improvement in each area. The result is then weighted by the key driver's contribution to the overall *Rating of Health Plan* score. Opportunities for improvement are prioritized based on the expected improvement in the Health Share *Rating of Health Plan* score due to improved performance on the key driver. A separate section of the report provides some helpful resources for health plan quality improvement.
- The *Appendix* includes:
 - Detailed cross-tabulations of survey responses for every survey question, with additional tables summarizing performance on key survey measures;
 - A copy of the survey instrument;
 - Step-by-step guidelines for calculating composite global proportions; and
 - A glossary of terms.

SURVEY METHODOLOGY

SURVEY PROTOCOL AND TIMELINE

CSS administered the Adult Medicaid version of the 2019 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of Health Share using a mixed methodology of internet, mail, and telephone. The Oregon Health Authority's mixed methodology consisted of the following milestones:

- A prenotification letter with an invitation to complete the survey online, which was mailed on January 9;
- An initial questionnaire with cover letter, which was mailed on January 16;
- A replacement questionnaire with cover letter, which was mailed on February 13;
- A telephone follow-up phase targeting non-respondents, with up to four telephone follow-up attempts spaced at different times of the day and on different days of the week, which started on March 6; and
- Close of data collection on April 9, 2019.

SURVEY MATERIALS

The survey instruments (both English and Spanish) used for Health Share are provided in the Appendix. CSS designed the survey following instructions from OHA and the NCQA specifications detailed in *HEDIS 2019, Volume 3: Specifications for Survey Measures and Quality Assurance Plan for HEDIS 2019 Survey Measures*. The materials referred to Oregon Health Plan and included the Oregon Health Authority logo on all of the mailing materials. Each survey package included a postage-paid return envelope. Besides the core CAHPS questions, the survey included 14 additional questions added by OHA. These included questions on mobility impairment, cultural competency, and access to dental care. All mailings included a duplex English and Spanish cover letter. Members received either an English or Spanish survey based on language information provided by Oregon Health Authority. Members had the option to request the survey in the other language using a telephone request line.

SAMPLE SELECTION

CSS followed Oregon Health Authority's instructions to generate the survey sample for Health Share. Sample-eligible members were defined as plan members who were 18 years old or older as of November 30, 2018; were currently enrolled; had been continuously enrolled for six months (with no more than one enrollment break of 45 days or less); and whose primary coverage was through Medicaid. Prior to sampling, CSS carefully inspected the member file(s) and

informed the Oregon Health Authority of any errors or irregularities found (such as missing address elements or subscriber numbers). Once the quality assurance process had been completed, CSS processed member addresses through the USPS National Change of Address (NCOA) service to ensure that the mailing addresses were up-to-date.

The final sample was generated using a random selection methodology, with no more than one member per household selected to receive the survey. The exception to this rule was any CCO that failed to meet the desired sample size in which case more than one member per household could be selected. CSS assigned each sampled member a unique identification number, which was used to track their progress throughout the data collection process.

The Oregon Health Authority chose to oversample for targeted race and ethnicity groups to ensure these groups were appropriately represented in the state sample. Data for those sample members only appear in the State OHP results and not the individual CCO results. The final survey sample for Health Share included 1,000 members.

DATA CAPTURE

Questionnaires returned by mail were recorded using either manual data entry or optical scanning. Responses recorded via manual data entry were keyed by two independent data entry operators, and any discrepancies between the two response records were flagged and reconciled by a supervisor. Individual responses on surveys recorded via optical scanning were sent to data entry operators if the scanning technology was unable to identify the specific response option selected with a pre-defined degree of certainty.

Computer Assisted Telephone Interviewing (CATI) technology was used to electronically capture survey responses obtained during telephone interviews. Members were able to complete the survey in either English or Spanish. On-site CATI supervisors maintained quality control by monitoring the telephone interviews and keyboard entry of interviewers in real time. In addition, CSS research staff remotely monitored interviews on a regular basis. Due to the multiple mailings and varied modes of data collection, multiple survey responses could be received from the same sample member. In those cases, CSS included only one survey response (the most complete survey) in the final analysis dataset.

MEMBER DISPOSITIONS AND RESPONSE RATE

Among the Health Share sample members who met final eligibility criteria, 211 completed the survey, resulting in a response rate of 22.03 percent. Additional detail on sample member status at the end of data collection (dispositions) is provided in Exhibit 2.

EXHIBIT 2. 2019 HEALTH SHARE ADULT MEDICAID CAHPS SURVEY: SAMPLE MEMBER DISPOSITIONS AND RESPONSE RATE

Disposition	Total		2019 State OHP
	Number	% Initial Sample	
Initial Sample	1,000	100.00%	---
Disposition			
Complete and Eligible - Mail	138	13.80%	16.85%
Complete and Eligible - Phone	64	6.40%	6.74%
Complete and Eligible - Internet	9	0.90%	0.75%
Complete and Eligible - Total	211	21.10%	24.34%
Does not meet Eligible Population criteria	24	2.40%	1.66%
Incomplete (but Eligible)	27	2.70%	2.83%
Ineligible	18	1.80%	1.17%
- Language barrier	8	0.80%	0.39%
- Mentally or physically incapacitated	10	1.00%	0.81%
- Deceased	0	0.00%	0.14%
Refusal	43	4.30%	6.41%
Nonresponse after maximum attempts	669	66.90%	62.66%
Added to Do Not Call (DNC) list	8	0.80%	0.77%
Response Rate*		22.03%	25.09%

12430

*Response rate = Complete and Eligible Surveys/[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts + Added to Do Not Call (DNC) List]

SATISFACTION WITH THE EXPERIENCE OF CARE

EXPERIENCE OF CARE MEASURES

CAHPS Health Plan Survey 5.0H, Adult Medicaid version includes four global **rating questions** that ask respondents to rate the following items on a 0 to 10 scale:

- **Rating of Personal Doctor** (0 = worst personal doctor possible; 10 = best personal doctor possible)
- **Rating of Specialist Seen Most Often** (0 = worst specialist possible; 10 = best specialist possible)
- **Rating of All Health Care** (0 = worst health care possible; 10 = best health care possible)
- **Rating of Health Plan** (0 = worst health plan possible; 10 = best health plan possible)

The results for five **composite measures** are also reported. Composite measures combine results from related survey questions into a single measure to summarize health plan performance in the areas listed below.

- **Getting Needed Care** combines responses to two survey questions that address member access to care:
 - *In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?*
 - *In the last 6 months, how often did you get an appointment to see a specialist as soon as you needed?*
- **Getting Care Quickly** combines responses to two survey questions that address timely availability of both urgent and routine care:
 - *In the last 6 months, when you needed care right away, how often did you get care as soon as you needed?*
 - *In the last 6 months, how often did you get an appointment for a check-up or routine care at a doctor's office or clinic as soon as you needed?*
- **How Well Doctors Communicate** combines responses to four survey questions that address physician communication:
 - *In the last 6 months, how often did your personal doctor explain things in a way that was easy to understand?*

- *In the last 6 months, how often did your personal doctor listen carefully to you?*
- *In the last 6 months, how often did your personal doctor show respect for what you had to say?*
- *In the last 6 months, how often did your personal doctor spend enough time with you?*
- **Customer Service** combines responses to two survey questions that ask about member experience with the health plan’s customer service:
 - *In the last 6 months, how often did your health plan’s customer service staff give you the information or help you needed?*
 - *In the last 6 months, how often did your health plan’s customer service staff treat you with courtesy and respect?*
- **Shared Decision Making** combines responses to three survey questions that focus on decisions about taking prescription medicines:
 - *Did you and a doctor or other health provider talk about the reasons you might want to take a medicine?*
 - *Did you and a doctor or other health provider talk about the reasons you might not want to take a medicine?*
 - *When you talked about starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for you?*

In addition to the five composite measures listed above, question summary rates are also reported for two survey items summarizing the following concepts:

- **Health Promotion and Education**

In the last 6 months, did you and a doctor or other health provider talk about specific things you could do to prevent illness?

- **Coordination of Care**

In the last 6 months, how often did your personal doctor seem informed and up-to-date about the care you got from these doctors or other health providers?

CALCULATION AND REPORTING OF RESULTS

QUESTION SUMMARY RATES AND COMPOSITE GLOBAL PROPORTIONS

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest from a given question on the survey.

- Rating questions use a 0 to 10 scale with 10 being the most favorable response. Results are reported as the proportion of members selecting one of the top three responses (8, 9, or 10).
- Most survey items use a *Never, Sometimes, Usually, or Always* scale, with *Always* being the most favorable response. Results are reported as the proportion of members selecting *Usually* or *Always*.
- *Shared Decision Making* and *Health Promotion and Education* use a *Yes* or *No* scale, with *Yes* being the desired response. Results are reported as the proportion of members selecting *Yes*.

Composite Global Proportions express the proportion of respondents selecting the response option(s) of interest from a given group of questions on the survey. They are calculated by first determining the proportion of respondents selecting the reported response(s) on each survey question contributing to the composite and subsequently averaging these proportions across all items in the composite.

- For composite measures except *Shared Decision Making*, results are reported as *Usually* or *Always* global proportions.
- For the *Shared Decision Making* composite, the proportion of *Yes* is reported.

Throughout the report, all question summary rates and composite global proportions are rounded to two decimal places for display purposes (e.g., 0.23456 is displayed as 23.46%). However, all calculations involving rates and proportions, including statistical significance testing, are carried out prior to rounding. For more details on the calculations please refer to *HEDIS 2019, Volume 3: Specifications for Survey Measures* or consult the Appendix.

DENOMINATOR THRESHOLD

The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite (note: composite denominators are rounded for display purposes). If the rate denominator is less than 30, a measure result of “Low n” was assigned. This report presents results for all measures, regardless of denominator size. Any result that does not meet the denominator threshold of 30 valid responses is denoted with “Low n” to inform interpretations of results.

COMPARISONS TO BENCHMARKS AND PRIOR-YEAR RESULTS

Throughout the report, the 2019 Health Share results are compared to the 2019 State OHP as well as to the highest and lowest performing CCO. The 2019 State OHP is calculated by pooling Adult Medicaid survey responses across CCOs surveyed by the Oregon Health Authority. If available, prior-year survey results are provided for comparison and year-to-year changes in results are tested for statistical significance. All of the statistical tests are carried out at the 95% confidence level (i.e., there is a 95% probability that the observed difference is not due to chance).

SUMMARY OF SURVEY RESULTS

Exhibit 3 provides a high-level Health Share performance overview on key survey measures. These include overall ratings, composite global proportions, and QSRs for additional content areas. Where applicable, changes in scores over time and comparisons to benchmarks are reported and tested for statistical significance.

EXHIBIT 3. 2019 HEALTH SHARE ADULT MEDICAID CAHPS SURVEY: SUMMARY OF RESULTS ON KEY MEASURES

CAHPS 5.0H Survey Measures*	2019 Rate	Difference** between 2019 Rate and...	
		2018 Rate	2019 State OHP
Ratings			
Rating of Personal Doctor	80.81%	8.00%	0.68%
Rating of Specialist Seen Most Often	82.05%	4.91%	2.60%
Rating of All Health Care	77.92%	5.02%	7.10%
Rating of Health Plan	70.27%	-4.11%	-0.12%
Composite Measures			
Getting Needed Care	80.08%	-3.50%	-1.33%
Getting Care Quickly	83.31%	1.50%	0.66%
How Well Doctors Communicate	91.41%	3.50%	-0.66%
Customer Service	84.56%	-2.10%	-2.67%
Shared Decision Making	81.25%	-5.92%	-2.03%
Additional Content Areas			
Health Promotion and Education	75.82%	-6.86%	0.98%
Coordination of Care	84.00%	4.00%	1.49%

* Results were calculated following NCQA specifications and prior year results may differ from those previously reported.

** Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the small denominator threshold (n=30). All differences in rates are calculated prior to rounding and are rounded for display purposes only. All statistical tests are conducted at the 95% confidence level. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as ▲ when your current-year rate is higher or ▼ when it is lower.

DETAILED PERFORMANCE CHARTS


This section of the report includes detailed charts for composite global proportions, rating question summary rates (QSRs), as well as additional QSRs for individual survey items. The charts have the following features:

TREND IN RESULTS

- Health Share survey scores are trended over three consecutive years of data collection, if available. A result may not be available if the survey was not administered in a given year or if the measure is new or is not deemed appropriate for trending. In such cases, “No data” appears in place of the score.
- Where appropriate, changes in the distribution of favorable ratings over time are shown in the *Top Rating Distribution* panel of the chart (i.e., percent responding 8 vs. percent responding 9 or 10, or percent responding *Usually* vs. percent responding *Always*).
- The number of valid responses (*n*) appears above each bar. If the number of responses is less than 30, “Low *n*” appears next to the value of *n*, indicating that the result does not meet the denominator threshold. CSS calculates all rates regardless of this threshold.
- Statistical comparisons are conducted between the current-year rate and each of the prior-year rates, if available. Where appropriate, differences in both standard (e.g., 8 + 9 + 10 or *Usually* + *Always*) as well as top-box (e.g., 9 + 10 or *Always*) rates are tested for statistical significance at the 95% confidence level. Statistically significant differences are indicated with a ★ symbol next to the comparison score. For example, ★ appearing next to the 2018 rate denotes a statistically significant difference between the 2019 and 2018 rates.

Rating of Personal Doctor

Percent Responding 8, 9, or 10




12430

Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Rating of Specialist Seen Most Often

Percent Responding 8, 9, or 10




12430

Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Rating of All Health Care

Percent Responding 8, 9, or 10




12430

Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Rating of Health Plan

Percent Responding 8, 9, or 10




12430

Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Getting Needed Care (Composite)

Percent Responding Always or Usually



12430

Tests of statistical significance were conducted for the following reportable rates: *(Always + Usually)* and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.


Getting Needed Care (Contributing Items)

Percent Responding Always or Usually

Q14. In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?



Q25. In the last 6 months, how often did you get an appointment to see a specialist as soon as you needed?




12430

Tests of statistical significance were conducted for the following reportable rates: (*Always + Usually*) and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Getting Care Quickly (Composite)

Percent Responding Always or Usually



12430


Tests of statistical significance were conducted for the following reportable rates: *(Always + Usually)* and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.


Getting Care Quickly (Contributing Items)

Percent Responding Always or Usually

Q4. In the last 6 months, when you needed care right away, how often did you get care as soon as you needed?



Q6. In the last 6 months, how often did you get an appointment for a check-up or routine care at a doctor's office or clinic as soon as you needed?




12430

Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

How Well Doctors Communicate (Composite)

Percent Responding Always or Usually



12430

Tests of statistical significance were conducted for the following reportable rates: (*Always + Usually*) and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

How Well Doctors Communicate (Contributing Items)

Percent Responding Always or Usually

Q17. In the last 6 months, how often did your personal doctor explain things in a way that was easy to understand?



Q18. In the last 6 months, how often did your personal doctor listen carefully to you?



12430


Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

How Well Doctors Communicate (Contributing Items)

Percent Responding Always or Usually

Q19. In the last 6 months, how often did your personal doctor show respect for what you had to say?



Q20. In the last 6 months, how often did your personal doctor spend enough time with you?




12430

Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Customer Service (Composite)

Percent Responding Always or Usually



12430


Tests of statistical significance were conducted for the following reportable rates: *(Always + Usually)* and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Customer Service (Contributing Items)

Percent Responding Always or Usually

Q31. In the last 6 months, how often did your health plan's customer service give you the information or help you needed?



Q32. In the last 6 months, how often did your health plan's customer service staff treat you with courtesy and respect?




12430

Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Shared Decision Making (Composite)

Percent Responding Yes



12430


Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.


Shared Decision Making (Contributing Items)

Percent Responding Yes

Q10. Did you and a doctor or other health provider talk about the reasons you might want to take a medicine?



Q11. Did you and a doctor or other health provider talk about the reasons you might not want to take a medicine?



12430


Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Shared Decision Making (Contributing Items)

Percent Responding Yes

Q12. When you talked about starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for you?




12430

Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Health Promotion and Education (Single Item)

Percent Responding Yes




12430

Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Coordination of Care (Single Item)

Percent Responding Always or Usually



12430


Tests of statistical significance were conducted for the following reportable rates: *(Always + Usually)* and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Written Materials and the Internet Provided Needed Information (Single Item)

Percent Responding Always or Usually

Q29. In the last 6 months, how often did the written materials or the Internet provide the information you needed about how your health plan works?



12430


Tests of statistical significance were conducted for the following reportable rates: (*Always + Usually*) and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

Forms from Plan Were Easy to Fill Out (Single Item)

Percent Responding Always or Usually

Q34. In the last 6 months, how often were the forms from your health plan easy to fill out? (Note: Respondents who did not have to fill out any forms from the health plan are counted as answering "Always".)



12430

Tests of statistical significance were conducted for the following reportable rates: (*Always + Usually*) and *Always*. Statistically significant differences, tested at the 95% confidence level, between your organization's **current-year rate** and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

EFFECTIVENESS OF CARE

The *Effectiveness of Care* domain for the Medicaid product line includes the following measures: *Flu Vaccinations for Adults Ages 18–64 (FVA)* and *Medical Assistance with Smoking and Tobacco Use Cessation (MSC)*. The *FVA* measure is a single-year rate. The *MSC* measure is typically based on two years of data collection and is calculated using the NCQA rolling average methodology. For OHP, the *MSC* measure is calculated using a single-year rate. A brief description of each measure, as it appears in *HEDIS 2019, Volume 3: Specifications for Survey Measures, Section 2: Effectiveness of Care*, is reproduced below. Please refer to *Volume 3* for additional information on the measures, including rolling average calculation methodology and NCQA reporting rules.

EFFECTIVENESS OF CARE MEASURES

FLU VACCINATIONS FOR ADULTS AGES 18–64 (FVA)

This measure represents the percentage of members 18–64 years of age who received a flu vaccination between July 1 of the measurement year and the date when the survey was completed.

MEDICAL ASSISTANCE WITH SMOKING AND TOBACCO USE CESSATION (MSC)

The following components of the *MSC* measure assess different facets of providing medical assistance with smoking and tobacco use cessation:

- *Advising Smokers and Tobacco Users to Quit* –the percentage of current smokers or tobacco users who received advice to quit during the measurement year.
- *Discussing Cessation Medications* –the percentage of current smokers or tobacco users who discussed or were recommended cessation medications during the measurement year.
- *Discussing Cessation Strategies* –the percentage of current smokers or tobacco users who discussed or were provided cessation methods or strategies during the measurement year.

EFFECTIVENESS OF CARE RESULTS

Exhibit 4 provides a summary of Health Share results on HEDIS *Effectiveness of Care* measures. Comparisons to prior-year rates (if available) as well as to the 2019 State OHP rates with statistical significance tests are included.

EXHIBIT 4. 2019 HEALTH SHARE ADULT MEDICAID CAHPS SURVEY: EFFECTIVENESS OF CARE RESULTS

Effectiveness of Care Measures*	2019 Rate	Difference** between 2019 Rate and...	
		2018 Rate	2019 State OHP
Flu Vaccinations for Adults (FVA)			
Flu Vaccinations for Adults	38.99%	-0.58%	-0.20%
Medical Assistance with Smoking and Tobacco Use Cessation (MSC)			
Advising Smokers and Tobacco Users to Quit	73.91%	-6.73%	0.51%
Discussing Cessation Medications	47.83%	-19.92% ▼	-5.09%
Discussing Cessation Strategies	43.48%	-11.36%	-2.96%

12430

* *Effectiveness of Care* results were calculated by CSS following NCQA specifications with the exception that rates for the MSC measure were calculated using a single year rate methodology.

** Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the denominator threshold (n=30). All differences in rates are calculated prior to rounding and are rounded for display purposes only. All statistical tests are conducted at the 95% confidence level. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as ▲ when your rate is higher or ▼ when it is lower.

MEMBER PROFILE AND ANALYSIS OF PLAN RATINGS BY MEMBER SEGMENT

This section of the report presents a detailed profile of the Health Share membership. In addition to member demographics and health status, responses to survey items that assess utilization of healthcare services are included.

A health plan's membership mix is shaped by multiple factors, most of which are beyond the scope of this survey. These include benefit design, geography, availability of health plan choices, and member self-selection into products that best meet their needs. CSS's analysis of industry data suggests that there is considerable variation in member demographic makeup and utilization patterns across plans. To the extent that various member segments have distinct healthcare needs, utilization patterns, expectations, experiences, as well as attitudes and perceptions, their ratings of the *same* health plan will likely differ.

Certain member characteristics (e.g., health status) appear to be directly related to differences in healthcare needs and utilization levels. For example, some plans have predominantly healthy members, whose interactions with care providers and the plan tend to be limited. By contrast, other plans serve populations with higher rates of illness. These members tend to have more frequent encounters with the healthcare system and as a result may become more experienced users of health plans. The ways in which members use the plan, the frequency of their interactions with providers and staff, and their overall level of familiarity with how the plan works may affect ratings.

In addition to health care needs and utilization patterns, demographic characteristics have been shown to influence survey responses. For example, all else being equal, older respondents and members of certain ethnic groups (e.g., Hispanic or Latino respondents) tend to rate their health care providers and plans more positively. By contrast, more educated members rate more critically, regardless of age or ethnicity.

While the interplay between these membership variables (often referred to as the plan's "case mix") and health plan ratings is complex, health plan ratings clearly vary across demographic groups and user segments. Understanding the plan's case mix can help managers to gain insight into possible sources of this variation.


The charts on the following pages compare the Health Share membership profile to the relevant Oregon Health Plan distribution on demographic characteristics and utilization patterns. The pie chart in the upper half of each panel contrasts the distribution of the Health Share membership on a given member attribute (e.g., gender, education level, number of doctor visits, etc.) with the Oregon Health Plan distribution on the same attribute. The bar chart in the lower half of each panel shows how the overall rating of the plan varies by member segment.

HEALTH STATUS AND DEMOGRAPHICS


The following characteristics are profiled in this section:

- Respondent's self-reported health status
- Respondent's self-reported mental or emotional health status
- Respondent's age
- Respondent's gender
- Respondent's education level
- Respondent's race
- Respondent's ethnicity (Hispanic or Latino)


Q36. In general, how would you rate your overall health?




Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q36**



Q37. In general, how would you rate your overall mental or emotional health?



Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q37**



Note: all percentages are rounded for display. *Rating of Health Plan* score should be interpreted with caution if the size of the group (pie slice) is small.


12430

* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.


** Includes members who answered the question and provided a valid response to Q35 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q35 or if no one rated the plan as 8, 9, or 10.

Q47. What is your age?

Your Organization




State OHP*




- 18 to 24
- 25 to 34
- 35 to 44
- 45 to 54
- 55 to 64
- 65 to 74
- 75 or older

Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q47**




Q48. Are you male or female?

Your Organization



State OHP*



- Male
- Female

Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q48**




Note: all percentages are rounded for display. *Rating of Health Plan* score should be interpreted with caution if the size of the group (pie slice) is small.

12430


* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

** Includes members who answered the question and provided a valid response to Q35 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q35 or if no one rated the plan as 8, 9, or 10.

Q49. What is the highest grade or level of school that you have completed?



Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q49**



Note: all percentages are rounded for display. *Rating of Health Plan* score should be interpreted with caution if the size of the group (pie slice) is small.

12430

* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

** Includes members who answered the question and provided a valid response to Q35 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q35 or if no one rated the plan as 8, 9, or 10.

Q51. What is your race? Mark one or more. % White		Q51. What is your race? Mark one or more. % Black or African-American		Q51. What is your race? Mark one or more. % Asian	
<p>Your Organization</p> <p>77%</p>	<p>State OHP*</p> <p>82%</p>	<p>Your Organization</p> <p>6%</p>	<p>State OHP*</p> <p>4%</p>	<p>Your Organization</p> <p>10%</p>	<p>State OHP*</p> <p>5%</p>
<p>Percent of White Members Rating Their Plan as 8, 9, or 10**</p> <p>74%</p>		<p>Percent of Black or African-American Members Rating Their Plan as 8, 9, or 10**</p> <p>50%</p>		<p>Percent of Asian Members Rating Their Plan as 8, 9, or 10**</p> <p>50%</p>	
Q51. What is your race? Mark one or more. % Native Hawaiian or other Pacific Islander		Q51. What is your race? Mark one or more. % American Indian or Alaska Native		Q50. Are you of Hispanic or Latino origin or descent? % Yes, Hispanic or Latino	
<p>Your Organization</p> <p>2%</p>	<p>State OHP*</p> <p>1%</p>	<p>Your Organization</p> <p>5%</p>	<p>State OHP*</p> <p>9%</p>	<p>Your Organization</p> <p>13%</p>	<p>State OHP*</p> <p>12%</p>
<p>Percent of Native Hawaiian or other Pacific Islander Members Rating Their Plan as 8, 9, or 10**</p> <p>33%</p>		<p>Percent of American Indian or Alaska Native Members Rating Their Plan as 8, 9, or 10**</p> <p>44%</p>		<p>Percent of Yes, Hispanic or Latino Members Rating Their Plan as 8, 9, or 10**</p> <p>78%</p>	

Note: all percentages are rounded for display. *Rating of Health Plan* score should be interpreted with caution if the size of the group (pie slice) is small.

12430

* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

** Includes members who answered the question and provided a valid response to Q35 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q35 or if no one rated the plan as 8, 9, or 10.

USE OF SERVICES

The following utilization measures are included in this section:

- Seeking urgent care
- Making appointments for routine care
- Discussing prescription medications with doctor
- Having a personal doctor
- Receiving care from a provider other than personal doctor
- Making an appointment to see a specialist
- Number of visits to a doctor's office or clinic
- Number of specialists seen
- Seeing a doctor or other health provider for a chronic condition
- Taking prescription medications

<p>Q3. In the last 6 months, did you have an illness, injury, or condition that needed care right away in a clinic, emergency room, or doctor's office? (% Yes)</p>	<p>Q5. In the last 6 months, did you make any appointments for a check-up or routine care at a doctor's office or clinic? (% Yes)</p>	<p>Q9. In the last 6 months, did you and a doctor or other health provider talk about starting or stopping a prescription medicine? (% Yes)</p>
<p>Your Organization State OHP*</p> <p>Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Q3 (Yes/No)**</p> <p>Yes 68% No 71%</p>	<p>Your Organization State OHP*</p> <p>Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Q5 (Yes/No)**</p> <p>Yes 76% No 55%</p>	<p>Your Organization State OHP*</p> <p>Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Q9 (Yes/No)**</p> <p>Yes 76% No 67%</p>
<p>Q15. A personal doctor is the one you would see if you need a check-up, want advice about a health problem, or get sick or hurt. Do you have a personal doctor? (% Yes)</p>	<p>Q21. In the last 6 months, did you get care from a doctor or other health provider besides your personal doctor? (% Yes)</p>	<p>Q24. In the last 6 months, did you make any appointments to see a specialist? (% Yes)</p>
<p>Your Organization State OHP*</p> <p>Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Q15 (Yes/No)**</p> <p>Yes 74% No 48%</p>	<p>Your Organization State OHP*</p> <p>Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Q21 (Yes/No)**</p> <p>Yes 74% No 81%</p>	<p>Your Organization State OHP*</p> <p>Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Q24 (Yes/No)**</p> <p>Yes 71% No 70%</p>


Note: all percentages are rounded for display. *Rating of Health Plan* score should be interpreted with caution if the size of the group (pie slice) is small.

12430


* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

** Includes members who answered the question and provided a valid response to Q35 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q35 or if no one rated the plan as 8, 9, or 10.


Q7. In the last 6 months, not counting the times you went to an emergency room, how many times did you go to a doctor's office or clinic to get health care for yourself?




Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q7**



Q26. How many specialists have you seen in the last 6 months? (Note: the question applies only to those respondents who had appointments with specialists.)



Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q26**



Note: all percentages are rounded for display. *Rating of Health Plan* score should be interpreted with caution if the size of the group (pie slice) is small.

12430

* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.



** Includes members who answered the question and provided a valid response to Q35 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q35 or if no one rated the plan as 8, 9, or 10.

Q43. In the last 6 months, did you get health care 3 or more times for the same condition or problem? (% Yes)

Q45. Do you now need or take medicine prescribed by a doctor? Do not include birth control. (% Yes)

Your Organization

State OHP*





Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q43 (Yes/No)**



Your Organization

State OHP*



Percent of Your Organization's Members Rating Their Plan as 8, 9, or 10 by Response to Q45 (Yes/No)**



Note: all percentages are rounded for display. *Rating of Health Plan* score should be interpreted with caution if the size of the group (pie slice) is small.

12430

* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

** Includes members who answered the question and provided a valid response to Q35 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q35 or if no one rated the plan as 8, 9, or 10.

KEY DRIVER ANALYSIS

OBJECTIVES

CSS's *Key Driver Analysis (KDA)* highlights some of the key differences between high- and low-rated health plans at the industry level. The principal objectives of the KDA are:

- To isolate a set of plan attributes, or key drivers, that distinguish high-rated plans from low-rated plans;
- To highlight industry best practices on the key driver measures;
- To compare the current performance of Health Share to industry best practices in these areas; and
- To estimate the impact of improving performance on these measures on the *Rating of Health Plan* measure.

TECHNICAL APPROACH

INDUSTRY VIEW

Industry-level analysis, which uses health plans as units of analysis, has several important advantages compared to the alternative approach, which focuses on member experiences *within* a single plan. Certain plan attributes are strongly related to member satisfaction *at the industry level*. However, these relationships may be missed if we focus on only one plan at a time. For example, it has been shown that plans that are rated highly on measures of access and availability of care tend to have high overall ratings. Conversely, poor access scores are associated with low overall plan scores. This relationship is clear when ratings are compared *across* plans. However, *within* a specific plan, member experiences may not be sufficiently varied to reveal the underlying relationship. That is, if all members are equally dissatisfied with access to care, this measure will show a misleadingly low correlation with the overall rating of the plan. As a result, the plan may underestimate the key role of access to care as a driver of member satisfaction and miss a critical opportunity for improvement.

In addition, expressing every CAHPS survey variable as a plan-level rate yields a complete and rich information set on each plan. This effectively eliminates any “gaps” in respondent-level data from a single plan caused by survey skip patterns and allows every response to be used in the analysis.

Finally, in addition to the standard CAHPS performance measures, other sources of differences between health plans can be explored, increasing the explanatory power of the model and allowing for more precise estimation of the individual key driver effects. These include experience rates, which are based on responses to the CAHPS screener questions. Screeners establish whether a member had a particular type of experience or interaction with the plan (e.g.,

contacted customer service, searched for information in the plan’s written materials, etc.) CSS’s analysis shows that these experience variables explain a significant portion of the plan’s overall satisfaction score. Additional components of the overall score include utilization rates and demographic characteristics of the plan’s membership, addressed in more detail in the *Member Profile and Analysis of Plan Ratings by Member Segment* section of this report. Clearly, from the plan’s perspective, some of these factors are more actionable than others. However, to yield an accurate model of key drivers of member satisfaction, the analysis must consider any and all measurable influences on the overall rating of the plan.

KEY DRIVER MODEL DEVELOPMENT

The CSS *Key Driver Model* was developed based on a dataset of CAHPS survey results of 311 Adult Medicaid plans included in NCQA’s Quality Compass database in 2018 and 2017. CSS performed regression analysis of health plan ratings to identify the sources of variation in overall scores across the industry spectrum, using individual health plans as units of analysis. Regression analysis expresses mathematically the relationship between plan attributes (predictors) and the global *Rating of Health Plan* score, controlling for interdependencies among the predictors and other factors that may influence ratings (e.g., member demographics, utilization patterns, etc.) Predictors were chosen carefully to yield a model that is both meaningful and actionable from the health plan’s point of view.

All of the plan variables, including potential drivers of satisfaction (i.e., variables that the plan may consider actionable) and control variables (member demographics, health status, utilization rates, product type, and year of data collection) were entered into the regression model, and the independent contribution of each variable was estimated. As in the past, CSS excluded *Rating of All Health Care* from the list of predictors both because of its high correlation with *Rating of Health Plan* and the presence of other survey items that measure more specific aspects of member experience. If included, *Rating of all Health Care* would account for a large portion of the variance and confound coefficient estimates for the remaining variables in the model.

INDUSTRY KEY DRIVER MODEL

The table below lists six key drivers of Adult Medicaid member experience in order of importance, from highest to lowest, based on their relative contribution to the *Rating of Health Plan* score. These variables have statistically significant coefficients in the regression model (p -value < 0.05). Performance on these variables, together with the control variables, explains 60 percent of the industry variation in Adult Medicaid health plan ratings. Note that this ordering reflects *only* the strength of the overall relationship between each key driver and the health plan score at the industry level. It does not take into account how Health Share is currently performing on these measures. Improvement targets identified specifically for Health Share, which consider both the strength of the key driver and the current level of performance in the area, are presented graphically in the next section.

Ratings of the plan are strongly related to members’ ability to get the care they need when they need it (Q14). Making appointments for routine care at a doctor’s office or clinic (Q5) may also be viewed as an indirect measure of access and availability of care. *Rating of Personal Doctor* and *Rating of Specialist Seen Most Often* may reflect the quality of the health plan’s network and its ability to contract with better providers.

Key Driver	Interpretation
Q14. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of plan members reporting that the necessary care, tests, or treatment were easy to get, the higher the overall plan score
Q5. Made appointments for routine care at a doctor's office or clinic (percent <i>Yes</i>)	The higher the proportion of members who made appointments for check-up or routine care at a doctor's office or clinic during the past 6 months, the higher the overall plan score
Q23. Rating of Personal Doctor (percent 8, 9, or 10)	The higher the proportion of members rating their personal doctor as 8, 9, or 10, the higher the overall plan score
Q29. Written materials or the Internet provided needed information (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of members reporting that they found the information they needed in the plan's written materials or the Internet, the higher the overall plan score
Q27. Rating of Specialist Seen Most Often (percent 8, 9, or 10)	The higher the proportion of members rating their specialist as 8, 9, or 10, the higher the overall plan score
Q31. Health plan customer service provided needed information or help (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of members who were able to get the information or help they needed from customer service, the higher the overall plan score











OPPORTUNITIES FOR PLAN QUALITY IMPROVEMENT

Specific improvement opportunities for Health Share are presented in Exhibit 5. The ordering reflects both the strength of each key driver in the broad industry context and how Health Share is currently performing on the measure.

The middle panel of the chart compares how Health Share is performing compared to the *best practice* score on each key driver. CSS defined the best practice score as the highest score among the one Adult Medicaid plans contributing to the 2019 State OHP. Room for improvement, represented by the green arrows on the chart, is the difference between the current level of Health Share performance and the best practice score.

The bar chart on the right displays the expected improvement in the overall *Rating of Health Plan* score Health Share could achieve if it performed on par with the best practice plan on each of the key driver measures. Each bar represents room for improvement on the key driver weighted by its contribution to the *Rating of Health Plan* score.

EXHIBIT 5. 2019 HEALTH SHARE ADULT MEDICAID CAHPS SURVEY: KEY AREAS AND PRIORITIES FOR IMPROVEMENT

Current Key Driver Performance		Room for Improvement on Key Driver	Overall Improvement Opportunity
2019 Rate		Percentage Point Difference Between Current Key Driver Score and the Best Practice Score*	Expected Percentage Point Improvement in Rating of Health Plan score (percent 8, 9, or 10) if Key Driver Performs at Best Practice Level
Q23. Rating of Personal Doctor (percent 8, 9, or 10)	80.81%	+7.86%  88.67%	 +1.95%
Q31. Customer service provided needed information or help (percent Always or Usually)	76.27%	+12.86%  89.13%	 +1.47%
Q14. Ease of getting needed care, tests, or treatment (percent Always or Usually)	85.16%	+3.22%  88.38%	 +1.40%
Q29. Plan's written materials/Internet provided needed information (percent Always or Usually)	66.67%	+6.41%  73.08%	 +0.79%
Q5. Made appointments for routine care at a doctor's office or clinic (percent Yes)	71.15%	+3.18%  74.33%	 +0.57%

* Best score on the key driver measure among all plans included in the 2019 State OHP

HEALTH PLAN QUALITY IMPROVEMENT RESOURCES FOR KEY DRIVERS

CSS's Industry *Key Driver Analysis* lists improvement opportunities and priorities for Health Share. The following is a list of possible interventions and resources related to each of the key drivers. This section is included as a guide to assist you in your quality improvement efforts. Some of these resources may be more applicable to Health Share than others, especially because many of the cited interventions are intended to be implemented at the practice or provider level. For a useful introduction to quality improvement (QI), refer to The Agency for Health Care Research and Quality's (AHRQ) reference guide that includes descriptions of QI strategies in health delivery systems (<https://www.ahrq.gov/sites/default/files/wysiwyg/cahps/quality-improvement/improvement-guide/4-approach-qi-process/cahps-section-4-ways-to-approach-qi-process.pdf>).

IMPROVING ACCESS TO CARE: SCHEDULING APPOINTMENTS FOR ROUTINE CARE AND THE EASE OF GETTING NEEDED CARE, TESTS, OR TREATMENT (Q5 & Q14)

Removing barriers to care is central to improving the health care experience of plan members. The following resources suggest ways to improve patient access to care, tests, and treatment.

- *Same-Day Appointment Scheduling* – The Agency for Healthcare Research and Quality (AHRQ) recommends a method of scheduling that leaves part of each physician's day open for same-day appointments, rather than a traditional scheduling model that books appointments weeks or months in advance. Because the method does not differentiate between urgent and routine care, patients with non-urgent concerns are able to schedule appointments sooner than under traditional scheduling methods. For more information, see <http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/access/strategy6a-openaccess.html>.
- *Implement Process Improvements to Streamline Patient Flow* – Delays experienced by patients while waiting for care, tests, or treatment can be minimized through a variety of mechanisms. For example, reallocating tasks such as physical exams and ordering x-rays to physician's assistants and nurse practitioners frees up physicians' time to attend to more pressing patient concerns. The exact form of these improvements will vary widely by practice. See <http://www.ahrq.gov/research/findings/final-reports/ptflow/index.html> for AHRQ's guide to plan and implement patient flow improvement strategies.
- *Patient-Centered Medical Homes (PCMH)* – This model increases patient access to physicians, reducing barriers to receiving care (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2869425/>). There are many valuable sources of information on the medical home model of care and health equity. To start, see this Institute of Medicine report: <https://nam.edu/wp-content/uploads/2015/06/PatientCenteredMedicalHome.pdf>. Family Medicine for America's Health is a collaboration of family medicine organizations dedicated to improving health care by expanding and emphasizing primary care, particularly through the use of patient-centered medical homes. For AHRQ's resources detailing transitioning a practice to a patient-centered medical home model, see <http://www.pcmh.ahrq.gov/>.

- *Alternative Access Centers* – This brief (http://www.rwjf.org/content/dam/farm/reports/issue_briefs/2015/rwjf419415) from the Robert Wood Johnson Foundation highlights the growing capacity of retail clinics and telemedicine to meet patient medical needs, particularly in rural and underserved communities and for patients with acute but non-serious conditions who need care quickly. Providing patients with alternative venues to access health care, rather than the traditional doctor’s office or hospital, lowers barriers to care (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4795318/>).

IMPROVING SALIENCY, AVAILABILITY, AND CLARITY OF HEALTH PLAN INFORMATION IN WRITTEN MATERIALS OR INTERNET (Q29)

It is important that health plan information be provided to members and that the information addresses member concerns. The first resource highlights the importance of making plan information available in a variety of formats for different member audiences. The remaining resources focus on helping members get the most out of the information provided by the plan.

- *Make Plan Information Accessible to All Members* – A Health Research and Educational Trust study found that demographic characteristics, including education, age, gender, and income, significantly impacted use of an Internet-based decision tool. The tool provided cost information as well as a health and wellness assessment. The study suggests that effort beyond Internet-based tools is necessary to reach certain demographics. For further information, see <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3447236/>.
- *Increase Access to Trusted Health Information* – Many people look to their health plan for information not only on how the health plan works, but also on resources to help them improve their health, particularly when dealing with chronic illnesses. The National Institute of Diabetes and Digestive and Kidney Diseases offers an online resource (<https://www.niddk.nih.gov/health-information/communication-programs/ndep/health-professionals/practice-transformation-physicians-health-care-teams/information-systems>) that describes how information systems can be used to encourage better outcomes for chronic conditions, specifically diabetes. A recent meta-analysis confirmed that improved access to trusted health information leads to improved outcomes (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5818676/>).
- *Evaluate the Organization’s Health Literacy Programs* – The CDC has developed guidance on evaluating an organization’s health literacy program, including recommended sources of communication and health literacy measures. See <http://www.cdc.gov/healthliteracy/researchevaluate/program-evaluation.html>. The CDC’s National Prevention Information Network also offers tools to create health materials in plain language to reduce health disparities (<https://npin.cdc.gov/pages/health-communication-language-and-literacy>).
- *Improve Patient Health Literacy* – This guide by the Office of Disease Prevention and Health Promotion outlines steps to improve health literacy, which may help patients to better absorb the information they obtain from written materials or the Internet. For detailed steps, see <http://www.health.gov/communication/literacy/#tools>. AHRQ has also developed its own health literacy toolkit to support physicians (<https://www.ahrq.gov/professionals/quality-patient-safety/quality-resources/tools/literacy-toolkit/healthlittoolkit2.html>).

IMPROVING ABILITY OF CUSTOMER SERVICE TO PROVIDE MEMBERS WITH INFORMATION OR HELP (Q31)

As representatives of the plan, customer service staff must ensure that members have confidence and trust in their ability to address their concerns. The following resources contain recommendations for improving customer service.

- *Develop Customer Service Standards* – To improve customer service, the Agency for Healthcare Research and Quality suggests first articulating which aspects of customer service are most important to your organization. After developing these standards, monitor performance and promote accountability among staff. For more information, see <http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6q-custservice-standards.html>.
- *Iterative Improvement for Member Services* – This RAND paper details a case study in which a health plan used additional surveys to supplement CAHPS results and thoroughly assess member dissatisfaction with customer service. Throughout the process, plan leadership continually examined and adjusted improvement goals. The intervention resulted in a reduction of wait time for customer service calls and increased member satisfaction with customer service, as measured on the CAHPS survey. See http://www.rand.org/pubs/working_papers/WR517.html.
- *Implement Service Recovery Procedures* – When customers have a complaint, service recovery programs support customer service personnel in identifying and remedying the problem. While complaints may be inevitable, proper handling of complaints can reassure patients and restore loyalty to the health plan. For more information, see <http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6p-service-recovery.html>.

IMPROVING QUALITY OF PHYSICIANS IN HEALTH PLAN NETWORK (Q23 & Q27)

These resources concentrate on improving the physician-patient relationship, with a focus on communication. Implementing the solutions proposed here may result in patients' increased rating of doctors.

- *Improve Physician Communication* – Much of patient dissatisfaction stems from a failure of effective physician communication (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3096184/>). Seminars and workshops for physicians serve as a resource for physicians to learn and practice patient-centered communication techniques. For example, The California Quality Collaborative has identified nine effective strategies for improving patient experience with health care providers in their *Improving the Patient Experience Change Package* (see http://www.calquality.org/storage/Improving_Pt_Experience_Spread_Change_Pkg_UpdatedMay2011.pdf). For general recommendations related to physician communication, see <https://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6gtraining.html>.

- *Help Patients Communicate* – Patients who can effectively communicate their needs tend to have higher satisfaction with their care. AHRQ recommends four interventions that prepare patients to better communicate with their providers, including record sharing, writing down talking points prior to visits, and “coached care” programs. See <http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6i-shared-decisionmaking.html> and <http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6htools.html>. For a sample communication document that providers can distribute to patients before or during visits, see <http://www.rwjf.org/content/dam/farm/toolkits/toolkits/2013/rwjf404048>.
- *Build Physician-Patient Relationships* – An article published in the British Journal of General Practice found that patients seeing their preferred doctor rated their satisfaction with visits significantly higher than patients who did not have a doctor preference or those who would have preferred to see a different doctor. Prioritizing continuity of care by honoring patients’ physician preferences may increase patient satisfaction (<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1326072/>). Additionally, a study of English National Health Service data found that confidence and trust in a doctor is an important predictor of overall patient satisfaction (<http://www.ncbi.nlm.nih.gov/pubmed/18416910/>), while a Harvard study found that a positive physician-patient relationship correlates with better healthcare outcomes (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3981763/>).
- *Improve Referral Communication* – The coordination of care between primary and specialist providers can be a challenge and may affect patient perceptions of their specialist care. Improving the coordination of care and case management can increase patient satisfaction with their specialist. For examples of interventions that improve care coordination efficiency and quality, see <https://innovations.ahrq.gov/profiles/electronic-referrals-and-communications-reduce-wait-times-specialty-appointments-and> as well as <https://innovations.ahrq.gov/profiles/referring-physicians-send-electronic-handoff-note-pertinent-patient-information-emergency>.

APPENDIX

CROSS-TABULATIONS OF SURVEY RESPONSES

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Satisfaction With the Experience of Care

Survey Measures*	Global Proportions		
	2019 State OHP	Plan Rate	
		2019	2018
Ratings			
Rating of Personal Doctor	80.14%	80.81%	72.81%
Rating of Specialist	79.45%	82.05%	77.14%
Rating of All Health Care	70.83%	77.92%	72.91%
Rating of Health Plan	70.39%	70.27%	74.38%
Composites			
Getting Needed Care	81.41%	80.08%	83.58%
Getting Care Quickly	82.65%	83.31%	81.81%
How Well Doctors Communicate	92.08%	91.41%	87.92%
Customer Service	87.24%	84.56%	86.66%
Shared Decision Making	83.28%	81.25%	87.18%
Additional Content Areas			
Health Promotion and Education	74.83%	75.82%	82.67%
Coordination of Care	82.51%	84.00%	80.00%

* Results were calculated by CSS following NCQA specifications. A lighter display is used to indicate that the measure does not meet the denominator threshold (n=30).

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Effectiveness of Care

		2019 Rate (Single Year)	2018 Rate (Single Year)
Flu Vaccinations for Adults Ages 18-64 (FVA)			
<i>Base: All eligible respondents flagged by the plan as being age 18 to 64 as of July 1 of the measurement year</i>			
Flu Vaccinations for Adults	Received a flu vaccination	62	93
	Usable responses	159	235
	FVA Rate	39.0%	39.6%
Medical Assistance with Smoking and Tobacco Use Cessation (MSC)			
<i>Base: All eligible respondents who smoke or use tobacco</i>			
Advising Smokers and Tobacco Users to Quit	Advised to quit	34	50
	Usable responses	46	62
	MSC Rate	73.9%	80.6%
Discussing Cessation Medications	Discussed medications	22	42
	Usable responses	46	62
	MSC Rate	47.8%	67.7%
Discussing Cessation Strategies	Discussed strategies	20	34
	Usable responses	46	62
	MSC Rate	43.5%	54.8%

12430

Note: Results are presented regardless of whether the plan meets the denominator threshold of 30 valid responses. A lighter display is used to indicate that the measure does not meet the denominator threshold (n=30).

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 3

In the last 6 months, did you have an illness, injury, or condition that needed care right away in a clinic, emergency room, or doctor's office?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	277	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	107	4	0	2	2	0	0	4	3	0	1	2	2	3	0	1	2	1	1	1	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,687	207	277	84	114	54	59	84	68	81	45	23	170	132	7	53	82	58	55	50	119	33
	97.8%	98.1%	100.0%	97.7%	98.3%	100.0%	100.0%	95.5%	95.8%	100.0%	97.8%	92.0%	98.8%	97.8%	100.0%	98.1%	97.6%	98.3%	98.2%	98.0%	97.5%	100.0%
Yes	1,904	73	117	26	42	14	25	29	19	35	13	8	60	47	1	18	21	15	31	7	45	18
	40.6%	35.3%	42.2%	31.0%	36.8%	25.9%	42.4%	34.5%	27.9%	43.2%	28.9%	34.8%	35.3%	35.6%	14.3%	34.0%	25.6%	25.9%	56.4%	14.0%	37.8%	54.5%
No	2,783	134	160	58	72	40	34	55	49	46	32	15	110	85	6	35	61	43	24	43	74	15
	59.4%	64.7%	57.8%	69.0%	63.2%	74.1%	57.6%	65.5%	72.1%	56.8%	71.1%	65.2%	64.7%	64.4%	85.7%	66.0%	74.4%	74.1%	43.6%	86.0%	62.2%	45.5%
Significantly different from column:*																	S	S	QR	UV	T	T

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 4

In the last 6 months, when you needed care right away, how often did you get care as soon as you needed?

Base: All respondents who needed care right away (Q3)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,904	73	109	26	42	14	25	29	19	35	13	8	60	47	1	18	21	15	31	7	45	18
Number missing or multiple answer	71	4	0	2	2	0	3	1	1	2	0	1	3	3	0	0	0	1	3	0	1	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,833	69	109	24	40	14	22	28	18	33	13	7	57	44	1	18	21	14	28	7	44	17
	96.3%	94.5%	100.0%	92.3%	95.2%	100.0%	88.0%	96.6%	94.7%	94.3%	100.0%	87.5%	95.0%	93.6%	100.0%	100.0%	100.0%	93.3%	90.3%	100.0%	97.8%	94.4%
Never	45	1	3	1	0	0	1	0	1	0	0	0	1	1	0	0	1	0	0	0	1	0
	2.5%	1.4%	2.8%	4.2%	0.0%	0.0%	4.5%	0.0%	5.6%	0.0%	0.0%	0.0%	1.8%	2.3%	0.0%	0.0%	4.8%	0.0%	0.0%	0.0%	2.3%	0.0%
Sometimes	226	9	10	2	5	2	3	2	1	3	3	1	6	4	0	3	0	3	4	2	5	2
	12.3%	13.0%	9.2%	8.3%	12.5%	14.3%	13.6%	7.1%	5.6%	9.1%	23.1%	14.3%	10.5%	9.1%	0.0%	16.7%	0.0%	21.4%	14.3%	28.6%	11.4%	11.8%
Usually	469	11	28	2	9	3	5	3	4	6	1	1	10	9	0	2	2	3	6	0	8	3
	25.6%	15.9%	25.7%	8.3%	22.5%	21.4%	22.7%	10.7%	22.2%	18.2%	7.7%	14.3%	17.5%	20.5%	0.0%	11.1%	9.5%	21.4%	21.4%	0.0%	18.2%	17.6%
Always	1,093	48	68	19	26	9	13	23	12	24	9	5	40	30	1	13	18	8	18	5	30	12
	59.6%	69.6%	62.4%	79.2%	65.0%	64.3%	59.1%	82.1%	66.7%	72.7%	69.2%	71.4%	70.2%	68.2%	100.0%	72.2%	85.7%	57.1%	64.3%	71.4%	68.2%	70.6%
Significantly different from column:*																						
Usually or Always	1,562	59	96	21	35	12	18	26	16	30	10	6	50	39	1	15	20	11	24	5	38	15
	85.2%	85.5%	88.1%	87.5%	87.5%	85.7%	81.8%	92.9%	88.9%	90.9%	76.9%	85.7%	87.7%	88.6%	100.0%	83.3%	95.2%	78.6%	85.7%	71.4%	86.4%	88.2%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 5

In the last 6 months, did you make any appointments for a check-up or routine care at a doctor's office or clinic?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	276	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	61	3	0	1	2	0	0	3	1	1	1	0	3	2	0	1	0	0	3	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,733	208	276	85	114	54	59	85	70	80	45	25	169	133	7	53	84	59	53	50	121	33
	98.7%	98.6%	100.0%	98.8%	98.3%	100.0%	100.0%	96.6%	98.6%	98.8%	97.8%	100.0%	98.3%	98.5%	100.0%	98.1%	100.0%	100.0%	94.6%	98.0%	99.2%	100.0%
Yes	3,326	148	200	58	86	33	44	66	48	58	34	18	124	95	5	39	52	41	48	10	104	31
	70.3%	71.2%	72.5%	68.2%	75.4%	61.1%	74.6%	77.6%	68.6%	72.5%	75.6%	72.0%	73.4%	71.4%	71.4%	73.6%	61.9%	69.5%	90.6%	20.0%	86.0%	93.9%
No	1,407	60	76	27	28	21	15	19	22	22	11	7	45	38	2	14	32	18	5	40	17	2
	29.7%	28.8%	27.5%	31.8%	24.6%	38.9%	25.4%	22.4%	31.4%	27.5%	24.4%	28.0%	26.6%	28.6%	28.6%	26.4%	38.1%	30.5%	9.4%	80.0%	14.0%	6.1%
Significantly different from column:*						H		F									S	S	QR	UV	T	T

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 6

In the last 6 months, how often did you get an appointment for a check-up or routine care at a doctor's office or clinic as soon as you needed?

Base: All respondents who made an appointment for a check-up or routine care (Q5)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,326	148	184	58	86	33	44	66	48	58	34	18	124	95	5	39	52	41	48	10	104	31
Number missing or multiple answer	102	5	0	2	3	1	2	2	2	1	1	1	4	1	0	3	2	2	1	0	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,224	143	184	56	83	32	42	64	46	57	33	17	120	94	5	36	50	39	47	10	100	31
	96.9%	96.6%	100.0%	96.6%	96.5%	97.0%	95.5%	97.0%	95.8%	98.3%	97.1%	94.4%	96.8%	98.9%	100.0%	92.3%	96.2%	95.1%	97.9%	100.0%	96.2%	100.0%
Never	102	1	5	1	0	0	0	1	1	0	0	0	1	1	0	0	0	0	1	1	0	0
	3.2%	0.7%	2.7%	1.8%	0.0%	0.0%	0.0%	1.6%	2.2%	0.0%	0.0%	0.0%	0.8%	1.1%	0.0%	0.0%	0.0%	0.0%	2.1%	10.0%	0.0%	0.0%
Sometimes	540	26	40	9	17	12	3	10	11	9	6	3	23	15	1	10	13	6	6	1	21	3
	16.7%	18.2%	21.7%	16.1%	20.5%	37.5%	7.1%	15.6%	23.9%	15.8%	18.2%	17.6%	19.2%	16.0%	20.0%	27.8%	26.0%	15.4%	12.8%	10.0%	21.0%	9.7%
Usually	909	41	44	16	24	10	14	16	11	16	12	3	37	29	1	10	10	16	13	1	28	12
	28.2%	28.7%	23.9%	28.6%	28.9%	31.3%	33.3%	25.0%	23.9%	28.1%	36.4%	17.6%	30.8%	30.9%	20.0%	27.8%	20.0%	41.0%	27.7%	10.0%	28.0%	38.7%
Always	1,673	75	95	30	42	10	25	37	23	32	15	11	59	49	3	16	27	17	27	7	51	16
	51.9%	52.4%	51.6%	53.6%	50.6%	31.3%	59.5%	57.8%	50.0%	56.1%	45.5%	64.7%	49.2%	52.1%	60.0%	44.4%	54.0%	43.6%	57.4%	70.0%	51.0%	51.6%
Significantly different from column:*						GH	F	F														
Usually or Always	2,582	116	139	46	66	20	39	53	34	48	27	14	96	78	4	26	37	33	40	8	79	28
	80.1%	81.1%	75.5%	82.1%	79.5%	62.5%	92.9%	82.8%	73.9%	84.2%	81.8%	82.4%	80.0%	83.0%	80.0%	72.2%	74.0%	84.6%	85.1%	80.0%	79.0%	90.3%
Significantly different from column:*						GH	F	F														

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 7

In the last 6 months, not counting the times you went to an emergency room, how many times did you go to a doctor's office or clinic to get health care for yourself?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	275	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	118	5	0	1	4	1	2	2	0	4	0	1	4	2	1	1	2	1	2	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,676	206	275	85	112	53	57	86	71	77	46	24	168	133	6	53	82	58	54	51	122	33
	97.5%	97.6%	100.0%	98.8%	96.6%	98.1%	96.6%	97.7%	100.0%	95.1%	100.0%	96.0%	97.7%	98.5%	85.7%	98.1%	97.6%	98.3%	96.4%	100.0%	100.0%	100.0%
None	1,175	51	67	23	25	14	16	18	17	17	13	10	36	33	0	12	31	13	4	51	0	0
	25.1%	24.8%	24.4%	27.1%	22.3%	26.4%	28.1%	20.9%	23.9%	22.1%	28.3%	41.7%	21.4%	24.8%	0.0%	22.6%	37.8%	22.4%	7.4%	100.0%	0.0%	0.0%
1 time	864	37	45	21	16	9	11	17	14	13	10	3	33	31	0	5	17	11	7	0	37	0
	18.5%	18.0%	16.4%	24.7%	14.3%	17.0%	19.3%	19.8%	19.7%	16.9%	21.7%	12.5%	19.6%	23.3%	0.0%	9.4%	20.7%	19.0%	13.0%	0.0%	30.3%	0.0%
2	852	31	48	13	16	10	8	11	12	8	9	4	24	19	1	9	17	9	3	0	31	0
	18.2%	15.0%	17.5%	15.3%	14.3%	18.9%	14.0%	12.8%	16.9%	10.4%	19.6%	16.7%	14.3%	14.3%	16.7%	17.0%	20.7%	15.5%	5.6%	0.0%	25.4%	0.0%
3	598	39	33	14	23	11	9	17	15	14	7	1	36	20	4	12	11	12	14	0	39	0
	12.8%	18.9%	12.0%	16.5%	20.5%	20.8%	15.8%	19.8%	21.1%	18.2%	15.2%	4.2%	21.4%	15.0%	66.7%	22.6%	13.4%	20.7%	25.9%	0.0%	32.0%	0.0%
4	392	15	29	2	13	2	3	10	7	6	1	3	12	7	0	8	2	6	7	0	15	0
	8.4%	7.3%	10.5%	2.4%	11.6%	3.8%	5.3%	11.6%	9.9%	7.8%	2.2%	12.5%	7.1%	5.3%	0.0%	15.1%	2.4%	10.3%	13.0%	0.0%	12.3%	0.0%
5 to 9	536	22	34	9	12	5	7	9	6	12	3	3	17	13	1	7	1	7	13	0	0	22
	11.5%	10.7%	12.4%	10.6%	10.7%	9.4%	12.3%	10.5%	8.5%	15.6%	6.5%	12.5%	10.1%	9.8%	16.7%	13.2%	1.2%	12.1%	24.1%	0.0%	0.0%	66.7%
10 or more times	259	11	19	3	7	2	3	4	0	7	3	0	10	10	0	0	3	0	6	0	0	11
	5.5%	5.3%	6.9%	3.5%	6.3%	3.8%	5.3%	4.7%	0.0%	9.1%	6.5%	0.0%	6.0%	7.5%	0.0%	0.0%	3.7%	0.0%	11.1%	0.0%	0.0%	33.3%
5 or more times	795	33	53	12	19	7	10	13	6	19	6	3	27	23	1	7	4	7	19	0	0	33
	17.0%	16.0%	19.3%	14.1%	17.0%	13.2%	17.5%	15.1%	8.5%	24.7%	13.0%	12.5%	16.1%	17.3%	16.7%	13.2%	4.9%	12.1%	35.2%	0.0%	0.0%	100.0%
Significantly different from column:*									J	I							S	S	QR	V	V	TU

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 8

In the last 6 months, did you and a doctor or other health provider talk about specific things you could do to prevent illness?

Base: All respondents who went to a doctor's office/clinic to get care (Q7)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,501	155	202	62	87	39	41	68	54	60	33	14	132	100	6	41	51	45	50	0	122	33
Number missing or multiple answer	40	2	0	0	2	0	0	2	1	1	0	1	1	2	0	0	1	1	0	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,461	153	202	62	85	39	41	66	53	59	33	13	131	98	6	41	50	44	50	0	120	33
	98.9%	98.7%	100.0%	100.0%	97.7%	100.0%	100.0%	97.1%	98.1%	98.3%	100.0%	92.9%	99.2%	98.0%	100.0%	100.0%	98.0%	97.8%	100.0%	---	98.4%	100.0%
Yes	2,590	116	167	46	65	27	30	53	41	43	25	11	97	73	4	32	33	35	40	0	88	28
	74.8%	75.8%	82.7%	74.2%	76.5%	69.2%	73.2%	80.3%	77.4%	72.9%	75.8%	84.6%	74.0%	74.5%	66.7%	78.0%	66.0%	79.5%	80.0%	---	73.3%	84.8%
No	871	37	35	16	20	12	11	13	12	16	8	2	34	25	2	9	17	9	10	0	32	5
	25.2%	24.2%	17.3%	25.8%	23.5%	30.8%	26.8%	19.7%	22.6%	27.1%	24.2%	15.4%	26.0%	25.5%	33.3%	22.0%	34.0%	20.5%	20.0%	---	26.7%	15.2%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 9

In the last 6 months, did you and a doctor or other health provider talk about starting or stopping a prescription medicine?

Base: All respondents who went to a doctor's office/clinic to get care (Q7)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,501	155	202	62	87	39	41	68	54	60	33	14	132	100	6	41	51	45	50	0	122	33
Number missing or multiple answer	33	1	0	0	1	0	0	1	0	1	0	0	1	1	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,468	154	202	62	86	39	41	67	54	59	33	14	131	99	6	41	50	45	50	0	121	33
	99.1%	99.4%	100.0%	100.0%	98.9%	100.0%	100.0%	98.5%	100.0%	98.3%	100.0%	100.0%	99.2%	99.0%	100.0%	100.0%	98.0%	100.0%	100.0%	---	99.2%	100.0%
Yes	1,900	94	107	36	56	23	25	44	28	44	19	8	84	67	2	22	30	24	36	0	70	24
	54.8%	61.0%	53.0%	58.1%	65.1%	59.0%	61.0%	65.7%	51.9%	74.6%	57.6%	57.1%	64.1%	67.7%	33.3%	53.7%	60.0%	53.3%	72.0%	---	57.9%	72.7%
No	1,568	60	95	26	30	16	16	23	26	15	14	6	47	32	4	19	20	21	14	0	51	9
	45.2%	39.0%	47.0%	41.9%	34.9%	41.0%	39.0%	34.3%	48.1%	25.4%	42.4%	42.9%	35.9%	32.3%	66.7%	46.3%	40.0%	46.7%	28.0%	---	42.1%	27.3%
Significantly different from column:*									J	I												

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 10

Did you and a doctor or other health provider talk about the reasons you might want to take a medicine?

Base: All respondents who went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q9)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,900	94	104	36	56	23	25	44	28	44	19	8	84	67	2	22	30	24	36	0	70	24
Number missing or multiple answer	13	1	0	0	1	0	0	1	0	1	0	0	1	1	0	0	0	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,887	93	104	36	55	23	25	43	28	43	19	8	83	66	2	22	30	24	35	0	69	24
	99.3%	98.9%	100.0%	100.0%	98.2%	100.0%	100.0%	97.7%	100.0%	97.7%	100.0%	100.0%	98.8%	98.5%	100.0%	100.0%	100.0%	100.0%	97.2%	---	98.6%	100.0%
Yes	1,783	87	101	33	52	23	25	37	27	39	18	7	78	62	2	20	28	23	32	0	65	22
	94.5%	93.5%	97.1%	91.7%	94.5%	100.0%	100.0%	86.0%	96.4%	90.7%	94.7%	87.5%	94.0%	93.9%	100.0%	90.9%	93.3%	95.8%	91.4%	---	94.2%	91.7%
No	104	6	3	3	3	0	0	6	1	4	1	1	5	4	0	2	2	1	3	0	4	2
	5.5%	6.5%	2.9%	8.3%	5.5%	0.0%	0.0%	14.0%	3.6%	9.3%	5.3%	12.5%	6.0%	6.1%	0.0%	9.1%	6.7%	4.2%	8.6%	---	5.8%	8.3%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 11

Did you and a doctor or other health provider talk about the reasons you might not want to take a medicine?

Base: All respondents who went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q9)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,900	94	102	36	56	23	25	44	28	44	19	8	84	67	2	22	30	24	36	0	70	24
Number missing or multiple answer	23	1	0	0	1	0	0	1	0	0	0	0	1	0	0	1	0	1	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,877	93	102	36	55	23	25	43	28	44	19	8	83	67	2	21	30	23	36	0	69	24
	98.8%	98.9%	100.0%	100.0%	98.2%	100.0%	100.0%	97.7%	100.0%	100.0%	100.0%	100.0%	98.8%	100.0%	100.0%	95.5%	100.0%	95.8%	100.0%	---	98.6%	100.0%
Yes	1,453	75	81	26	47	19	23	31	23	33	17	8	65	54	1	17	28	19	25	0	53	22
	77.4%	80.6%	79.4%	72.2%	85.5%	82.6%	92.0%	72.1%	82.1%	75.0%	89.5%	100.0%	78.3%	80.6%	50.0%	81.0%	93.3%	82.6%	69.4%	---	76.8%	91.7%
No	424	18	21	10	8	4	2	12	5	11	2	0	18	13	1	4	2	4	11	0	16	2
	22.6%	19.4%	20.6%	27.8%	14.5%	17.4%	8.0%	27.9%	17.9%	25.0%	10.5%	0.0%	21.7%	19.4%	50.0%	19.0%	6.7%	17.4%	30.6%	---	23.2%	8.3%
Significantly different from column:*																	S		Q			

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 12

When you talked about starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for you?

Base: All respondents who went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q9)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,900	94	100	36	56	23	25	44	28	44	19	8	84	67	2	22	30	24	36	0	70	24
Number missing or multiple answer	23	2	0	0	2	1	0	1	1	0	1	1	1	2	0	0	0	1	1	0	1	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,877	92	100	36	54	22	25	43	27	44	18	7	83	65	2	22	30	23	35	0	69	23
	98.8%	97.9%	100.0%	100.0%	96.4%	95.7%	100.0%	97.7%	96.4%	100.0%	94.7%	87.5%	98.8%	97.0%	100.0%	100.0%	100.0%	95.8%	97.2%	---	98.6%	95.8%
Yes	1,463	64	85	26	37	15	16	32	20	29	13	7	56	44	2	16	20	17	25	0	47	17
	77.9%	69.6%	85.0%	72.2%	68.5%	68.2%	64.0%	74.4%	74.1%	65.9%	72.2%	100.0%	67.5%	67.7%	100.0%	72.7%	66.7%	73.9%	71.4%	---	68.1%	73.9%
No	414	28	15	10	17	7	9	11	7	15	5	0	27	21	0	6	10	6	10	0	22	6
	22.1%	30.4%	15.0%	27.8%	31.5%	31.8%	36.0%	25.6%	25.9%	34.1%	27.8%	0.0%	32.5%	32.3%	0.0%	27.3%	33.3%	26.1%	28.6%	---	31.9%	26.1%
Significantly different from column:*		C																				

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 13

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your health care in the last 6 months?

Base: All respondents who went to a doctor's office/clinic to get care (Q7)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,501	155	203	62	87	39	41	68	54	60	33	14	132	100	6	41	51	45	50	0	122	33
Number missing or multiple answer	39	1	0	0	1	0	0	1	0	1	0	0	1	1	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,462	154	203	62	86	39	41	67	54	59	33	14	131	99	6	41	50	45	50	0	121	33
	98.9%	99.4%	100.0%	100.0%	98.9%	100.0%	100.0%	98.5%	100.0%	98.3%	100.0%	100.0%	99.2%	99.0%	100.0%	100.0%	98.0%	100.0%	100.0%	---	99.2%	100.0%
0 Worst health care possible	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	---	0.0%	0.0%
1	17	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.5%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	---	0.0%	0.0%
2	34	1	3	1	0	0	1	0	1	0	0	0	1	1	0	0	0	0	1	0	1	0
	1.0%	0.6%	1.5%	1.6%	0.0%	0.0%	2.4%	0.0%	1.9%	0.0%	0.0%	0.0%	0.8%	1.0%	0.0%	0.0%	0.0%	0.0%	2.0%	---	0.8%	0.0%
3	59	4	2	3	1	0	1	3	1	3	0	0	3	3	0	1	0	2	2	0	3	1
	1.7%	2.6%	1.0%	4.8%	1.2%	0.0%	2.4%	4.5%	1.9%	5.1%	0.0%	0.0%	2.3%	3.0%	0.0%	2.4%	0.0%	4.4%	4.0%	---	2.5%	3.0%
4	66	2	6	0	2	2	0	0	0	2	0	0	2	1	0	1	1	0	1	0	2	0
	1.9%	1.3%	3.0%	0.0%	2.3%	5.1%	0.0%	0.0%	0.0%	3.4%	0.0%	0.0%	1.5%	1.0%	0.0%	2.4%	2.0%	0.0%	2.0%	---	1.7%	0.0%
5	217	6	12	0	6	1	2	3	2	1	3	0	6	5	0	1	3	2	2	1	6	0
	6.3%	3.9%	5.9%	0.0%	7.0%	2.6%	4.9%	4.5%	3.7%	1.7%	9.1%	0.0%	4.6%	5.1%	0.0%	2.4%	6.0%	4.4%	2.0%	---	5.0%	0.0%
6	199	7	5	3	4	1	3	3	3	3	1	1	6	3	2	2	3	2	2	0	5	2
	5.7%	4.5%	2.5%	4.8%	4.7%	2.6%	7.3%	4.5%	5.6%	5.1%	3.0%	7.1%	4.6%	3.0%	33.3%	4.9%	6.0%	4.4%	4.0%	---	4.1%	6.1%
7	396	14	26	7	6	6	4	3	4	4	5	1	12	8	0	5	5	6	2	0	11	3
	11.4%	9.1%	12.8%	11.3%	7.0%	15.4%	9.8%	4.5%	7.4%	6.8%	15.2%	7.1%	9.2%	8.1%	0.0%	12.2%	10.0%	13.3%	4.0%	---	9.1%	9.1%
8	706	42	47	14	27	14	10	16	13	17	10	4	37	29	0	12	9	10	19	0	31	11
	20.4%	27.3%	23.2%	22.6%	31.4%	35.9%	24.4%	23.9%	24.1%	28.8%	30.3%	28.6%	28.2%	29.3%	0.0%	29.3%	18.0%	22.2%	38.0%	---	25.6%	33.3%
9	557	21	33	9	12	4	7	10	5	10	5	0	21	15	1	5	5	9	7	0	18	3
	16.1%	13.6%	16.3%	14.5%	14.0%	10.3%	17.1%	14.9%	9.3%	16.9%	15.2%	0.0%	16.0%	15.2%	16.7%	12.2%	10.0%	20.0%	14.0%	---	14.9%	9.1%
10 Best health care possible	1,189	57	68	25	28	11	13	29	25	19	9	8	43	34	3	14	24	14	15	0	44	13
	34.3%	37.0%	33.5%	40.3%	32.6%	28.2%	31.7%	43.3%	46.3%	32.2%	27.3%	57.1%	32.8%	34.3%	50.0%	34.1%	48.0%	31.1%	30.0%	---	36.4%	39.4%

NA - Not Applicable

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 13

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your health care in the last 6 months?

Base: All respondents who went to a doctor's office/clinic to get care (Q7)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,501	155	203	62	87	39	41	68	54	60	33	14	132	100	6	41	51	45	50	0	122	33
Number missing or multiple answer	39	1	0	0	1	0	0	1	0	1	0	0	1	1	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,462	154	203	62	86	39	41	67	54	59	33	14	131	99	6	41	50	45	50	0	121	33
	98.9%	99.4%	100.0%	100.0%	98.9%	100.0%	100.0%	98.5%	100.0%	98.3%	100.0%	100.0%	99.2%	99.0%	100.0%	100.0%	98.0%	100.0%	100.0%	---	99.2%	100.0%
0 to 4	198	7	12	4	3	2	2	3	2	5	0	0	6	5	0	2	1	2	4	0	6	1
	5.7%	4.5%	5.9%	6.5%	3.5%	5.1%	4.9%	4.5%	3.7%	8.5%	0.0%	0.0%	4.6%	5.1%	0.0%	4.9%	2.0%	4.4%	8.0%	---	5.0%	3.0%
5	217	6	12	0	6	1	2	3	2	1	3	0	6	5	0	1	3	2	1	0	6	0
	6.3%	3.9%	5.9%	0.0%	7.0%	2.6%	4.9%	4.5%	3.7%	1.7%	9.1%	0.0%	4.6%	5.1%	0.0%	2.4%	6.0%	4.4%	2.0%	---	5.0%	0.0%
6 or 7	595	21	31	10	10	7	7	6	7	7	6	2	18	11	2	7	8	8	4	0	16	5
	17.2%	13.6%	15.3%	16.1%	11.6%	17.9%	17.1%	9.0%	13.0%	11.9%	18.2%	14.3%	13.7%	11.1%	33.3%	17.1%	16.0%	17.8%	8.0%	---	13.2%	15.2%
8 to 10	2,452	120	148	48	67	29	30	55	43	46	24	12	101	78	4	31	38	33	41	0	93	27
	70.8%	77.9%	72.9%	77.4%	77.9%	74.4%	73.2%	82.1%	79.6%	78.0%	72.7%	85.7%	77.1%	78.8%	66.7%	75.6%	76.0%	73.3%	82.0%	---	76.9%	81.8%
Significantly different from column:*																						
0 to 6	614	20	29	7	13	4	7	9	7	9	4	1	18	13	2	5	7	6	7	0	17	3
	17.7%	13.0%	14.3%	11.3%	15.1%	10.3%	17.1%	13.4%	13.0%	15.3%	12.1%	7.1%	13.7%	13.1%	33.3%	12.2%	14.0%	13.3%	14.0%	---	14.0%	9.1%
7 to 8	1,102	56	73	21	33	20	14	19	17	21	15	5	49	37	0	17	14	16	21	0	42	14
	31.8%	36.4%	36.0%	33.9%	38.4%	51.3%	34.1%	28.4%	31.5%	35.6%	45.5%	35.7%	37.4%	37.4%	0.0%	41.5%	28.0%	35.6%	42.0%	---	34.7%	42.4%
9 to 10	1,746	78	101	34	40	15	20	39	30	29	14	8	64	49	4	19	29	23	22	0	62	16
	50.4%	50.6%	49.8%	54.8%	46.5%	38.5%	48.8%	58.2%	55.6%	49.2%	42.4%	57.1%	48.9%	49.5%	66.7%	46.3%	58.0%	51.1%	44.0%	---	51.2%	48.5%
Significantly different from column:*						H		F														

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 14

In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?

Base: All respondents who went to a doctor's office/clinic to get care (Q7)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,501	155	202	62	87	39	41	68	54	60	33	14	132	100	6	41	51	45	50	0	122	33
Number missing or multiple answer	32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,469	155	202	62	87	39	41	68	54	60	33	14	132	100	6	41	51	45	50	0	122	33
	99.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	---	100.0%	100.0%
Never	80	3	3	3	0	2	1	0	2	1	0	0	3	2	0	1	3	0	0	0	3	0
	2.3%	1.9%	1.5%	4.8%	0.0%	5.1%	2.4%	0.0%	3.7%	1.7%	0.0%	0.0%	2.3%	2.0%	0.0%	2.4%	5.9%	0.0%	0.0%	---	2.5%	0.0%
Sometimes	435	20	24	8	12	8	4	8	6	10	4	2	18	8	1	11	4	8	8	0	16	4
	12.5%	12.9%	11.9%	12.9%	13.8%	20.5%	9.8%	11.8%	11.1%	16.7%	12.1%	14.3%	13.6%	8.0%	16.7%	26.8%	7.8%	17.8%	16.0%	---	13.1%	12.1%
Usually	1,137	47	62	14	31	11	14	19	14	18	12	2	43	35	1	9	14	14	15	0	34	13
	32.8%	30.3%	30.7%	22.6%	35.6%	28.2%	34.1%	27.9%	25.9%	30.0%	36.4%	14.3%	32.6%	35.0%	16.7%	22.0%	27.5%	31.1%	30.0%	---	27.9%	39.4%
Always	1,817	85	113	37	44	18	22	41	32	31	17	10	68	55	4	20	30	23	27	0	69	16
	52.4%	54.8%	55.9%	59.7%	50.6%	46.2%	53.7%	60.3%	59.3%	51.7%	51.5%	71.4%	51.5%	55.0%	66.7%	48.8%	58.8%	51.1%	54.0%	---	56.6%	48.5%
Significantly different from column:*																						
Usually or Always	2,954	132	175	51	75	29	36	60	46	49	29	12	111	90	5	29	44	37	42	0	103	29
	85.2%	85.2%	86.6%	82.3%	86.2%	74.4%	87.8%	88.2%	85.2%	81.7%	87.9%	85.7%	84.1%	90.0%	83.3%	70.7%	86.3%	82.2%	84.0%	---	84.4%	87.9%
Significantly different from column:*														P		N						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 15

A personal doctor is the one you would see if you need a check-up, want advice about a health problem, or get sick or hurt. Do you have a personal doctor?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	278	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	56	2	0	1	1	0	0	2	0	2	0	0	2	2	0	0	1	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,738	209	278	85	115	54	59	86	71	79	46	25	170	133	7	54	83	59	55	51	121	33
	98.8%	99.1%	100.0%	98.8%	99.1%	100.0%	100.0%	97.7%	100.0%	97.5%	100.0%	100.0%	98.8%	98.5%	100.0%	100.0%	98.8%	100.0%	98.2%	100.0%	99.2%	100.0%
Yes	3,960	177	233	69	100	43	45	80	59	69	38	21	144	115	7	43	61	54	51	31	110	32
	83.6%	84.7%	83.8%	81.2%	87.0%	79.6%	76.3%	93.0%	83.1%	87.3%	82.6%	84.0%	84.7%	86.5%	100.0%	79.6%	73.5%	91.5%	92.7%	60.8%	90.9%	97.0%
No	778	32	45	16	15	11	14	6	12	10	8	4	26	18	0	11	22	5	4	20	11	1
	16.4%	15.3%	16.2%	18.8%	13.0%	20.4%	23.7%	7.0%	16.9%	12.7%	17.4%	16.0%	15.3%	13.5%	0.0%	20.4%	26.5%	8.5%	7.3%	39.2%	9.1%	3.0%
Significantly different from column:*						H	H	FG									RS	Q	Q	UV	T	T

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 16

In the last 6 months, how many times did you visit your personal doctor to get care for yourself?

Base: All respondents who have a personal doctor (Q15)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,960	177	222	69	100	43	45	80	59	69	38	21	144	115	7	43	61	54	51	31	110	32
Number missing or multiple answer	107	4	0	0	4	1	2	1	0	3	0	1	3	1	0	2	1	2	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,853	173	222	69	96	42	43	79	59	66	38	20	141	114	7	41	60	52	50	31	109	32
	97.3%	97.7%	100.0%	100.0%	96.0%	97.7%	95.6%	98.8%	100.0%	95.7%	100.0%	95.2%	97.9%	99.1%	100.0%	95.3%	98.4%	96.3%	98.0%	100.0%	99.1%	100.0%
None	789	42	41	20	19	12	12	15	14	16	9	4	34	31	1	7	19	14	6	24	14	3
	20.5%	24.3%	18.5%	29.0%	19.8%	28.6%	27.9%	19.0%	23.7%	24.2%	23.7%	20.0%	24.1%	27.2%	14.3%	17.1%	31.7%	26.9%	12.0%	77.4%	12.8%	9.4%
1 time	1,037	38	57	20	17	11	6	20	15	8	14	4	31	24	2	10	15	12	9	3	32	3
	26.9%	22.0%	25.7%	29.0%	17.7%	26.2%	14.0%	25.3%	25.4%	12.1%	36.8%	20.0%	22.0%	21.1%	28.6%	24.4%	25.0%	23.1%	18.0%	9.7%	29.4%	9.4%
2	832	40	55	11	29	12	8	20	12	19	8	5	34	27	0	11	16	11	13	2	33	5
	21.6%	23.1%	24.8%	15.9%	30.2%	28.6%	18.6%	25.3%	20.3%	28.8%	21.1%	25.0%	24.1%	23.7%	0.0%	26.8%	26.7%	21.2%	26.0%	6.5%	30.3%	15.6%
3	482	20	25	8	11	2	8	9	10	7	2	2	17	11	3	5	5	9	4	1	19	0
	12.5%	11.6%	11.3%	11.6%	11.5%	4.8%	18.6%	11.4%	16.9%	10.6%	5.3%	10.0%	12.1%	9.6%	42.9%	12.2%	8.3%	17.3%	8.0%	3.2%	17.4%	0.0%
4	306	17	23	4	12	1	5	9	4	9	2	3	13	10	1	5	2	4	9	0	10	7
	7.9%	9.8%	10.4%	5.8%	12.5%	2.4%	11.6%	11.4%	6.8%	13.6%	5.3%	15.0%	9.2%	8.8%	14.3%	12.2%	3.3%	7.7%	18.0%	0.0%	9.2%	21.9%
5 to 9	315	10	19	4	4	2	2	4	4	3	1	2	6	5	0	3	0	2	6	1	1	8
	8.2%	5.8%	8.6%	5.8%	4.2%	4.8%	4.7%	5.1%	6.8%	4.5%	2.6%	10.0%	4.3%	4.4%	0.0%	7.3%	0.0%	3.8%	12.0%	3.2%	0.9%	25.0%
10 or more times	92	6	2	2	4	2	2	2	0	4	2	0	6	6	0	0	3	0	3	0	0	6
	2.4%	3.5%	0.9%	2.9%	4.2%	4.8%	4.7%	2.5%	0.0%	6.1%	5.3%	0.0%	4.3%	5.3%	0.0%	0.0%	5.0%	0.0%	6.0%	0.0%	0.0%	18.8%
5 or more times	407	16	21	6	8	4	4	6	4	7	3	2	12	11	0	3	3	2	9	1	1	14
	10.6%	9.2%	9.5%	8.7%	8.3%	9.5%	9.3%	7.6%	6.8%	10.6%	7.9%	10.0%	8.5%	9.6%	0.0%	7.3%	5.0%	3.8%	18.0%	3.2%	0.9%	43.8%
Significantly different from column:*																	S	S	QR	V		T

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 17

In the last 6 months, how often did your personal doctor explain things in a way that was easy to understand?

Base: All respondents who have a personal doctor and who visited their personal doctor to get care (Q15 & Q16)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,064	131	180	49	77	30	31	64	45	50	29	16	107	83	6	34	41	38	44	7	95	29
Number missing or multiple answer	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,044	131	180	49	77	30	31	64	45	50	29	16	107	83	6	34	41	38	44	7	95	29
	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	34	1	4	0	1	1	0	0	0	0	1	0	1	1	0	0	1	0	0	0	1	0
	1.1%	0.8%	2.2%	0.0%	1.3%	3.3%	0.0%	0.0%	0.0%	0.0%	3.4%	0.0%	0.9%	1.2%	0.0%	0.0%	2.4%	0.0%	0.0%	0.0%	1.1%	0.0%
Sometimes	171	9	18	4	4	1	1	5	5	3	0	3	4	6	1	1	0	4	3	1	4	4
	5.6%	6.9%	10.0%	8.2%	5.2%	3.3%	3.2%	7.8%	11.1%	6.0%	0.0%	18.8%	3.7%	7.2%	16.7%	2.9%	0.0%	10.5%	6.8%	14.3%	4.2%	13.8%
Usually	619	26	34	7	18	7	7	11	9	11	5	3	22	15	0	10	4	10	11	2	17	7
	20.3%	19.8%	18.9%	14.3%	23.4%	23.3%	22.6%	17.2%	20.0%	22.0%	17.2%	18.8%	20.6%	18.1%	0.0%	29.4%	9.8%	26.3%	25.0%	28.6%	17.9%	24.1%
Always	2,220	95	124	38	54	21	23	48	31	36	23	10	80	61	5	23	36	24	30	4	73	18
	72.9%	72.5%	68.9%	77.6%	70.1%	70.0%	74.2%	75.0%	68.9%	72.0%	79.3%	62.5%	74.8%	73.5%	83.3%	67.6%	87.8%	63.2%	68.2%	57.1%	76.8%	62.1%
Significantly different from column:*																	RS	Q	Q			
Usually or Always	2,839	121	158	45	72	28	30	59	40	47	28	13	102	76	5	33	40	34	41	6	90	25
	93.3%	92.4%	87.8%	91.8%	93.5%	93.3%	96.8%	92.2%	88.9%	94.0%	96.6%	81.3%	95.3%	91.6%	83.3%	97.1%	97.6%	89.5%	93.2%	85.7%	94.7%	86.2%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 18

In the last 6 months, how often did your personal doctor listen carefully to you?

Base: All respondents who have a personal doctor and who visited their personal doctor to get care (Q15 & Q16)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,064	131	180	49	77	30	31	64	45	50	29	16	107	83	6	34	41	38	44	7	95	29
Number missing or multiple answer	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,045	131	180	49	77	30	31	64	45	50	29	16	107	83	6	34	41	38	44	7	95	29
	99.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	43	3	1	1	2	2	0	1	0	2	1	0	3	3	0	0	1	1	1	0	2	1
	1.4%	2.3%	0.6%	2.0%	2.6%	6.7%	0.0%	1.6%	0.0%	4.0%	3.4%	0.0%	2.8%	3.6%	0.0%	0.0%	2.4%	2.6%	2.3%	0.0%	2.1%	3.4%
Sometimes	196	7	23	2	4	2	1	2	1	4	1	1	5	3	0	3	1	2	2	1	2	4
	6.4%	5.3%	12.8%	4.1%	5.2%	6.7%	3.2%	3.1%	2.2%	8.0%	3.4%	6.3%	4.7%	3.6%	0.0%	8.8%	2.4%	5.3%	4.5%	14.3%	2.1%	13.8%
Usually	608	28	31	5	22	4	10	13	10	10	7	3	24	19	0	8	4	9	13	1	22	5
	20.0%	21.4%	17.2%	10.2%	28.6%	13.3%	32.3%	20.3%	22.2%	20.0%	24.1%	18.8%	22.4%	22.9%	0.0%	23.5%	9.8%	23.7%	29.5%	14.3%	23.2%	17.2%
Always	2,198	93	125	41	49	22	20	48	34	34	20	12	75	58	6	23	35	26	28	5	69	19
	72.2%	71.0%	69.4%	83.7%	63.6%	73.3%	64.5%	75.0%	75.6%	68.0%	69.0%	75.0%	70.1%	69.9%	100.0%	67.6%	85.4%	68.4%	63.6%	71.4%	72.6%	65.5%
Significantly different from column:*				E	D												S		Q			
Usually or Always	2,806	121	156	46	71	26	30	61	44	44	27	15	99	77	6	31	39	35	41	6	91	24
	92.2%	92.4%	86.7%	93.9%	92.2%	86.7%	96.8%	95.3%	97.8%	88.0%	93.1%	93.8%	92.5%	92.8%	100.0%	91.2%	95.1%	92.1%	93.2%	85.7%	95.8%	82.8%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 19

In the last 6 months, how often did your personal doctor show respect for what you had to say?

Base: All respondents who have a personal doctor and who visited their personal doctor to get care (Q15 & Q16)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,064	131	180	49	77	30	31	64	45	50	29	16	107	83	6	34	41	38	44	7	95	29
Number missing or multiple answer	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,051	131	180	49	77	30	31	64	45	50	29	16	107	83	6	34	41	38	44	7	95	29
	99.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	48	2	5	1	1	1	0	1	0	1	1	0	2	2	0	0	1	1	0	0	1	1
	1.6%	1.5%	2.8%	2.0%	1.3%	3.3%	0.0%	1.6%	0.0%	2.0%	3.4%	0.0%	1.9%	2.4%	0.0%	0.0%	2.4%	2.6%	0.0%	0.0%	1.1%	3.4%
Sometimes	171	9	15	3	5	2	1	4	3	5	0	2	6	5	1	2	0	2	5	1	4	4
	5.6%	6.9%	8.3%	6.1%	6.5%	6.7%	3.2%	6.3%	6.7%	10.0%	0.0%	12.5%	5.6%	6.0%	16.7%	5.9%	0.0%	5.3%	11.4%	14.3%	4.2%	13.8%
Usually	472	18	26	5	12	4	5	8	6	5	6	2	15	9	0	8	4	6	6	1	14	3
	15.5%	13.7%	14.4%	10.2%	15.6%	13.3%	16.1%	12.5%	13.3%	10.0%	20.7%	12.5%	14.0%	10.8%	0.0%	23.5%	9.8%	15.8%	13.6%	14.3%	14.7%	10.3%
Always	2,360	102	134	40	59	23	25	51	36	39	22	12	84	67	5	24	36	29	33	5	76	21
	77.4%	77.9%	74.4%	81.6%	76.6%	76.7%	80.6%	79.7%	80.0%	78.0%	75.9%	75.0%	78.5%	80.7%	83.3%	70.6%	87.8%	76.3%	75.0%	71.4%	80.0%	72.4%
Significantly different from column:*																						
Usually or Always	2,832	120	160	45	71	27	30	59	42	44	28	14	99	76	5	32	40	35	39	6	90	24
	92.8%	91.6%	88.9%	91.8%	92.2%	90.0%	96.8%	92.2%	93.3%	88.0%	96.6%	87.5%	92.5%	91.6%	83.3%	94.1%	97.6%	92.1%	88.6%	85.7%	94.7%	82.8%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 20

In the last 6 months, how often did your personal doctor spend enough time with you?

Base: All respondents who have a personal doctor and who visited their personal doctor to get care (Q15 & Q16)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,064	131	180	49	77	30	31	64	45	50	29	16	107	83	6	34	41	38	44	7	95	29
Number missing or multiple answer	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,041	131	180	49	77	30	31	64	45	50	29	16	107	83	6	34	41	38	44	7	95	29
	99.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	57	2	9	0	2	1	1	0	0	1	1	0	2	2	0	0	1	0	1	0	1	1
	1.9%	1.5%	5.0%	0.0%	2.6%	3.3%	3.2%	0.0%	0.0%	2.0%	3.4%	0.0%	1.9%	2.4%	0.0%	0.0%	2.4%	0.0%	2.3%	0.0%	1.1%	3.4%
Sometimes	245	12	12	3	8	5	2	3	2	6	3	3	8	6	1	4	3	6	1	1	7	4
	8.1%	9.2%	6.7%	6.1%	10.4%	16.7%	6.5%	4.7%	4.4%	12.0%	10.3%	18.8%	7.5%	7.2%	16.7%	11.8%	7.3%	15.8%	2.3%	14.3%	7.4%	13.8%
Usually	702	27	38	9	16	6	7	12	8	11	6	2	23	18	0	7	4	10	10	2	20	5
	23.1%	20.6%	21.1%	18.4%	20.8%	20.0%	22.6%	18.8%	17.8%	22.0%	20.7%	12.5%	21.5%	21.7%	0.0%	20.6%	9.8%	26.3%	22.7%	28.6%	21.1%	17.2%
Always	2,037	90	121	37	51	18	21	49	35	32	19	11	74	57	5	23	33	22	32	4	67	19
	67.0%	68.7%	67.2%	75.5%	66.2%	60.0%	67.7%	76.6%	77.8%	64.0%	65.5%	68.8%	69.2%	68.7%	83.3%	67.6%	80.5%	57.9%	72.7%	57.1%	70.5%	65.5%
Significantly different from column:*																	R	Q				
Usually or Always	2,739	117	159	46	67	24	28	61	43	43	25	13	97	75	5	30	37	32	42	6	87	24
	90.1%	89.3%	88.3%	93.9%	87.0%	80.0%	90.3%	95.3%	95.6%	86.0%	86.2%	81.3%	90.7%	90.4%	83.3%	88.2%	90.2%	84.2%	95.5%	85.7%	91.6%	82.8%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 21

In the last 6 months, did you get care from a doctor or other health provider besides your personal doctor?

Base: All respondents who have a personal doctor and who visited their personal doctor to get care (Q15 & Q16)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,064	131	180	49	77	30	31	64	45	50	29	16	107	83	6	34	41	38	44	7	95	29
Number missing or multiple answer	28	1	0	0	1	0	0	1	0	1	0	0	1	1	0	0	0	0	1	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,036	130	180	49	76	30	31	63	45	49	29	16	106	82	6	34	41	38	43	7	95	28
	99.1%	99.2%	100.0%	100.0%	98.7%	100.0%	100.0%	98.4%	100.0%	98.0%	100.0%	100.0%	99.1%	98.8%	100.0%	100.0%	100.0%	100.0%	97.7%	100.0%	100.0%	96.6%
Yes	1,921	76	118	25	47	18	19	34	24	31	16	7	62	47	2	22	19	20	32	3	51	22
	63.3%	58.5%	65.6%	51.0%	61.8%	60.0%	61.3%	54.0%	53.3%	63.3%	55.2%	43.8%	58.5%	57.3%	33.3%	64.7%	46.3%	52.6%	74.4%	42.9%	53.7%	78.6%
No	1,115	54	62	24	29	12	12	29	21	18	13	9	44	35	4	12	22	18	11	4	44	6
	36.7%	41.5%	34.4%	49.0%	38.2%	40.0%	38.7%	46.0%	46.7%	36.7%	44.8%	56.3%	41.5%	42.7%	66.7%	35.3%	53.7%	47.4%	25.6%	57.1%	46.3%	21.4%
Significantly different from column:*																	S	S	QR		V	U

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 22

In the last 6 months, how often did your personal doctor seem informed and up-to-date about the care you got from these doctors or other health providers?

Base: All respondents who have a personal doctor, visited their personal doctor, and got care from another health provider besides their personal doctor (Q15, Q16, & Q21)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,921	76	115	25	47	18	19	34	24	31	16	7	62	47	2	22	19	20	32	3	51	22
Number missing or multiple answer	46	1	0	1	0	1	0	0	1	0	0	0	0	0	0	1	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,875	75	115	24	47	17	19	34	23	31	16	7	62	47	2	21	18	20	32	3	50	22
	97.6%	98.7%	100.0%	96.0%	100.0%	94.4%	100.0%	100.0%	95.8%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	95.5%	94.7%	100.0%	100.0%	100.0%	98.0%	100.0%
Never	88	6	9	2	4	1	1	4	0	5	1	0	6	3	0	3	0	3	3	0	3	3
	4.7%	8.0%	7.8%	8.3%	8.5%	5.9%	5.3%	11.8%	0.0%	16.1%	6.3%	0.0%	9.7%	6.4%	0.0%	14.3%	0.0%	15.0%	9.4%	0.0%	6.0%	13.6%
Sometimes	240	6	14	1	4	3	1	1	0	1	4	0	5	4	0	1	2	2	1	1	3	2
	12.8%	8.0%	12.2%	4.2%	8.5%	17.6%	5.3%	2.9%	0.0%	3.2%	25.0%	0.0%	8.1%	8.5%	0.0%	4.8%	11.1%	10.0%	3.1%	33.3%	6.0%	9.1%
Usually	539	23	41	6	17	8	7	7	8	10	4	2	21	15	0	8	5	8	9	1	16	6
	28.7%	30.7%	35.7%	25.0%	36.2%	47.1%	36.8%	20.6%	34.8%	32.3%	25.0%	28.6%	33.9%	31.9%	0.0%	38.1%	27.8%	40.0%	28.1%	33.3%	32.0%	27.3%
Always	1,008	40	51	15	22	5	10	22	15	15	7	5	30	25	2	9	11	7	19	1	28	11
	53.8%	53.3%	44.3%	62.5%	46.8%	29.4%	52.6%	64.7%	65.2%	48.4%	43.8%	71.4%	48.4%	53.2%	100.0%	42.9%	61.1%	35.0%	59.4%	33.3%	56.0%	50.0%
Significantly different from column:*						H		F														
Usually or Always	1,547	63	92	21	39	13	17	29	23	25	11	7	51	40	2	17	16	15	28	2	44	17
	82.5%	84.0%	80.0%	87.5%	83.0%	76.5%	89.5%	85.3%	100.0%	80.6%	68.8%	100.0%	82.3%	85.1%	100.0%	81.0%	88.9%	75.0%	87.5%	66.7%	88.0%	77.3%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 23

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your personal doctor?

Base: All respondents who have a personal doctor (Q15)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,960	177	217	69	100	43	45	80	59	69	38	21	144	115	7	43	61	54	51	31	110	32
Number missing or multiple answer	129	5	0	2	3	2	1	2	0	2	3	0	4	2	0	3	3	2	0	2	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,831	172	217	67	97	41	44	78	59	67	35	21	140	113	7	40	58	52	51	29	107	32
	96.7%	97.2%	100.0%	97.1%	97.0%	95.3%	97.8%	97.5%	100.0%	97.1%	92.1%	100.0%	97.2%	98.3%	100.0%	93.0%	95.1%	96.3%	100.0%	93.5%	97.3%	100.0%
0 Worst personal doctor possible	27	1	2	0	1	1	0	0	0	0	1	0	1	1	0	0	1	0	0	0	1	0
	0.7%	0.6%	0.9%	0.0%	1.0%	2.4%	0.0%	0.0%	0.0%	0.0%	2.9%	0.0%	0.7%	0.9%	0.0%	0.0%	1.7%	0.0%	0.0%	0.0%	0.9%	0.0%
1	21	2	2	1	1	0	0	2	0	2	0	0	2	2	0	0	0	2	0	1	0	1
	0.5%	1.2%	0.9%	1.5%	1.0%	0.0%	0.0%	2.6%	0.0%	3.0%	0.0%	0.0%	1.4%	1.8%	0.0%	0.0%	0.0%	3.8%	0.0%	3.4%	0.0%	3.1%
2	30	1	2	0	1	0	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	1
	0.8%	0.6%	0.9%	0.0%	1.0%	0.0%	0.0%	0.0%	0.0%	1.5%	0.0%	0.0%	0.7%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.1%
3	37	1	6	1	0	0	0	1	0	0	1	1	0	0	0	0	0	0	1	1	0	0
	1.0%	0.6%	2.8%	1.5%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	2.9%	4.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.0%	3.4%	0.0%	0.0%
4	67	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.7%	0.0%	2.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
5	156	13	14	5	7	7	1	4	4	6	2	2	10	8	1	3	6	4	2	4	9	0
	4.1%	7.6%	6.5%	7.5%	7.2%	17.1%	2.3%	5.1%	6.8%	9.0%	5.7%	9.5%	7.1%	7.1%	14.3%	7.5%	10.3%	7.7%	3.9%	13.8%	8.4%	0.0%
6	124	3	10	1	2	2	1	0	1	2	0	0	3	2	0	1	0	2	1	1	1	1
	3.2%	1.7%	4.6%	1.5%	2.1%	4.9%	2.3%	0.0%	1.7%	3.0%	0.0%	0.0%	2.1%	1.8%	0.0%	2.5%	0.0%	3.8%	2.0%	3.4%	0.9%	3.1%
7	299	12	17	7	4	4	5	2	6	3	2	1	10	8	0	3	3	5	3	3	8	1
	7.8%	7.0%	7.8%	10.4%	4.1%	9.8%	11.4%	2.6%	10.2%	4.5%	5.7%	4.8%	7.1%	7.1%	0.0%	7.5%	5.2%	9.6%	5.9%	10.3%	7.5%	3.1%
8	662	30	19	13	15	5	11	12	9	8	11	4	24	21	0	7	6	7	14	7	14	9
	17.3%	17.4%	8.8%	19.4%	15.5%	12.2%	25.0%	15.4%	15.3%	11.9%	31.4%	19.0%	17.1%	18.6%	0.0%	17.5%	10.3%	13.5%	27.5%	24.1%	13.1%	28.1%
9	687	30	43	13	17	9	3	18	10	12	6	3	27	18	0	12	9	12	9	3	26	1
	17.9%	17.4%	19.8%	19.4%	17.5%	22.0%	6.8%	23.1%	16.9%	17.9%	17.1%	14.3%	19.3%	15.9%	0.0%	30.0%	15.5%	23.1%	17.6%	10.3%	24.3%	3.1%
10 Best personal doctor possible	1,721	79	96	26	49	13	23	39	29	33	12	10	62	52	6	14	33	20	21	9	48	18
	44.9%	45.9%	44.2%	38.8%	50.5%	31.7%	52.3%	50.0%	49.2%	49.3%	34.3%	47.6%	44.3%	46.0%	85.7%	35.0%	56.9%	38.5%	41.2%	31.0%	44.9%	56.3%

NA - Not Applicable

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 23

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your personal doctor?

Base: All respondents who have a personal doctor (Q15)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,960	177	217	69	100	43	45	80	59	69	38	21	144	115	7	43	61	54	51	31	110	32
Number missing or multiple answer	129	5	0	2	3	2	1	2	0	2	3	0	4	2	0	3	3	2	0	2	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,831	172	217	67	97	41	44	78	59	67	35	21	140	113	7	40	58	52	51	29	107	32
	96.7%	97.2%	100.0%	97.1%	97.0%	95.3%	97.8%	97.5%	100.0%	97.1%	92.1%	100.0%	97.2%	98.3%	100.0%	93.0%	95.1%	96.3%	100.0%	93.5%	97.3%	100.0%
0 to 4	182	5	18	2	3	1	0	3	0	3	2	1	4	4	0	0	1	2	1	2	1	2
	4.8%	2.9%	8.3%	3.0%	3.1%	2.4%	0.0%	3.8%	0.0%	4.5%	5.7%	4.8%	2.9%	3.5%	0.0%	0.0%	1.7%	3.8%	2.0%	6.9%	0.9%	6.3%
5	156	13	14	5	7	7	1	4	4	6	2	2	10	8	1	3	6	4	2	4	9	0
	4.1%	7.6%	6.5%	7.5%	7.2%	17.1%	2.3%	5.1%	6.8%	9.0%	5.7%	9.5%	7.1%	7.1%	14.3%	7.5%	10.3%	7.7%	3.9%	13.8%	8.4%	0.0%
6 or 7	423	15	27	8	6	6	6	2	7	5	2	1	13	10	0	4	3	7	4	4	9	2
	11.0%	8.7%	12.4%	11.9%	6.2%	14.6%	13.6%	2.6%	11.9%	7.5%	5.7%	4.8%	9.3%	8.8%	0.0%	10.0%	5.2%	13.5%	7.8%	13.8%	8.4%	6.3%
8 to 10	3,070	139	158	52	81	27	37	69	48	53	29	17	113	91	6	33	48	39	44	19	88	28
	80.1%	80.8%	72.8%	77.6%	83.5%	65.9%	84.1%	88.5%	81.4%	79.1%	82.9%	81.0%	80.7%	80.5%	85.7%	82.5%	82.8%	75.0%	86.3%	65.5%	82.2%	87.5%
Significantly different from column:*						H		F												V		T
0 to 6	462	21	42	8	12	10	2	7	5	11	4	3	17	14	1	4	7	8	4	7	11	3
	12.1%	12.2%	19.4%	11.9%	12.4%	24.4%	4.5%	9.0%	8.5%	16.4%	11.4%	14.3%	12.1%	12.4%	14.3%	10.0%	12.1%	15.4%	7.8%	24.1%	10.3%	9.4%
7 to 8	961	42	36	20	19	9	16	14	15	11	13	5	34	29	0	10	9	12	17	10	22	10
	25.1%	24.4%	16.6%	29.9%	19.6%	22.0%	36.4%	17.9%	25.4%	16.4%	37.1%	23.8%	24.3%	25.7%	0.0%	25.0%	15.5%	23.1%	33.3%	34.5%	20.6%	31.3%
9 to 10	2,408	109	139	39	66	22	26	57	39	45	18	13	89	70	6	26	42	32	30	12	74	19
	62.9%	63.4%	64.1%	58.2%	68.0%	53.7%	59.1%	73.1%	66.1%	67.2%	51.4%	61.9%	63.6%	61.9%	85.7%	65.0%	72.4%	61.5%	58.8%	41.4%	69.2%	59.4%
Significantly different from column:*						H		F												U	T	

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 24

In the last 6 months, did you make any appointments to see a specialist?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	273	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	34	2	0	1	1	1	0	1	1	0	1	0	1	2	0	0	0	0	2	0	1	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,760	209	273	85	115	53	59	87	70	81	45	25	171	133	7	54	84	59	54	51	121	32
	99.3%	99.1%	100.0%	98.8%	99.1%	98.1%	100.0%	98.9%	98.6%	100.0%	97.8%	100.0%	99.4%	98.5%	100.0%	100.0%	100.0%	100.0%	96.4%	100.0%	99.2%	97.0%
Yes	2,079	86	116	37	48	14	28	43	24	39	19	7	77	56	5	23	21	26	38	7	50	27
	43.7%	41.1%	42.5%	43.5%	41.7%	26.4%	47.5%	49.4%	34.3%	48.1%	42.2%	28.0%	45.0%	42.1%	71.4%	42.6%	25.0%	44.1%	70.4%	13.7%	41.3%	84.4%
No	2,681	123	157	48	67	39	31	44	46	42	26	18	94	77	2	31	63	33	16	44	71	5
	56.3%	58.9%	57.5%	56.5%	58.3%	73.6%	52.5%	50.6%	65.7%	51.9%	57.8%	72.0%	55.0%	57.9%	28.6%	57.4%	75.0%	55.9%	29.6%	86.3%	58.7%	15.6%
Significantly different from column:*						GH	F	F									RS	QS	QR	UV	TV	TU

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 25

In the last 6 months, how often did you get an appointment to see a specialist as soon as you needed?

Base: All respondents who made an appointment to see a specialist (Q24)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	2,079	86	113	37	48	14	28	43	24	39	19	7	77	56	5	23	21	26	38	7	50	27
Number missing or multiple answer	23	2	0	1	1	0	0	2	0	2	0	0	2	2	0	0	0	1	1	0	1	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,056	84	113	36	47	14	28	41	24	37	19	7	75	54	5	23	21	25	37	7	49	26
	98.9%	97.7%	100.0%	97.3%	97.9%	100.0%	100.0%	95.3%	100.0%	94.9%	100.0%	100.0%	97.4%	96.4%	100.0%	100.0%	100.0%	96.2%	97.4%	100.0%	98.0%	96.3%
Never	114	1	5	0	1	0	1	0	0	0	1	0	1	1	0	0	0	1	0	0	1	0
	5.5%	1.2%	4.4%	0.0%	2.1%	0.0%	3.6%	0.0%	0.0%	0.0%	5.3%	0.0%	1.3%	1.9%	0.0%	0.0%	0.0%	4.0%	0.0%	0.0%	2.0%	0.0%
Sometimes	345	20	17	8	11	3	6	10	6	9	4	2	17	12	1	6	2	6	11	1	10	8
	16.8%	23.8%	15.0%	22.2%	23.4%	21.4%	21.4%	24.4%	25.0%	24.3%	21.1%	28.6%	22.7%	22.2%	20.0%	26.1%	9.5%	24.0%	29.7%	14.3%	20.4%	30.8%
Usually	603	18	41	7	11	2	7	9	5	8	5	0	18	13	0	5	4	5	9	0	13	4
	29.3%	21.4%	36.3%	19.4%	23.4%	14.3%	25.0%	22.0%	20.8%	21.6%	26.3%	0.0%	24.0%	24.1%	0.0%	21.7%	19.0%	20.0%	24.3%	0.0%	26.5%	15.4%
Always	994	45	50	21	24	9	14	22	13	20	9	5	39	28	4	12	15	13	17	6	25	14
	48.3%	53.6%	44.2%	58.3%	51.1%	64.3%	50.0%	53.7%	54.2%	54.1%	47.4%	71.4%	52.0%	51.9%	80.0%	52.2%	71.4%	52.0%	45.9%	85.7%	51.0%	53.8%
Significantly different from column:*																						
Usually or Always	1,597	63	91	28	35	11	21	31	18	28	14	5	57	41	4	17	19	18	26	6	38	18
	77.7%	75.0%	80.5%	77.8%	74.5%	78.6%	75.0%	75.6%	75.0%	75.7%	73.7%	71.4%	76.0%	75.9%	80.0%	73.9%	90.5%	72.0%	70.3%	85.7%	77.6%	69.2%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 26

How many specialists have you seen in the last 6 months?

Base: All respondents who made an appointment to see a specialist (Q24)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	2,079	86	113	37	48	14	28	43	24	39	19	7	77	56	5	23	21	26	38	7	50	27
Number missing or multiple answer	28	2	0	1	1	0	0	2	0	2	0	0	2	2	0	0	0	1	1	0	1	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,051	84	113	36	47	14	28	41	24	37	19	7	75	54	5	23	21	25	37	7	49	26
	98.7%	97.7%	100.0%	97.3%	97.9%	100.0%	100.0%	95.3%	100.0%	94.9%	100.0%	100.0%	97.4%	96.4%	100.0%	100.0%	100.0%	96.2%	97.4%	100.0%	98.0%	96.3%
None	98	5	7	4	1	2	0	3	2	1	2	2	3	1	1	2	0	3	2	2	2	1
	4.8%	6.0%	6.2%	11.1%	2.1%	14.3%	0.0%	7.3%	8.3%	2.7%	10.5%	28.6%	4.0%	1.9%	20.0%	8.7%	0.0%	12.0%	5.4%	28.6%	4.1%	3.8%
1 specialist	1,029	44	54	18	26	6	13	25	13	16	13	3	40	26	3	15	14	12	18	5	29	10
	50.2%	52.4%	47.8%	50.0%	55.3%	42.9%	46.4%	61.0%	54.2%	43.2%	68.4%	42.9%	53.3%	48.1%	60.0%	65.2%	66.7%	48.0%	48.6%	71.4%	59.2%	38.5%
2	541	24	30	10	14	4	11	9	7	14	3	2	22	19	1	4	5	8	11	0	14	9
	26.4%	28.6%	26.5%	27.8%	29.8%	28.6%	39.3%	22.0%	29.2%	37.8%	15.8%	28.6%	29.3%	35.2%	20.0%	17.4%	23.8%	32.0%	29.7%	0.0%	28.6%	34.6%
3	226	8	15	3	4	1	4	2	1	4	1	0	7	5	0	2	2	2	3	0	3	4
	11.0%	9.5%	13.3%	8.3%	8.5%	7.1%	14.3%	4.9%	4.2%	10.8%	5.3%	0.0%	9.3%	9.3%	0.0%	8.7%	9.5%	8.0%	8.1%	0.0%	6.1%	15.4%
4	76	1	3	0	1	0	0	1	0	1	0	0	1	1	0	0	0	0	1	0	0	1
	3.7%	1.2%	2.7%	0.0%	2.1%	0.0%	0.0%	2.4%	0.0%	2.7%	0.0%	0.0%	1.3%	1.9%	0.0%	0.0%	0.0%	0.0%	2.7%	0.0%	0.0%	3.8%
5 or more specialists	81	2	4	1	1	1	0	1	1	1	0	0	2	2	0	0	0	0	2	0	1	1
	3.9%	2.4%	3.5%	2.8%	2.1%	7.1%	0.0%	2.4%	4.2%	2.7%	0.0%	0.0%	2.7%	3.7%	0.0%	0.0%	0.0%	0.0%	5.4%	0.0%	2.0%	3.8%
3 or more specialists	383	11	22	4	6	2	4	4	2	6	1	0	10	8	0	2	2	2	6	0	4	6
	18.7%	13.1%	19.5%	11.1%	12.8%	14.3%	14.3%	9.8%	8.3%	16.2%	5.3%	0.0%	13.3%	14.8%	0.0%	8.7%	9.5%	8.0%	16.2%	0.0%	8.2%	23.1%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 27

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents who saw a specialist (Q24 & Q26)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,953	79	105	32	46	12	28	38	22	36	17	5	72	53	4	21	21	22	35	5	47	25
Number missing or multiple answer	11	1	0	1	0	0	1	0	0	1	0	0	1	1	0	0	0	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,942	78	105	31	46	12	27	38	22	35	17	5	71	52	4	21	21	22	34	5	46	25
	99.4%	98.7%	100.0%	96.9%	100.0%	100.0%	96.4%	100.0%	100.0%	97.2%	100.0%	100.0%	98.6%	98.1%	100.0%	100.0%	100.0%	100.0%	97.1%	100.0%	97.9%	100.0%
0 Worst specialist possible	22	1	1	0	1	0	0	1	0	1	0	0	1	0	0	1	0	1	0	0	1	0
	1.1%	1.3%	1.0%	0.0%	2.2%	0.0%	0.0%	2.6%	0.0%	2.9%	0.0%	0.0%	1.4%	0.0%	0.0%	4.8%	0.0%	4.5%	0.0%	0.0%	2.2%	0.0%
1	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2	12	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.6%	0.0%	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
3	26	2	2	0	2	0	2	0	0	1	1	0	2	2	0	0	0	1	1	0	1	1
	1.3%	2.6%	1.9%	0.0%	4.3%	0.0%	7.4%	0.0%	0.0%	2.9%	5.9%	0.0%	2.8%	3.8%	0.0%	0.0%	0.0%	4.5%	2.9%	0.0%	2.2%	4.0%
4	24	1	1	1	0	0	0	1	1	0	0	1	0	0	0	1	0	0	1	0	1	0
	1.2%	1.3%	1.0%	3.2%	0.0%	0.0%	0.0%	2.6%	4.5%	0.0%	0.0%	20.0%	0.0%	0.0%	0.0%	4.8%	0.0%	0.0%	2.9%	0.0%	2.2%	0.0%
5	85	2	6	1	1	1	0	1	1	1	0	0	2	1	0	1	0	0	2	0	0	2
	4.4%	2.6%	5.7%	3.2%	2.2%	8.3%	0.0%	2.6%	4.5%	2.9%	0.0%	0.0%	2.8%	1.9%	0.0%	4.8%	0.0%	0.0%	5.9%	0.0%	0.0%	8.0%
6	74	4	4	0	4	0	3	1	1	2	1	0	4	3	0	1	0	1	3	0	2	2
	3.8%	5.1%	3.8%	0.0%	8.7%	0.0%	11.1%	2.6%	4.5%	5.7%	5.9%	0.0%	5.6%	5.8%	0.0%	4.8%	0.0%	4.5%	8.8%	0.0%	4.3%	8.0%
7	141	4	9	4	0	1	0	3	0	2	2	0	4	2	0	2	0	3	1	0	2	1
	7.3%	5.1%	8.6%	12.9%	0.0%	8.3%	0.0%	7.9%	0.0%	5.7%	11.8%	0.0%	5.6%	3.8%	0.0%	9.5%	0.0%	13.6%	2.9%	0.0%	4.3%	4.0%
8	314	12	14	3	8	4	2	5	4	5	1	2	9	5	1	5	3	4	4	1	9	2
	16.2%	15.4%	13.3%	9.7%	17.4%	33.3%	7.4%	13.2%	18.2%	14.3%	5.9%	40.0%	12.7%	9.6%	25.0%	23.8%	14.3%	18.2%	11.8%	20.0%	19.6%	8.0%
9	403	17	21	9	8	2	6	9	3	6	7	1	16	12	1	4	6	3	8	2	9	6
	20.8%	21.8%	20.0%	29.0%	17.4%	16.7%	22.2%	23.7%	13.6%	17.1%	41.2%	20.0%	22.5%	23.1%	25.0%	19.0%	28.6%	13.6%	23.5%	40.0%	19.6%	24.0%
10 Best specialist possible	826	35	46	13	22	4	14	17	12	17	5	1	33	27	2	6	12	9	14	2	21	11
	42.5%	44.9%	43.8%	41.9%	47.8%	33.3%	51.9%	44.7%	54.5%	48.6%	29.4%	20.0%	46.5%	51.9%	50.0%	28.6%	57.1%	40.9%	41.2%	40.0%	45.7%	44.0%

NA - Not Applicable

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 27

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents who saw a specialist (Q24 & Q26)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,953	79	105	32	46	12	28	38	22	36	17	5	72	53	4	21	21	22	35	5	47	25
Number missing or multiple answer	11	1	0	1	0	0	1	0	0	1	0	0	1	1	0	0	0	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,942	78	105	31	46	12	27	38	22	35	17	5	71	52	4	21	21	22	34	5	46	25
	99.4%	98.7%	100.0%	96.9%	100.0%	100.0%	96.4%	100.0%	100.0%	97.2%	100.0%	100.0%	98.6%	98.1%	100.0%	100.0%	100.0%	100.0%	97.1%	100.0%	97.9%	100.0%
0 to 4	99	4	5	1	3	0	2	2	1	2	1	1	3	2	0	2	0	2	2	0	3	1
	5.1%	5.1%	4.8%	3.2%	6.5%	0.0%	7.4%	5.3%	4.5%	5.7%	5.9%	20.0%	4.2%	3.8%	0.0%	9.5%	0.0%	9.1%	5.9%	0.0%	6.5%	4.0%
5	85	2	6	1	1	1	0	1	1	1	0	0	2	1	0	1	0	0	2	0	0	2
	4.4%	2.6%	5.7%	3.2%	2.2%	8.3%	0.0%	2.6%	4.5%	2.9%	0.0%	0.0%	2.8%	1.9%	0.0%	4.8%	0.0%	0.0%	5.9%	0.0%	0.0%	8.0%
6 or 7	215	8	13	4	4	1	3	4	1	4	3	0	8	5	0	3	0	4	4	0	4	3
	11.1%	10.3%	12.4%	12.9%	8.7%	8.3%	11.1%	10.5%	4.5%	11.4%	17.6%	0.0%	11.3%	9.6%	0.0%	14.3%	0.0%	18.2%	11.8%	0.0%	8.7%	12.0%
8 to 10	1,543	64	81	25	38	10	22	31	19	28	13	4	58	44	4	15	21	16	26	5	39	19
	79.5%	82.1%	77.1%	80.6%	82.6%	83.3%	81.5%	81.6%	86.4%	80.0%	76.5%	80.0%	81.7%	84.6%	100.0%	71.4%	100.0%	72.7%	76.5%	100.0%	84.8%	76.0%
Significantly different from column:*																						
0 to 6	258	10	15	2	8	1	5	4	3	5	2	1	9	6	0	4	0	3	7	0	5	5
	13.3%	12.8%	14.3%	6.5%	17.4%	8.3%	18.5%	10.5%	13.6%	14.3%	11.8%	20.0%	12.7%	11.5%	0.0%	19.0%	0.0%	13.6%	20.6%	0.0%	10.9%	20.0%
7 to 8	455	16	23	7	8	5	2	8	4	7	3	2	13	7	1	7	3	7	5	1	11	3
	23.4%	20.5%	21.9%	22.6%	17.4%	41.7%	7.4%	21.1%	18.2%	20.0%	17.6%	40.0%	18.3%	13.5%	25.0%	33.3%	14.3%	31.8%	14.7%	20.0%	23.9%	12.0%
9 to 10	1,229	52	67	22	30	6	20	26	15	23	12	2	49	39	3	10	18	12	22	4	30	17
	63.3%	66.7%	63.8%	71.0%	65.2%	50.0%	74.1%	68.4%	68.2%	65.7%	70.6%	40.0%	69.0%	75.0%	75.0%	47.6%	85.7%	54.5%	64.7%	80.0%	65.2%	68.0%
Significantly different from column:*														P		N	R	Q				

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 28

In the last 6 months, did you look for any information in written materials or on the Internet about how your health plan works?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	276	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	37	3	0	0	1	0	1	0	0	0	0	1	0	0	0	0	0	0	1	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,757	208	276	86	115	54	58	88	71	81	46	24	172	135	7	54	84	59	55	50	121	33
	99.2%	98.6%	100.0%	100.0%	99.1%	100.0%	98.3%	100.0%	100.0%	100.0%	100.0%	96.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	98.2%	98.0%	99.2%	100.0%
Yes	889	49	59	22	27	16	16	17	17	20	12	6	43	38	1	10	24	12	12	10	30	9
	18.7%	23.6%	21.4%	25.6%	23.5%	29.6%	27.6%	19.3%	23.9%	24.7%	26.1%	25.0%	25.0%	28.1%	14.3%	18.5%	28.6%	20.3%	21.8%	20.0%	24.8%	27.3%
No	3,868	159	217	64	88	38	42	71	54	61	34	18	129	97	6	44	60	47	43	40	91	24
	81.3%	76.4%	78.6%	74.4%	76.5%	70.4%	72.4%	80.7%	76.1%	75.3%	73.9%	75.0%	75.0%	71.9%	85.7%	81.5%	71.4%	79.7%	78.2%	80.0%	75.2%	72.7%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 29

In the last 6 months, how often did the written materials or the Internet provide the information you needed about how your health plan works?

Base: All respondents who looked for information in written materials or on the Internet about how their health plan works (Q28)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	889	49	57	22	27	16	16	17	17	20	12	6	43	38	1	10	24	12	12	10	30	9
Number missing or multiple answer	10	1	0	0	1	1	0	0	0	1	0	0	1	1	0	0	0	1	0	1	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	879	48	57	22	26	15	16	17	17	19	12	6	42	37	1	10	24	11	12	9	30	9
	98.9%	98.0%	100.0%	100.0%	96.3%	93.8%	100.0%	100.0%	100.0%	95.0%	100.0%	100.0%	97.7%	97.4%	100.0%	100.0%	100.0%	91.7%	100.0%	90.0%	100.0%	100.0%
Never	63	1	6	0	1	0	1	0	0	1	0	0	1	1	0	0	1	0	0	0	1	0
	7.2%	2.1%	10.5%	0.0%	3.8%	0.0%	6.3%	0.0%	0.0%	5.3%	0.0%	0.0%	2.4%	2.7%	0.0%	0.0%	4.2%	0.0%	0.0%	0.0%	3.3%	0.0%
Sometimes	263	15	12	6	9	8	4	3	5	6	4	1	14	9	1	5	8	3	4	4	9	2
	29.9%	31.3%	21.1%	27.3%	34.6%	53.3%	25.0%	17.6%	29.4%	31.6%	33.3%	16.7%	33.3%	24.3%	100.0%	50.0%	33.3%	27.3%	33.3%	44.4%	30.0%	22.2%
Usually	335	19	24	11	8	6	6	7	4	9	6	2	17	17	0	2	10	5	3	2	13	4
	38.1%	39.6%	42.1%	50.0%	30.8%	40.0%	37.5%	41.2%	23.5%	47.4%	50.0%	33.3%	40.5%	45.9%	0.0%	20.0%	41.7%	45.5%	25.0%	22.2%	43.3%	44.4%
Always	218	13	15	5	8	1	5	7	8	3	2	3	10	10	0	3	5	3	5	3	7	3
	24.8%	27.1%	26.3%	22.7%	30.8%	6.7%	31.3%	41.2%	47.1%	15.8%	16.7%	50.0%	23.8%	27.0%	0.0%	30.0%	20.8%	27.3%	41.7%	33.3%	23.3%	33.3%
Significantly different from column:*									J	I												
Usually or Always	553	32	39	16	16	7	11	14	12	12	8	5	27	27	0	5	15	8	8	5	20	7
	62.9%	66.7%	68.4%	72.7%	61.5%	46.7%	68.8%	82.4%	70.6%	63.2%	66.7%	83.3%	64.3%	73.0%	0.0%	50.0%	62.5%	72.7%	66.7%	55.6%	66.7%	77.8%
Significantly different from column:*						H		F														

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 30

In the last 6 months, did you get information or help from your health plan's customer service?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	274	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	80	4	0	0	2	1	0	1	1	1	0	1	1	1	0	1	0	1	1	1	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,714	207	274	86	114	53	59	87	70	80	46	24	171	134	7	53	84	58	55	50	119	33
	98.3%	98.1%	100.0%	100.0%	98.3%	98.1%	100.0%	98.9%	98.6%	98.8%	100.0%	96.0%	99.4%	99.3%	100.0%	98.1%	100.0%	98.3%	98.2%	98.0%	97.5%	100.0%
Yes	1,159	61	82	28	32	13	20	26	22	25	11	10	48	36	2	17	21	17	21	13	35	12
	24.6%	29.5%	29.9%	32.6%	28.1%	24.5%	33.9%	29.9%	31.4%	31.3%	23.9%	41.7%	28.1%	26.9%	28.6%	32.1%	25.0%	29.3%	38.2%	26.0%	29.4%	36.4%
No	3,555	146	192	58	82	40	39	61	48	55	35	14	123	98	5	36	63	41	34	37	84	21
	75.4%	70.5%	70.1%	67.4%	71.9%	75.5%	66.1%	70.1%	68.6%	68.8%	76.1%	58.3%	71.9%	73.1%	71.4%	67.9%	75.0%	70.7%	61.8%	74.0%	70.6%	63.6%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 31

In the last 6 months, how often did your health plan's customer service give you the information or help you needed?

Base: All respondents who tried to get information from the health plan's customer service (Q30)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,159	61	79	28	32	13	20	26	22	25	11	10	48	36	2	17	21	17	21	13	35	12
Number missing or multiple answer	23	2	0	0	2	0	1	1	0	1	0	1	1	1	0	0	1	0	1	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,136	59	79	28	30	13	19	25	22	24	11	9	47	35	2	17	20	17	20	13	35	11
	98.0%	96.7%	100.0%	100.0%	93.8%	100.0%	95.0%	96.2%	100.0%	96.0%	100.0%	90.0%	97.9%	97.2%	100.0%	100.0%	95.2%	100.0%	95.2%	100.0%	100.0%	91.7%
Never	28	1	2	0	1	1	0	0	0	0	1	0	1	0	0	1	1	0	0	1	0	0
	2.5%	1.7%	2.5%	0.0%	3.3%	7.7%	0.0%	0.0%	0.0%	0.0%	9.1%	0.0%	2.1%	0.0%	0.0%	5.9%	5.0%	0.0%	0.0%	7.7%	0.0%	0.0%
Sometimes	183	13	13	7	6	3	5	5	6	4	3	1	12	5	2	6	4	6	3	1	9	3
	16.1%	22.0%	16.5%	25.0%	20.0%	23.1%	26.3%	20.0%	27.3%	16.7%	27.3%	11.1%	25.5%	14.3%	100.0%	35.3%	20.0%	35.3%	15.0%	7.7%	25.7%	27.3%
Usually	323	15	18	8	7	5	5	4	3	8	3	3	11	9	0	4	5	5	4	3	9	3
	28.4%	25.4%	22.8%	28.6%	23.3%	38.5%	26.3%	16.0%	13.6%	33.3%	27.3%	33.3%	23.4%	25.7%	0.0%	23.5%	25.0%	29.4%	20.0%	23.1%	25.7%	27.3%
Always	602	30	46	13	16	4	9	16	13	12	4	5	23	21	0	6	10	6	13	8	17	5
	53.0%	50.8%	58.2%	46.4%	53.3%	30.8%	47.4%	64.0%	59.1%	50.0%	36.4%	55.6%	48.9%	60.0%	0.0%	35.3%	50.0%	35.3%	65.0%	61.5%	48.6%	45.5%
Significantly different from column:*																						
Usually or Always	925	45	64	21	23	9	14	20	16	20	7	8	34	30	0	10	15	11	17	11	26	8
	81.4%	76.3%	81.0%	75.0%	76.7%	69.2%	73.7%	80.0%	72.7%	83.3%	63.6%	88.9%	72.3%	85.7%	0.0%	58.8%	75.0%	64.7%	85.0%	84.6%	74.3%	72.7%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 32

In the last 6 months, how often did your health plan's customer service staff treat you with courtesy and respect?

Base: All respondents who tried to get information from the health plan's customer service (Q30)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,159	61	78	28	32	13	20	26	22	25	11	10	48	36	2	17	21	17	21	13	35	12
Number missing or multiple answer	23	5	0	1	4	0	2	2	1	3	0	1	3	3	0	1	2	1	1	1	1	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,136	56	78	27	28	13	18	24	21	22	11	9	45	33	2	16	19	16	20	12	34	10
	98.0%	91.8%	100.0%	96.4%	87.5%	100.0%	90.0%	92.3%	95.5%	88.0%	100.0%	90.0%	93.8%	91.7%	100.0%	94.1%	90.5%	94.1%	95.2%	92.3%	97.1%	83.3%
Never	17	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.5%	0.0%	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	62	4	5	1	3	2	1	1	3	0	1	1	3	0	1	3	2	1	1	1	2	1
	5.5%	7.1%	6.4%	3.7%	10.7%	15.4%	5.6%	4.2%	14.3%	0.0%	9.1%	11.1%	6.7%	0.0%	50.0%	18.8%	10.5%	6.3%	5.0%	8.3%	5.9%	10.0%
Usually	224	15	18	8	7	4	7	4	4	7	3	1	14	9	1	5	1	9	5	2	10	3
	19.7%	26.8%	23.1%	29.6%	25.0%	30.8%	38.9%	16.7%	19.0%	31.8%	27.3%	11.1%	31.1%	27.3%	50.0%	31.3%	5.3%	56.3%	25.0%	16.7%	29.4%	30.0%
Always	833	37	54	18	18	7	10	19	14	15	7	7	28	24	0	8	16	6	14	9	22	6
	73.3%	66.1%	69.2%	66.7%	64.3%	53.8%	55.6%	79.2%	66.7%	68.2%	63.6%	77.8%	62.2%	72.7%	0.0%	50.0%	84.2%	37.5%	70.0%	75.0%	64.7%	60.0%
Significantly different from column:*																	R	Q				
Usually or Always	1,057	52	72	26	25	11	17	23	18	22	10	8	42	33	1	13	17	15	19	11	32	9
	93.0%	92.9%	92.3%	96.3%	89.3%	84.6%	94.4%	95.8%	85.7%	100.0%	90.9%	88.9%	93.3%	100.0%	50.0%	81.3%	89.5%	93.8%	95.0%	91.7%	94.1%	90.0%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 33

In the last 6 months, did your health plan give you any forms to fill out?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	276	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	124	8	0	2	4	1	2	3	1	2	2	3	3	2	1	2	3	1	2	2	3	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,670	203	276	84	112	53	57	85	70	79	44	22	169	133	6	52	81	58	54	49	119	31
	97.4%	96.2%	100.0%	97.7%	96.6%	98.1%	96.6%	96.6%	98.6%	97.5%	95.7%	88.0%	98.3%	98.5%	85.7%	96.3%	96.4%	98.3%	96.4%	96.1%	97.5%	93.9%
Yes	1,422	66	96	27	38	18	24	23	17	29	17	6	58	47	1	16	27	12	24	12	40	12
	30.4%	32.5%	34.8%	32.1%	33.9%	34.0%	42.1%	27.1%	24.3%	36.7%	38.6%	27.3%	34.3%	35.3%	16.7%	30.8%	33.3%	20.7%	44.4%	24.5%	33.6%	38.7%
No	3,248	137	180	57	74	35	33	62	53	50	27	16	111	86	5	36	54	46	30	37	79	19
	69.6%	67.5%	65.2%	67.9%	66.1%	66.0%	57.9%	72.9%	75.7%	63.3%	61.4%	72.7%	65.7%	64.7%	83.3%	69.2%	66.7%	79.3%	55.6%	75.5%	66.4%	61.3%
Significantly different from column:*																	S	R				

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 34

In the last 6 months, how often were the forms from your health plan easy to fill out?*

Base: All respondents who received forms to fill out from the health plan (Q33)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,670	203	271	84	112	53	57	85	70	79	44	22	169	133	6	52	81	58	54	49	119	31
Number missing or multiple answer	29	2	0	0	2	0	2	0	0	2	0	0	1	0	0	2	1	1	0	1	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,641	201	271	84	110	53	55	85	70	77	44	22	168	133	6	50	80	57	54	48	119	31
	99.4%	99.0%	100.0%	100.0%	98.2%	100.0%	96.5%	100.0%	100.0%	97.5%	100.0%	100.0%	99.4%	100.0%	100.0%	96.2%	98.8%	98.3%	100.0%	98.0%	100.0%	100.0%
Never	54	2	3	2	0	1	0	1	1	0	1	0	2	1	0	1	1	1	0	0	2	0
	1.2%	1.0%	1.1%	2.4%	0.0%	1.9%	0.0%	1.2%	1.4%	0.0%	2.3%	0.0%	1.2%	0.8%	0.0%	2.0%	1.3%	1.8%	0.0%	0.0%	1.7%	0.0%
Sometimes	216	8	12	2	5	2	3	2	3	1	3	0	7	5	0	2	3	2	2	4	3	1
	4.7%	4.0%	4.4%	2.4%	4.5%	3.8%	5.5%	2.4%	4.3%	1.3%	6.8%	0.0%	4.2%	3.8%	0.0%	4.0%	3.8%	3.5%	3.7%	8.3%	2.5%	3.2%
Usually	508	22	34	12	10	4	8	10	4	12	4	3	19	15	1	6	6	5	10	3	14	4
	10.9%	10.9%	12.5%	14.3%	9.1%	7.5%	14.5%	11.8%	5.7%	15.6%	9.1%	13.6%	11.3%	11.3%	16.7%	12.0%	7.5%	8.8%	18.5%	6.3%	11.8%	12.9%
Always	3,863	169	222	68	95	46	44	72	62	64	36	19	140	112	5	41	70	49	42	41	100	26
	83.2%	84.1%	81.9%	81.0%	86.4%	86.8%	80.0%	84.7%	88.6%	83.1%	81.8%	86.4%	83.3%	84.2%	83.3%	82.0%	87.5%	86.0%	77.8%	85.4%	84.0%	83.9%
Significantly different from column:*																						
Usually or Always	4,371	191	256	80	105	50	52	82	66	76	40	22	159	127	6	47	76	54	52	44	114	30
	94.2%	95.0%	94.5%	95.2%	95.5%	94.3%	94.5%	96.5%	94.3%	98.7%	90.9%	100.0%	94.6%	95.5%	100.0%	94.0%	95.0%	94.7%	96.3%	91.7%	95.8%	96.8%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

**Respondents answering "No" to question 33 are reported to NCQA as "Always" in question 34, and are used in calculating the Question Summary Rate.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your health plan?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	242	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	657	26	0	8	14	7	4	10	6	8	8	2	18	12	1	9	9	9	3	12	12	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,137	185	242	78	102	47	55	78	65	73	38	23	154	123	6	45	75	50	53	39	110	31
	86.3%	87.7%	100.0%	90.7%	87.9%	87.0%	93.2%	88.6%	91.5%	90.1%	82.6%	92.0%	89.5%	91.1%	85.7%	83.3%	89.3%	84.7%	94.6%	76.5%	90.2%	93.9%
0 Worst health plan possible	38	1	1	0	1	0	0	1	0	0	1	0	1	0	0	1	0	0	1	0	1	0
	0.9%	0.5%	0.4%	0.0%	1.0%	0.0%	0.0%	1.3%	0.0%	0.0%	2.6%	0.0%	0.6%	0.0%	0.0%	2.2%	0.0%	0.0%	1.9%	0.0%	0.9%	0.0%
1	24	1	0	0	1	0	0	1	0	1	0	0	1	1	0	0	0	1	0	1	0	0
	0.6%	0.5%	0.0%	0.0%	1.0%	0.0%	0.0%	1.3%	0.0%	1.4%	0.0%	0.0%	0.6%	0.8%	0.0%	0.0%	0.0%	2.0%	0.0%	2.6%	0.0%	0.0%
2	27	1	4	0	1	0	0	1	0	0	1	1	0	0	0	1	0	1	0	1	0	0
	0.7%	0.5%	1.7%	0.0%	1.0%	0.0%	0.0%	1.3%	0.0%	0.0%	2.6%	4.3%	0.0%	0.0%	0.0%	2.2%	0.0%	2.0%	0.0%	2.6%	0.0%	0.0%
3	44	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.1%	0.0%	1.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
4	75	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.8%	0.0%	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
5	299	11	17	3	7	2	5	3	1	6	3	1	9	7	0	3	4	3	3	6	2	1
	7.2%	5.9%	7.0%	3.8%	6.9%	4.3%	9.1%	3.8%	1.5%	8.2%	7.9%	4.3%	5.8%	5.7%	0.0%	6.7%	5.3%	6.0%	5.7%	15.4%	1.8%	3.2%
6	226	9	10	6	3	5	3	1	4	3	2	1	8	4	1	4	5	4	0	2	6	1
	5.5%	4.9%	4.1%	7.7%	2.9%	10.6%	5.5%	1.3%	6.2%	4.1%	5.3%	4.3%	5.2%	3.3%	16.7%	8.9%	6.7%	8.0%	0.0%	5.1%	5.5%	3.2%
7	492	32	23	17	14	11	13	7	10	12	9	2	29	19	1	11	11	9	10	5	20	7
	11.9%	17.3%	9.5%	21.8%	13.7%	23.4%	23.6%	9.0%	15.4%	16.4%	23.7%	8.7%	18.8%	15.4%	16.7%	24.4%	14.7%	18.0%	18.9%	12.8%	18.2%	22.6%
8	790	27	40	10	15	7	6	12	8	11	4	1	24	21	1	3	12	6	7	7	14	5
	19.1%	14.6%	16.5%	12.8%	14.7%	14.9%	10.9%	15.4%	12.3%	15.1%	10.5%	4.3%	15.6%	17.1%	16.7%	6.7%	16.0%	12.0%	13.2%	17.9%	12.7%	16.1%
9	704	40	50	14	26	14	9	17	16	17	6	5	35	31	1	8	13	12	15	5	26	9
	17.0%	21.6%	20.7%	17.9%	25.5%	29.8%	16.4%	21.8%	24.6%	23.3%	15.8%	21.7%	22.7%	25.2%	16.7%	17.8%	17.3%	24.0%	28.3%	12.8%	23.6%	29.0%
10 Best health plan possible	1,418	63	90	28	34	8	19	35	26	23	12	12	47	40	2	14	30	14	17	12	41	8
	34.3%	34.1%	37.2%	35.9%	33.3%	17.0%	34.5%	44.9%	40.0%	31.5%	31.6%	52.2%	30.5%	32.5%	33.3%	31.1%	40.0%	28.0%	32.1%	30.8%	37.3%	25.8%

NA - Not Applicable

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your health plan?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	242	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	657	26	0	8	14	7	4	10	6	8	8	2	18	12	1	9	9	9	3	12	12	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,137	185	242	78	102	47	55	78	65	73	38	23	154	123	6	45	75	50	53	39	110	31
	86.3%	87.7%	100.0%	90.7%	87.9%	87.0%	93.2%	88.6%	91.5%	90.1%	82.6%	92.0%	89.5%	91.1%	85.7%	83.3%	89.3%	84.7%	94.6%	76.5%	90.2%	93.9%
0 to 4	208	3	12	0	3	0	0	3	0	1	2	1	2	1	0	2	0	2	1	2	1	0
	5.0%	1.6%	5.0%	0.0%	2.9%	0.0%	0.0%	3.8%	0.0%	1.4%	5.3%	4.3%	1.3%	0.8%	0.0%	4.4%	0.0%	4.0%	1.9%	5.1%	0.9%	0.0%
5	299	11	17	3	7	2	5	3	1	6	3	1	9	7	0	3	4	3	3	6	2	1
	7.2%	5.9%	7.0%	3.8%	6.9%	4.3%	9.1%	3.8%	1.5%	8.2%	7.9%	4.3%	5.8%	5.7%	0.0%	6.7%	5.3%	6.0%	5.7%	15.4%	1.8%	3.2%
6 or 7	718	41	33	23	17	16	16	8	14	15	11	3	37	23	2	15	16	13	10	7	26	8
	17.4%	22.2%	13.6%	29.5%	16.7%	34.0%	29.1%	10.3%	21.5%	20.5%	28.9%	13.0%	24.0%	18.7%	33.3%	33.3%	21.3%	26.0%	18.9%	17.9%	23.6%	25.8%
8 to 10	2,912	130	180	52	75	29	34	64	50	51	22	18	106	92	4	25	55	32	39	24	81	22
	70.4%	70.3%	74.4%	66.7%	73.5%	61.7%	61.8%	82.1%	76.9%	69.9%	57.9%	78.3%	68.8%	74.8%	66.7%	55.6%	73.3%	64.0%	73.6%	61.5%	73.6%	71.0%
Significantly different from column:*						H	H	FG	K		I			P		N						
0 to 6	733	23	39	9	13	7	8	7	5	10	7	3	19	12	1	9	9	9	4	10	9	2
	17.7%	12.4%	16.1%	11.5%	12.7%	14.9%	14.5%	9.0%	7.7%	13.7%	18.4%	13.0%	12.3%	9.8%	16.7%	20.0%	12.0%	18.0%	7.5%	25.6%	8.2%	6.5%
7 to 8	1,282	59	63	27	29	18	19	19	18	23	13	3	53	40	2	14	23	15	17	12	34	12
	31.0%	31.9%	26.0%	34.6%	28.4%	38.3%	34.5%	24.4%	27.7%	31.5%	34.2%	13.0%	34.4%	32.5%	33.3%	31.1%	30.7%	30.0%	32.1%	30.8%	30.9%	38.7%
9 to 10	2,122	103	140	42	60	22	28	52	42	40	18	17	82	71	3	22	43	26	32	17	67	17
	51.3%	55.7%	57.9%	53.8%	58.8%	46.8%	50.9%	66.7%	64.6%	54.8%	47.4%	73.9%	53.2%	57.7%	50.0%	48.9%	57.3%	52.0%	60.4%	43.6%	60.9%	54.8%
Significantly different from column:*						H		F														

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35a

In the last 6 months, did you have a health problem for which you needed special medical equipment, such as a cane, a wheelchair, or oxygen equipment?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	265	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	249	8	0	1	3	1	1	2	0	0	4	0	4	2	0	2	2	1	1	4	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,545	203	265	85	113	53	58	86	71	81	42	25	168	133	7	52	82	58	55	47	118	33
	94.8%	96.2%	100.0%	98.8%	97.4%	98.1%	98.3%	97.7%	100.0%	100.0%	91.3%	100.0%	97.7%	98.5%	100.0%	96.3%	97.6%	98.3%	98.2%	92.2%	96.7%	100.0%
Yes	755	27	42	8	19	0	11	16	7	17	3	2	25	23	0	4	7	8	12	1	16	8
	16.6%	13.3%	15.8%	9.4%	16.8%	0.0%	19.0%	18.6%	9.9%	21.0%	7.1%	8.0%	14.9%	17.3%	0.0%	7.7%	8.5%	13.8%	21.8%	2.1%	13.6%	24.2%
No	3,790	176	223	77	94	53	47	70	64	64	39	23	143	110	7	48	75	50	43	46	102	25
	83.4%	86.7%	84.2%	90.6%	83.2%	100.0%	81.0%	81.4%	90.1%	79.0%	92.9%	92.0%	85.1%	82.7%	100.0%	92.3%	91.5%	86.2%	78.2%	97.9%	86.4%	75.8%
Significantly different from column:*						GH	F	F		K	J					S		Q				

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35b

In the last 6 months, how often was it easy to get the medical equipment you needed through your health plan?

Base: All respondents who needed special equipment (Q35a)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	755	27	41	8	19	0	11	16	7	17	3	2	25	23	0	4	7	8	12	1	16	8
Number missing or multiple answer	27	1	0	0	1	0	0	1	0	1	0	0	1	1	0	0	1	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	728	26	41	8	18	0	11	15	7	16	3	2	24	22	0	4	6	8	12	1	16	8
	96.4%	96.3%	100.0%	100.0%	94.7%	---	100.0%	93.8%	100.0%	94.1%	100.0%	100.0%	96.0%	95.7%	---	100.0%	85.7%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	143	4	3	0	4	0	2	2	0	3	1	0	4	3	0	1	0	3	1	0	3	1
	19.6%	15.4%	7.3%	0.0%	22.2%	---	18.2%	13.3%	0.0%	18.8%	33.3%	0.0%	16.7%	13.6%	---	25.0%	0.0%	37.5%	8.3%	0.0%	18.8%	12.5%
Sometimes	105	4	6	3	1	0	1	3	1	2	1	0	4	3	0	1	0	1	3	0	2	1
	14.4%	15.4%	14.6%	37.5%	5.6%	---	9.1%	20.0%	14.3%	12.5%	33.3%	0.0%	16.7%	13.6%	---	25.0%	0.0%	12.5%	25.0%	0.0%	12.5%	12.5%
Usually	168	4	12	0	4	0	1	3	2	2	0	1	3	3	0	1	1	0	3	0	2	2
	23.1%	15.4%	29.3%	0.0%	22.2%	---	9.1%	20.0%	28.6%	12.5%	0.0%	50.0%	12.5%	13.6%	---	25.0%	16.7%	0.0%	25.0%	0.0%	12.5%	25.0%
Always	312	14	20	5	9	0	7	7	4	9	1	1	13	13	0	1	5	4	5	1	9	4
	42.9%	53.8%	48.8%	62.5%	50.0%	---	63.6%	46.7%	57.1%	56.3%	33.3%	50.0%	54.2%	59.1%	---	25.0%	83.3%	50.0%	41.7%	100.0%	56.3%	50.0%
Significantly different from column:*																						
Usually or Always	480	18	32	5	13	0	8	10	6	11	1	2	16	16	0	2	6	4	8	1	11	6
	65.9%	69.2%	78.0%	62.5%	72.2%	---	72.7%	66.7%	85.7%	68.8%	33.3%	100.0%	66.7%	72.7%	---	50.0%	100.0%	50.0%	66.7%	100.0%	68.8%	75.0%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35c

In the last 6 months, did you have any health problems that needed special therapy, such as physical, occupational, or speech therapy?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	274	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	97	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,697	206	274	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	49	120	32
	98.0%	97.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	96.1%	98.4%	97.0%
Yes	920	40	55	11	29	6	17	17	12	18	9	5	35	31	0	9	11	13	16	3	25	11
	19.6%	19.4%	20.1%	12.8%	25.0%	11.1%	28.8%	19.3%	16.9%	22.2%	19.6%	20.0%	20.3%	23.0%	0.0%	16.7%	13.1%	22.0%	28.6%	6.1%	20.8%	34.4%
No	3,777	166	219	75	87	48	42	71	59	63	37	20	137	104	7	45	73	46	40	46	95	21
	80.4%	80.6%	79.9%	87.2%	75.0%	88.9%	71.2%	80.7%	83.1%	77.8%	80.4%	80.0%	79.7%	77.0%	100.0%	83.3%	86.9%	78.0%	71.4%	93.9%	79.2%	65.6%
Significantly different from column:*				E	D	G	F										S		Q	UV	T	T

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35d

In the last 6 months, how often was it easy to get the special therapy you needed through your health plan?

Base: All respondents who needed special therapy (Q35c)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	920	40	54	11	29	6	17	17	12	18	9	5	35	31	0	9	11	13	16	3	25	11
Number missing or multiple answer	34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	886	40	54	11	29	6	17	17	12	18	9	5	35	31	0	9	11	13	16	3	25	11
	96.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	134	5	7	0	5	1	3	1	0	3	2	1	4	3	0	2	1	2	2	1	1	2
	15.1%	12.5%	13.0%	0.0%	17.2%	16.7%	17.6%	5.9%	0.0%	16.7%	22.2%	20.0%	11.4%	9.7%	---	22.2%	9.1%	15.4%	12.5%	33.3%	4.0%	18.2%
Sometimes	156	12	9	4	8	2	5	5	4	5	3	1	11	7	0	5	2	6	4	0	10	2
	17.6%	30.0%	16.7%	36.4%	27.6%	33.3%	29.4%	29.4%	33.3%	27.8%	33.3%	20.0%	31.4%	22.6%	---	55.6%	18.2%	46.2%	25.0%	0.0%	40.0%	18.2%
Usually	212	10	13	5	5	2	4	4	4	3	2	1	9	10	0	0	2	2	6	0	6	4
	23.9%	25.0%	24.1%	45.5%	17.2%	33.3%	23.5%	23.5%	33.3%	16.7%	22.2%	20.0%	25.7%	32.3%	---	0.0%	18.2%	15.4%	37.5%	0.0%	24.0%	36.4%
Always	384	13	25	2	11	1	5	7	4	7	2	2	11	11	0	2	6	3	4	2	8	3
	43.3%	32.5%	46.3%	18.2%	37.9%	16.7%	29.4%	41.2%	33.3%	38.9%	22.2%	40.0%	31.4%	35.5%	---	22.2%	54.5%	23.1%	25.0%	66.7%	32.0%	27.3%
Significantly different from column:*																						
Usually or Always	596	23	38	7	16	3	9	11	8	10	4	3	20	21	0	2	8	5	10	2	14	7
	67.3%	57.5%	70.4%	63.6%	55.2%	50.0%	52.9%	64.7%	66.7%	55.6%	44.4%	60.0%	57.1%	67.7%	---	22.2%	72.7%	38.5%	62.5%	66.7%	56.0%	63.6%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35e

In the last 6 months, how often did a doctor or other health provider talk too fast when talking to you?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	273	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	177	12	0	1	4	1	2	2	0	3	1	1	2	1	0	3	3	0	1	6	3	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,617	199	273	85	112	53	57	86	71	78	45	24	170	134	7	51	81	59	55	45	119	31
	96.3%	94.3%	100.0%	98.8%	96.6%	98.1%	96.6%	97.7%	100.0%	96.3%	97.8%	96.0%	98.8%	99.3%	100.0%	94.4%	96.4%	100.0%	98.2%	88.2%	97.5%	93.9%
Never	3,559	159	208	69	88	43	52	62	50	64	40	19	136	107	7	39	73	47	36	37	98	21
	77.1%	79.9%	76.2%	81.2%	78.6%	81.1%	91.2%	72.1%	70.4%	82.1%	88.9%	79.2%	80.0%	79.9%	100.0%	76.5%	90.1%	79.7%	65.5%	82.2%	82.4%	67.7%
Sometimes	764	26	51	9	17	5	3	17	10	11	5	3	23	16	0	10	5	7	13	4	13	8
	16.5%	13.1%	18.7%	10.6%	15.2%	9.4%	5.3%	19.8%	14.1%	14.1%	11.1%	12.5%	13.5%	11.9%	0.0%	19.6%	6.2%	11.9%	23.6%	8.9%	10.9%	25.8%
Usually	144	7	6	4	3	5	0	2	5	2	0	0	7	6	0	1	2	2	3	2	4	1
	3.1%	3.5%	2.2%	4.7%	2.7%	9.4%	0.0%	2.3%	7.0%	2.6%	0.0%	0.0%	4.1%	4.5%	0.0%	2.0%	2.5%	3.4%	5.5%	4.4%	3.4%	3.2%
Always	150	7	8	3	4	0	2	5	6	1	0	2	4	5	0	1	1	3	3	2	4	1
	3.2%	3.5%	2.9%	3.5%	3.6%	0.0%	3.5%	5.8%	8.5%	1.3%	0.0%	8.3%	2.4%	3.7%	0.0%	2.0%	1.2%	5.1%	5.5%	4.4%	3.4%	3.2%
Significantly different from column:*																						
Never or Sometimes	4,323	185	259	78	105	48	55	79	60	75	45	22	159	123	7	49	78	54	49	41	111	29
	93.6%	93.0%	94.9%	91.8%	93.8%	90.6%	96.5%	91.9%	84.5%	96.2%	100.0%	91.7%	93.5%	91.8%	100.0%	96.1%	96.3%	91.5%	89.1%	91.1%	93.3%	93.5%
Significantly different from column:*									J	I												

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35f

In the last 6 months, how often did a doctor or other health provider interrupt you when you were talking?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	271	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	177	13	0	1	5	1	2	3	0	3	2	1	3	1	0	4	3	0	2	7	3	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,617	198	271	85	111	53	57	85	71	78	44	24	169	134	7	50	81	59	54	44	119	31
	96.3%	93.8%	100.0%	98.8%	95.7%	98.1%	96.6%	96.6%	100.0%	96.3%	95.7%	96.0%	98.3%	99.3%	100.0%	92.6%	96.4%	100.0%	96.4%	86.3%	97.5%	93.9%
Never	3,830	163	225	72	89	46	48	67	60	58	40	22	137	109	7	40	75	46	39	38	99	23
	83.0%	82.3%	83.0%	84.7%	80.2%	86.8%	84.2%	78.8%	84.5%	74.4%	90.9%	91.7%	81.1%	81.3%	100.0%	80.0%	92.6%	78.0%	72.2%	86.4%	83.2%	74.2%
Sometimes	645	30	40	12	18	7	7	15	8	18	4	1	29	21	0	9	6	12	11	6	17	6
	14.0%	15.2%	14.8%	14.1%	16.2%	13.2%	12.3%	17.6%	11.3%	23.1%	9.1%	4.2%	17.2%	15.7%	0.0%	18.0%	7.4%	20.3%	20.4%	13.6%	14.3%	19.4%
Usually	67	1	5	0	1	0	1	0	0	1	0	0	1	1	0	0	0	0	1	0	0	1
	1.5%	0.5%	1.8%	0.0%	0.9%	0.0%	1.8%	0.0%	0.0%	1.3%	0.0%	0.0%	0.6%	0.7%	0.0%	0.0%	0.0%	0.0%	1.9%	0.0%	0.0%	3.2%
Always	75	4	1	1	3	0	1	3	3	1	0	1	2	3	0	1	0	1	3	0	3	1
	1.6%	2.0%	0.4%	1.2%	2.7%	0.0%	1.8%	3.5%	4.2%	1.3%	0.0%	4.2%	1.2%	2.2%	0.0%	2.0%	0.0%	1.7%	5.6%	0.0%	2.5%	3.2%
Significantly different from column:*																						
Never or Sometimes	4,475	193	265	84	107	53	55	82	68	76	44	23	166	130	7	49	81	58	50	44	116	29
	96.9%	97.5%	97.8%	98.8%	96.4%	100.0%	96.5%	96.5%	95.8%	97.4%	100.0%	95.8%	98.2%	97.0%	100.0%	98.0%	100.0%	98.3%	92.6%	100.0%	97.5%	93.5%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35g

In the last 6 months, how often did a doctor or other health provider use a condescending, sarcastic or rude tone or manner with you?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	271	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	184	13	0	1	5	1	2	3	0	3	2	1	3	1	0	4	3	0	2	7	3	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,610	198	271	85	111	53	57	85	71	78	44	24	169	134	7	50	81	59	54	44	119	31
	96.2%	93.8%	100.0%	98.8%	95.7%	98.1%	96.6%	96.6%	100.0%	96.3%	95.7%	96.0%	98.3%	99.3%	100.0%	92.6%	96.4%	100.0%	96.4%	86.3%	97.5%	93.9%
Never	4,092	178	236	77	99	47	52	77	64	69	40	22	152	118	7	46	79	52	44	42	110	22
	88.8%	89.9%	87.1%	90.6%	89.2%	88.7%	91.2%	90.6%	90.1%	88.5%	90.9%	91.7%	89.9%	88.1%	100.0%	92.0%	97.5%	88.1%	81.5%	95.5%	92.4%	71.0%
Sometimes	418	18	30	7	11	6	4	7	5	9	4	1	17	14	0	4	2	7	8	2	8	8
	9.1%	9.1%	11.1%	8.2%	9.9%	11.3%	7.0%	8.2%	7.0%	11.5%	9.1%	4.2%	10.1%	10.4%	0.0%	8.0%	2.5%	11.9%	14.8%	4.5%	6.7%	25.8%
Usually	56	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.2%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Always	44	2	3	1	1	0	1	1	2	0	0	1	0	2	0	0	0	0	2	0	1	1
	1.0%	1.0%	1.1%	1.2%	0.9%	0.0%	1.8%	1.2%	2.8%	0.0%	0.0%	4.2%	0.0%	1.5%	0.0%	0.0%	0.0%	0.0%	3.7%	0.0%	0.8%	3.2%
Significantly different from column:*																						
Never or Sometimes	4,510	196	266	84	110	53	56	84	69	78	44	23	169	132	7	50	81	59	52	44	118	30
	97.8%	99.0%	98.2%	98.8%	99.1%	100.0%	98.2%	98.8%	97.2%	100.0%	100.0%	95.8%	100.0%	98.5%	100.0%	100.0%	100.0%	100.0%	96.3%	100.0%	99.2%	96.8%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35h

In the last 6 months, did you feel you could trust a doctor or other health provider with your medical care?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	266	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	228	15	0	3	5	1	1	6	2	4	2	0	6	5	0	3	3	1	3	7	5	3
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,566	196	266	83	111	53	58	82	69	77	44	25	166	130	7	51	81	58	53	44	117	30
	95.2%	92.9%	100.0%	96.5%	95.7%	98.1%	98.3%	93.2%	97.2%	95.1%	95.7%	100.0%	96.5%	96.3%	100.0%	94.4%	96.4%	98.3%	94.6%	86.3%	95.9%	90.9%
Yes, definitely	3,229	142	189	64	76	37	41	62	54	51	33	16	121	94	7	35	62	44	34	27	91	21
	70.7%	72.4%	71.1%	77.1%	68.5%	69.8%	70.7%	75.6%	78.3%	66.2%	75.0%	64.0%	72.9%	72.3%	100.0%	68.6%	76.5%	75.9%	64.2%	61.4%	77.8%	70.0%
Yes, somewhat	1,084	44	58	15	29	14	12	17	12	22	9	7	37	32	0	12	12	12	18	12	23	8
	23.7%	22.4%	21.8%	18.1%	26.1%	26.4%	20.7%	20.7%	17.4%	28.6%	20.5%	28.0%	22.3%	24.6%	0.0%	23.5%	14.8%	20.7%	34.0%	27.3%	19.7%	26.7%
No	253	10	19	4	6	2	5	3	3	4	2	2	8	4	0	4	7	2	1	5	3	1
	5.5%	5.1%	7.1%	4.8%	5.4%	3.8%	8.6%	3.7%	4.3%	5.2%	4.5%	8.0%	4.8%	3.1%	0.0%	7.8%	8.6%	3.4%	1.9%	11.4%	2.6%	3.3%
Yes, definitely or Yes, somewhat	4,313	186	247	79	105	51	53	79	66	73	42	23	158	126	7	47	74	56	52	39	114	29
	94.5%	94.9%	92.9%	95.2%	94.6%	96.2%	91.4%	96.3%	95.7%	94.8%	95.5%	92.0%	95.2%	96.9%	100.0%	92.2%	91.4%	96.6%	98.1%	88.6%	97.4%	96.7%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35i

A regular dentist is one you would go to for check-ups and cleanings or when you have a cavity or tooth pain. Do you have a regular dentist?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	272	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	200	12	0	2	2	1	2	1	2	1	1	0	4	3	0	1	0	0	3	4	5	3
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,594	199	272	84	114	53	57	87	69	80	45	25	168	132	7	53	84	59	53	47	117	30
	95.8%	94.3%	100.0%	97.7%	98.3%	98.1%	96.6%	98.9%	97.2%	98.8%	97.8%	100.0%	97.7%	97.8%	100.0%	98.1%	100.0%	100.0%	94.6%	92.2%	95.9%	90.9%
Yes	2,570	110	152	47	62	25	31	52	35	46	26	15	91	71	5	28	48	30	30	24	68	15
	55.9%	55.3%	55.9%	56.0%	54.4%	47.2%	54.4%	59.8%	50.7%	57.5%	57.8%	60.0%	54.2%	53.8%	71.4%	52.8%	57.1%	50.8%	56.6%	51.1%	58.1%	50.0%
No	2,024	89	120	37	52	28	26	35	34	34	19	10	77	61	2	25	36	29	23	23	49	15
	44.1%	44.7%	44.1%	44.0%	45.6%	52.8%	45.6%	40.2%	49.3%	42.5%	42.2%	40.0%	45.8%	46.2%	28.6%	47.2%	42.9%	49.2%	43.4%	48.9%	41.9%	50.0%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35j

In the last 6 months, did you go to a dentist's office or clinic for care?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	272	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	191	12	0	2	2	1	1	2	1	1	2	0	4	2	0	2	1	0	2	4	6	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,603	199	272	84	114	53	58	86	70	80	44	25	168	133	7	52	83	59	54	47	116	31
	96.0%	94.3%	100.0%	97.7%	98.3%	98.1%	98.3%	97.7%	98.6%	98.8%	95.7%	100.0%	97.7%	98.5%	100.0%	96.3%	98.8%	100.0%	96.4%	92.2%	95.1%	93.9%
Yes	1,877	88	121	38	49	16	25	45	31	33	21	13	72	58	1	23	36	23	27	16	58	13
	40.8%	44.2%	44.5%	45.2%	43.0%	30.2%	43.1%	52.3%	44.3%	41.3%	47.7%	52.0%	42.9%	43.6%	14.3%	44.2%	43.4%	39.0%	50.0%	34.0%	50.0%	41.9%
No	2,726	111	151	46	65	37	33	41	39	47	23	12	96	75	6	29	47	36	27	31	58	18
	59.2%	55.8%	55.5%	54.8%	57.0%	69.8%	56.9%	47.7%	55.7%	58.8%	52.3%	48.0%	57.1%	56.4%	85.7%	55.8%	56.6%	61.0%	50.0%	66.0%	50.0%	58.1%
Significantly different from column:*						H		F														

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35k

In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating you?

Base: All respondents who went to a dentist's office/clinic to get care (Q35)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,877	88	118	38	49	16	25	45	31	33	21	13	72	58	1	23	36	23	27	16	58	13
Number missing or multiple answer	25	3	0	0	3	0	2	0	0	2	0	1	2	2	0	0	0	0	2	0	0	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,852	85	118	38	46	16	23	45	31	31	21	12	70	56	1	23	36	23	25	16	58	11
	98.7%	96.6%	100.0%	100.0%	93.9%	100.0%	92.0%	100.0%	100.0%	93.9%	100.0%	92.3%	97.2%	96.6%	100.0%	100.0%	100.0%	100.0%	92.6%	100.0%	100.0%	84.6%
Never	26	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.4%	0.0%	3.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	149	6	18	5	1	2	1	3	2	2	2	1	5	1	0	5	2	2	2	1	4	1
	8.0%	7.1%	15.3%	13.2%	2.2%	12.5%	4.3%	6.7%	6.5%	6.5%	9.5%	8.3%	7.1%	1.8%	0.0%	21.7%	5.6%	8.7%	8.0%	6.3%	6.9%	9.1%
Usually	359	14	22	3	11	3	4	7	4	7	3	1	13	10	0	4	8	1	5	2	10	2
	19.4%	16.5%	18.6%	7.9%	23.9%	18.8%	17.4%	15.6%	12.9%	22.6%	14.3%	8.3%	18.6%	17.9%	0.0%	17.4%	22.2%	4.3%	20.0%	12.5%	17.2%	18.2%
Always	1,318	65	74	30	34	11	18	35	25	22	16	10	52	45	1	14	26	20	18	13	44	8
	71.2%	76.5%	62.7%	78.9%	73.9%	68.8%	78.3%	77.8%	80.6%	71.0%	76.2%	83.3%	74.3%	80.4%	100.0%	60.9%	72.2%	87.0%	72.0%	81.3%	75.9%	72.7%
Significantly different from column:*		C																				
Usually or Always	1,677	79	96	33	45	14	22	42	29	29	19	11	65	55	1	18	34	21	23	15	54	10
	90.6%	92.9%	81.4%	86.8%	97.8%	87.5%	95.7%	93.3%	93.5%	93.5%	90.5%	91.7%	92.9%	98.2%	100.0%	78.3%	94.4%	91.3%	92.0%	93.8%	93.1%	90.9%
Significantly different from column:*		C																				

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35I

If you tried to get an appointment for yourself with a dentist who specializes in a particular type of dental care (such as root canals or gum disease) in the last 6 months, how often did you get an appointment as soon as you wanted?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	269	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	317	13	0	1	4	1	2	2	0	2	2	3	2	2	0	2	1	1	2	6	4	2
Number no experience	3,087	130	157	49	80	37	36	56	40	54	33	8	118	94	4	31	54	37	38	29	73	25
Usable responses	1,390	68	112	36	32	16	21	30	31	25	11	14	52	39	3	21	29	21	16	16	45	6
	29.0%	32.2%	41.6%	41.9%	27.6%	29.6%	35.6%	34.1%	43.7%	30.9%	23.9%	56.0%	30.2%	28.9%	42.9%	38.9%	34.5%	35.6%	28.6%	31.4%	36.9%	18.2%
Never	499	21	36	14	7	7	9	5	9	8	4	2	19	14	0	7	10	8	3	5	14	2
	35.9%	30.9%	32.1%	38.9%	21.9%	43.8%	42.9%	16.7%	29.0%	32.0%	36.4%	14.3%	36.5%	35.9%	0.0%	33.3%	34.5%	38.1%	18.8%	31.3%	31.1%	33.3%
Sometimes	235	15	20	8	7	4	3	7	9	5	1	3	11	7	2	5	4	5	4	2	12	1
	16.9%	22.1%	17.9%	22.2%	21.9%	25.0%	14.3%	23.3%	29.0%	20.0%	9.1%	21.4%	21.2%	17.9%	66.7%	23.8%	13.8%	23.8%	25.0%	12.5%	26.7%	16.7%
Usually	264	10	28	6	4	2	4	4	6	2	2	1	9	5	1	3	6	1	3	3	5	1
	19.0%	14.7%	25.0%	16.7%	12.5%	12.5%	19.0%	13.3%	19.4%	8.0%	18.2%	7.1%	17.3%	12.8%	33.3%	14.3%	20.7%	4.8%	18.8%	18.8%	11.1%	16.7%
Always	392	22	28	8	14	3	5	14	7	10	4	8	13	13	0	6	9	7	6	6	14	2
	28.2%	32.4%	25.0%	22.2%	43.8%	18.8%	23.8%	46.7%	22.6%	40.0%	36.4%	57.1%	25.0%	33.3%	0.0%	28.6%	31.0%	33.3%	37.5%	37.5%	31.1%	33.3%
Significantly different from column:*																						
Usually or Always	656	32	56	14	18	5	9	18	13	12	6	9	22	18	1	9	15	8	9	9	19	3
	47.2%	47.1%	50.0%	38.9%	56.3%	31.3%	42.9%	60.0%	41.9%	48.0%	54.5%	64.3%	42.3%	46.2%	33.3%	42.9%	51.7%	38.1%	56.3%	56.3%	42.2%	50.0%
Significantly different from column:*																						

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35m

In the last 6 months, if you needed to see a dentist right away because of a dental emergency, how often did you get to see a dentist as soon as you wanted?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	270	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	290	16	0	2	5	1	2	4	1	1	3	3	3	1	0	4	2	2	2	7	6	2
Number no experience	3,241	141	157	53	88	43	39	58	48	59	33	13	125	102	4	33	62	43	35	32	84	23
Usable responses	1,263	54	113	31	23	10	18	26	22	21	10	9	44	32	3	17	20	14	19	12	32	8
	26.3%	25.6%	41.9%	36.0%	19.8%	18.5%	30.5%	29.5%	31.0%	25.9%	21.7%	36.0%	25.6%	23.7%	42.9%	31.5%	23.8%	23.7%	33.9%	23.5%	26.2%	24.2%
Never	457	22	44	13	9	4	6	12	7	9	6	2	19	14	1	7	6	7	8	2	13	6
	36.2%	40.7%	38.9%	41.9%	39.1%	40.0%	33.3%	46.2%	31.8%	42.9%	60.0%	22.2%	43.2%	43.8%	33.3%	41.2%	30.0%	50.0%	42.1%	16.7%	40.6%	75.0%
Sometimes	191	6	20	5	1	2	1	3	4	2	0	1	5	3	0	3	1	2	3	1	4	1
	15.1%	11.1%	17.7%	16.1%	4.3%	20.0%	5.6%	11.5%	18.2%	9.5%	0.0%	11.1%	11.4%	9.4%	0.0%	17.6%	5.0%	14.3%	15.8%	8.3%	12.5%	12.5%
Usually	218	11	19	5	6	2	5	4	7	3	1	1	10	8	0	3	5	3	3	3	8	0
	17.3%	20.4%	16.8%	16.1%	26.1%	20.0%	27.8%	15.4%	31.8%	14.3%	10.0%	11.1%	22.7%	25.0%	0.0%	17.6%	25.0%	21.4%	15.8%	25.0%	25.0%	0.0%
Always	397	15	30	8	7	2	6	7	4	7	3	5	10	7	2	4	8	2	5	6	7	1
	31.4%	27.8%	26.5%	25.8%	30.4%	20.0%	33.3%	26.9%	18.2%	33.3%	30.0%	55.6%	22.7%	21.9%	66.7%	23.5%	40.0%	14.3%	26.3%	50.0%	21.9%	12.5%
Significantly different from column:*																						
Usually or Always	615	26	49	13	13	4	11	11	11	10	4	6	20	15	2	7	13	5	8	9	15	1
	48.7%	48.1%	43.4%	41.9%	56.5%	40.0%	61.1%	42.3%	50.0%	47.6%	40.0%	66.7%	45.5%	46.9%	66.7%	41.2%	65.0%	35.7%	42.1%	75.0%	46.9%	12.5%
Significantly different from column:*																						

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35n

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	253	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	824	32	0	8	15	5	5	13	8	9	4	3	19	14	1	8	8	9	5	9	18	5
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,970	179	253	78	101	49	54	75	63	72	42	22	153	121	6	46	76	50	51	42	104	28
	82.8%	84.8%	100.0%	90.7%	87.1%	90.7%	91.5%	85.2%	88.7%	88.9%	91.3%	88.0%	89.0%	89.6%	85.7%	85.2%	90.5%	84.7%	91.1%	82.4%	85.2%	84.8%
0 Extremely difficult	347	13	20	4	9	5	4	4	6	5	2	0	12	11	0	2	3	2	8	0	10	3
	8.7%	7.3%	7.9%	5.1%	8.9%	10.2%	7.4%	5.3%	9.5%	6.9%	4.8%	0.0%	7.8%	9.1%	0.0%	4.3%	3.9%	4.0%	15.7%	0.0%	9.6%	10.7%
1	89	4	3	2	2	0	1	3	0	4	0	0	4	2	0	2	0	2	2	0	1	1
	2.2%	2.2%	1.2%	2.6%	2.0%	0.0%	1.9%	4.0%	0.0%	5.6%	0.0%	0.0%	2.6%	1.7%	0.0%	4.3%	0.0%	4.0%	3.9%	0.0%	1.0%	3.6%
2	106	4	6	2	2	1	2	1	0	2	2	0	4	4	0	0	3	1	0	2	2	0
	2.7%	2.2%	2.4%	2.6%	2.0%	2.0%	3.7%	1.3%	0.0%	2.8%	4.8%	0.0%	2.6%	3.3%	0.0%	0.0%	3.9%	2.0%	0.0%	4.8%	1.9%	0.0%
3	130	7	12	3	4	0	3	3	2	4	1	1	6	6	1	0	0	3	2	0	5	2
	3.3%	3.9%	4.7%	3.8%	4.0%	0.0%	5.6%	4.0%	3.2%	5.6%	2.4%	4.5%	3.9%	5.0%	16.7%	0.0%	0.0%	6.0%	3.9%	0.0%	4.8%	7.1%
4	134	3	7	0	3	2	1	0	1	1	1	1	2	2	0	1	1	1	1	0	3	0
	3.4%	1.7%	2.8%	0.0%	3.0%	4.1%	1.9%	0.0%	1.6%	1.4%	2.4%	4.5%	1.3%	1.7%	0.0%	2.2%	1.3%	2.0%	2.0%	0.0%	2.9%	0.0%
5	470	22	31	11	11	9	6	7	9	11	2	3	19	15	0	7	10	6	6	11	7	4
	11.8%	12.3%	12.3%	14.1%	10.9%	18.4%	11.1%	9.3%	14.3%	15.3%	4.8%	13.6%	12.4%	12.4%	0.0%	15.2%	13.2%	12.0%	11.8%	26.2%	6.7%	14.3%
6	164	10	15	4	6	5	1	4	5	3	2	3	7	6	1	3	3	5	2	1	6	3
	4.1%	5.6%	5.9%	5.1%	5.9%	10.2%	1.9%	5.3%	7.9%	4.2%	4.8%	13.6%	4.6%	5.0%	16.7%	6.5%	3.9%	10.0%	3.9%	2.4%	5.8%	10.7%
7	310	19	22	11	8	6	5	8	4	8	6	3	16	9	0	9	7	6	6	5	10	4
	7.8%	10.6%	8.7%	14.1%	7.9%	12.2%	9.3%	10.7%	6.3%	11.1%	14.3%	13.6%	10.5%	7.4%	0.0%	19.6%	9.2%	12.0%	11.8%	11.9%	9.6%	14.3%
8	444	20	33	9	11	6	5	9	6	6	8	0	20	16	0	4	9	7	4	8	11	1
	11.2%	11.2%	13.0%	11.5%	10.9%	12.2%	9.3%	12.0%	9.5%	8.3%	19.0%	0.0%	13.1%	13.2%	0.0%	8.7%	11.8%	14.0%	7.8%	19.0%	10.6%	3.6%
9	367	16	35	8	8	3	4	9	7	4	5	0	15	11	0	4	12	1	3	4	10	2
	9.2%	8.9%	13.8%	10.3%	7.9%	6.1%	7.4%	12.0%	11.1%	5.6%	11.9%	0.0%	9.8%	9.1%	0.0%	8.7%	15.8%	2.0%	5.9%	9.5%	9.6%	7.1%
10 Extremely easy	1,409	61	69	24	37	12	22	27	23	24	13	11	48	39	4	14	28	16	17	11	39	8
	35.5%	34.1%	27.3%	30.8%	36.6%	24.5%	40.7%	36.0%	36.5%	33.3%	31.0%	50.0%	31.4%	32.2%	66.7%	30.4%	36.8%	32.0%	33.3%	26.2%	37.5%	28.6%

NA - Not Applicable

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35n

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	253	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	824	32	0	8	15	5	5	13	8	9	4	3	19	14	1	8	8	9	5	9	18	5
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,970	179	253	78	101	49	54	75	63	72	42	22	153	121	6	46	76	50	51	42	104	28
	82.8%	84.8%	100.0%	90.7%	87.1%	90.7%	91.5%	85.2%	88.7%	88.9%	91.3%	88.0%	89.0%	89.6%	85.7%	85.2%	90.5%	84.7%	91.1%	82.4%	85.2%	84.8%
0 to 4	806	31	48	11	20	8	11	11	9	16	6	2	28	25	1	5	7	9	13	2	21	6
	20.3%	17.3%	19.0%	14.1%	19.8%	16.3%	20.4%	14.7%	14.3%	22.2%	14.3%	9.1%	18.3%	20.7%	16.7%	10.9%	9.2%	18.0%	25.5%	4.8%	20.2%	21.4%
5	470	22	31	11	11	9	6	7	9	11	2	3	19	15	0	7	10	6	6	11	7	4
	11.8%	12.3%	12.3%	14.1%	10.9%	18.4%	11.1%	9.3%	14.3%	15.3%	4.8%	13.6%	12.4%	12.4%	0.0%	15.2%	13.2%	12.0%	11.8%	26.2%	6.7%	14.3%
6 or 7	474	29	37	15	14	11	6	12	9	11	8	6	23	15	1	12	10	11	8	6	16	7
	11.9%	16.2%	14.6%	19.2%	13.9%	22.4%	11.1%	16.0%	14.3%	15.3%	19.0%	27.3%	15.0%	12.4%	16.7%	26.1%	13.2%	22.0%	15.7%	14.3%	15.4%	25.0%
8 to 10	2,220	97	137	41	56	21	31	45	36	34	26	11	83	66	4	22	49	24	24	23	60	11
	55.9%	54.2%	54.2%	52.6%	55.4%	42.9%	57.4%	60.0%	57.1%	47.2%	61.9%	50.0%	54.2%	54.5%	66.7%	47.8%	64.5%	48.0%	47.1%	54.8%	57.7%	39.3%
Significantly different from column:*																						
0 to 6	1,440	63	94	26	37	22	18	22	23	30	10	8	54	46	2	15	20	20	21	14	34	13
	36.3%	35.2%	37.2%	33.3%	36.6%	44.9%	33.3%	29.3%	36.5%	41.7%	23.8%	36.4%	35.3%	38.0%	33.3%	32.6%	26.3%	40.0%	41.2%	33.3%	32.7%	46.4%
7 to 8	754	39	55	20	19	12	10	17	10	14	14	3	36	25	0	13	16	13	10	13	21	5
	19.0%	21.8%	21.7%	25.6%	18.8%	24.5%	18.5%	22.7%	15.9%	19.4%	33.3%	13.6%	23.5%	20.7%	0.0%	28.3%	21.1%	26.0%	19.6%	31.0%	20.2%	17.9%
9 to 10	1,776	77	104	32	45	15	26	36	30	28	18	11	63	50	4	18	40	17	20	15	49	10
	44.7%	43.0%	41.1%	41.0%	44.6%	30.6%	48.1%	48.0%	47.6%	38.9%	42.9%	50.0%	41.2%	41.3%	66.7%	39.1%	52.6%	34.0%	39.2%	35.7%	47.1%	35.7%
Significantly different from column:*																	R	Q				

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 36

In general, how would you rate your overall health?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	272	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	190	12	0	2	1	1	1	0	0	3	0	1	2	3	0	0	0	0	0	3	6	3
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,604	199	272	84	115	53	58	88	71	78	46	24	170	132	7	54	84	59	56	48	116	30
	96.0%	94.3%	100.0%	97.7%	99.1%	98.1%	98.3%	100.0%	100.0%	96.3%	100.0%	96.0%	98.8%	97.8%	100.0%	100.0%	100.0%	100.0%	100.0%	94.1%	95.1%	90.9%
Poor	403	13	18	6	7	0	0	13	3	7	3	0	12	9	1	3	0	0	13	2	5	6
	8.8%	6.5%	6.6%	7.1%	6.1%	0.0%	0.0%	14.8%	4.2%	9.0%	6.5%	0.0%	7.1%	6.8%	14.3%	5.6%	0.0%	0.0%	23.2%	4.2%	4.3%	20.0%
Fair	1,179	43	61	17	26	7	15	21	17	17	7	6	36	32	0	9	0	0	43	2	26	13
	25.6%	21.6%	22.4%	20.2%	22.6%	13.2%	25.9%	23.9%	23.9%	21.8%	15.2%	25.0%	21.2%	24.2%	0.0%	16.7%	0.0%	0.0%	76.8%	4.2%	22.4%	43.3%
Good	1,571	59	94	28	31	16	15	28	27	22	9	8	51	34	4	20	0	59	0	13	38	7
	34.1%	29.6%	34.6%	33.3%	27.0%	30.2%	25.9%	31.8%	38.0%	28.2%	19.6%	33.3%	30.0%	25.8%	57.1%	37.0%	0.0%	100.0%	0.0%	27.1%	32.8%	23.3%
Very good	1,053	56	75	23	33	21	17	18	16	21	18	5	50	40	1	13	56	0	0	18	33	4
	22.9%	28.1%	27.6%	27.4%	28.7%	39.6%	29.3%	20.5%	22.5%	26.9%	39.1%	20.8%	29.4%	30.3%	14.3%	24.1%	66.7%	0.0%	0.0%	37.5%	28.4%	13.3%
Excellent	398	28	24	10	18	9	11	8	8	11	9	5	21	17	1	9	28	0	0	13	14	0
	8.6%	14.1%	8.8%	11.9%	15.7%	17.0%	19.0%	9.1%	11.3%	14.1%	19.6%	20.8%	12.4%	12.9%	14.3%	16.7%	33.3%	0.0%	0.0%	27.1%	12.1%	0.0%
Excellent or Very good	1,451	84	99	33	51	30	28	26	24	32	27	10	71	57	2	22	84	0	0	31	47	4
	31.5%	42.2%	36.4%	39.3%	44.3%	56.6%	48.3%	29.5%	33.8%	41.0%	58.7%	41.7%	41.8%	43.2%	28.6%	40.7%	100.0%	0.0%	0.0%	64.6%	40.5%	13.3%
Significantly different from column:*		A				H	H	FG	K		I						RS	Q	Q	UV	TV	TU

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 37

In general, how would you rate your overall mental or emotional health?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	272	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	171	11	0	1	1	1	0	1	0	1	1	0	2	1	0	1	0	0	1	4	5	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,623	200	272	85	115	53	59	87	71	80	45	25	170	134	7	53	84	59	55	47	117	31
	96.4%	94.8%	100.0%	98.8%	99.1%	98.1%	100.0%	98.9%	100.0%	98.8%	97.8%	100.0%	98.8%	99.3%	100.0%	98.1%	100.0%	100.0%	98.2%	92.2%	95.9%	93.9%
Poor	328	14	21	3	11	4	4	6	5	7	2	0	14	12	0	2	2	3	9	0	8	5
	7.1%	7.0%	7.7%	3.5%	9.6%	7.5%	6.8%	6.9%	7.0%	8.8%	4.4%	0.0%	8.2%	9.0%	0.0%	3.8%	2.4%	5.1%	16.4%	0.0%	6.8%	16.1%
Fair	1,044	46	57	19	27	12	11	23	15	21	8	7	38	30	2	11	5	13	28	3	30	11
	22.6%	23.0%	21.0%	22.4%	23.5%	22.6%	18.6%	26.4%	21.1%	26.3%	17.8%	28.0%	22.4%	22.4%	28.6%	20.8%	6.0%	22.0%	50.9%	6.4%	25.6%	35.5%
Good	1,422	51	68	22	29	12	15	23	19	19	12	9	42	35	1	14	15	26	9	16	26	8
	30.8%	25.5%	25.0%	25.9%	25.2%	22.6%	25.4%	26.4%	26.8%	23.8%	26.7%	36.0%	24.7%	26.1%	14.3%	26.4%	17.9%	44.1%	16.4%	34.0%	22.2%	25.8%
Very good	1,121	52	79	26	26	15	16	21	18	19	14	6	44	33	2	16	35	9	7	14	32	6
	24.2%	26.0%	29.0%	30.6%	22.6%	28.3%	27.1%	24.1%	25.4%	23.8%	31.1%	24.0%	25.9%	24.6%	28.6%	30.2%	41.7%	15.3%	12.7%	29.8%	27.4%	19.4%
Excellent	708	37	47	15	22	10	13	14	14	14	9	3	32	24	2	10	27	8	2	14	21	1
	15.3%	18.5%	17.3%	17.6%	19.1%	18.9%	22.0%	16.1%	19.7%	17.5%	20.0%	12.0%	18.8%	17.9%	28.6%	18.9%	32.1%	13.6%	3.6%	29.8%	17.9%	3.2%
Excellent or Very good	1,829	89	126	41	48	25	29	35	32	33	23	9	76	57	4	26	62	17	9	28	53	7
	39.6%	44.5%	46.3%	48.2%	41.7%	47.2%	49.2%	40.2%	45.1%	41.3%	51.1%	36.0%	44.7%	42.5%	57.1%	49.1%	73.8%	28.8%	16.4%	59.6%	45.3%	22.6%
Significantly different from column:*																	RS	Q	Q	V	V	TU

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 38

Have you had either a flu shot or flu spray in the nose since July 1, 2018?*

Base: All respondents who were flagged as being 18 to 64 as of July 1 of the measurement year

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,092	174	240	72	93	53	59	53	59	65	38	22	139	115	7	39	76	48	39	47	95	29
Number missing or multiple answer	122	11	0	1	1	1	0	1	0	2	0	0	2	2	0	0	1	0	0	3	6	2
Number no experience	64	4	5	2	2	1	0	3	4	0	0	1	2	3	0	1	1	0	3	1	3	0
Usable responses	3,906	159	235	69	90	51	59	49	55	63	38	21	135	110	7	38	74	48	36	43	86	27
	95.5%	91.4%	97.9%	95.8%	96.8%	96.2%	100.0%	92.5%	93.2%	96.9%	100.0%	95.5%	97.1%	95.7%	100.0%	97.4%	97.4%	100.0%	92.3%	91.5%	90.5%	93.1%
Yes	1,531	62	93	25	37	17	20	25	21	23	16	10	51	39	4	17	26	19	17	10	40	11
	39.2%	39.0%	39.6%	36.2%	41.1%	33.3%	33.9%	51.0%	38.2%	36.5%	42.1%	47.6%	37.8%	35.5%	57.1%	44.7%	35.1%	39.6%	47.2%	23.3%	46.5%	40.7%
No	2,375	97	142	44	53	34	39	24	34	40	22	11	84	71	3	21	48	29	19	33	46	16
	60.8%	61.0%	60.4%	63.8%	58.9%	66.7%	66.1%	49.0%	61.8%	63.5%	57.9%	52.4%	62.2%	64.5%	42.9%	55.3%	64.9%	60.4%	52.8%	76.7%	53.5%	59.3%
Significantly different from column:*																				U	T	

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

**A plan's score for the HEDIS Flu Vaccinations for Adults measure will include only those members flagged as being age 18 to 64 as of July 1 of the measurement year.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 39

Do you now smoke cigarettes or use tobacco every day, some days, or not at all?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	273	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	153	10	0	1	0	1	0	0	0	1	0	0	1	1	0	0	0	0	0	3	5	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,641	201	273	85	116	53	59	88	71	80	46	25	171	134	7	54	84	59	56	48	117	31
	96.8%	95.3%	100.0%	98.8%	100.0%	98.1%	100.0%	100.0%	100.0%	98.8%	100.0%	100.0%	99.4%	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%	94.1%	95.9%	93.9%
Every day	858	25	33	15	10	4	13	8	10	10	4	2	23	21	1	3	5	9	10	4	17	3
	18.5%	12.4%	12.1%	17.6%	8.6%	7.5%	22.0%	9.1%	14.1%	12.5%	8.7%	8.0%	13.5%	15.7%	14.3%	5.6%	6.0%	15.3%	17.9%	8.3%	14.5%	9.7%
Some days	436	21	30	9	12	7	6	8	7	11	3	3	18	14	1	6	7	8	6	5	8	7
	9.4%	10.4%	11.0%	10.6%	10.3%	13.2%	10.2%	9.1%	9.9%	13.8%	6.5%	12.0%	10.5%	10.4%	14.3%	11.1%	8.3%	13.6%	10.7%	10.4%	6.8%	22.6%
Not at all	3,324	154	207	60	94	42	40	71	53	59	39	20	129	98	5	45	72	42	39	39	91	21
	71.6%	76.6%	75.8%	70.6%	81.0%	79.2%	67.8%	80.7%	74.6%	73.8%	84.8%	80.0%	75.4%	73.1%	71.4%	83.3%	85.7%	71.2%	69.6%	81.3%	77.8%	67.7%
Don't know	23	1	3	1	0	0	0	1	1	0	0	0	1	1	0	0	0	0	1	0	1	0
	0.5%	0.5%	1.1%	1.2%	0.0%	0.0%	0.0%	1.1%	1.4%	0.0%	0.0%	0.0%	0.6%	0.7%	0.0%	0.0%	0.0%	0.0%	1.8%	0.0%	0.9%	0.0%
Every day or Some days	1,294	46	63	24	22	11	19	16	17	21	7	5	41	35	2	9	12	17	16	9	25	10
	27.9%	22.9%	23.1%	28.2%	19.0%	20.8%	32.2%	18.2%	23.9%	26.3%	15.2%	20.0%	24.0%	26.1%	28.6%	16.7%	14.3%	28.8%	28.6%	18.8%	21.4%	32.3%
Significantly different from column:*																	RS	Q	Q			

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 40

In the last 6 months, how often were you advised to quit smoking or using tobacco by a doctor or other health provider in your plan?

Base: All respondents who smoke cigarettes or use tobacco (Q39)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,294	46	62	24	22	11	19	16	17	21	7	5	41	35	2	9	12	17	16	9	25	10
Number missing or multiple answer	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,271	46	62	24	22	11	19	16	17	21	7	5	41	35	2	9	12	17	16	9	25	10
	98.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	338	12	12	5	7	2	6	4	7	3	2	0	12	10	0	2	2	5	5	2	6	3
	26.6%	26.1%	19.4%	20.8%	31.8%	18.2%	31.6%	25.0%	41.2%	14.3%	28.6%	0.0%	29.3%	28.6%	0.0%	22.2%	16.7%	29.4%	31.3%	22.2%	24.0%	30.0%
Sometimes	263	15	13	8	7	4	7	4	6	8	0	3	12	9	2	4	2	6	6	4	8	2
	20.7%	32.6%	21.0%	33.3%	31.8%	36.4%	36.8%	25.0%	35.3%	38.1%	0.0%	60.0%	29.3%	25.7%	100.0%	44.4%	16.7%	35.3%	37.5%	44.4%	32.0%	20.0%
Usually	223	5	17	2	3	0	3	2	2	2	1	0	5	5	0	0	1	4	0	0	4	1
	17.5%	10.9%	27.4%	8.3%	13.6%	0.0%	15.8%	12.5%	11.8%	9.5%	14.3%	0.0%	12.2%	14.3%	0.0%	0.0%	8.3%	23.5%	0.0%	0.0%	16.0%	10.0%
Always	447	14	20	9	5	5	3	6	2	8	4	2	12	11	0	3	7	2	5	3	7	4
	35.2%	30.4%	32.3%	37.5%	22.7%	45.5%	15.8%	37.5%	11.8%	38.1%	57.1%	40.0%	29.3%	31.4%	0.0%	33.3%	58.3%	11.8%	31.3%	33.3%	28.0%	40.0%
Significantly different from column:*																						
Sometimes, Usually, or Always	933	34	50	19	15	9	13	12	10	18	5	5	29	25	2	7	10	12	11	7	19	7
	73.4%	73.9%	80.6%	79.2%	68.2%	81.8%	68.4%	75.0%	58.8%	85.7%	71.4%	100.0%	70.7%	71.4%	100.0%	77.8%	83.3%	70.6%	68.8%	77.8%	76.0%	70.0%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 41

In the last 6 months, how often was medication recommended or discussed by a doctor or health provider to assist you with quitting smoking or using tobacco? Examples of medication are: nicotine gum, patch, nasal spray, inhaler, or prescription medication.

Base: All respondents who smoke cigarettes or use tobacco (Q39)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
Number in sample	1,294	46	62	24	22	11	19	16	17	21	7	5	41	35	2	9	12	17	16	9	25	10
Number missing or multiple answer	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,270	46	62	24	22	11	19	16	17	21	7	5	41	35	2	9	12	17	16	9	25	10
	98.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	598	24	20	12	12	3	13	8	11	11	1	1	23	20	0	4	4	8	11	5	12	5
	47.1%	52.2%	32.3%	50.0%	54.5%	27.3%	68.4%	50.0%	64.7%	52.4%	14.3%	20.0%	56.1%	57.1%	0.0%	44.4%	33.3%	47.1%	68.8%	55.6%	48.0%	50.0%
Sometimes	256	11	19	5	6	4	3	4	3	5	3	2	9	7	2	2	3	6	2	1	7	3
	20.2%	23.9%	30.6%	20.8%	27.3%	36.4%	15.8%	25.0%	17.6%	23.8%	42.9%	40.0%	22.0%	20.0%	100.0%	22.2%	25.0%	35.3%	12.5%	11.1%	28.0%	30.0%
Usually	181	5	13	2	3	3	2	0	1	3	1	1	4	4	0	1	1	2	2	2	1	2
	14.3%	10.9%	21.0%	8.3%	13.6%	27.3%	10.5%	0.0%	5.9%	14.3%	14.3%	20.0%	9.8%	11.4%	0.0%	11.1%	8.3%	11.8%	12.5%	22.2%	4.0%	20.0%
Always	235	6	10	5	1	1	1	4	2	2	2	1	5	4	0	2	4	1	1	1	5	0
	18.5%	13.0%	16.1%	20.8%	4.5%	9.1%	5.3%	25.0%	11.8%	9.5%	28.6%	20.0%	12.2%	11.4%	0.0%	22.2%	33.3%	5.9%	6.3%	11.1%	20.0%	0.0%
Significantly different from column:*																						
Sometimes, Usually, or Always	672	22	42	12	10	8	6	8	6	10	6	4	18	15	2	5	8	9	5	4	13	5
	52.9%	47.8%	67.7%	50.0%	45.5%	72.7%	31.6%	50.0%	35.3%	47.6%	85.7%	80.0%	43.9%	42.9%	100.0%	55.6%	66.7%	52.9%	31.3%	44.4%	52.0%	50.0%
Significantly different from column:*		C				G	F															

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 42

In the last 6 months, how often did your doctor or health provider discuss or provide methods and strategies other than medication to assist you with quitting smoking or using tobacco? Examples of methods and strategies are: telephone helpline, individual or group counseling, or cessation program.

Base: All respondents who smoke cigarettes or use tobacco (Q39)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
Number in sample	1,294	46	62	24	22	11	19	16	17	21	7	5	41	35	2	9	12	17	16	9	25	10
Number missing or multiple answer	32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,262	46	62	24	22	11	19	16	17	21	7	5	41	35	2	9	12	17	16	9	25	10
	97.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	676	26	28	14	12	5	12	9	11	12	2	1	25	21	0	5	4	9	12	6	11	7
	53.6%	56.5%	45.2%	58.3%	54.5%	45.5%	63.2%	56.3%	64.7%	57.1%	28.6%	20.0%	61.0%	60.0%	0.0%	55.6%	33.3%	52.9%	75.0%	66.7%	44.0%	70.0%
Sometimes	241	6	21	3	3	2	2	2	2	3	1	1	5	4	2	0	1	4	1	2	3	1
	19.1%	13.0%	33.9%	12.5%	13.6%	18.2%	10.5%	12.5%	11.8%	14.3%	14.3%	20.0%	12.2%	11.4%	100.0%	0.0%	8.3%	23.5%	6.3%	22.2%	12.0%	10.0%
Usually	157	7	7	2	5	2	4	1	2	3	2	1	6	6	0	1	2	3	2	0	6	1
	12.4%	15.2%	11.3%	8.3%	22.7%	18.2%	21.1%	6.3%	11.8%	14.3%	28.6%	20.0%	14.6%	17.1%	0.0%	11.1%	16.7%	17.6%	12.5%	0.0%	24.0%	10.0%
Always	188	7	6	5	2	2	1	4	2	3	2	2	5	4	0	3	5	1	1	1	5	1
	14.9%	15.2%	9.7%	20.8%	9.1%	18.2%	5.3%	25.0%	11.8%	14.3%	28.6%	40.0%	12.2%	11.4%	0.0%	33.3%	41.7%	5.9%	6.3%	11.1%	20.0%	10.0%
Significantly different from column:*																						
Sometimes, Usually, or Always	586	20	34	10	10	6	7	7	6	9	5	4	16	14	2	4	8	8	4	3	14	3
	46.4%	43.5%	54.8%	41.7%	45.5%	54.5%	36.8%	43.8%	35.3%	42.9%	71.4%	80.0%	39.0%	40.0%	100.0%	44.4%	66.7%	47.1%	25.0%	33.3%	56.0%	30.0%
Significantly different from column:*																	S		Q			

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 43

In the last 6 months, did you get health care 3 or more times for the same condition or problem?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	273	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	174	12	0	1	2	1	0	2	2	1	0	1	1	1	2	0	1	1	1	3	6	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,620	199	273	85	114	53	59	86	69	80	46	24	171	134	5	54	83	58	55	48	116	31
	96.4%	94.3%	100.0%	98.8%	98.3%	98.1%	100.0%	97.7%	97.2%	98.8%	100.0%	96.0%	99.4%	99.3%	71.4%	100.0%	98.8%	98.3%	98.2%	94.1%	95.1%	93.9%
Yes	1,613	66	108	21	45	14	22	29	21	32	10	8	57	46	3	16	15	19	30	2	38	25
	34.9%	33.2%	39.6%	24.7%	39.5%	26.4%	37.3%	33.7%	30.4%	40.0%	21.7%	33.3%	33.3%	34.3%	60.0%	29.6%	18.1%	32.8%	54.5%	4.2%	32.8%	80.6%
No	3,007	133	165	64	69	39	37	57	48	48	36	16	114	88	2	38	68	39	25	46	78	6
	65.1%	66.8%	60.4%	75.3%	60.5%	73.6%	62.7%	66.3%	69.6%	60.0%	78.3%	66.7%	66.7%	65.7%	40.0%	70.4%	81.9%	67.2%	45.5%	95.8%	67.2%	19.4%
Significantly different from column:*				E	D					K	J						RS	QS	QR	UV	TV	TU

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 44

Is this a condition or problem that has lasted for at least 3 months? Do not include pregnancy or menopause.

Base: All respondents who saw a doctor 3 or more times for the same condition or problem (Q43)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	1,613	66	104	21	45	14	22	29	21	32	10	8	57	46	3	16	15	19	30	2	38	25
Number missing or multiple answer	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,590	66	104	21	45	14	22	29	21	32	10	8	57	46	3	16	15	19	30	2	38	25
	98.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	1,401	59	84	18	41	12	20	26	17	31	8	5	53	40	3	15	12	16	29	1	33	24
	88.1%	89.4%	80.8%	85.7%	91.1%	85.7%	90.9%	89.7%	81.0%	96.9%	80.0%	62.5%	93.0%	87.0%	100.0%	93.8%	80.0%	84.2%	96.7%	50.0%	86.8%	96.0%
No	189	7	20	3	4	2	2	3	4	1	2	3	4	6	0	1	3	3	1	1	5	1
	11.9%	10.6%	19.2%	14.3%	8.9%	14.3%	9.1%	10.3%	19.0%	3.1%	20.0%	37.5%	7.0%	13.0%	0.0%	6.3%	20.0%	15.8%	3.3%	50.0%	13.2%	4.0%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 45

Do you now need or take medicine prescribed by a doctor? Do not include birth control.

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	270	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	169	13	0	2	2	0	0	4	1	1	2	2	2	2	1	0	2	1	1	4	7	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,625	198	270	84	114	54	59	84	70	80	44	23	170	133	6	54	82	58	55	47	115	31
	96.5%	93.8%	100.0%	97.7%	98.3%	100.0%	100.0%	95.5%	98.6%	98.8%	95.7%	92.0%	98.8%	98.5%	85.7%	100.0%	97.6%	98.3%	98.2%	92.2%	94.3%	93.9%
Yes	3,110	139	160	58	81	29	36	74	47	59	30	12	125	98	4	35	43	45	49	15	93	28
	67.2%	70.2%	59.3%	69.0%	71.1%	53.7%	61.0%	88.1%	67.1%	73.8%	68.2%	52.2%	73.5%	73.7%	66.7%	64.8%	52.4%	77.6%	89.1%	31.9%	80.9%	90.3%
No	1,515	59	110	26	33	25	23	10	23	21	14	11	45	35	2	19	39	13	6	32	22	3
	32.8%	29.8%	40.7%	31.0%	28.9%	46.3%	39.0%	11.9%	32.9%	26.3%	31.8%	47.8%	26.5%	26.3%	33.3%	35.2%	47.6%	22.4%	10.9%	68.1%	19.1%	9.7%
Significantly different from column:*		C				H	H	FG				M	L				RS	Q	Q	UV	T	T

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 46

Is this medicine to treat a condition that has lasted for at least 3 months? Do not include pregnancy or menopause.

Base: All respondents who need or take medicine prescribed by a doctor (Q45)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	3,110	139	151	58	81	29	36	74	47	59	30	12	125	98	4	35	43	45	49	15	93	28
Number missing or multiple answer	38	2	0	2	0	0	0	2	1	1	0	1	1	2	0	0	1	0	1	1	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,072	137	151	56	81	29	36	72	46	58	30	11	124	96	4	35	42	45	48	14	93	27
	98.8%	98.6%	100.0%	96.6%	100.0%	100.0%	100.0%	97.3%	97.9%	98.3%	100.0%	91.7%	99.2%	98.0%	100.0%	100.0%	97.7%	100.0%	98.0%	93.3%	100.0%	96.4%
Yes	2,911	128	142	51	77	27	35	66	44	55	26	11	115	90	3	33	35	44	47	13	88	24
	94.8%	93.4%	94.0%	91.1%	95.1%	93.1%	97.2%	91.7%	95.7%	94.8%	86.7%	100.0%	92.7%	93.8%	75.0%	94.3%	83.3%	97.8%	97.9%	92.9%	94.6%	88.9%
No	161	9	9	5	4	2	1	6	2	3	4	0	9	6	1	2	7	1	1	1	5	3
	5.2%	6.6%	6.0%	8.9%	4.9%	6.9%	2.8%	8.3%	4.3%	5.2%	13.3%	0.0%	7.3%	6.3%	25.0%	5.7%	16.7%	2.2%	2.1%	7.1%	5.4%	11.1%
Significantly different from column:*																						

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 47

What is your age?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	274	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	156	10	0	0	1	0	0	0	0	1	0	0	1	1	0	0	0	0	0	3	4	3
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,638	201	274	86	115	54	59	88	71	80	46	25	171	134	7	54	84	59	56	48	118	30
	96.7%	95.3%	100.0%	100.0%	99.1%	100.0%	100.0%	100.0%	100.0%	98.8%	100.0%	100.0%	99.4%	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%	94.1%	96.7%	90.9%
18 to 24	390	17	19	6	11	17	0	0	7	10	0	4	12	6	1	9	11	3	3	4	10	2
	8.4%	8.5%	6.9%	7.0%	9.6%	31.5%	0.0%	0.0%	9.9%	12.5%	0.0%	16.0%	7.0%	4.5%	14.3%	16.7%	13.1%	5.1%	5.4%	8.3%	8.5%	6.7%
25 to 34	604	37	50	17	20	37	0	0	9	16	12	4	33	23	0	14	19	13	4	10	22	5
	13.0%	18.4%	18.2%	19.8%	17.4%	68.5%	0.0%	0.0%	12.7%	20.0%	26.1%	16.0%	19.3%	17.2%	0.0%	25.9%	22.6%	22.0%	7.1%	20.8%	18.6%	16.7%
35 to 44	542	26	50	10	16	0	26	0	10	8	8	3	23	20	2	4	15	9	2	8	13	4
	11.7%	12.9%	18.2%	11.6%	13.9%	0.0%	44.1%	0.0%	14.1%	10.0%	17.4%	12.0%	13.5%	14.9%	28.6%	7.4%	17.9%	15.3%	3.6%	16.7%	11.0%	13.3%
45 to 54	779	33	53	18	15	0	33	0	12	13	6	4	28	28	0	3	13	6	13	8	18	6
	16.8%	16.4%	19.3%	20.9%	13.0%	0.0%	55.9%	0.0%	16.9%	16.3%	13.0%	16.0%	16.4%	20.9%	0.0%	5.6%	15.5%	10.2%	23.2%	16.7%	15.3%	20.0%
55 to 64	1,597	51	71	22	29	0	0	51	22	16	12	7	41	37	4	9	18	16	17	14	28	9
	34.4%	25.4%	25.9%	25.6%	25.2%	0.0%	0.0%	58.0%	31.0%	20.0%	26.1%	28.0%	24.0%	27.6%	57.1%	16.7%	21.4%	27.1%	30.4%	29.2%	23.7%	30.0%
65 to 74	468	26	18	9	17	0	0	26	8	14	3	2	24	15	0	9	7	8	11	3	20	2
	10.1%	12.9%	6.6%	10.5%	14.8%	0.0%	0.0%	29.5%	11.3%	17.5%	6.5%	8.0%	14.0%	11.2%	0.0%	16.7%	8.3%	13.6%	19.6%	6.3%	16.9%	6.7%
75 or older	258	11	13	4	7	0	0	11	3	3	5	1	10	5	0	6	1	4	6	1	7	2
	5.6%	5.5%	4.7%	4.7%	6.1%	0.0%	0.0%	12.5%	4.2%	3.8%	10.9%	4.0%	5.8%	3.7%	0.0%	11.1%	1.2%	6.8%	10.7%	2.1%	5.9%	6.7%
55 or older	2,323	88	102	35	53	0	0	88	33	33	20	10	75	57	4	24	26	28	34	18	55	13
	50.1%	43.8%	37.2%	40.7%	46.1%	0.0%	0.0%	100.0%	46.5%	41.3%	43.5%	40.0%	43.9%	42.5%	57.1%	44.4%	31.0%	47.5%	60.7%	37.5%	46.6%	43.3%
Significantly different from column:*						H	H	FG									RS	Q	Q			

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 48

Are you male or female?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	272	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	141	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	4	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,653	202	272	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	48	118	31
	97.1%	95.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	94.1%	96.7%	93.9%
Male	1,969	86	115	86	0	23	28	35	38	24	22	10	73	61	3	19	33	28	23	23	50	12
	42.3%	42.6%	42.3%	100.0%	0.0%	42.6%	47.5%	39.8%	53.5%	29.6%	47.8%	40.0%	42.4%	45.2%	42.9%	35.2%	39.3%	47.5%	41.1%	47.9%	42.4%	38.7%
Female	2,684	116	157	0	116	31	31	53	33	57	24	15	99	74	4	35	51	31	33	25	68	19
	57.7%	57.4%	57.7%	0.0%	100.0%	57.4%	52.5%	60.2%	46.5%	70.4%	52.2%	60.0%	57.6%	54.8%	57.1%	64.8%	60.7%	52.5%	58.9%	52.1%	57.6%	61.3%
Significantly different from column:*				E	D				J	IK	J											

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 49

What is the highest grade or level of school that you have completed?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	269	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	212	13	0	2	2	0	2	2	0	0	0	2	2	1	0	2	1	1	2	4	6	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,582	198	269	84	114	54	57	86	71	81	46	23	170	134	7	52	83	58	54	47	116	31
	95.6%	93.8%	100.0%	97.7%	98.3%	100.0%	96.6%	97.7%	100.0%	100.0%	100.0%	92.0%	98.8%	99.3%	100.0%	96.3%	98.8%	98.3%	96.4%	92.2%	95.1%	93.9%
8th grade or less	259	9	22	4	5	0	2	7	9	0	0	4	5	2	0	5	4	1	4	2	7	0
	5.7%	4.5%	8.2%	4.8%	4.4%	0.0%	3.5%	8.1%	12.7%	0.0%	0.0%	17.4%	2.9%	1.5%	0.0%	9.6%	4.8%	1.7%	7.4%	4.3%	6.0%	0.0%
Some high school, but did not graduate	521	11	30	4	7	2	3	6	11	0	0	2	8	9	0	2	2	4	5	3	8	0
	11.4%	5.6%	11.2%	4.8%	6.1%	3.7%	5.3%	7.0%	15.5%	0.0%	0.0%	8.7%	4.7%	6.7%	0.0%	3.8%	2.4%	6.9%	9.3%	6.4%	6.9%	0.0%
High school graduate or GED	1,622	51	65	30	21	14	17	20	51	0	0	6	44	37	3	10	18	22	11	12	33	6
	35.4%	25.8%	24.2%	35.7%	18.4%	25.9%	29.8%	23.3%	71.8%	0.0%	0.0%	26.1%	25.9%	27.6%	42.9%	19.2%	21.7%	37.9%	20.4%	25.5%	28.4%	19.4%
Some college or 2-year degree	1,594	81	90	24	57	26	21	33	0	81	0	7	73	57	3	20	32	22	24	17	41	19
	34.8%	40.9%	33.5%	28.6%	50.0%	48.1%	36.8%	38.4%	0.0%	100.0%	0.0%	30.4%	42.9%	42.5%	42.9%	38.5%	38.6%	37.9%	44.4%	36.2%	35.3%	61.3%
4-year college graduate	358	25	36	12	13	8	8	9	0	0	25	2	21	15	1	9	14	7	4	8	13	4
	7.8%	12.6%	13.4%	14.3%	11.4%	14.8%	14.0%	10.5%	0.0%	0.0%	54.3%	8.7%	12.4%	11.2%	14.3%	17.3%	16.9%	12.1%	7.4%	17.0%	11.2%	12.9%
More than 4-year college degree	228	21	26	10	11	4	6	11	0	0	21	2	19	14	0	6	13	2	6	5	14	2
	5.0%	10.6%	9.7%	11.9%	9.6%	7.4%	10.5%	12.8%	0.0%	0.0%	45.7%	8.7%	11.2%	10.4%	0.0%	11.5%	15.7%	3.4%	11.1%	10.6%	12.1%	6.5%
4-year college graduate or more	586	46	62	22	24	12	14	20	0	0	46	4	40	29	1	15	27	9	10	13	27	6
	12.8%	23.2%	23.0%	26.2%	21.1%	22.2%	24.6%	23.3%	0.0%	0.0%	100.0%	17.4%	23.5%	21.6%	14.3%	28.8%	32.5%	15.5%	18.5%	27.7%	23.3%	19.4%
Significantly different from column:*		A							K	K	IJ						R	Q				

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 50

Are you of Hispanic or Latino origin or descent?

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	269	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	241	14	0	3	2	1	1	3	2	1	2	0	0	1	1	3	3	0	2	5	6	3
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,553	197	269	83	114	53	58	85	69	80	44	25	172	134	6	51	81	59	54	46	116	30
	95.0%	93.4%	100.0%	96.5%	98.3%	98.1%	98.3%	96.6%	97.2%	98.8%	95.7%	100.0%	100.0%	99.3%	85.7%	94.4%	96.4%	100.0%	96.4%	90.2%	95.1%	90.9%
Yes, Hispanic or Latino	541	25	34	10	15	8	7	10	12	7	4	25	0	8	1	11	10	8	6	10	11	3
	11.9%	12.7%	12.6%	12.0%	13.2%	15.1%	12.1%	11.8%	17.4%	8.8%	9.1%	100.0%	0.0%	6.0%	16.7%	21.6%	12.3%	13.6%	11.1%	21.7%	9.5%	10.0%
No, not Hispanic or Latino	4,012	172	235	73	99	45	51	75	57	73	40	0	172	126	5	40	71	51	48	36	105	27
	88.1%	87.3%	87.4%	88.0%	86.8%	84.9%	87.9%	88.2%	82.6%	91.3%	90.9%	0.0%	100.0%	94.0%	83.3%	78.4%	87.7%	86.4%	88.9%	78.3%	90.5%	90.0%
Significantly different from column:*														P		N				U	T	

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 51

What is your race? Mark one or more.

Base: All respondents

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	279	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	295	15	19	3	3	1	2	3	3	1	1	5	1	0	0	0	3	1	2	6	6	2
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,499	196	260	83	113	53	57	85	68	80	45	20	171	135	7	54	81	58	54	45	116	31
	93.8%	92.9%	93.2%	96.5%	97.4%	98.1%	96.6%	96.6%	95.8%	98.8%	97.8%	80.0%	99.4%	100.0%	100.0%	100.0%	96.4%	98.3%	96.4%	88.2%	95.1%	93.9%
White	3,700	151	206	69	82	40	50	60	52	63	35	11	139	135	0	16	67	39	42	36	88	25
	82.2%	77.0%	79.2%	83.1%	72.6%	75.5%	87.7%	70.6%	76.5%	78.8%	77.8%	55.0%	81.3%	100.0%	0.0%	29.6%	82.7%	67.2%	77.8%	80.0%	75.9%	80.6%
Black or African-American	177	11	18	6	5	3	3	5	5	3	3	2	8	0	7	4	4	5	2	0	9	1
	3.9%	5.6%	6.9%	7.2%	4.4%	5.7%	5.3%	5.9%	7.4%	3.8%	6.7%	10.0%	4.7%	0.0%	100.0%	7.4%	4.9%	8.6%	3.7%	0.0%	7.8%	3.2%
Asian	243	20	26	5	15	6	2	12	7	6	6	0	19	0	0	20	6	7	7	3	13	3
	5.4%	10.2%	10.0%	6.0%	13.3%	11.3%	3.5%	14.1%	10.3%	7.5%	13.3%	0.0%	11.1%	0.0%	0.0%	37.0%	7.4%	12.1%	13.0%	6.7%	11.2%	9.7%
Native Hawaiian or other Pacific Islander	51	3	5	2	1	1	2	0	1	2	0	0	3	0	0	3	0	2	1	1	0	2
	1.1%	1.5%	1.9%	2.4%	0.9%	1.9%	3.5%	0.0%	1.5%	2.5%	0.0%	0.0%	1.8%	0.0%	0.0%	5.6%	0.0%	3.4%	1.9%	2.2%	0.0%	6.5%
American Indian or Alaska Native	418	9	12	5	4	4	1	4	3	4	2	3	6	0	0	9	3	4	2	1	7	1
	9.3%	4.6%	4.6%	6.0%	3.5%	7.5%	1.8%	4.7%	4.4%	5.0%	4.4%	15.0%	3.5%	0.0%	0.0%	16.7%	3.7%	6.9%	3.7%	2.2%	6.0%	3.2%
Other	454	24	25	8	16	11	2	11	8	9	6	10	12	0	0	24	13	7	4	7	15	2
	10.1%	12.2%	9.6%	9.6%	14.2%	20.8%	3.5%	12.9%	11.8%	11.3%	13.3%	50.0%	7.0%	0.0%	0.0%	44.4%	16.0%	12.1%	7.4%	15.6%	12.9%	6.5%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 52

Did someone help you complete this survey?

Base: All respondents (Please note that members who responded on the phone were not asked this question.)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	4,794	211	227	86	116	54	59	88	71	81	46	25	172	135	7	54	84	59	56	51	122	33
Number missing or multiple answer	1,361	66	0	30	27	26	17	14	23	22	10	10	47	38	1	13	28	14	15	20	32	11
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,433	145	227	56	89	28	42	74	48	59	36	15	125	97	6	41	56	45	41	31	90	22
	71.6%	68.7%	100.0%	65.1%	76.7%	51.9%	71.2%	84.1%	67.6%	72.8%	78.3%	60.0%	72.7%	71.9%	85.7%	75.9%	66.7%	76.3%	73.2%	60.8%	73.8%	66.7%
Yes	566	20	40	7	13	0	2	18	14	4	1	2	18	9	0	11	3	6	11	2	17	1
	16.5%	13.8%	17.6%	12.5%	14.6%	0.0%	4.8%	24.3%	29.2%	6.8%	2.8%	13.3%	14.4%	9.3%	0.0%	26.8%	5.4%	13.3%	26.8%	6.5%	18.9%	4.5%
No	2,867	125	187	49	76	28	40	56	34	55	35	13	107	88	6	30	53	39	30	29	73	21
	83.5%	86.2%	82.4%	87.5%	85.4%	100.0%	95.2%	75.7%	70.8%	93.2%	97.2%	86.7%	85.6%	90.7%	100.0%	73.2%	94.6%	86.7%	73.2%	93.5%	81.1%	95.5%
Significantly different from column:*							H	G	JK	I	I			P		N	S		Q			

NA - Not Applicable

*A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

Health Share of Oregon

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 53

How did that person help you? Mark one or more.

Base: All respondents who had help completing the survey (Q52) (Please note that members who responded on the phone were not asked this question.)

	2019 State OHP	2019	2018	Gender (Q48)		Age (Q47)			Education (Q49)			Hispanic (Q50)		Race (Q51)			Health Status (Q36)			Doctor Visits in Last 6 Months (Q7)		
				Male	Female	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	Hispanic	Not Hispanic	White	African-American	Other	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
				A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
Number in sample	566	20	279	7	13	0	2	18	14	4	1	2	18	9	0	11	3	6	11	2	17	1
Number missing or multiple answer	3	0	239	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	563	20	40	7	13	0	2	18	14	4	1	2	18	9	0	11	3	6	11	2	17	1
	99.5%	100.0%	14.3%	100.0%	100.0%	---	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	---	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Read the questions to me	270	12	16	6	6	0	1	11	9	2	0	2	10	7	0	5	1	3	8	2	9	1
	48.0%	60.0%	40.0%	85.7%	46.2%	---	50.0%	61.1%	64.3%	50.0%	0.0%	100.0%	55.6%	77.8%	---	45.5%	33.3%	50.0%	72.7%	100.0%	52.9%	100.0%
Wrote down the answers I gave	245	9	14	4	5	0	1	8	7	2	0	1	8	5	0	4	0	2	7	1	8	0
	43.5%	45.0%	35.0%	57.1%	38.5%	---	50.0%	44.4%	50.0%	50.0%	0.0%	50.0%	44.4%	55.6%	---	36.4%	0.0%	33.3%	63.6%	50.0%	47.1%	0.0%
Answered the questions for me	186	3	10	1	2	0	1	2	2	0	1	0	3	1	0	2	1	0	2	0	3	0
	33.0%	15.0%	25.0%	14.3%	15.4%	---	50.0%	11.1%	14.3%	0.0%	100.0%	0.0%	16.7%	11.1%	---	18.2%	33.3%	0.0%	18.2%	0.0%	17.6%	0.0%
Translated the questions into my language	73	6	14	0	6	0	0	6	4	1	0	0	6	1	0	5	1	2	3	0	6	0
	13.0%	30.0%	35.0%	0.0%	46.2%	---	0.0%	33.3%	28.6%	25.0%	0.0%	0.0%	33.3%	11.1%	---	45.5%	33.3%	33.3%	27.3%	0.0%	35.3%	0.0%
Helped in some other way	58	2	4	1	1	0	0	2	2	0	0	1	1	1	0	1	1	1	0	1	1	0
	10.3%	10.0%	10.0%	14.3%	7.7%	---	0.0%	11.1%	14.3%	0.0%	0.0%	50.0%	5.6%	11.1%	---	9.1%	33.3%	16.7%	0.0%	50.0%	5.9%	0.0%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

SURVEY INSTRUMENT

Survey Instructions

Answer each question by marking the box to the left of your answer.

You are sometimes told to skip over some questions in this survey. When this happens you will see an arrow with a note that tells you what question to answer next, like this:

- ₁ Yes → **If Yes, Go to Question 1**
₂ No

Personally identifiable information will not be made public and will only be released in accordance with federal laws and regulations.

You may choose to answer this survey or not. If you choose not to, this will not affect the benefits you get. You may notice a number on the cover of this survey. This number is **ONLY** used to let us know if you returned your survey so we don't have to send you reminders.

If you want to know more about this study, please call 1-833-257-1377. For the hearing or speech impaired, call 711 to use the Telecommunications Relay Service (TRS).

1. Our records show that you are now in Oregon Health Plan. Is that right?

- ₁ Yes → **If Yes, Go to Question 3**
₂ No

2. What is the name of your health plan?
(Please print)

Your Health Care in the Last 6 Months

These questions ask about your own health care. Do not include care you got when you stayed overnight in a hospital. Do not include the times you went for dental care visits.

3. In the last 6 months, did you have an illness, injury, or condition that needed care right away in a clinic, emergency room, or doctor's office?

- ₁ Yes
₂ No → **If No, Go to Question 5**

4. In the last 6 months, when you needed care right away, how often did you get care as soon as you needed?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

5. In the last 6 months, did you make any appointments for a check-up or routine care at a doctor's office or clinic?

- ₁ Yes
- ₂ No → **If No, Go to Question 7**

6. In the last 6 months, how often did you get an appointment for a check-up or routine care at a doctor's office or clinic as soon as you needed?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

7. In the last 6 months, not counting the times you went to an emergency room, how many times did you go to a doctor's office or clinic to get health care for yourself?

- ₀ None → **If None, Go to Question 15**
- ₁ 1 time
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5 to 9
- ₆ 10 or more times

8. In the last 6 months, did you and a doctor or other health provider talk about specific things you could do to prevent illness?

- ₁ Yes
- ₂ No

9. In the last 6 months, did you and a doctor or other health provider talk about starting or stopping a prescription medicine?

- ₁ Yes
- ₂ No → **If No, Go to Question 13**

10. Did you and a doctor or other health provider talk about the reasons you might want to take a medicine?

- ₁ Yes
- ₂ No

11. Did you and a doctor or other health provider talk about the reasons you might not want to take a medicine?

- ₁ Yes
- ₂ No

12. When you talked about starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for you?

- ₁ Yes
- ₂ No

13. Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your health care in the last 6 months?

- ₀ 0 Worst health care possible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 Best health care possible

14. In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

Your Personal Doctor

15. A personal doctor is the one you would see if you need a check-up, want advice about a health problem, or get sick or hurt. Do you have a personal doctor?

- ₁ Yes
- ₂ No → **If No, Go to Question 24**

16. In the last 6 months, how many times did you visit your personal doctor to get care for yourself?

- ₀ None → **If None, Go to Question 23**
- ₁ 1 time
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5 to 9
- ₆ 10 or more times

17. In the last 6 months, how often did your personal doctor explain things in a way that was easy to understand?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

18. In the last 6 months, how often did your personal doctor listen carefully to you?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

19. In the last 6 months, how often did your personal doctor show respect for what you had to say?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

20. In the last 6 months, how often did your personal doctor spend enough time with you?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

21. In the last 6 months, did you get care from a doctor or other health provider besides your personal doctor?

- ₁ Yes
- ₂ No → **If No, Go to Question 23**

22. In the last 6 months, how often did your personal doctor seem informed and up-to-date about the care you got from these doctors or other health providers?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

23. Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your personal doctor?

- ₀ 0 Worst personal doctor possible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 Best personal doctor possible

Getting Health Care From Specialists

When you answer the next questions, do not include dental visits or care you got when you stayed overnight in a hospital.

24. Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and other doctors who specialize in one area of health care. In the last 6 months, did you make any appointments to see a specialist?

- ₁ Yes
- ₂ No → ***If No, Go to Question 28***

25. In the last 6 months, how often did you get an appointment to see a specialist as soon as you needed?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

26. How many specialists have you seen in the last 6 months?

- ₀ None → ***If None, Go to Question 28***
- ₁ 1 specialist
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5 or more specialists

27. We want to know your rating of the specialist you saw most often in the last 6 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

- ₀ 0 Worst specialist possible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 Best specialist possible

Your Health Plan

The next questions ask about your experience with your health plan.

28. In the last 6 months, did you look for any information in written materials or on the Internet about how your health plan works?

- ₁ Yes
- ₂ No → ***If No, Go to Question 30***

29. In the last 6 months, how often did the written materials or the Internet provide the information you needed about how your health plan works?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

30. In the last 6 months, did you get information or help from your health plan's customer service?

- ₁ Yes
- ₂ No → **If No, Go to Question 33**

31. In the last 6 months, how often did your health plan's customer service give you the information or help you needed?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

32. In the last 6 months, how often did your health plan's customer service staff treat you with courtesy and respect?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

33. In the last 6 months, did your health plan give you any forms to fill out?

- ₁ Yes
- ₂ No → **If No, Go to Question 35**

34. In the last 6 months, how often were the forms from your health plan easy to fill out?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

35. Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your health plan?

- ₀ 0 Worst health plan possible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 Best health plan possible

35a. In the last 6 months, did you have a health problem for which you needed special medical equipment, such as a cane, a wheelchair, or oxygen equipment?

- ₁ Yes
- ₂ No → **If No, Go to Question 35c**

35b. In the last 6 months, how often was it easy to get the medical equipment you needed through your health plan?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

35c. In the last 6 months, did you have any health problems that needed special therapy, such as physical, occupational, or speech therapy?

- ₁ Yes
- ₂ No → **If No, Go to Question 35e**

35d. In the last 6 months, how often was it easy to get the special therapy you needed through your health plan?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

Additional Questions

The following questions ask about how much you think your doctor or other health provider respects your beliefs, attitudes, language and behavior.

35e. In the last 6 months, how often did a doctor or other health provider talk too fast when talking to you?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

35f. In the last 6 months, how often did a doctor or other health provider interrupt you when you were talking?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

35g. In the last 6 months, how often did a doctor or other health provider use a condescending, sarcastic or rude tone or manner with you?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

35h. In the last 6 months, did you feel you could trust a doctor or other health provider with your medical care?

- ₁ Yes, definitely
- ₂ Yes, somewhat
- ₃ No

Access to Dental Care

35i. A regular dentist is one you would go to for check-ups and cleanings or when you have a cavity or tooth pain. Do you have a regular dentist?

- ₁ Yes
- ₂ No

35j. In the last 6 months, did you go to a dentist's office or clinic for care?

- ₁ Yes
- ₂ No → ***If No, Go to Question 35I***

35k. In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating you?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

35l. If you tried to get an appointment for yourself with a dentist who specializes in a particular type of dental care (such as root canals or gum disease) in the last 6 months, how often did you get an appointment as soon as you wanted?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always
- ₅ I did not try to get an appointment with a specialist dentist for myself in the last 6 months

35m. In the last 6 months, if you needed to see a dentist right away because of a dental emergency, how often did you get to see a dentist as soon as you wanted?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always
- ₅ I did not have a dental emergency in the last 6 months

35n. Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist?

- ₀ 0 Extremely difficult
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 Extremely easy

About You

36. In general, how would you rate your overall health?

- ₁ Excellent
- ₂ Very Good
- ₃ Good
- ₄ Fair
- ₅ Poor

37. In general, how would you rate your overall mental or emotional health?

- ₁ Excellent
- ₂ Very Good
- ₃ Good
- ₄ Fair
- ₅ Poor

38. Have you had either a flu shot or flu spray in the nose since July 1, 2018?

- ₁ Yes
- ₂ No
- ₃ Don't know

39. Do you now smoke cigarettes or use tobacco every day, some days, or not at all?

- ₁ Every day
- ₂ Some days
- ₃ Not at all → ***If Not at All, Go to Question 43***
- ₄ Don't know → ***If Don't know, Go to Question 43***

40. In the last 6 months, how often were you advised to quit smoking or using tobacco by a doctor or other health provider in your plan?

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

41. In the last 6 months, how often was medication recommended or discussed by a doctor or health provider to assist you with quitting smoking or using tobacco? Examples of medication are: nicotine gum, patch, nasal spray, inhaler, or prescription medication.

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

42. In the last 6 months, how often did your doctor or health provider discuss or provide methods and strategies other than medication to assist you with quitting smoking or using tobacco? Examples of methods and strategies are: telephone helpline, individual or group counseling, or cessation program.

- ₁ Never
- ₂ Sometimes
- ₃ Usually
- ₄ Always

43. In the last 6 months, did you get health care 3 or more times for the same condition or problem?

- ₁ Yes
- ₂ No → **If No, Go to Question 45**

44. Is this a condition or problem that has lasted for at least 3 months? Do not include pregnancy or menopause.

- ₁ Yes
- ₂ No

45. Do you now need or take medicine prescribed by a doctor? Do not include birth control.

- ₁ Yes
- ₂ No → **If No, Go to Question 47**

46. Is this medicine to treat a condition that has lasted for at least 3 months? Do not include pregnancy or menopause.

- ₁ Yes
- ₂ No

47. What is your age?

- ₁ 18 to 24
- ₂ 25 to 34
- ₃ 35 to 44
- ₄ 45 to 54
- ₅ 55 to 64
- ₆ 65 to 74
- ₇ 75 or older

48. Are you male or female?

- ₁ Male
- ₂ Female

49. What is the highest grade or level of school that you have completed?

- ₁ 8th grade or less
- ₂ Some high school, but did not graduate
- ₃ High school graduate or GED
- ₄ Some college or 2-year degree
- ₅ 4-year college graduate
- ₆ More than 4-year college degree

50. Are you of Hispanic or Latino origin or descent?

- ₁ Yes, Hispanic or Latino
- ₂ No, Not Hispanic or Latino

51. What is your race? Mark one or more.

- _a White
- _b Black or African-American
- _c Asian
- _d Native Hawaiian or other Pacific Islander
- _e American Indian or Alaska Native
- _f Other

52. Did someone help you complete this survey?

- ₁ Yes → **If Yes, Go to Question 53**
- ₂ No → **Thank you. Please return the completed survey in the postage-paid envelope.**

53. How did that person help you? Mark one or more.

- _a Read the questions to me
- _b Wrote down the answers I gave
- _c Answered the questions for me
- _d Translated the questions into my language
- _e Helped in some other way

Thank You

Please return the completed survey in the postage-paid envelope to:

Center for the Study of Services
PO Box 10820
Herndon, VA 20172

Please do not include any other correspondence.

Instrucciones para el cuestionario

Conteste cada pregunta marcando el cuadro que aparece a la izquierda de la respuesta que usted elija.

A veces hay que saltarse alguna pregunta del cuestionario. Cuando esto ocurra, verá una flecha con una nota que le indicará cuál es la siguiente pregunta a la que tiene que pasar. Por ejemplo:

- ₁ Sí → ***Si contestó “Sí”, pase a la pregunta 1***
₂ No

La información personal identificable no se hará pública y solo se dará a conocer de conformidad con las leyes y reglamentos federales.

Usted puede optar por responder a esta encuesta o no. Si decide no participar, esto no afectará los beneficios que obtenga. Usted notará un número en la portada de esta encuesta. Este número se utiliza SOLO para hacernos saber si usted ya envió su encuesta para que no tengamos que enviarle recordatorios.

Si quiere informarse más sobre este estudio, llame al 1-833-257-1377. Las personas con problemas de audición o del habla pueden llamar al 711 para usar el Servicio de Retransmisión de Telecomunicaciones (TRS).

1. Nuestros registros muestran que usted está ahora con Oregon Health Plan. ¿Es correcta esta información?

- ₁ Sí → ***Si contestó “Sí”, pase a la pregunta 3***
₂ No

2. ¿Cómo se llama su plan de salud? *(Por favor escriba en letra de molde)*

La atención médica que usted recibió en los últimos 6 meses

Estas preguntas son acerca de la atención médica que usted ha recibido. No incluya la atención que recibió cuando pasó la noche hospitalizado. No incluya las consultas al dentista.

3. En los últimos 6 meses, ¿tuvo usted una enfermedad, lesión o problema de salud para el cual necesitó atención inmediata en una clínica, en una sala de emergencia o en un consultorio médico?

- ₁ Sí
₂ No → ***Si contestó “No”, pase a la pregunta 5***

4. En los últimos 6 meses, cuando usted necesitó atención inmediata, ¿con qué frecuencia lo atendieron tan pronto como lo necesitaba?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

5. En los últimos 6 meses, ¿hizo alguna cita para un chequeo o una consulta regular en un consultorio médico o en una clínica?

- ₁ Sí
- ₂ No → ***Si contestó "No", pase a la pregunta 7***

6. En los últimos 6 meses, ¿con qué frecuencia consiguió una cita para un chequeo o una consulta regular en un consultorio médico o en una clínica tan pronto como la necesitaba?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

7. En los últimos 6 meses, sin contar las veces en que fue a una sala de emergencia, ¿cuántas veces fue a un consultorio médico o a una clínica para recibir atención médica para usted mismo?

- ₀ Ninguna vez → ***Si contestó "Ninguna vez", pase a la pregunta 15***
- ₁ 1 vez
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5 a 9
- ₆ 10 veces o más

8. En los últimos 6 meses, ¿hablaron usted y un doctor u otro profesional médico sobre cosas específicas que usted podría hacer para prevenir enfermedades?

- ₁ Sí
- ₂ No

9. En los últimos 6 meses, ¿hablaron usted y un doctor u otro profesional médico sobre comenzar o suspender una medicina recetada?

- ₁ Sí
- ₂ No → ***Si contestó "No", pase a la pregunta 13***

10. ¿Hablaron usted y un doctor u otro profesional médico sobre las razones por las que tal vez quiera tomar una medicina?

- ₁ Sí
- ₂ No

11. ¿Hablaron usted y un doctor u otro profesional médico sobre las razones por las que tal vez no quiera tomar una medicina?

- ₁ Sí
- ₂ No

12. Cuando hablaron de comenzar o suspender una medicina recetada, ¿le preguntó un doctor u otro profesional médico sobre lo que usted creía que sería lo mejor para usted?

- ₁ Sí
- ₂ No

13. Usando un número del 0 al 10, el 0 siendo la peor atención médica posible y el 10 la mejor atención médica posible, ¿qué número usaría para calificar a toda la atención médica que ha recibido en los últimos 6 meses?

- ₀ 0 La peor atención médica posible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 La mejor atención médica posible

14. En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir la atención médica, las pruebas o el tratamiento que usted necesitaba?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

Su doctor personal

15. El doctor personal es aquel a quien usted va si necesita un chequeo, quiere pedir consejo sobre un problema de salud o si se enferma o lastima. ¿Tiene usted un doctor personal?

- ₁ Sí
- ₂ No → **Si contestó “No”, pase a la pregunta 24**

16. En los últimos 6 meses, ¿cuántas veces fue a ver a su doctor personal para recibir atención médica para usted mismo?

- ₀ Ninguna vez → **Si contestó “Ninguna vez”, pase a la pregunta 23**
- ₁ 1 vez
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5 a 9
- ₆ 10 veces o más

17. En los últimos 6 meses, ¿con qué frecuencia su doctor personal le explicó las cosas de una manera fácil de entender?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

18. En los últimos 6 meses, ¿con qué frecuencia su doctor personal le escuchó con atención?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

19. En los últimos 6 meses, ¿con qué frecuencia su doctor personal demostró respeto por lo que usted tenía que decir?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

20. En los últimos 6 meses, ¿con qué frecuencia su doctor personal pasó suficiente tiempo con usted?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

21. En los últimos 6 meses, ¿lo atendió algún doctor u otro profesional médico además de su doctor personal?

- ₁ Sí
- ₂ No → ***Si contestó "No", pase a la pregunta 23***

22. En los últimos 6 meses, ¿con qué frecuencia parecía su doctor personal estar informado y al día acerca de la atención que usted había recibido de estos doctores u otros profesionales médicos?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

23. Usando un número del 0 al 10, el 0 siendo el peor doctor personal posible y el 10 el mejor doctor personal posible, ¿qué número usaría para calificar a su doctor personal?

- ₀ 0 El peor doctor personal posible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 El mejor doctor personal posible

La atención médica que recibió de especialistas

Al contestar las siguientes preguntas no incluya las veces que fue a ver al dentista ni la atención que recibió cuando pasó la noche hospitalizado.

24. Los especialistas son doctores que se especializan en un área de la medicina. Pueden ser cirujanos, doctores especialistas en el corazón, las alergias, la piel y otras áreas. En los últimos 6 meses, ¿hizo alguna cita con un especialista?

- ₁ Sí
- ₂ No → ***Si contestó "No", pase a la pregunta 28***

25. En los últimos 6 meses, ¿con qué frecuencia consiguió una cita con un especialista tan pronto como usted la necesitaba?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

26. ¿Cuántos especialistas ha visto en los últimos 6 meses?

- ₀ Ninguno → ***Si contestó "Ninguno", pase a la pregunta 28***
- ₁ 1 especialista
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5 especialistas o más

27. Queremos saber cómo califica al especialista al que fue con más frecuencia en los últimos 6 meses. Usando un número del 0 al 10, el 0 siendo el peor especialista posible y el 10 el mejor especialista posible, ¿qué número usaría para calificar al especialista?

- ₀ 0 El peor especialista posible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 El mejor especialista posible

Su plan de salud

Las siguientes preguntas se refieren a su experiencia con su plan de salud.

28. En los últimos 6 meses, ¿buscó alguna información en materiales escritos o en la Internet sobre cómo funciona su plan de salud?

- ₁ Sí
- ₂ No → ***Si contestó “No”, pase a la pregunta 30***

29. En los últimos 6 meses, ¿con qué frecuencia encontró la información que usted necesitaba sobre cómo funciona su plan de salud en materiales escritos o en la Internet?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

30. En los últimos 6 meses, ¿recibió información o ayuda de parte del servicio al cliente de su plan de salud?

- ₁ Sí
- ₂ No → ***Si contestó “No”, pase a la pregunta 33***

31. En los últimos 6 meses, ¿con qué frecuencia el servicio al cliente de su plan de salud le dio la información o ayuda que usted necesitaba?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

32. En los últimos 6 meses, ¿con qué frecuencia el personal de servicio al cliente de su plan de salud le trató con cortesía y respeto?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

33. En los últimos 6 meses, ¿le dio su plan de salud algún formulario para que lo llenara?

- ₁ Sí
- ₂ No → ***Si contestó “No”, pase a la pregunta 35***

34. En los últimos 6 meses, ¿con qué frecuencia fueron fáciles de llenar los formularios de su plan de salud?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

35. Usando un número del 0 al 10, el 0 siendo el peor plan de salud posible y el 10 el mejor plan de salud posible, ¿qué número usaría para calificar su plan de salud?

- ₀ 0 El peor plan de salud posible
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 El mejor plan de salud posible

35a. En los últimos 6 meses, ¿tuvo usted un problema de salud para el cual necesitó equipo especial, tal como un bastón, silla de rueda, o equipo de oxígeno?

- ₁ Sí
- ₂ No → ***Si contestó "No", pase a la pregunta 35c***

35b. En los últimos 6 meses, ¿con qué frecuencia fue fácil para usted conseguir el equipo médico que usted necesitaba a través de su plan de salud?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

35c. En los últimos 6 meses, ¿tuvo usted un problema de salud para el cual necesitó terapia especial, tal como terapia física, ocupacional o terapia del habla?

- ₁ Sí
- ₂ No → ***Si contestó "No", pase a la pregunta 35e***

35d. En los últimos 6 meses, ¿con qué frecuencia fue fácil para usted conseguir la terapia especial que usted necesitaba a través de su plan de salud?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

Preguntas adicionales

Las siguientes preguntas son sobre cuánto usted piensa que su doctor u otro proveedor de salud respeta sus creencias, actitudes, lenguaje y comportamiento.

35e. En los últimos 6 meses, ¿con qué frecuencia un doctor u otro proveedor de salud le habló muy rápido?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

35f. En los últimos 6 meses, ¿con qué frecuencia un doctor u otro proveedor de salud le interrumpió cuando usted estaba hablando?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

35g. En los últimos 6 meses, ¿con qué frecuencia un doctor u otro proveedor de salud uso un tono condescendiente, sarcástico o grosero con usted?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

35h. En los últimos 6 meses, ¿sintió usted que podía confiarle su atención médica al doctor u otro proveedor de salud?

- ₁ Sí, definitivamente
- ₂ Sí, algo
- ₃ No

Acceso a atención dental

35i. Un dentista regular es a quien usted va a ver para un chequeo y limpieza o cuando tiene una carie o un dolor de diente. ¿Usted tiene un dentista regular?

- ₁ Sí
- ₂ No

35j. En los últimos 6 meses, ¿fue usted al consultorio de un dentista o a una clínica dental para recibir atención?

- ₁ Sí
- ₂ No → ***Si contestó "No", pase a la pregunta 35l***

35k. En los últimos 6 meses, ¿con qué frecuencia el personal dental o el dentista le explicaron lo que le hacían durante el tratamiento?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

35l. Si usted trató de conseguir una cita para usted con un dentista que se especializaba en un tipo de atención dental en particular (como una endodoncia (root canal) o enfermedad de las encías) en los últimos 6 meses, ¿con qué frecuencia le dieron una cita tan pronto como la quería?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre
- ₅ No traté de conseguir una cita con un especialista dental para mí en los últimos 6 meses

35m. En los últimos 6 meses, si usted necesitó ver a un dentista de inmediato por una emergencia dental, ¿con qué frecuencia pudo ver usted a un dentista tan pronto como quería?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre
- ₅ No tuve una emergencia dental en los últimos 6 meses

35n. Usando un número del 0 al 10, el 0 siendo extremadamente difícil y el 10 extremadamente fácil, ¿qué número usaría para calificar cuán fácil le fue encontrar un dentista?

- ₀ 0 Extremadamente difícil
- ₁ 1
- ₂ 2
- ₃ 3
- ₄ 4
- ₅ 5
- ₆ 6
- ₇ 7
- ₈ 8
- ₉ 9
- ₁₀ 10 Extremadamente fácil

Acerca de usted

36. En general, ¿cómo calificaría toda su salud?

- ₁ Excelente
- ₂ Muy buena
- ₃ Buena
- ₄ Regular
- ₅ Mala

37. En general, ¿cómo calificaría toda su salud mental o emocional?

- ₁ Excelente
- ₂ Muy buena
- ₃ Buena
- ₄ Regular
- ₅ Mala

38. Desde el 1 de julio del 2018, ¿le han puesto la vacuna para la influenza o gripe ya sea en inyección o con un rociador o espray nasal?

- ₁ Sí
- ₂ No
- ₃ No sé

39. Actualmente, ¿fuma cigarrillos o usa tabaco todos los días, algunos días o nunca?

- ₁ Todos los días
- ₂ Algunos días
- ₃ No fumo en absoluto → ***Si contestó “No fumo en absoluto”, pase a la pregunta 43***
- ₄ No sé → ***Si contestó “No sé”, pase a la pregunta 43***

40. En los últimos 6 meses, ¿qué tan seguido le aconsejó un doctor u otro profesional médico de su seguro que dejara de fumar o usar tabaco?

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

41. En los últimos 6 meses, ¿qué tan seguido le recomendó, o habló un doctor o profesional médico sobre medicamentos para ayudarlo(a) a dejar de fumar o usar tabaco? Ejemplos de medicamentos son: chicle o goma de mascar con nicotina, parche, rociador o aerosol nasal, inhalador o medicamentos con receta.

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

42. En los últimos 6 meses, ¿qué tan seguido le ofreció o habló con su doctor o profesional médico sobre métodos y estrategias, aparte de medicamentos, para ayudarlo(a) a dejar de fumar o usar tabaco? Ejemplos de métodos y estrategias son: una línea telefónica de ayuda, consejería individual o terapia de grupo o un programa para dejar de fumar.

- ₁ Nunca
- ₂ A veces
- ₃ La mayoría de las veces
- ₄ Siempre

43. En los últimos 6 meses, ¿recibió usted atención médica 3 veces o más para la misma enfermedad o problema?

- ₁ Sí
- ₂ No → ***Si contestó "No", pase a la pregunta 45***

44. ¿Se trata de una enfermedad o problema que ha durado al menos 3 meses? No incluya el embarazo ni la menopausia.

- ₁ Sí
- ₂ No

45. ¿Necesita o toma ahora alguna medicina recetada por un doctor? No incluya anticonceptivos.

- ₁ Sí
- ₂ No → ***Si contestó "No", pase a la pregunta 47***

46. ¿Es esta medicina para tratar una enfermedad o problema que ha durado al menos 3 meses? No incluya el embarazo ni la menopausia.

- ₁ Sí
- ₂ No

47. ¿Qué edad tiene?

- ₁ 18 a 24 años
- ₂ 25 a 34
- ₃ 35 a 44
- ₄ 45 a 54
- ₅ 55 a 64
- ₆ 65 a 74
- ₇ 75 años o más

48. ¿Es usted hombre o mujer?

- ₁ Hombre
- ₂ Mujer

49. ¿Cuál es el grado o nivel escolar más alto que usted ha completado?

- ₁ 8 años de escuela o menos
- ₂ 9 a 12 años de escuela, pero sin graduarse
- ₃ Graduado de la escuela secundaria (*high school*), Diploma de escuela secundaria, preparatoria o su equivalente (o GED)
- ₄ Algunos cursos universitarios o un título universitario de un programa de 2 años
- ₅ Título universitario de 4 años
- ₆ Título universitario de más de 4 años

50. ¿Es usted de origen o ascendencia hispana o latina?

- ₁ Sí, hispano o latino
- ₂ No, ni hispano ni latino

51. ¿A qué raza pertenece? Marque una o más.

- _a Blanca
- _b Negra o afroamericana
- _c Asiática
- _d Nativa de Hawái o de otras islas del Pacífico
- _e Indígena americana o nativa de Alaska
- _f Otra

52. ¿Le ayudó alguien a completar esta encuesta?

- ₁ Sí → ***Si contestó "Sí", pase a la pregunta 53***
- ₂ No → ***Gracias. Por favor, devuelva esta encuesta en el sobre con el porte o franqueo pagado.***

53. ¿Cómo le ayudó a usted esta persona? Marque una o más.

- _a Me leyó las preguntas
- _b Anotó las respuestas que le di
- _c Contestó las preguntas por mí
- _d Tradujo las preguntas a mi idioma
- _e Me ayudó de otra forma

Gracias

Por favor devuelva esta encuesta en el sobre con el porte o franqueo pagado a:

Center for the Study of Services
PO Box 10820
Herndon, VA 20172

Por favor no incluya cualquier otra correspondencia.

CALCULATION GUIDELINES FOR GLOBAL PROPORTIONS

NCQA's *HEDIS 2019, Volume 3: Specifications for Survey Measures* contains detailed guidelines for calculation of survey results. These guidelines include:

- Criteria for including a survey in the results calculation. A questionnaire must have the final disposition code of *Complete and Valid Survey* to be included in the calculation of plan-level scores.
- Rules for handling appropriately answered questions (i.e., questions that comply with survey skip-pattern instructions).
- Rules for handling inappropriately answered questions (e.g., unanswered questions, multiple-mark questions, questions that should have been skipped, and questions within a skip pattern of an inappropriately answered or skipped gate item).
- Rules for calculating denominators for questions and composites. The denominator for a question is equal to the total number of responses to that question. The denominator for a composite is the average number of responses across all questions in the composite.
- Rules for calculating rolling average composites and question summary rates. *For OHA analysis, rolling average measures were calculated using single year rates.*
- Rules for handling changes in submission entity (i.e., if a health plan changes how it reports CAHPS results from one year to the next.)

COMPOSITE GLOBAL PROPORTIONS

Global Proportions are *average* proportions of respondents who gave the plan a favorable rating on each question in a composite. There are three steps needed to calculate the composite global proportion:

Step 1

For each question in a composite, count the number of members who selected a favorable response option:

- For all composite questions except those in the *Shared Decision Making* composite, the favorable responses are Usually and Always.
- For the *Shared Decision Making* questions, the favorable response is Yes.

Step 2

For each question, determine the proportion of respondents rating favorably (i.e., *Usually/Always* or *Yes*).

Step 3

Calculate the average proportion rating favorably across all the questions in the composite. These are the composite global proportions. Note: each question in a composite is weighted equally, regardless of how many members respond.

Using the example above, here is an illustration of the step-by-step calculation of the *Getting Care Quickly* composite global proportion. Missing responses are not included in the denominator.

Response option	Q4	Q6	Global Proportion
<i>Never or Sometimes</i>	$1 / 5 = 0.20$	$1 / 4 = 0.25$	$(0.20 + 0.25) / 2 = 0.2250$
<i>Usually</i>	$2 / 5 = 0.40$	$1 / 4 = 0.25$	$(0.40 + 0.25) / 2 = 0.3250$
<i>Always</i>	$2 / 5 = 0.40$	$2 / 4 = 0.50$	$(0.40 + 0.50) / 2 = 0.4500$
<i>Always or Usually</i>	$4 / 5 = 0.80$	$3 / 4 = 0.75$	$(0.80 + 0.75) / 2 = 0.7750$

Therefore, 80.00 percent and 75.00 percent of members respectively provided favorable responses to the *Getting Care Quickly* questions Q4 and Q6. Averaging these two proportions yields the global proportion score of 77.50 percent for the *Getting Care Quickly* composite.

GLOSSARY OF TERMS

Attributes	Areas of health plan performance and member experience assessed with the CAHPS survey
Benchmark	A reference score (e.g., the State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate) against which performance on the measure is assessed. See <i>Comparisons to Benchmarks and Prior-Year Results</i> .
CAHPS 5.0H Surveys	Consumer Assessment of Healthcare Providers and Systems (CAHPS) is a series of surveys designed to collect consumer feedback on their health care experiences. The CAHPS 5.0H Health Plan Survey asks members to report on their experiences with access to appointments and care through their health plan, communication with doctors available through the plan, and customer service. The Commercial plan version asks about member experiences in the previous 12 months, whereas the Medicaid version refers to the previous six (6) months. The Medicaid version is available for adults and children; the Commercial version is for adults only. The Adult survey is intended for respondents who are 18 and older; the Child survey asks parents or guardians about the experiences of children 17 and younger. Health plans report survey results as part of HEDIS data collection. NCQA uses survey results in health plan performance reports, to inform accreditation decisions, and to create national benchmarks for care. Health plans might also collect CAHPS survey data for internal quality improvement purposes.
Composite Measures	Composite measures combine results from related survey questions into a single score to summarize health plan performance in a specific area of care or service. The set of applicable composites varies slightly by survey version. See <i>Experience of Care Measures</i> .
Confidence Level	A confidence level is associated with tests of statistical significance of observed differences in survey scores. It is expressed as a percentage and represents how often the observed difference (e.g., between the plan's current-year rate and the relevant benchmark rate) is real and not simply due to chance. A 95% confidence level associated with a statistical test means that if repeated samples were surveyed, in 95 out of 100 samples the observed measure score would be truly different from the comparison score.
Correlation	A degree of association between two variables, or attributes, typically measured by the <i>Pearson correlation coefficient</i> . The coefficient value of 1 indicates a strong positive relationship; -1 indicates a strong negative relationship; zero indicates no relationship at all.
Denominator (<i>n</i> , or Usable Responses)	Number of valid (appropriately answered) responses available to calculate a measure result. Examples of inappropriately answered questions include ambiguously marked answers, multiple marks when a single answer choice is expected, and responses that violate survey skip patterns. The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite. If the denominator is less than 30 responses, a measure result of "Low n" was assigned.

Disposition	The final status given to a member record in the survey sample at the end of the study (e.g., completed survey, refusal, non-response, etc.) See <i>Member Dispositions and Response Rate</i> .
Effectiveness of Care	Effectiveness of Care measures are relevant to Adult surveys only and include <i>Flu Vaccinations for Adults Ages 18–64 (FVA)</i> and <i>Medical Assistance with Smoking and Tobacco Use Cessation (MSC)</i> .
Eligible Population	Members who are eligible to participate in the survey based on the following criteria: <ul style="list-style-type: none"> - Current enrollment (as of the date the sample frame is generated). Some members may no longer be enrolled by the time they complete the survey. They become ineligible and will be excluded from survey results based on their responses to the first two questions on the survey, which confirm membership. - Continuous enrollment (six months for Medicaid, with no more than one enrollment break of 45 days or less); - Member age (18 years old or older for the Adult survey and 17 years old or younger for the Child survey as of November 30 of the measurement year); - Primary coverage (through Medicaid or a commercial product line for Medicaid and Commercial surveys, respectively).
Global proportions	Applies to composite measures. The proportion of respondents selecting the favorable response(s) (e.g., <i>Always</i> or <i>Usually</i>) averaged across the questions that make up the composite. See <i>Question Summary Rates and Composite Global Proportions</i> .
HEDIS	The Healthcare Effectiveness Data and Information Set (HEDIS) is a set of performance measures in the managed care industry, developed and maintained by NCQA. HEDIS was designed to allow consumers to compare health plan performance to other plans and to national or regional benchmarks as well as to track year-to-year performance. HEDIS is one component of NCQA's accreditation process, although some plans submit HEDIS data without seeking accreditation. CAHPS measures are a subset of HEDIS.
Key Drivers and Priorities for Improvement	Key Drivers are plan attributes that have been shown to be closely related to members' overall assessment of the plan. Performance on these attributes predicts how the plan is rated overall and, viewed from the industry perspective, helps to distinguish high-rated plans from poorly rated plans. Specific priorities for improvement for <i>your organization</i> are identified based on how it is currently performing on the key driver attributes compared to industry best practices.
NCQA	The National Committee for Quality Assurance (NCQA) is an independent non-profit organization that works to improve health care quality through the administration of evidence-based standards, measures, programs, and accreditation. NCQA manages voluntary accreditation programs for individual physicians, health plans, and medical groups. Health plans seek accreditation and measure performance through the administration and submission of the Healthcare Effectiveness Data and Information Set (HEDIS) and Consumer Assessment of Healthcare Providers and Systems (CAHPS) survey.

Question Summary Rate	Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest (typically representing the most favorable outcome(s) from a given question on the survey). Many survey items use a <i>Never, Sometimes, Usually, or Always</i> response scale, with <i>Always</i> being the most favorable outcome. Results are typically reported as the proportion of members selecting <i>Usually</i> or <i>Always</i> . See <i>Question Summary Rates and Composite Global Proportions</i> .
Response Rate	Survey response rate is calculated using the following formula:
	$\text{Response Rate} = \frac{\text{Complete and Eligible Surveys}}{[\text{Complete and Eligible} + \text{Incomplete (but Eligible)} + \text{Refusal} + \text{Nonresponse after maximum attempts} + \text{Added to Do Not Call (DNC) List}]}$
Sample size	OHA's methodology used a sample size of 1,000 for Adult Medicaid samples, 800 for Child Medicaid samples, and 450 for Child Medicaid with Chronic Conditions samples.
Statistically Significant Difference	When survey results are calculated based on sample data and compared to a benchmark score (e.g., State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate), the question is whether the observed difference is real or due to chance. A difference is said to be statistically significant at a given confidence level (e.g., 95%) if it has a 95% chance of being true.
Trending	Comparison of survey results over time
Usable Responses (<i>n</i>)	See <i>Denominator</i>
Valid Response	Any acceptable (falling within a pre-defined set) response to a survey question that follows the NCQA skip pattern rules and data cleaning guidelines.