

Oregon Health Plan Report of Results for

PrimaryHealth Child Population

2019 CAHPS® 5.0H Medicaid with CCC Measure Member Experience Survey

Prepared for:

Oregon Health Authority

Prepared by:

Center for the Study of Services 1625 K Street NW, Suite 800 Washington, DC 20006



Table of Contents

| Introduction | |
|---|----|
| Executive Summary | 5 |
| Results on Key Survey Measures | 5 |
| Top Priorities for Quality Improvement | 5 |
| Survey Results at a Glance | 7 |
| About This Report | |
| Survey Methodology | 10 |
| Survey Protocol and Timeline | 10 |
| Survey Materials | 10 |
| Sample Selection | 10 |
| Data Capture | 11 |
| Member Dispositions and Response Rate | 12 |
| Satisfaction with the Experience of Care | |
| Experience of Care Measures | 13 |
| Calculation and Reporting of Results | 16 |
| Summary of Survey Results | 17 |
| Detailed Performance Charts | 19 |
| Member Profile and Analysis of Plan Ratings by Member Segment | 44 |
| Health Status and Demographics | 45 |
| Use of Services | 51 |
| Key Driver Analysis | 54 |

| | Objectives | 54 |
|-------|---|-------|
| | Technical Approach | |
| | Industry Key Driver Model | 55 |
| | Opportunities for Plan Quality Improvement | 56 |
| | Health Plan Quality Improvement Resources for Key Drivers | 58 |
| Appen | dix | I |
| | Cross-Tabulations of Survey Responses | II |
| | Survey Instrument | . III |
| | Calculation Guidelines for Global Proportions | .IV |
| | Glossary of Terms | .VI |

INTRODUCTION

The Oregon Health Authority (OHA) contracts with managed care organizations, also known as Coordinated Care Organizations (CCOs), to provide health care services. Understanding the experience of people who are Oregon Health Plan (OHP) members is important to clinicians, policy makers, patients and consumers, quality monitors and regulators, provider organizations, health plans, community collaboratives, and those who are responsible for monitoring and evaluating the quality of and access to health care services.

Introduced by the Agency for Healthcare Research and Quality (AHRQ) in the mid-1990s, the Consumer Assessment of Healthcare Providers and Systems (CAHPS) program encompasses the full range of standardized surveys that ask consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers, such as accessibility of services and communication skills of providers.

OHA conducts annual CAHPS surveys asking consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers and focus on aspects of quality that consumers are best qualified to assess, such as the communication skills of providers and ease of access to health care services. The survey results help inform decisions for those involved with providing care to OHP members and to improve the quality of health care services.

The survey measures member satisfaction with the experience of care and gives a general indication of how well the health plan meets members' expectations. Surveyed members are asked to rate various aspects of the health plan based on their experience with the plan during the previous six months.

EXECUTIVE SUMMARY

CSS administered the Child Medicaid with CCC Measure version of the 2019 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of PrimaryHealth between January 9 and April 9, 2019. The final Child Medicaid with CCC Measure survey sample for PrimaryHealth included 450 members. 99 members completed the survey, resulting in a response rate of 22.20 percent.

This section highlights some of the key survey findings for PrimaryHealth, including trends in CAHPS ratings and composites and comparisons to the State Oregon Health Plan results. Results are based on the rates of members answering 8, 9, or 10 for the ratings questions; Yes for the Shared Decision Making composite; and Usually or Always for all other measures. Statistical significance tests were conducted at the 95% confidence level. Up to five organizational priorities for quality improvement are also identified based on CSS's Key Driver Analysis.

RESULTS ON KEY SURVEY MEASURES

STATISTICALLY SIGNIFICANT IMPROVEMENTS OR DECLINES COMPARED TO 2018

| Reportable Rate IMPROVED | Reportable Rate DECLINED | |
|---|---------------------------------------|--|
| No statistically significant improvements | No statistically significant declines | |

STATISTICALLY SIGNIFICANT DIFFERENCES FROM STATE OREGON HEALTH PLAN

| Reportable Rate ABOVE State OHP | Reportable Rate BELOW State OHP | | | | | |
|---------------------------------|---------------------------------|--|--|--|--|--|
| 2019 State OHP | | | | | | |
| None | None | | | | | |

TOP PRIORITIES FOR QUALITY IMPROVEMENT

CSS's Key Driver Analysis identifies the areas of health plan performance and aspects of member experience that shape members' overall assessment of their health plan. To the extent that these specific areas or experiences can be improved, the overall rating of the plan should reflect these gains. Up to five quality improvement opportunities with the highest return on investment for PrimaryHealth are identified below. Effective interventions in these areas have the greatest potential impact on the Rating of Health Plan score.

Top Priorities for Quality Improvement

- 1. Improving the quality of physicians in the plan's network (personal doctors)
- 2. Improving member access to care (ease of getting needed care, tests, or treatment)
- 3. Improving member access to care (getting an appointment to see a specialist)
- 4. Improving member access to care (having a personal doctor)

The remainder of this report examines these and other findings in greater detail.

SURVEY RESULTS AT A GLANCE

An overview of summary measures are presented in Exhibit 1. This includes CAHPS ratings and composites and comparisons to the State Oregon Health Plan results, and prior year data (where available).

EXHIBIT 1. 2019 PRIMARYHEALTH CHILD MEDICAID WITH CCC MEASURE SURVEY RESULTS AT A GLANCE

| | | Global Proportion Summar | Valid Responses | | | |
|-------------------------|---|-----------------------------|--------------------|------|------|----------------|
| | CAHPS 5.0H Survey Measures | 2018 | 2019 | 2018 | 2019 | 2019 State OHP |
| | Q14. Rating of All Health Care | 86.67% | 78.08% | 45 | 73 | 82.91% |
| Overall Ratings | Q41. Rating of Personal Doctor | 81.13% | 85.23% | 53 | 88 | 88.32% |
| (% 8, 9, or 10) | Q48. Rating of Specialist Seen Most Often | 78.26% (Low n) | 91.67% (Low n) | 23 | 24 | 84.25% |
| | Q54. Rating of Health Plan | 71.93% | 79.59% | 57 | 98 | 78.94% |
| Getting Needed Care | Getting Needed Care Composite | 85.64% | 80.46% | 33 | 50 | 82.67% |
| (% Always or Usually) | Q15. Easy to get needed care | 93.02% | 87.84% | 43 | 74 | 88.30% |
| (70 Always Of Osually) | Q46. Easy to see specialists | 78.26% (Low n) | 73.08% (Low n) | 23 | 26 | 77.04% |
| Getting Care Quickly | Getting Care Quickly Composite | 96.25% | 98.48% | 31 | 50 | 89.95% |
| (% Always or Usually) | Q4. Got urgent care as soon as needed | 100.00% (Low n) | 100.00% | 22 | 33 | 92.02% |
| (% Always or Usually) | Q6. Got routine care as soon as needed | 92.50% | 96.97% | 40 | 66 | 87.89% 🛕 |
| | How Well Doctors Communicate Composite | 91.62% | 94.59% | 45 | 74 | 93.91% |
| How Well Doctors | Q32. Doctor explained things | 88.89% | 97.26% | 45 | 73 | 94.39% |
| Communicate* | Q33. Doctor listened carefully | 91.11% | 93.24% | 45 | 74 | 95.03% |
| (% Always or Usually) | Q34. Doctor showed respect | 90.91% | 94.59% | 44 | 74 | 95.66% |
| | Q37. Doctor spent enough time | 95.56% | 93.24% | 45 | 74 | 90.54% |
| Customer Service | Customer Service Composite | 86.84% (Low n) | 96.15% (Low n) | 19 | 26 | 87.47% |
| | Q50. Provided needed information/help | 84.21% (Low n) | 92.31% (Low n) | 19 | 26 | 81.08% |
| (% Always or Usually) | Q51. Treated with courtesy/respect | 89.47% (Low n) | 100.00% (Low n) | 19 | 26 | 93.85% |
| Shared Decision | Shared Decision Making Composite | 79.38% (Low n) | 89.07% (Low n) | 23 | 28 | 83.16% |
| | Q11. Discussed reasons to take a medicine | 100.00% (Low n) | 100.00% (Low n) | 23 | 28 | 94.30% |
| Making** | Q12. Discussed reasons not to take a medicine | 60.87% (Low n) | 85.71% (Low n) | 23 | 28 | 74.32% |
| (% Yes) | Q13. Discussed what was best for you | 77.27% (Low n) | 81.48% (Low n) | 22 | 27 | 80.85% |
| Other Areas | Q8. Health Promotion and Education (% Yes) | 84.44% | 78.95% | 45 | 76 | 75.28% |
| Other Areas | Q40. Coordination of Care (% Always or Usually) | 75.00% (Low n) | 80.00% | 28 | 35 | 82.37% |
| | . Access to Prescription Medicines | 94.12% | 89.80% | 34 | 49 | 88.93% |
| obline the objects | . Access to Specialized Services | 51.39% (Low n) | 55.16% (Low n) | 10 | 15 | 68.66% |
| Children with Chronic | . Getting Needed Information | 90.91% | 93.42% | 44 | 76 | 91.48% |
| Conditions Measures | . Personal Doctor Who Knows Child | 79.07% | 89.18% | 35 | 49 | 87.43% |
| | . Coordination of Care for Children With Chronic Conditions | 87.04% (Low n) | 71.40% (Low n) | 14 | 22 | 78.49% |

If n is less than 30, "Low n" is displayed next to score.

Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the denominator threshold (n=30). All statistical tests are conducted at the 95% confidence level prior to rounding. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as 🛦 when your rate is higher or 🔻 when it is lower.

ABOUT THIS REPORT

The key features of this 2019 CAHPS report, prepared by CSS for PrimaryHealth, are highlighted below.

- Survey results presented in this report were calculated following the NCQA guidelines published in *HEDIS* 2019, *Volume 3: Specifications for Survey Measures* unless otherwise noted. Summary Results are reported regardless of whether the denominator threshold is met, however, any summary measure where the denominator is less than 30 is marked as "Low n".
- Throughout the report, the 2019 PrimaryHealth survey results are compared to the 2019 State OHP. The 2019 State OHP is calculated by pooling Child Medicaid survey responses across CCOs surveyed by the Oregon Health Authority.
- Executive Summary provides a high-level overview of survey findings. This section highlights the areas where PrimaryHealth performs significantly above or below the State Oregon Health Plan performance. If prior-year survey results are available, any statistically significant improvements or declines on key survey measures are also noted. Up to five top organizational priorities for quality improvement based on CSS's Key Driver Analysis are identified.
- Summary of Survey Results presents the 2019 PrimaryHealth survey scores on key measures, including question summary rates (QSRs), global proportions, and changes in QSR and global proportion scores from the previous year (if applicable); and comparisons to relevant Oregon Health Plan benchmarks. Statistically significant differences in scores are noted.
- Detailed Performance Charts are provided for the rating questions, composite measures, and individual survey items representing the various CAHPS domains of care. The 2019 PrimaryHealth QSRs and global proportions are compared to the 2019 State OHP on all measures. Where available, a three-year trend in scores is also shown.
- Member Profile and Analysis of Plan Ratings by Member Segment compares the 2019 PrimaryHealth respondent profile to the appropriate reference distribution (i.e., all plans included in the 2019 State OHP) of demographic characteristics and utilization variables. Variation in Rating of Health Plan measure by member segment is examined.
- Key Driver Analysis identifies those aspects of member experience (key drivers) that are closely related to the overall rating of the plan. The CSS Key Driver Model quantifies the contribution of each key driver to the overall evaluation of the plan. The 2019 PrimaryHealth results on each key driver are compared to the highest score among the one Child Medicaid plans contributing to the 2019 State OHP, yielding a measure of available room for improvement in each area. The result is then weighted by the key driver's contribution to the overall Rating of Health Plan score. Opportunities for improvement are prioritized based on the expected improvement in the PrimaryHealth Rating of Health Plan score due to improved performance on the key driver. A separate section of the report provides some helpful resources for health plan quality improvement.

| The Ap | pendix | includ | les: |
|----------------------------|--------|--------|------|
|----------------------------|--------|--------|------|

- Detailed cross-tabulations of survey responses for every survey question, with additional tables summarizing performance on key survey measures;
- A copy of the survey instrument;
- Step-by-step guidelines for calculating composite global proportions; and
- A glossary of terms.

SURVEY METHODOLOGY

SURVEY PROTOCOL AND TIMELINE

CSS administered the Child Medicaid with CCC Measure version of the 2019 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of PrimaryHealth using a mixed methodology of internet, mail, and telephone. The Oregon Health Authority's mixed methodology consisted of the following milestones:

- A prenotification letter with an invitation to complete the survey online, which was mailed on January 9;
- An initial questionnaire with cover letter, which was mailed on January 16;
- A replacement questionnaire with cover letter, which was mailed on February 13;
- A telephone follow-up phase targeting non-respondents, with up to four telephone follow-up attempts spaced at different times of the day and on different days of the week, which started on March 6; and
- Close of data collection on April 9, 2019.

SURVEY MATERIALS

The survey instruments (both English and Spanish) used for PrimaryHealth are provided in the Appendix. CSS designed the survey following instructions from OHA and the NCQA specifications detailed in *HEDIS 2019, Volume 3: Specifications for Survey Measures* and *Quality Assurance Plan for HEDIS 2019 Survey Measures*. The materials referred to Oregon Health Plan and included the Oregon Health Authority logo on all of the mailing materials. Each survey package included a postage-paid return envelope. Besides the core CAHPS questions, the survey included 12 additional questions added by OHA. These included questions on cultural competency, access to dental care, and kindergarten readiness. All mailings included a duplex English and Spanish cover letter. Members received either an English or Spanish survey based on language information provided by Oregon Health Authority. Members had the option to request the survey in the other language using a telephone request line.

SAMPLE SELECTION

CSS followed Oregon Health Authority's instructions to generate the survey sample for PrimaryHealth. Sample-eligible members were defined as plan members who were 17 years old or younger as of November 30, 2018; were currently enrolled; had been continuously enrolled for six months (with no more than one

enrollment break of 45 days or less); and whose primary coverage was through Medicaid. The sample frame included a pre-screen status code to identify children that were likely to have a chronic condition (CCC) based on claim and encounter records. Using this code, a sample was drawn from the child Medicaid population to receive the CCC instrument. The results for the CCC population presented in this report are based the pre-screen status code rather than responses to the survey in the NCQA methodology.

Prior to sampling, CSS carefully inspected the member file(s) and informed the Oregon Health Authority of any errors or irregularities found (such as missing address elements or subscriber numbers). Once the quality assurance process had been completed, CSS processed member addresses through the USPS National Change of Address (NCOA) service to ensure that the mailing addresses were up-to-date.

The final sample was generated using a random selection methodology, with no more than one member per household selected to receive the survey. The exception to this rule was any CCO that failed to meet the desired sample size in which case more than one member per household could be selected. CSS assigned each sampled member a unique identification number, which was used to track their progress throughout the data collection process.

The Oregon Health Authority chose to oversample for targeted race and ethnicity groups to ensure these groups were appropriately represented in the state sample. Data for those sample members only appear in the State OHP results and not the individual CCO results. The final survey sample for PrimaryHealth included 450 members.

DATA CAPTURE

Questionnaires returned by mail were recorded using either manual data entry or optical scanning. Responses recorded via manual data entry were keyed by two independent data entry operators, and any discrepancies between the two response records were flagged and reconciled by a supervisor. Individual responses on surveys recorded via optical scanning were sent to data entry operators if the scanning technology was unable to identify the specific response option selected with a pre-defined degree of certainty.

Computer Assisted Telephone Interviewing (CATI) technology was used to electronically capture survey responses obtained during telephone interviews. Members were able to complete the survey in either English or Spanish. On-site CATI supervisors maintained quality control by monitoring the telephone interviews and keyboard entry of interviewers in real time. In addition, CSS research staff remotely monitored interviews on a regular basis. Due to the multiple mailings and varied modes of data collection, multiple survey responses could be received from the same sample member. In those cases, CSS included only one survey response (the most complete survey) in the final analysis dataset.

MEMBER DISPOSITIONS AND RESPONSE RATE

Among the PrimaryHealth sample members who met final eligibility criteria, 99 completed the survey, resulting in a response rate of 22.20 percent. Additional detail on sample member status at the end of data collection (dispositions) is provided in Exhibit 2.

EXHIBIT 2. 2019 PRIMARYHEALTH CHILD MEDICAID WITH CCC MEASURE CAHPS SURVEY: SAMPLE MEMBER DISPOSITIONS AND RESPONSE RATE

| | Total | | |
|--|--------|------------------|----------------|
| Disposition | Number | % Initial Sample | 2019 State OHP |
| Initial Sample | 450 | 100.00% | |
| Disposition | | | |
| Complete and Eligible - Mail | 60 | 13.33% | 13.05% |
| Complete and Eligible - Phone | 37 | 8.22% | 10.56% |
| Complete and Eligible - Internet | 2 | 0.44% | 0.91% |
| Complete and Eligible - Total | 99 | 22.00% | 24.52% |
| Does not meet Eligible Population criteria | 3 | 0.67% | 0.78% |
| Incomplete (but Eligible) | 3 | 0.67% | 0.82% |
| Ineligible | 1 | 0.22% | 1.82% |
| - Language barrier | 1 | 0.22% | 0.61% |
| - Mentally or physically incapacitated | 0 | 0.00% | 0.00% |
| - Deceased | 0 | 0.00% | 0.01% |
| Refusal | 5 | 1.11% | 1.58% |
| Nonresponse after maximum attempts | 338 | 75.11% | 71.18% |
| Added to Do Not Call (DNC) list | 1 | 0.22% | 0.50% |
| Response Rate* | | 22.20% | 24.87% |

11670

^{*}Response rate = Complete and Eligible Surveys/[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts + Added to Do Not Call (DNC) List]

SATISFACTION WITH THE EXPERIENCE OF CARE

EXPERIENCE OF CARE MEASURES

CAHPS Health Plan Survey 5.0H, Child Medicaid with CCC Measure version includes four global *rating questions* that ask respondents to rate the following items on a 0 to 10 scale:

- Rating of Personal Doctor (0 = worst personal doctor possible; 10 = best personal doctor possible)
- Rating of Specialist Seen Most Often (0 = worst specialist possible; 10 = best specialist possible)
- Rating of All Health Care (0 = worst health care possible; 10 = best health care possible)
- Rating of Health Plan (0 = worst health plan possible; 10 = best health plan possible)

The results for eight *composite measures* are also reported. Composite measures combine results from related survey questions into a single measure to summarize health plan performance in the areas listed below.

- Getting Needed Care combines responses to two survey questions that address member access to care:
 - In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?
 - In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?
- Getting Care Quickly combines responses to two survey questions that address timely availability of both urgent and routine care:
 - In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed?
 - In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?
- How Well Doctors Communicate combines responses to four survey questions that address physician communication:
 - In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?

- In the last 6 months, how often did your child's personal doctor listen carefully to you?
- In the last 6 months, how often did your child's personal doctor show respect for what you had to say?
- In the last 6 months, how often did your child's personal doctor spend enough time with your child?
- Customer Service combines responses to two survey questions that ask about member experience with the health plan's customer service:
 - In the last 6 months, how often did customer service staff at your child's health plan give you the information or help you needed?
 - In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?
- Shared Decision Making combines responses to three survey questions that focus on decisions about taking prescription medicines:
 - Did you and a doctor or other health provider talk about the reasons you might want your child to take a medicine?
 - Did you and a doctor or other health provider talk about the reasons you might not want your child to take a medicine?
 - When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child?

The following composite measures are calculated and reported for the CCC survey:

- Access to Specialized Services combines responses to three survey questions addressing the child's access to special equipment or devices, therapies, treatments, or counseling:
 - In the last 6 months, how often was it easy to get special medical equipment or devices for your child?
 - In the last 6 months, how often was it easy to get this therapy for your child?
 - In the last 6 months, how often was it easy to get this treatment or counseling for your child?
- Personal Doctor Who Knows Child combines responses to three survey questions addressing the doctor's understanding of the child's health issues:
 - In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?

- Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life?
- Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your family's day-to-day life?
- **Coordination of Care for Children with Chronic Conditions** combines responses to two survey items addressing care coordination needs related to the child's chronic condition:
 - In the last 6 months, did you get the help you needed from your child's doctors or other health providers in contacting your child's school or daycare?
 - In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services?

In addition to the eight composite measures listed above, question summary rates are also reported for two survey items summarizing the following concepts:

Health Promotion and Education

In the last 6 months, did you and your child's doctor or other health provider talk about specific things you could do to prevent illness in your child?

Coordination of Care

In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

The results for *Health Promotion and Education* and *Coordination of Care* are reported for the child Medicaid survey. Additional question summary rates calculated and reported for the CCC instrument include:

Getting Needed Information

In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers?

Access to Prescription Medicines

In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan?

CALCULATION AND REPORTING OF RESULTS

QUESTION SUMMARY RATES AND COMPOSITE GLOBAL PROPORTIONS

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest from a given question on the survey.

- Rating questions use a 0 to 10 scale with 10 being the most favorable response. Results are reported as the proportion of members selecting one of the top three responses (8, 9, or 10).
- Most survey items use a *Never, Sometimes, Usually*, or *Always* scale, with *Always* being the most favorable response. Results are reported as the proportion of members selecting *Usually* or *Always*.
- Shared Decision Making and Health Promotion and Education use a Yes or No scale, with Yes being the desired response. Results are reported as the proportion of members selecting Yes.
- Items contributing to CCC composites *Personal Doctor Who Knows Child* and *Coordination of Care for Children with Chronic Conditions* use a *Yes* or *No* scale, with *Yes* being the most favorable response. Results are reported as the proportion of members selecting *Yes*.

Composite Global Proportions express the proportion of respondents selecting the response option(s) of interest from a given group of questions on the survey. They are calculated by first determining the proportion of respondents selecting the reported response(s) on each survey question contributing to the composite and subsequently averaging these proportions across all items in the composite.

- For composite measures except Shared Decision Making, results are reported as Usually or Always global proportions.
- For the *Shared Decision Making* composite, the proportion of *Yes* is reported.
- For two of the three CCC composites (*Personal Doctor Who Knows Child* and *Coordination of Care for Children with Chronic Conditions*), the proportion of *Yes* is reported.

Throughout the report, all question summary rates and composite global proportions are rounded to two decimal places for display purposes (e.g., 0.23456 is displayed as 23.46%). However, all calculations involving rates and proportions, including statistical significance testing, are carried out prior to rounding. For more details on the calculations please refer to *HEDIS 2019, Volume 3: Specifications for Survey Measures* or consult the Appendix.

DENOMINATOR THRESHOLD

The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite (note: composite denominators are rounded for display purposes). If the rate denominator is less than 30, a measure result of "Low n" was assigned. This report presents results for all measures, regardless of denominator size. Any result that does not meet the denominator threshold of 30 valid responses is denoted with "Low n" to inform interpretations of results.

COMPARISONS TO BENCHMARKS AND PRIOR-YEAR RESULTS

Throughout the report, the 2019 PrimaryHealth results are compared to the 2019 State OHP as well as to the highest and lowest performing CCO. The 2019 State OHP is calculated by pooling Child Medicaid survey responses across CCOs surveyed by the Oregon Health Authority. If available, prior-year survey results are provided for comparison and year-to-year changes in results are tested for statistical significance. All of the statistical tests are carried out at the 95% confidence level (i.e., there is a 95% probability that the observed difference is not due to chance).

SUMMARY OF SURVEY RESULTS

Exhibit 3 provides a high-level PrimaryHealth performance overview on key survey measures. These include overall ratings, composite global proportions, and QSRs for additional content areas. Where applicable, changes in scores over time and comparisons to benchmarks are reported and tested for statistical significance.

EXHIBIT 3. 2019 PRIMARYHEALTH CHILD MEDICAID WITH CCC MEASURE CAHPS SURVEY: SUMMARY OF RESULTS ON KEY MEASURES

| | | | Difference** between 2019 Rate and | | |
|---|-------|-----------|---------------------------------------|----------------|--|
| CAHPS 5.0H Survey Measures* | | 2019 Rate | 2018 Rate | 2019 State OHP | |
| Ratings | | | | 1 | |
| Rating of Personal Doctor | | 85.23% | 4.10% | -3.09% | |
| Rating of Specialist Seen Most Often | Low n | 91.67% | 13.41% | 7.41% | |
| Rating of All Health Care | | 78.08% | -8.58% | -4.83% | |
| Rating of Health Plan | | 79.59% | 7.66% | 0.65% | |
| Composite Measures | | | | | |
| Getting Needed Care | | 80.46% | -5.18% | -2.21% | |
| Getting Care Quickly | | 98.48% | 2.23% | 8.53% | |
| How Well Doctors Communicate | | 94.59% | 2.97% | 0.68% | |
| Customer Service | Low n | 96.15% | 9.31% | 8.69% | |
| Shared Decision Making | Low n | 89.07% | 9.68% | 5.91% | |
| Additional Content Areas | | | | | |
| Health Promotion and Education | | 78.95% | -5.50% | 3.67% | |
| Coordination of Care | | 80.00% | 5.00% | -2.37% | |
| Children with Chronic Conditions Measures | | | | | |
| Access to Prescription Medicines | | 89.80% | -4.32% | 0.87% | |
| Access to Specialized Services | Low n | 55.16% | 3.77% | -13.50% | |
| Getting Needed Information | | 93.42% | 2.51% | 1.94% | |
| Personal Doctor Who Knows Child | | 89.18% | 10.11% | 1.75% | |
| Coordination of Care for Children With Chronic Conditions | Low n | 71.40% | -15.64% | -7.09% | |

^{*} Results were calculated following NCQA specifications and prior year results may differ from those previously reported.

^{**} Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the small denominator threshold (n=30).


All differences in rates are calculated prior to rounding and are rounded for display purposes only. All statistical tests are conducted at the 95% confidence level. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as when your current-year rate is higher or \(\bar{v}\) when it is lower.

DETAILED PERFORMANCE CHARTS


This section of the report includes detailed charts for composite global proportions, rating question summary rates (QSRs), as well as additional QSRs for individual survey items. The charts have the following features:

TREND IN RESULTS


- PrimaryHealth survey scores are trended over three consecutive years of data collection, if available. A result may not be available if the survey was not administered in a given year or if the measure is new or is not deemed appropriate for trending. In such cases, "No data" appears in place of the score.
- Where appropriate, changes in the distribution of favorable ratings over time are shown in the *Top Rating Distribution* panel of the chart (i.e., percent responding 8 vs. percent responding 9 or 10, or percent responding *Usually* vs. percent responding *Always*).
- The number of valid responses (*n*) appears above each bar. If the number of responses is less than 30, "Low n" appears next to the value of *n*, indicating that the result does not meet the denominator threshold. CSS calculates all rates regardless of this threshold.
- Statistical comparisons are conducted between the current-year rate and each of the prior-year rates, if available. Where appropriate, differences in both standard (e.g., 8 + 9 + 10 or Usually + Always) as well as top-box (e.g., 9 + 10 or Always) rates are tested for statistical significance at the 95% confidence level. Statistically significant differences are indicated with a ★ symbol next to the comparison score. For example, ★ appearing next to the 2018 rate denotes a statistically significant difference between the 2019 and 2018 rates.




Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ** symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a x symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a x symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ** symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\precent symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \star symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\precent symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\precent symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.



Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\precent symbol next to the comparison rate.



Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \star symbol next to the comparison rate.



Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a * symbol next to the comparison rate.

Shared Decision Making (Contributing Items)

Percent Responding Yes

Q13. When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child?


2018

n = 22 (Low n) n = 27 (Low n)

2019

2017


No data




Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ** symbol next to the comparison rate.

The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.


11670



Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \bigstar symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.




Percent Responding Always or Usually

Q53. In the last 6 months, how often were the forms from your child's health plan easy to fill out? (Note: Respondents who did not have to fill out any forms from the health plan are counted as answering "Always".)




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\precent symbol next to the comparison rate.


The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a + symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a + symbol next to the comparison rate.



Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a + symbol next to the comparison rate.



Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ** symbol next to the comparison rate.



Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ** symbol next to the comparison rate.

MEMBER PROFILE AND ANALYSIS OF PLAN RATINGS BY MEMBER SEGMENT

This section of the report presents a detailed profile of the PrimaryHealth membership. In addition to member demographics and health status, responses to survey items that assess utilization of healthcare services are included.

A health plan's membership mix is shaped by multiple factors, most of which are beyond the scope of this survey. These include benefit design, geography, availability of health plan choices, and member self-selection into products that best meet their needs. CSS's analysis of industry data suggests that there is considerable variation in member demographic makeup and utilization patterns across plans. To the extent that various member segments have distinct healthcare needs, utilization patterns, expectations, experiences, as well as attitudes and perceptions, their ratings of the *same* health plan will likely differ.

Certain member characteristics (e.g., health status) appear to be directly related to differences in healthcare needs and utilization levels. For example, some plans have predominantly healthy members, whose interactions with care providers and the plan tend to be limited. By contrast, other plans serve populations with higher rates of illness. These members tend to have more frequent encounters with the healthcare system and as a result may become more experienced users of health plans. The ways in which members use the plan, the frequency of their interactions with providers and staff, and their overall level of familiarity with how the plan works may affect ratings.

In addition to health care needs and utilization patterns, demographic characteristics have been shown to influence survey responses. For example, all else being equal, older respondents and members of certain ethnic groups (e.g., Hispanic or Latino respondents) tend to rate their health care providers and plans more positively. By contrast, more educated members rate more critically, regardless of age or ethnicity.


While the interplay between these membership variables (often referred to as the plan's "case mix") and health plan ratings is complex, health plan ratings clearly vary across demographic groups and user segments. Understanding the plan's case mix can help managers to gain insight into possible sources of this variation.

The charts on the following pages compare the PrimaryHealth membership profile to the relevant Oregon Health Plan distribution on demographic characteristics and utilization patterns. The pie chart in the upper half of each panel contrasts the distribution of the PrimaryHealth membership on a given member attribute (e.g., gender, education level, number of doctor visits, etc.) with the Oregon Health Plan distribution on the same attribute. The bar chart in the lower half of each panel shows how the overall rating of the plan varies by member segment.

HEALTH STATUS AND DEMOGRAPHICS


The following characteristics are profiled in this section:

- Child's age
- Child's gender
- Child's health status
- Child's mental or emotional health status
- Respondent's age
- Respondent's gender
- Respondent's education level
- Respondent's relationship to the child
- Child's race
- Child's ethnicity (Hispanic or Latino)




^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q54 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q54 or if no one rated the plan as 8, 9, or 10.




^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q54 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q54 or if no one rated the plan as 8, 9, or 10.




^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q54 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q54 or if no one rated the plan as 8, 9, or 10.



^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q54 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q54 or if no one rated the plan as 8, 9, or 10.




^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q54 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q54 or if no one rated the plan as 8, 9, or 10.

USE OF SERVICES

The following utilization measures are included in this section:

- Seeking urgent care
- Making appointments for routine care
- Discussing prescription medications with doctor
- Having a personal doctor
- Receiving care from a provider other than personal doctor
- Making an appointment to see a specialist
- Number of visits to a doctor's office or clinic
- Number of specialists seen





^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q54 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q54 or if no one rated the plan as 8, 9, or 10.

Q7. In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?

Q47. How many specialists has your child seen in the last 6 months? (Note: the question applies only to those respondents who had appointments with specialists.)





Note: all percentages are rounded for display. Rating of Health Plan score should be interpreted with caution if the size of the group (pie slice) is small.

116/0

^{*} Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q54 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q54 or if no one rated the plan as 8, 9, or 10.

KEY DRIVER ANALYSIS

OBJECTIVES

CSS's Key Driver Analysis (KDA) highlights some of the key differences between high- and low-rated health plans at the industry level. The principal objectives of the KDA are:

- To isolate a set of plan attributes, or key drivers, that distinguish high-rated plans from low-rated plans;
- To highlight industry best practices on the key driver measures;
- To compare the current performance of PrimaryHealth to industry best practices in these areas; and
- To estimate the impact of improving performance on these measures on the Rating of Health Plan measure.

TECHNICAL APPROACH

INDUSTRY VIEW

Industry-level analysis, which uses health plans as units of analysis, has several important advantages compared to the alternative approach, which focuses on member experiences within a single plan. Certain plan attributes are strongly related to member satisfaction at the industry level. However, these relationships may be missed if we focus on only one plan at a time. For example, it has been shown that plans that are rated highly on measures of access and availability of care tend to have high overall ratings. Conversely, poor access scores are associated with low overall plan scores. This relationship is clear when ratings are compared across plans. However, within a specific plan, member experiences may not be sufficiently varied to reveal the underlying relationship. That is, if all members are equally dissatisfied with access to care, this measure will show a misleadingly low correlation with the overall rating of the plan. As a result, the plan may underestimate the key role of access to care as a driver of member satisfaction and miss a critical opportunity for improvement.

In addition, expressing every CAHPS survey variable as a plan-level rate yields a complete and rich information set on each plan. This effectively eliminates any "gaps" in respondent-level data from a single plan caused by survey skip patterns and allows every response to be used in the analysis.

Finally, in addition to the standard CAHPS performance measures, other sources of differences between health plans can be explored, increasing the explanatory power of the model and allowing for more precise estimation of the individual key driver effects. These include experience rates, which are based on responses to the CAHPS screener questions. Screeners establish whether a member had a particular type of experience or interaction with the plan (e.g.,

contacted customer service, searched for information in the plan's written materials, etc.) CSS's analysis shows that these experience variables explain a significant portion of the plan's overall satisfaction score. Additional components of the overall score include utilization rates and demographic characteristics of the plan's membership, addressed in more detail in the *Member Profile and Analysis of Plan Ratings by Member Segment* section of this report. Clearly, from the plan's perspective, some of these factors are more actionable than others. However, to yield an accurate model of key drivers of member satisfaction, the analysis must consider any and all measurable influences on the overall rating of the plan.

KEY DRIVER MODEL DEVELOPMENT

The CSS *Key Driver Model* was developed based on a dataset of CAHPS survey results of 619 Child Medicaid plans included in the National CAHPS Benchmarking Database (NCBD) in 2015 and 2014. CSS performed regression analysis of health plan ratings to identify the sources of variation in overall scores across the industry spectrum, using individual health plans as units of analysis. Regression analysis expresses mathematically the relationship between plan attributes (predictors) and the global *Rating of Health Plan* score, controlling for interdependencies among the predictors and other factors that may influence ratings (e.g., member demographics, utilization patterns, etc.) Predictors were chosen carefully to yield a model that is both meaningful and actionable from the health plan's point of view.

All of the plan variables, including potential drivers of satisfaction (i.e., variables that the plan may consider actionable) and control variables (member demographics, health status, utilization rates, product type, and year of data collection) were entered into the regression model, and the independent contribution of each variable was estimated. As in the past, CSS excluded *Rating of All Health Care* from the list of predictors both because of its high correlation with *Rating of Health Plan* and the presence of other survey items that measure more specific aspects of member experience. If included, *Rating of all Health Care* would account for a large portion of the variance and confound coefficient estimates for the remaining variables in the model.

INDUSTRY KEY DRIVER MODEL

The table below lists five key drivers of Child Medicaid member experience in order of importance, from highest to lowest, based on their relative contribution to the *Rating of Health Plan* score. These variables have statistically significant coefficients in the regression model (*p*-value < 0.05). Performance on these variables, together with the control variables, explains 63 percent of the industry variation in Child Medicaid health plan ratings. Note that this ordering reflects *only* the strength of the overall relationship between each key driver and the health plan score at the industry level. It does not take into account how PrimaryHealth is currently performing on these measures. Improvement targets identified specifically for PrimaryHealth, which consider both the strength of the key driver and the current level of performance in the area, are presented graphically in the next section.

The quality of interactions with the health plan's customer service is a strong predictor of the overall rating of the plan. Plan rating are also strongly related to members' ability to get the care their children need as soon as they need it (Q15 and Q46) and access to a personal doctor (Q30). Rating of Personal Doctor (Q41) may reflect the quality of the health plan's network and its ability to contract with better providers.

| Key Driver | Interpretation |
|---|--|
| Q51. Customer service treated member with courtesy and respect (percent <i>Always</i> or <i>Usually</i>) | The higher the proportion of respondents reporting that they were treated with courtesy and respect by customer service, the higher the overall plan score |
| Q41. Rating of Personal Doctor (percent 8, 9, or 10) | The higher the proportion of members rating their child's personal doctor as 8, 9, or 10, the higher the overall plan score |
| Q15. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i>) | The higher the proportion of respondents reporting that the necessary care, tests, or treatment were easy to get, the higher the overall plan score |
| Q46. Got specialist appointment as soon as needed (percent <i>Always</i> or <i>Usually</i>) | The higher the proportion of respondents who were able to get a specialist appointment when they needed it, the higher the overall plan score |
| Q30. Child has a personal doctor (percent Yes) | The higher the proportion of respondents who report that their child has a personal doctor, the higher the overall plan score |

OPPORTUNITIES FOR PLAN QUALITY IMPROVEMENT

Specific improvement opportunities for PrimaryHealth are presented in Exhibit 4. The ordering reflects both the strength of each key driver in the broad industry context and how PrimaryHealth is currently performing on the measure.

The middle panel of the chart compares how PrimaryHealth is performing compared to the *best practice* score on each key driver. CSS defined the best practice score as the highest score among the one Child Medicaid plans contributing to the 2019 State OHP. Room for improvement, represented by the green arrows on the chart, is the difference between the current level of PrimaryHealth performance and the best practice score.

The bar chart on the right displays the expected improvement in the overall *Rating of Health Plan* score PrimaryHealth could achieve if it performed on par with the best practice plan on each of the key driver measures. Each bar represents room for improvement on the key driver weighted by its contribution to the *Rating of Health Plan* score.

EXHIBIT 4. 2019 PRIMARYHEALTH CHILD MEDICAID WITH CCC MEASURE CAHPS SURVEY: KEY AREAS AND PRIORITIES FOR IMPROVEMENT

| Current Key Driver Performance | | Room for Improvement on Key Driver | Overall Improvement Opportunity |
|---|---------|---|--|
| 2019 Rate | | Percentage Point Difference Between Current Key Driver Score and the Best Practice Score* | Expected Percentage Point Improvement in Rating of Health Plan score (percent 8, 9, or 10) if Key Driver Performs at Best Practice Level |
| Q41. Rating of Personal Doctor (percent <i>8, 9,</i> or <i>10</i>) | 85.23% | +8.77% > 94.00% | +4.15% |
| Q15. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i>) | 87.84% | +7.40% -> 95.24% | +2.63% |
| Q46. Got specialist appointment as soon as needed (percent <i>Always</i> or <i>Usually</i>) | 73.08% | +17.25% > 90.32% | +1.46% |
| Q30. Child has personal doctor (percent <i>Yes</i>) | 93.75% | +4.35% > 98.10% | +0.39% |
| Q51. Customer service treated member with courtesy and respect (percent <i>Always</i> or <i>Usually</i>) | 100.00% | Current Key Driver performance is at or above the Best Practice level | None |

^{*} Best score on the key driver measure among all plans included in the 2019 State OHP

HEALTH PLAN QUALITY IMPROVEMENT RESOURCES FOR KEY DRIVERS

CSS's Industry *Key Driver Analysis* lists improvement opportunities and priorities for PrimaryHealth. The following is a list of possible interventions and resources related to each of the key drivers. This section is included as a guide to assist you in your quality improvement efforts. Some of these resources may be more applicable to PrimaryHealth than others, especially because many of the cited interventions are intended to be implemented at the practice or provider level. For a useful introduction to quality improvement (QI), refer to The Agency for Health Care Research and Quality's (AHRQ) reference guide that includes descriptions of QI strategies in health delivery systems (https://www.ahrq.gov/sites/default/files/wysiwyg/cahps/quality-improvement/improvement/improvement/improvement/improvement-guide/4-approach-qi-process/cahps-section-4-ways-to-approach-qi-process.pdf).

IMPROVING ACCESS TO CARE: EASE OF GETTING NEEDED CARE, TESTS, OR TREATMENT; SCHEDULING SPECIALIST APPOINTMENTS; HAVING A PERSONAL DOCTOR (Q15, Q46, Q30)

Removing barriers to care is central to improving the health care experience of plan members. The following resources suggest ways to improve patient access to care, tests, and treatment. For child Medicaid members, two key drivers tap into this concept. The first key driver is whether members scheduled an appointment for routine care. The second is ease of getting care, tests, and treatment. Because the two are so closely linked, resources related to both key drivers are presented together.

- Alternative Access Centers This brief (http://www.rwjf.org/content/dam/farm/reports/issue briefs/2015/rwjf419415) from the Robert Wood Johnson Foundation highlights the growing capacity of retail clinics and telemedicine to meet patient medical needs, particularly in rural and underserved communities and for patients with acute but non-serious conditions who need care quickly. Providing patients with alternative venues to access health care, rather than the traditional doctor's office or hospital, lowers barriers to care (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4795318/).
- Same-Day Appointment Scheduling The Agency for Healthcare Research and Quality (AHRQ) recommends a method of scheduling that leaves part of each physician's day open for same-day appointments, rather than a traditional scheduling model that books appointments weeks or months in advance. Because the method does not differentiate between urgent and routine care, patients with non-urgent concerns are able to schedule appointments sooner than under traditional scheduling methods. For more information, see http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/access/strategy6a-openaccess.html.
- Implement Process Improvements to Streamline Patient Flow Delays experienced by patients while waiting for care, tests, or treatment can be minimized through a variety of mechanisms. For example, reallocating tasks such as physical exams and ordering x-rays to physician's assistants and nurse practitioners frees up physicians' time to attend to more pressing patient concerns. The exact form of these improvements will vary widely by practice. See http://www.ahrq.gov/research/findings/final-reports/ptflow/index.html for examples of interventions provided by AHRQ.

- Importance of Usual Source of Care A usual source of care is important not only for satisfaction purposes, but also because usual sources of care are related to health outcomes. These papers, funded by AHRQ, explore the role of a usual source of care in ensuring that children receive proper care. See http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3512198/ and http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3512198/ and http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3262919/.
- Patient-Centered Medical Homes (PCMH) This model increases patient access to physicians. There are many resources available that provide information on the medical home model of care and health equity. To start, see this Institute of Medicine report: https://nam.edu/wp-content/uploads/2015/06/PatientCenteredMedicalHome.pdf. There is also Family Medicine for America's Health, which is a collaboration of family medicine organizations dedicated to improving health care by expanding and emphasizing primary care through the use of patient-centered medical homes. For AHRQ's resources on transitioning a practice to a patient-centered medical home model, see http://www.pcmh.ahrq.gov/.
- Improve Referral Communication The coordination of care between primary and specialist providers can be a challenge and may affect patient perceptions of their specialist care. Improving the coordination of care and case management can increase satisfaction with specialists. For examples of interventions that improve care coordination efficiency and quality, see https://innovations.ahrq.gov/profiles/electronic-referrals-and-communications-reduce-wait-times-specialty-appointments-and as well as https://innovations.ahrq.gov/profiles/referring-physicians-send-electronic-handoff-note-pertinent-patient-information-emergency.

IMPROVING QUALITY OF DOCTORS IN HEALTH PLAN NETWORK (Q41)

These resources concentrate on improving the physician-patient relationship, with a focus on communication. Implementing the solutions proposed here may result in improved doctor ratings.

• Improve Physician Communication – Much of patient dissatisfaction stems from a failure of effective physician communication (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3096184/). Seminars and workshops for physicians serve as a resource for physicians to learn and practice patient-centered communication techniques. For example, The California Quality Collaborative has identified nine effective strategies for improving patient experience with health care providers in their Improving the Patient Experience Change Package (see http://www.calquality.org/storage/Improving Pt Experience Spread Change Pkg UpdatedMay2011.pdf). For general recommendations related to physician communication, see https://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6gtraining.html.

- Help Patients Communicate Patients who can effectively communicate their needs tend to have higher satisfaction with their care. AHRQ recommends four interventions that prepare patients to better communicate with their providers, including record sharing, writing down talking points prior to visits, and "coached care" programs. Many of these recommendations could be adapted for parents or guardians of younger patients. See http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6i-shared-decisionmaking.html and http://www.ahrq.gov/cahps/quality-improvement/improvement/improvement-guide/6-strategies-for-improving/communication/strategy6htools.html. For a sample communication template that providers can distribute to patients before or during visits, see http://www.rwjf.org/content/dam/farm/toolkits/toolkits/2013/rwjf404048.
- Build Physician-Patient Relationships An article published in the British Journal of General Practice found that patients seeing their preferred doctor rated their satisfaction with visits significantly higher than patients who did not have a doctor preference or those who would have preferred to see a different doctor. Prioritizing continuity of care by honoring patients' physician preferences may increase patient satisfaction
 (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1326072/). Additionally, a study of English National Health Service data found that confidence and trust in a doctor is an important predictor of overall patient satisfaction (http://www.ncbi.nlm.nih.gov/pubmed/18416910/), while a Harvard study found that a positive physician-patient relationship correlates with better healthcare outcomes (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3981763/).

IMPROVING QUALITY OF INTERACTIONS WITH CUSTOMER SERVICE (Q51)

As representatives of the plan, customer service personnel must ensure that those adults responsible for the enrollee's care have confidence and trust in customer service staff and the information they provide. The following sources make recommendations for improving customer service.

- Develop Customer Service Standards To improve customer service, AHRQ suggests first articulating which aspects of customer service are most important to your organization. After developing these standards, monitor performance and promote accountability among staff. For more information, see http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6q-custservice-standards.html.
- Iterative Improvement for Member Services This RAND paper details a case study in which a health plan used additional surveys to supplement CAHPS results and more thoroughly assess member satisfaction with customer service. Throughout the process, plan leadership continually examined and adjusted improvement goals. The intervention resulted in a reduction of wait time for customer service calls and increased member satisfaction with customer service, as measured on the CAHPS survey. See http://www.rand.org/pubs/working papers/WR517.html.
- Implement Service Recovery Procedures When customers have a complaint, service recovery programs support customer service personnel in identifying and remedying the problem. While complaints may be inevitable, their proper handling can reassure members and restore loyalty to the health plan. See http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6p-service-recovery.html.

APPENDIX

CROSS-TABULATIONS OF SURVEY RESPONSES

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Satisfaction With the Experience of Care

| | Glo | obal Proportio | ons |
|---|------------|----------------|--------|
| | 2019 State | Plan | Rate |
| Survey Measures* | ОНР | 2019 | 2018 |
| Ratings | | | |
| Rating of Personal Doctor | 88.32% | 85.23% | 81.13% |
| Rating of Specialist | 84.25% | 91.67% | 78.26% |
| Rating of All Health Care | 82.91% | 78.08% | 86.67% |
| Rating of Health Plan | 78.94% | 79.59% | 71.93% |
| Composites | | | |
| Getting Needed Care | 82.67% | 80.46% | 85.64% |
| Getting Care Quickly | 89.95% | 98.48% | 96.25% |
| How Well Doctors Communicate | 93.91% | 94.59% | 91.62% |
| Customer Service | 87.47% | 96.15% | 86.84% |
| Shared Decision Making | 83.16% | 89.07% | 79.38% |
| Additional Content Areas | | | |
| Health Promotion and Education | 75.28% | 78.95% | 84.44% |
| Coordination of Care | 82.37% | 80.00% | 75.00% |
| Children with Chronic Conditions Composites | | | |
| Access to Prescription Medicine | 88.93% | 89.80% | 94.12% |
| Access to Specialized Services | 68.66% | 55.16% | 51.39% |
| Getting Needed Information | 91.48% | 93.42% | 90.91% |
| Personal Doctor or Nurse Who Knows Child | 87.43% | 89.18% | 79.07% |
| Coordination of Care w/CCC (Q16 & Q27) | 78.49% | 71.40% | 87.04% |

^{*} Results were calculated by CSS following NCQA specifications. A lighter display is used to indicate that the measure does not meet the denominator threshold (n=30).

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 3

In the last 6 months, did your child have an illness, injury, or condition that needed care right away in a clinic, emergency room, or doctor's office?

Base: All respondents

| | ۵ | | | | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor V st 6 Mont | | Child's S La | st 6 Mont | |
|---------------------------------------|--------------|-------|--------|--------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|-------|-----------------------|-----------|-----------------|-----------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 30 | 3 | 0 | 0 | 3 | 1 | 0 | 2 | 0 | 0 | 3 | 3 | 0 | 0 | 1 | 2 | 0 | 0 | 2 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,189 | 96 | 58 | 17 | 79 | 20 | 46 | 29 | 13 | 19 | 61 | 65 | 27 | 3 | 20 | 70 | 4 | 0 | 23 | 0 |
| | 98.6% | 97.0% | 100.0% | 100.0% | 96.3% | 95.2% | 100.0% | 93.5% | 100.0% | 100.0% | 95.3% | 95.6% | 100.0% | 100.0% | 95.2% | 97.2% | 100.0% | | 92.0% | |
| Yes | 794 | 34 | 23 | 4 | 30 | 7 | 14 | 12 | 4 | 7 | 22 | 19 | 12 | 2 | 1 | 30 | 3 | 0 | 10 | 0 |
| | 36.3% | 35.4% | 39.7% | 23.5% | 38.0% | 35.0% | 30.4% | 41.4% | 30.8% | 36.8% | 36.1% | 29.2% | 44.4% | 66.7% | 5.0% | 42.9% | 75.0% | | 43.5% | |
| No | 1,395 | 62 | 35 | 13 | 49 | 13 | 32 | 17 | 9 | 12 | 39 | 46 | 15 | 1 | 19 | 40 | 1 | 0 | 13 | 0 |
| | 63.7% | 64.6% | 60.3% | 76.5% | 62.0% | 65.0% | 69.6% | 58.6% | 69.2% | 63.2% | 63.9% | 70.8% | 55.6% | 33.3% | 95.0% | 57.1% | 25.0% | | 56.5% | |
| Significantly different from column:* | | | | | | | | | | | | | | | Р | 0 | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 4

In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed?

Base: All respondents whose child need care right away (Q3)

| | Ъ | | | Ger | - | C | Child's Ag | е | Respon | dent's Ed | lucation | Child's | Health S | Status | | Doctor \ st 6 Mon | | | pecialist ' st 6 Montl | |
|---------------------------------------|--------------|--------------|--------------|-------------|--------------|-------------|--------------|----------|----------------------|-------------|-------------------------|---------------------------|--------------|--------------|-------------|-------------------|-----------|------|---------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 794 | 34 | 22 | 4 | 30 | 7 | 14 | 12 | 4 | 7 | 22 | 19 | 12 | 2 | 1 | 30 | 3 | 0 | 10 | 0 |
| Number missing or multiple answer | 17 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 777 | 33 | 22 | 4 | 29 | 7 | 14 | 11 | 3 | 7 | 22 | 19 | 11 | 2 | 1 | 29 | 3 | 0 | 10 | 0 |
| | 97.9% | 97.1% | 100.0% | 100.0% | 96.7% | 100.0% | 100.0% | 91.7% | 75.0% | 100.0% | 100.0% | 100.0% | 91.7% | 100.0% | 100.0% | 96.7% | 100.0% | | 100.0% | |
| Never | 13 1.7% | 0 0.0% | 0 0.0% | 0.0% | 0 0.0% | 0 0.0% | 0.0% | - | 0.0% | 0.0% | 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0.0% | 0 |
| Sometimes | 1.7% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0.0% | |
| | 6.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | |
| Usually | 156 20.1% | 5 15.2% | 5 22.7% | 1 25.0% | 4 13.8% | 1 14.3% | 2 14.3% | 9.1% | 0.0% | 0.0% | 4 18.2% | 1 5.3% | 2 18.2% | 2 100.0% | 0.0% | 5 17.2% | 0.0% | 0 | 4 40.0% | 0 |
| Always | 559 | 28 | 17 | 3 | 25 | 6 | 12 | 10 | 3 | 7 | 18 | 18 | 9 | 0 | 1 | 24 | 3 | 0 | 6 | 0 |
| | 71.9% | 84.8% | 77.3% | 75.0% | 86.2% | 85.7% | 85.7% | 90.9% | 100.0% | 100.0% | 81.8% | 94.7% | 81.8% | 0.0% | 100.0% | 82.8% | 100.0% | | 60.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| Usually or Always | 715 92.0% | 33 100.0% | 22 100.0% | 4 100.0% | 29 100.0% | 7 100.0% | 14 100.0% | | 3 100.0% | 7 100.0% | 22 100.0% | 19 100.0% | 11 100.0% | 2 100.0% | 1 100.0% | 29 100.0% | | 0 | 10 100.0% | 0 |
| Significantly different from column:* | 92.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 5

In the last 6 months, did you make any appointments for a check-up or routine care for your child at a doctor's office or clinic?

Base: All respondents

| | ۵ | | | Respor Ger | | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor Vi st 6 Month | | | Specialist st 6 Mont | Visits in |
|---------------------------------------|--------------|--------|--------|---------------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-------------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,186 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| | 98.5% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 1,683 | 69 | 44 | 9 | 60 | 18 | 31 | 19 | 7 | 13 | 48 | 48 | 19 | 1 | 2 | 61 | 4 | 0 | 21 | 0 |
| | 77.0% | 69.7% | 75.9% | 52.9% | 73.2% | 85.7% | 67.4% | 61.3% | 53.8% | 68.4% | 75.0% | 70.6% | 70.4% | 33.3% | 9.5% | 84.7% | 100.0% | | 84.0% | |
| No | 503 | 30 | 14 | 8 | 22 | 3 | 15 | 12 | 6 | 6 | 16 | 20 | 8 | 2 | 19 | 11 | 0 | 0 | 4 | 0 |
| | 23.0% | 30.3% | 24.1% | 47.1% | 26.8% | 14.3% | 32.6% | 38.7% | 46.2% | 31.6% | 25.0% | 29.4% | 29.6% | 66.7% | 90.5% | 15.3% | 0.0% | | 16.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | Р | 0 | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 6

In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?

Base: All respondents who made an appointment for their child for health care (Q5)

| | <u>_</u> | | | Respor Gen | nder | C | Child's Ag | е | Respon | ident's Ed | lucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|-------|--------|---------------|--------|--------|------------|----------|----------------------|------------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------|
| | 어 | | | (Q7 | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 1,683 | 69 | 40 | 9 | 60 | 18 | 31 | 19 | 7 | 13 | 48 | 48 | 19 | 1 | 2 | 61 | 4 | 0 | 21 | 0 |
| Number missing or multiple answer | 32 | 3 | 0 | 2 | 1 | 0 | 2 | 1 | 0 | 0 | 2 | 3 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,651 | 66 | 40 | 7 | 59 | 18 | 29 | 18 | 7 | 13 | 46 | 45 | 19 | 1 | 2 | 58 | 4 | 0 | 21 | 0 |
| | 98.1% | 95.7% | 100.0% | 77.8% | 98.3% | 100.0% | 93.5% | 94.7% | 100.0% | 100.0% | 95.8% | 93.8% | 100.0% | 100.0% | 100.0% | 95.1% | 100.0% | | 100.0% | |
| Never | 17 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Sometimes | 1.0% 183 | 1.5% | 0.0% | 0.0% | 1.7% | 0.0% | 3.4% | 0.0% | 0.0% | 0.0% | 2.2% | 2.2% | 0.0% | 0.0% | 0.0% | 1.7% | 0.0% | | 0.0% | |
| Sometimes | 11.1% | 1.5% | 7.5% | 0.0% | 1.7% | 0.0% | 3.4% | 0.0% | 0.0% | 0.0% | 2.2% | 2.2% | 0.0% | 0.0% | 0.0% | 1.7% | 0.0% | | 0.0% | |
| Usually | 474 | 16 | 10 | 4 | 12 | 3 | 10 | | 0 | 5 | 11 | 10 | 5 | 1 | 0 | 15 | 1 | 0 | 5 | 0 |
| | 28.7% | 24.2% | 25.0% | 57.1% | 20.3% | 16.7% | 34.5% | 16.7% | 0.0% | 38.5% | 23.9% | 22.2% | 26.3% | 100.0% | 0.0% | 25.9% | 25.0% | | 23.8% | |
| Always | 977 | 48 | 27 | 3 | 45 | 15 | 17 | 15 | 7 | 8 | 33 | 33 | 14 | 0 | 2 | 41 | 3 | 0 | 16 | 0 |
| | 59.2% | 72.7% | 67.5% | 42.9% | 76.3% | 83.3% | 58.6% | 83.3% | 100.0% | 61.5% | 71.7% | 73.3% | 73.7% | 0.0% | 100.0% | 70.7% | 75.0% | | 76.2% | |
| Significantly different from column:* | | Α | | | | | | | | | | | | | | | | | | |
| Usually or Always | 1,451 | 64 | 37 | 7 | 57 | 18 | 27 | 18 | 7 | 13 | 44 | 43 | 19 | 1 | 2 | 56 | 4 | 0 | 21 | 0 |
| | 87.9% | 97.0% | 92.5% | 100.0% | 96.6% | 100.0% | 93.1% | 100.0% | 100.0% | 100.0% | 95.7% | 95.6% | 100.0% | 100.0% | 100.0% | 96.6% | 100.0% | | 100.0% | |
| Significantly different from column:* | | Α | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 7

In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?

Base: All respondents

| | 0 | | | Respor Ger | | C | Child's Age | Э | Respon | dent's Ed | lucation | Child's | Health S | Status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---|----------------|-------------|--------------|---------------|-------------|-------------|--------------|-------------|----------------------|-------------|-------------------------|---------------------------|-------------|--------------|--------------|-----------------------|-------------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | M | N | 0 | P | Q | R | S | T |
| Number in sample Number missing or multiple answer | 2,219 56 | 99 2 | 57 0 | 17 1 | 82 1 | 21 1 | 46 0 | 31 1 | 13 0 | 19 1 | 64 1 | 68 1 | 27 1 | 3 0 | 21 0 | 72 0 | 4 | 0 | 25 0 | 0 1 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,163 97.5% | 97 98.0% | 57 100.0% | 16 94.1% | 81 98.8% | 20 95.2% | 46 100.0% | 30 96.8% | 13 100.0% | 18 94.7% | 63 98.4% | 67 98.5% | 26 96.3% | 3 100.0% | 21 100.0% | 72 100.0% | 4 100.0% | 0 | 25 100.0% | 0 |
| None | 423 19.6% | 21 21.6% | 11 19.3% | 5 31.3% | 16 19.8% | 2 10.0% | 11 23.9% | 8 26.7% | 4 30.8% | 4 22.2% | 12 19.0% | 15 22.4% | 6 23.1% | 0 0.0% | 21 100.0% | 0.0% | 0 0.0% | 0 | 1 4.0% | 0 |
| 1 time | 558 25.8% | 25 25.8% | 10 17.5% | 3 18.8% | 22 27.2% | 5 25.0% | 12 26.1% | 8 26.7% | 5 38.5% | 3 16.7% | 15 23.8% | 16 23.9% | 8 30.8% | 1 33.3% | 0 0.0% | 25 34.7% | 0 0.0% | 0 | 4 16.0% | 0 |
| 2 | 488 22.6% | 24 24.7% | 25 43.9% | 5 31.3% | 19 23.5% | 6 30.0% | 12 26.1% | 6 20.0% | 3 23.1% | 5 27.8% | 16 25.4% | 18 26.9% | 5 19.2% | 1 33.3% | 0 0.0% | 24 33.3% | 0.0% | 0 | 5 20.0% | O |
| 3 | 280 12.9% | 11 11.3% | 5 8.8% | 2 12.5% | 9 11.1% | 3 15.0% | 5 10.9% | 3 10.0% | 0 0.0% | 3 16.7% | 8 12.7% | 7 10.4% | 3 11.5% | 0 0.0% | 0.0% | 11 15.3% | 0.0% | 0 | 6 24.0% | O |
| 4 | 156 7.2% | 12 12.4% | 3 5.3% | 1 6.3% | 11 13.6% | 2 10.0% | 5 10.9% | 4 13.3% | 0.0% | 2 11.1% | 10 15.9% | 8 11.9% | 3 11.5% | 1 33.3% | 0.0% | 12 16.7% | 0.0% | 0 | 9 36.0% | 0 |
| 5 to 9 | 204 9.4% | 1 1.0% | 2 3.5% | 0 0.0% | 1 1.2% | 0 0.0% | 0 0.0% | 1 3.3% | 1 7.7% | 0 0.0% | 0 0.0% | 0 0.0% | 1 3.8% | 0 0.0% | 0 0.0% | 0 0.0% | 1 25.0% | 0 | 0 0.0% | 0 |
| 10 or more times | 54 2.5% | 3 3.1% | 1 1.8% | 0 0.0% | 3 3.7% | 2 10.0% | 1 2.2% | 0 0.0% | 0 0.0% | 1 5.6% | 2 3.2% | 3 4.5% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 3 75.0% | 0 | 0 0.0% | 0 |
| 5 or more times | 258 11.9% | 4 4.1% | 3 5.3% | 0 0.0% | 4 4.9% | 2 10.0% | 1 2.2% | 1 3.3% | 1 7.7% | 1 5.6% | 2 3.2% | 3 4.5% | 1 3.8% | 0 0.0% | 0.0% | 0 0.0% | 4 100.0% | 0 | 0 0.0% | 0 |
| Significantly different from column:* | | Α | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 8

In the last 6 months, did you and your child's doctor or other health provider talk about specific things you could do to prevent illness in your child?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

| | Ь | | | Respor Ger | nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Monti | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|--------|--------|---------------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|------|------------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Η | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 1,740 | 76 | 45 | 11 | 65 | 18 | 35 | 22 | 9 | 14 | 51 | 52 | 20 | 3 | 0 | 72 | 4 | 0 | 24 | 0 |
| Number missing or multiple answer | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,719 | 76 | 45 | 11 | 65 | 18 | 35 | 22 | 9 | 14 | 51 | 52 | 20 | 3 | 0 | 72 | 4 | 0 | 24 | 0 |
| | 98.8% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | 100.0% | | 100.0% | |
| Yes | 1,294 | 60 | 38 | 7 | 53 | 17 | 26 | 16 | 6 | 10 | 44 | 42 | 15 | 2 | 0 | 57 | 3 | 0 | 19 | 0 |
| | 75.3% | 78.9% | 84.4% | 63.6% | 81.5% | 94.4% | 74.3% | 72.7% | 66.7% | 71.4% | 86.3% | 80.8% | 75.0% | 66.7% | | 79.2% | 75.0% | | 79.2% | |
| No | 425 | 16 | 7 | 4 | 12 | 1 | 9 | 6 | 3 | 4 | 7 | 10 | 5 | 1 | 0 | 15 | 1 | 0 | 5 | 0 |
| | 24.7% | 21.1% | 15.6% | 36.4% | 18.5% | 5.6% | 25.7% | 27.3% | 33.3% | 28.6% | 13.7% | 19.2% | 25.0% | 33.3% | | 20.8% | 25.0% | | 20.8% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 9

In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

| | d | | | Ger | | C | hild's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor \ st 6 Mon | | | pecialist ' st 6 Montl | |
|---------------------------------------|----------------|-------------|-------------|------------|-------------|-------------|-------------|-----------|----------------------|-------------|-------------------------|---------------------------|--------------|--------------|------|----------------------|-----------|------|---------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | | J | K | L | M | Ν | 0 | Р | Q | R | S | T |
| Number in sample | 1,740 | 76 | 44 | 11 | 65 | 18 | 35 | 22 | 9 | 14 | 51 | 52 | 20 | 3 | 0 | 72 | 4 | 0 | 24 | 0 |
| Number missing or multiple answer | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,726 | 76 | 44 | 11 | 65 | 18 | 35 | 22 | 9 | 14 | 51 | 52 | 20 | 3 | 0 | 72 | 4 | 0 | 24 | 0 |
| | 99.2% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | 100.0% | | 100.0% | |
| Never | 32 1.9% | 3 3.9% | 1 2.3% | 2 18.2% | 1 1.5% | 1 5.6% | 1 2.9% | 1 4.5% | 1 11.1% | 2 14.3% | 0.0% | 3 5.8% | 0 0.0% | 0.0% | 0 | 3 4.2% | 0 0.0% | 0 | 0.0% | 0 |
| Sometimes | 1.976 | 3.370 | 2.570 | 10.2 /6 | 1.370 | 0.076 | 2.5/0 | 4.370 | 11.176 | 14.5 /6 | 0.076 | 3.0 /6 | 0.0 /6 | 0.0 /6 | 0 | 4.2 /0 | 0.0 % | 0 | 0.076 | 0 |
| | 6.7% | 2.6% | 6.8% | 0.0% | 3.1% | 0.0% | 2.9% | 4.5% | 0.0% | 0.0% | 2.0% | 1.9% | 0.0% | 33.3% | | 2.8% | 0.0% | | 4.2% | |
| Usually | 371 | 11 | 11 | 2 | 9 | 2 | 7 | 2 | 0 | 4 | 7 | 6 | 4 | 1 | 0 | 10 | 1 | 0 | 3 | 0 |
| | 21.5% | 14.5% | 25.0% | 18.2% | 13.8% | | | | 0.0% | 28.6% | | | 20.0% | 33.3% | | 13.9% | | | 12.5% | |
| Always | 1,208 | 60 | 29 | 7 | 53 | 15 | 26 | - | 8 | 8 | 43 | | 16 | 1 | 0 | 57 | _ | 0 | 20 | 0 |
| 0: 25 4 15 4 | 70.0% | 78.9% | 65.9% | 63.6% | 81.5% | 83.3% | 74.3% | 81.8% | 88.9% | 57.1% | 84.3% | 80.8% | 80.0% | 33.3% | | 79.2% | 75.0% | | 83.3% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | _ | | |
| Usually or Always | 1,579 91.5% | 71 93,4% | 40 90.9% | 9 81.8% | 62 95.4% | 17 94.4% | 33 94.3% | | 88.9% | 12 85.7% | 50 98.0% | | 20 100.0% | 66.7% | 0 | 67 93.1% | | 0 | 23 95.8% | 0 |
| Significantly different from column:* | 31.376 | 33.4 /6 | 30.370 | 01.070 | 33.4 /8 | 34.470 | 34.370 | 30.976 | 00.976 | 03.7 /6 | 30.076 | 32.376 | 100.078 | 00.7 /6 | | 33.170 | 100.076 | | 33.070 | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 10

In the last 6 months, did you and your child's doctor or other health provider talk about starting or stopping a prescription medicine for your child?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

| | Д | | | Ger | ndent's nder | C | hild's Ag | е | Respon | dent's Ed | ucation | Child's | Health S | Status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|-------|--------|--------|-----------------|--------|-----------|----------|----------------------|-----------|-------------------------|---------------------------|----------|--------------|------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 1,740 | 76 | 45 | 11 | 65 | 18 | 35 | 22 | 9 | 14 | 51 | 52 | 20 | 3 | 0 | 72 | 4 | 0 | 24 | 0 |
| Number missing or multiple answer | 13 | 2 | 0 | 0 | 2 | 1 | 1 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,727 | 74 | 45 | 11 | 63 | 17 | 34 | 22 | 9 | 13 | 50 | 50 | 20 | 3 | 0 | 71 | 3 | 0 | 23 | 0 |
| | 99.3% | 97.4% | 100.0% | 100.0% | 96.9% | 94.4% | 97.1% | 100.0% | 100.0% | 92.9% | 98.0% | 96.2% | 100.0% | 100.0% | | 98.6% | 75.0% | | 95.8% | |
| Yes | 741 | 28 | 23 | 4 | 24 | 6 | 13 | 8 | 2 | 6 | 20 | 19 | 7 | 2 | 0 | 27 | 1 | 0 | 13 | 0 |
| | 42.9% | 37.8% | 51.1% | 36.4% | 38.1% | 35.3% | 38.2% | 36.4% | 22.2% | 46.2% | 40.0% | 38.0% | 35.0% | 66.7% | | 38.0% | 33.3% | | 56.5% | |
| No | 986 | 46 | 22 | 7 | 39 | 11 | 21 | 14 | 7 | 7 | 30 | 31 | 13 | 1 | 0 | 44 | 2 | 0 | 10 | 0 |
| | 57.1% | 62.2% | 48.9% | 63.6% | 61.9% | 64.7% | 61.8% | 63.6% | 77.8% | 53.8% | 60.0% | 62.0% | 65.0% | 33.3% | | 62.0% | 66.7% | | 43.5% | |
| Significantly different from column:* | | - | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 11

Did you and a doctor or other health provider talk about the reasons you might want your child to take a medicine?

Base: All respondents whose child went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q10)

| | 0 | | | Respor Ger | ndent's nder | C | Child's Ag | е | Respor | ident's Ed | lucation | Child's | s Health S | Status | | Doctor V st 6 Montl | | | Specialist st 6 Mont | Visits in hs |
|---------------------------------------|--------------|--------|--------|---------------|-----------------|--------|------------|----------|----------------------|------------|-------------------------|---------------------------|------------|--------------|------|------------------------|-----------|------|-------------------------|-----------------|
| | OHP | | | (Q: | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 741 | 28 | 23 | 4 | 24 | 6 | 13 | 8 | 2 | 6 | 20 | 19 | 7 | 2 | 0 | 27 | 1 | 0 | 13 | 0 |
| Number missing or multiple answer | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA. | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 737 | 28 | 23 | 4 | 24 | 6 | 13 | 8 | 2 | 6 | 20 | 19 | 7 | 2 | 0 | 27 | 1 | 0 | 13 | 0 |
| | 99.5% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | 100.0% | | 100.0% | |
| Yes | 695 | 28 | 23 | 4 | 24 | 6 | 13 | 8 | 2 | 6 | 20 | 19 | 7 | 2 | 0 | 27 | 1 | 0 | 13 | 0 |
| | 94.3% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | 100.0% | | 100.0% | |
| No | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5.7% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | 0.0% | | 0.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 12

Did you and a doctor or other health provider talk about the reasons you might <u>not</u> want your child to take a medicine?

Base: All respondents whose child went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q10)

| | 0 | | | Respor Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Montl | | | Specialist st 6 Mont | Visits in ths |
|---------------------------------------|--------------|--------|--------|---------------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|------|------------------------|-----------|------|-------------------------|------------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Η | ı | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 741 | 28 | 23 | 4 | 24 | 6 | 13 | 8 | 2 | 6 | 20 | 19 | 7 | 2 | 0 | 27 | 1 | 0 | 13 | 0 |
| Number missing or multiple answer | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 732 | 28 | 23 | 4 | 24 | 6 | 13 | 8 | 2 | 6 | 20 | 19 | 7 | 2 | 0 | 27 | 1 | 0 | 13 | 0 |
| | 98.8% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | 100.0% | | 100.0% | |
| Yes | 544 | 24 | 14 | 4 | 20 | 6 | 11 | 6 | 2 | 6 | 16 | 16 | 6 | 2 | 0 | 23 | 1 | 0 | 11 | 0 |
| | 74.3% | 85.7% | 60.9% | 100.0% | 83.3% | 100.0% | 84.6% | 75.0% | 100.0% | 100.0% | 80.0% | 84.2% | 85.7% | 100.0% | | 85.2% | 100.0% | | 84.6% | |
| No | 188 | 4 | 9 | 0 | 4 | 0 | 2 | 2 | 0 | 0 | 4 | 3 | 1 | 0 | 0 | 4 | 0 | 0 | 2 | 0 |
| | 25.7% | 14.3% | 39.1% | 0.0% | 16.7% | 0.0% | 15.4% | 25.0% | 0.0% | 0.0% | 20.0% | 15.8% | 14.3% | 0.0% | | 14.8% | 0.0% | | 15.4% | |
| Significantly different from column:* | | С | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 13

When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child?

Base: All respondents whose child went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q10)

| | Ь | | | | nder | C | Child's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor V st 6 Monti | | | st 6 Mont | Visits in hs |
|---------------------------------------|--------------|-------|--------|--------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|------|------------------------|-----------|------|-----------|-----------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 741 | 28 | 22 | 4 | 24 | 6 | 13 | 8 | 2 | 6 | 20 | 19 | 7 | 2 | 0 | 27 | 1 | 0 | 13 | 0 |
| Number missing or multiple answer | 15 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 726 | 27 | 22 | 3 | 24 | 5 | 13 | 8 | 2 | 6 | 19 | 19 | 7 | 1 | 0 | 26 | 1 | 0 | 12 | 0 |
| | 98.0% | 96.4% | 100.0% | 75.0% | 100.0% | 83.3% | 100.0% | 100.0% | 100.0% | 100.0% | 95.0% | 100.0% | 100.0% | 50.0% | | 96.3% | 100.0% | | 92.3% | |
| Yes | 587 | 22 | 17 | 3 | 19 | 5 | 10 | 6 | 2 | 5 | 15 | 15 | 6 | 1 | 0 | 21 | 1 | 0 | 10 | 0 |
| | 80.9% | 81.5% | 77.3% | 100.0% | 79.2% | 100.0% | 76.9% | 75.0% | 100.0% | 83.3% | 78.9% | 78.9% | 85.7% | 100.0% | | 80.8% | 100.0% | | 83.3% | |
| No | 139 | 5 | 5 | 0 | 5 | 0 | 3 | 2 | 0 | 1 | 4 | 4 | 1 | 0 | 0 | 5 | 0 | 0 | 2 | 0 |
| | 19.1% | 18.5% | 22.7% | 0.0% | 20.8% | 0.0% | 23.1% | 25.0% | 0.0% | 16.7% | 21.1% | 21.1% | 14.3% | 0.0% | | 19.2% | 0.0% | | 16.7% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | į |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 14

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

| | 0 | | | Respor Gen | | C | hild's Age | Э | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|----------------|-------------|--------------|---------------|-------------|-------------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|---------|-----------------------|-----------|---------|-------------------------|-----------|
| | 동 | | | (Q7 | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State OHP | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | ı | J | K | L | M | N | 0 | Р | Q | R | S | Т |
| Number in sample | 1,740 | 76 | 45 | 11 | 65 | 18 | 35 | 22 | 9 | 14 | 51 | 52 | 20 | 3 | 0 | 72 | 4 | 0 | 24 | (|
| Number missing or multiple answer | 14 | 3 | 0 | 0 | 3 | | 1 | | 1 | 0 | 2 | 1 | 2 | 0 | 0 | 2 | 1 | 0 | | (|
| Number no experience Usable responses | NA 1,726 | NA 73 | NA 45 | NA 11 | NA 62 | NA 17 | NA 34 | NA 21 | NA o | NA 14 | NA 49 | NA 51 | NA 18 | NA | NA 0 | NA 70 | NA 2 | NA 0 | NA 23 | N/ |
| Osable responses | 1,726 99.2% | 96.1% | 45 100.0% | 100.0% | 95.4% | 94.4% | 97.1% | 95.5% | 88.9% | 100.0% | 96.1% | 98.1% | 90.0% | 100.0% | | 70 97.2% | 75.0% | | 95.8% | |
| 0 Worst health care possible | 33.278 | 0.170 | 00.07 | 0.078 | 03.478 | 34.470 O | 07.176 | 33.3 /s | 00.976 | 00.07 | 0.176 | 00.176 | 0.0% | 00.07 | 0 | 07.270 | 73.078 | 0 | 33.0 % N | |
| | 0.2% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | 0.0% | | 0.0% | |
| 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| | 0.1% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | 0.0% | | 0.0% | |
| 2 | 7 | 1 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | (|
| | 0.4% | 1.4% | 2.2% | 0.0% | 1.6% | 0.0% | 0.0% | 4.8% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 33.3% | | 1.4% | 0.0% | | 4.3% | |
| 3 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| 4 | 0.6% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | 0.0% | | 0.0% | |
| 4 | 0.5% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | 0.0% | 0 | 0.0% | (|
| 5 | 39 | 3 | 0.0 % | 0.0% | 3 | 0.078 | 2 | 0.0 % | 0.0 % | 0.078 | 0.076 | 0.076 | 0.0 /8 | 0.0 % | 0 | 0.0 % | 0.078 | 0 | 0.0 % | |
| | 2.3% | 4.1% | 0.0% | 0.0% | 4.8% | 0.0% | 5.9% | 4.8% | 0.0% | 7.1% | 4.1% | 3.9% | 5.6% | 0.0% | | 2.9% | 33.3% | | 0.0% | |
| 6 | 76 | 3 | 1 | 1 | 2 | 0 | 1 | 2 | 0 | 1 | 2 | 0 | 2 | 1 | 0 | 3 | 0 | 0 | 1 | (|
| | 4.4% | 4.1% | 2.2% | 9.1% | 3.2% | 0.0% | 2.9% | 9.5% | 0.0% | 7.1% | 4.1% | 0.0% | 11.1% | 33.3% | | 4.3% | 0.0% | | 4.3% | |
| 7 | 148 | 9 | 4 | 4 | 5 | 1 | 7 | 1 | 1 | 1 | 7 | 6 | 2 | 1 | 0 | 9 | 0 | 0 | 3 | (|
| | 8.6% | 12.3% | 8.9% | 36.4% | 8.1% | 5.9% | 20.6% | 4.8% | 12.5% | 7.1% | 14.3% | 11.8% | 11.1% | 33.3% | | 12.9% | 0.0% | | 13.0% | |
| 8 | 366 | 10 | 11 | 0 | 10 | 6 | 1 | 3 | 10.53 | 1 | 8 | 8 | 2 | 0 | 0 | 10 | 0 | 0 | 4 | (|
| 9 | 21.2% 355 | 13.7% 15 | 24.4% 12 | 0.0% | 16.1% 13 | 35.3% | 2.9% | 14.3% | 12.5% | 7.1% | 16.3% 12 | 15.7% 10 | 11.1% | 0.0% | | 14.3% 13 | 0.0% | | 17.4% | |
| Ĭ | 20.6% | 20.5% | 26.7% | 18.2% | 21.0% | 23.5% | 5 14.7% | 28.6% | 0.0% | 21.4% | 24.5% | 19.6% | 22.2% | 0.0% | | 18.6% | 66.7% | | 4 17.4% | |
| 10 Best health care possible | 710 | 32 | 16 | 10.2% | 21.0% | 23.5% | 14.7% | 7 | 6.0% | 7 | 18 | 19.6% | 7 | 0.0% | 0 | 32 | 00.7% | 0 | 17.4% | |
| | 41.1% | 43.8% | 35.6% | 36.4% | 45.2% | 35.3% | 52.9% | 33.3% | 75.0% | 50.0% | 36.7% | 49.0% | 38.9% | 0.0% | | 45.7% | 0.0% | | 43.5% | |

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 14

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

| | 0 | | | Respoi Ger | | C | Child's Ag | e | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | Specialist st 6 Monti | |
|---|----------------|-------------|-------------|---------------|-------------|-------------|-------------|-------------|----------------------|-------------|-------------------------|---------------------------|-------------|--------------|---------|-----------------------|------------|---------|-----------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | I | J | K | L | М | N | 0 | P | Q | R | S | T |
| Number in sample Number missing or multiple answer | 1,740 14 | 76 3 | 45 0 | 11 0 | 65 3 | 18 | 35 1 | 1 | 9 | 14 | 51 2 | 52 1 | 20 | 0 | 0 | 72 | 1 | 0 | 24 1 | 0 |
| Number no experience Usable responses | NA 1,726 | NA 73 | NA 45 | NA 11 | NA 62 | NA 17 | NA 34 | NA 21 | NA | NA 14 | NA 49 | NA 51 | NA 18 | NA | NA 0 | | NA | NA 0 | NA 23 | NA |
| Osable responses | 99.2% | 96.1% | 100.0% | | 95.4% | 94.4% | 97.1% | 95.5% | 88.9% | | 96.1% | | 90.0% | 100.0% | | 97.2% | 75.0% | | 95.8% | |
| 0 to 4 | 32 1.9% | 1 1.4% | 1 2.2% | 0 0.0% | 1 1.6% | 0 0.0% | 0 0.0% | 1 4.8% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 33.3% | 0 | | 0 0.0% | 0 | 1 4.3% | 0 |
| 5 | 39 2.3% | 3 4.1% | 0 0.0% | 0 0.0% | 3 4.8% | 0 0.0% | 2 5.9% | 1 4.8% | 0 0.0% | 7.1% | 2 4.1% | 2 3.9% | 1 5.6% | 0 0.0% | 0 | 2 2.9% | 1 33.3% | 0 | 0 0.0% | 0 |
| 6 or 7 | 224 13.0% | 12 16.4% | 5 11.1% | 5 45.5% | 7 11.3% | 1 5.9% | 8 23.5% | 3 14.3% | 1 12.5% | 2 14.3% | 9 18.4% | 6 11.8% | 4 22.2% | 2 66.7% | 0 | 12 17.1% | 0 0.0% | 0 | 4 17.4% | 0 |
| 8 to 10 | 1,431 82.9% | 57 78.1% | 39 86.7% | 6 54.5% | 51 82.3% | 16 94.1% | 24 70.6% | 16 76.2% | | 11 78.6% | 38 77.6% | 43 84.3% | 13 72.2% | 0 0.0% | 0 | 55 78.6% | 2 66.7% | 0 | 18 78.3% | 0 |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| 0 to 6 | 147 8.5% | 7 9.6% | 2 4.4% | 9.1% | 6 9.7% | 0 0.0% | 3 8.8% | 4 19.0% | 0.0% | 2 14.3% | 4 8.2% | 2 3.9% | 3 16.7% | 2 66.7% | 0 | 6 8.6% | 1 33.3% | 0 | 2 8.7% | 0 |
| 7 to 8 | 514 29.8% | 19 26.0% | 15 33.3% | 4 36.4% | 15 24.2% | 7 41.2% | 8 23.5% | 4 19.0% | 2 25.0% | 2 14.3% | 15 30.6% | 14 27.5% | 4 22.2% | 1 33.3% | 0 | 19 27.1% | 0.0% | 0 | 7 30.4% | 0 |
| 9 to 10 | 1,065 61.7% | 47 64.4% | 28 62.2% | 6 54.5% | 41 66.1% | 10 58.8% | 23 67.6% | 13 61.9% | - | 10 71.4% | 30 61.2% | 35 68.6% | 11 61.1% | 0 0.0% | 0 | 45 64.3% | 2 66.7% | 0 | 14 60.9% | 0 |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 15

In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

| | <u>4</u> | | | Respor | nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | st 6 Mont | Visits in hs |
|---------------------------------------|--------------|-------|--------|--------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|------|-----------------------|-----------|------|-----------|-----------------|
| | OHP | | | (Q7 | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Ι | | J | K | L | M | Ν | 0 | Р | Q | R | S | T |
| Number in sample | 1,740 | 76 | 43 | 11 | 65 | 18 | 35 | 22 | 9 | 14 | 51 | 52 | 20 | 3 | 0 | 72 | 4 | 0 | 24 | 0 |
| Number missing or multiple answer | 14 | 2 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 2 | 0 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,726 | 74 | 43 | 11 | 63 | 18 | 33 | 22 | 9 | 13 | 50 | 51 | 19 | 3 | 0 | 70 | 4 | 0 | 23 | 0 |
| | 99.2% | 97.4% | 100.0% | 100.0% | 96.9% | 100.0% | 94.3% | 100.0% | 100.0% | 92.9% | 98.0% | 98.1% | 95.0% | 100.0% | | 97.2% | 100.0% | | 95.8% | |
| Never | 30 | 4 | 1 | 0 | 4 | 1 | 2 | 1 | 0 | 1 | 2 | 3 | 0 | 1 | 0 | 3 | 1 | 0 | 1 | 0 |
| | 1.7% | 5.4% | 2.3% | 0.0% | 6.3% | 5.6% | 6.1% | 4.5% | 0.0% | 7.7% | 4.0% | 5.9% | 0.0% | 33.3% | | 4.3% | 25.0% | | 4.3% | |
| Sometimes | 172 | 5 | 2 | 0 | 5 | 2 | 3 | 0 | 0 | 0 | 5 | 4 | 1 | 0 | 0 | 5 | 0 | 0 | 5 | 0 |
| | 10.0% | 6.8% | 4.7% | 0.0% | 7.9% | 11.1% | 9.1% | 0.0% | 0.0% | 0.0% | 10.0% | 7.8% | 5.3% | 0.0% | | 7.1% | 0.0% | | 21.7% | |
| Usually | 542 | 17 | 19 | 5 | 12 | 2 | 7 | 8 | 1 | 2 | 14 | 8 | 6 | 2 | 0 | 17 | 0 | 0 | 4 | 0 |
| | 31.4% | 23.0% | 44.2% | 45.5% | 19.0% | 11.1% | 21.2% | 36.4% | 11.1% | 15.4% | 28.0% | 15.7% | 31.6% | 66.7% | | 24.3% | 0.0% | | 17.4% | |
| Always | 982 | 48 | 21 | 6 | 42 | 13 | 21 | 13 | 8 | 10 | 29 | 36 | 12 | 0 | 0 | 45 | 3 | 0 | 13 | 0 |
| | 56.9% | 64.9% | 48.8% | 54.5% | 66.7% | 72.2% | 63.6% | 59.1% | 88.9% | 76.9% | 58.0% | 70.6% | 63.2% | 0.0% | | 64.3% | 75.0% | | 56.5% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| Usually or Always | 1,524 | 65 | 40 | 11 | 54 | 15 | 28 | 21 | 9 | 12 | 43 | 44 | 18 | 2 | 0 | 62 | 3 | 0 | 17 | 0 |
| | 88.3% | 87.8% | 93.0% | 100.0% | 85.7% | 83.3% | 84.8% | 95.5% | 100.0% | 92.3% | 86.0% | 86.3% | 94.7% | 66.7% | | 88.6% | 75.0% | | 73.9% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 16

Is your child now enrolled in any kind of school or daycare?

Base: All respondents

| | Ь | | | Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|--------|--------|--------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,207 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| | 99.5% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 1,717 | 74 | 45 | 13 | 61 | 11 | 41 | 21 | 10 | 13 | 48 | 49 | 22 | 2 | 16 | 55 | 2 | 0 | 15 | 0 |
| | 77.8% | 74.7% | 77.6% | 76.5% | 74.4% | 52.4% | 89.1% | 67.7% | 76.9% | 68.4% | 75.0% | 72.1% | 81.5% | 66.7% | 76.2% | 76.4% | 50.0% | | 60.0% | |
| No | 490 | 25 | 13 | 4 | 21 | 10 | 5 | 10 | 3 | 6 | 16 | 19 | 5 | 1 | 5 | 17 | 2 | 0 | 10 | 0 |
| | 22.2% | 25.3% | 22.4% | 23.5% | 25.6% | 47.6% | 10.9% | 32.3% | 23.1% | 31.6% | 25.0% | 27.9% | 18.5% | 33.3% | 23.8% | 23.6% | 50.0% | | 40.0% | |
| Significantly different from column:* | | | | | | | Ι | G | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 17

In the last 6 months, did you need your child's doctors or other health providers to contact a school or daycare center about your child's health or health care?

Base: All respondents whose child is enrolled in school or daycare (Q16)

| | | | | | nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor Vi | | | st 6 Mont | Visits in ths |
|---------------------------------------|------------|-------|--------|--------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------|-----------|------|-----------|------------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 1,717 | 74 | 43 | 13 | 61 | 11 | 41 | 21 | 10 | 13 | 48 | 49 | 22 | 2 | 16 | 55 | 2 | 0 | 15 | 0 |
| Number missing or multiple answer | 30 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,687 | 73 | 43 | 13 | 60 | 11 | 40 | 21 | 10 | 13 | 47 | 48 | 22 | 2 | 16 | 54 | 2 | 0 | 15 | 0 |
| | 98.3% | 98.6% | 100.0% | 100.0% | 98.4% | 100.0% | 97.6% | 100.0% | 100.0% | 100.0% | 97.9% | 98.0% | 100.0% | 100.0% | 100.0% | 98.2% | 100.0% | | 100.0% | |
| Yes | 275 | 6 | 2 | 0 | 6 | 2 | 3 | 1 | 2 | 0 | 4 | 6 | 0 | 0 | 1 | 4 | 1 | 0 | 2 | 0 |
| | 16.3% | 8.2% | 4.7% | 0.0% | 10.0% | 18.2% | 7.5% | 4.8% | 20.0% | 0.0% | 8.5% | 12.5% | 0.0% | 0.0% | 6.3% | 7.4% | 50.0% | | 13.3% | |
| No | 1,412 | 67 | 41 | 13 | 54 | 9 | 37 | 20 | 8 | 13 | 43 | 42 | 22 | 2 | 15 | 50 | 1 | 0 | 13 | 0 |
| | 83.7% | 91.8% | 95.3% | 100.0% | 90.0% | 81.8% | 92.5% | 95.2% | 80.0% | 100.0% | 91.5% | 87.5% | 100.0% | 100.0% | 93.8% | 92.6% | 50.0% | | 86.7% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | į |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 18

In the last 6 months, did you get the help you needed from your child's doctors or other health providers in contacting your child's school or daycare?

Base: All respondents whose child is enrolled in school or daycare and needed their child's doctor/health provider to contact school/daycare center about their child's health (Q16 & Q17)

| | Ь | | | Ger | ndent's nder | C | Child's Ag | je | Respon | dent's Ed | lucation | Child's | s Health S | status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|-------------|-------------|------|-----------------|-------------|-------------|-------------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|-------------|-----------------------|-------------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 275 | 6 | 1 | 0 | 6 | 2 | 3 | 1 | 2 | 0 | 4 | 6 | 0 | 0 | 1 | 4 | 1 | 0 | 2 | 0 |
| Number missing or multiple answer | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 273 99.3% | 6 100.0% | 1 100.0% | 0 | 6 100.0% | 2 100.0% | 3 100.0% | 1 100.0% | 2 100.0% | 0 | 4 100.0% | 6 100.0% | 0 | 0 | 1 100.0% | 4 100.0% | 1 100.0% | 0 | 2 100.0% | 0 |
| Yes | 252 | 5 | 1 | 0 | 5 | 2 | 2 | 1 | 1 | 0 | 4 | 5 | 0 | 0 | 0 | 4 | 1 | 0 | 2 | 0 |
| No | 92.3% | 83.3% | 100.0% | | 83.3% | 100.0% | 66.7% | 100.0% | 50.0% | | 100.0% | 83.3% | | | 0.0% | 100.0% | 100.0% | | 100.0% | |
| 140 | 21 7.7% | 1 16.7% | 0.0% | | 1 16.7% | 0.0% | 33.3% | 0.0% | 50.0% | 0 | 0.0% | 1 16.7% | | | 1 100.0% | 0.0% | 0.0% | | 0.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 19

In the last 6 months, did you get or try to get any special medical equipment or devices for your child?

Base: All respondents

| | ۵ | | | Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | Child's S La | st 6 Mont | |
|---------------------------------------|--------------|-------|--------|--------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|-----------------|-----------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 20 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,199 | 98 | 58 | 17 | 81 | 20 | 46 | 31 | 13 | 18 | 64 | 67 | 27 | 3 | 21 | 72 | 3 | 0 | 25 | 0 |
| | 99.1% | 99.0% | 100.0% | 100.0% | 98.8% | 95.2% | 100.0% | 100.0% | 100.0% | 94.7% | 100.0% | 98.5% | 100.0% | 100.0% | 100.0% | 100.0% | 75.0% | | 100.0% | |
| Yes | 151 | 3 | 4 | 0 | 3 | 1 | 1 | 1 | 0 | 0 | 3 | 2 | 1 | 0 | 0 | 2 | 1 | 0 | 2 | 0 |
| | 6.9% | 3.1% | 6.9% | 0.0% | 3.7% | 5.0% | 2.2% | 3.2% | 0.0% | 0.0% | 4.7% | 3.0% | 3.7% | 0.0% | 0.0% | 2.8% | 33.3% | | 8.0% | |
| No | 2,048 | 95 | 54 | 17 | 78 | 19 | 45 | 30 | 13 | 18 | 61 | 65 | 26 | 3 | 21 | 70 | 2 | 0 | 23 | 0 |
| | 93.1% | 96.9% | 93.1% | 100.0% | 96.3% | 95.0% | 97.8% | 96.8% | 100.0% | 100.0% | 95.3% | 97.0% | 96.3% | 100.0% | 100.0% | 97.2% | 66.7% | | 92.0% | |
| Significantly different from column:* | | | | | | | | | | - | | | - | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 20

In the last 6 months, how often was it easy to get special medical equipment or devices for your child?

Base: All respondents who got or tried to get special medical equipment or device for their child (Q19)

| | <u>م</u> | | | | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor \ st 6 Mon | | | pecialist ' st 6 Montl | |
|---------------------------------------|--------------|------------|------------|------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|------|-------------------|-----------|------|---------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 151 | 3 | 4 | 0 | 3 | 1 | 1 | 1 | 0 | 0 | 3 | 2 | 1 | 0 | 0 | 2 | 1 | 0 | 2 | 0 |
| Number missing or multiple answer | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 151 | 3 | 4 | 0 | 3 | 1 | 1 | 1 | 0 | 0 | 3 | 2 | 1 | 0 | 0 | 2 | 1 | 0 | 2 | 0 |
| | 100.0% | 100.0% | 100.0% | | 100.0% | 100.0% | 100.0% | 100.0% | | | 100.0% | 100.0% | 100.0% | | | 100.0% | 100.0% | | 100.0% | |
| Never | 21 13.9% | 0.0% | 0.0% | 0 | 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0 | 0.0% | 0.0% | 0.0% | 0 | 0 | | 0.0% | | 0.0% | 0 |
| Sometimes | 25 | 2 | 3 | 0 | 2 | 1 | 1 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| | 16.6% | 66.7% | 75.0% | | 66.7% | 100.0% | 100.0% | 0.0% | | | 66.7% | 100.0% | 0.0% | | | 50.0% | 100.0% | | 50.0% | |
| Usually | 32 21.2% | 0 0.0% | 1 25.0% | 0 | 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0 | 0.0% | 0.0% | 0 0.0% | 0 | 0 | | 0.0% | 0 | 0 0.0% | 0 |
| Always | 73 48.3% | 1 33.3% | 0.0% | 0 | 1 33.3% | 0.0% | 0.0% | 1 | 0 | 0 | 1 33.3% | 0.0% | 1 100.0% | 0 | 0 | | 0 | 0 | 1 50.0% | 0 |
| Significantly different from column:* | 40.570 | 00.070 | 0.070 | | 55.576 | 5.076 | 0.070 | 100.070 | | | 00.070 | 3.070 | 100.070 | | | 50.070 | 0.070 | | 33.070 | |
| Usually or Always | 105 | 1 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| 1 ' ' | 69.5% | 33.3% | 25.0% | | 33.3% | 0.0% | 0.0% | 100.0% | | | 33.3% | 0.0% | 100.0% | | | 50.0% | 0.0% | | 50.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 21

Did anyone from your child's health plan, doctor's office, or clinic help you get special medical equipment or devices for your child?

Base: All respondents who got or tried to get special medical equipment or device for their child (Q19)

| | Ь | | | | nder | C | Child's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | st 6 Mont | Visits in hs |
|---------------------------------------|--------------|--------|--------|------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|------|-----------------------|-----------|------|-----------|-----------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 151 | 3 | 4 | 0 | 3 | 1 | 1 | 1 | 0 | 0 | 3 | 2 | 1 | 0 | 0 | 2 | 1 | 0 | 2 | 0 |
| Number missing or multiple answer | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 150 | 3 | 4 | 0 | 3 | 1 | 1 | 1 | 0 | 0 | 3 | 2 | 1 | 0 | 0 | 2 | 1 | 0 | 2 | 0 |
| | 99.3% | 100.0% | 100.0% | | 100.0% | 100.0% | 100.0% | 100.0% | | | 100.0% | 100.0% | 100.0% | | | 100.0% | 100.0% | | 100.0% | |
| Yes | 121 | 2 | 4 | 0 | 2 | 1 | 0 | 1 | 0 | 0 | 2 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| | 80.7% | 66.7% | 100.0% | | 66.7% | 100.0% | 0.0% | 100.0% | | | 66.7% | 50.0% | 100.0% | | | 50.0% | 100.0% | | 50.0% | |
| No | 29 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | - | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| | 19.3% | 33.3% | 0.0% | | 33.3% | 0.0% | 100.0% | 0.0% | | | 33.3% | 50.0% | 0.0% | | | 50.0% | 0.0% | | 50.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 22

In the last 6 months, did you get or try to get special therapy such as physical, occupational, or speech therapy for your child?

Base: All respondents

| | Ф | | | Respor Ger | nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor Vi st 6 Month | | | st 6 Mont | Visits in ths |
|---------------------------------------|--------------|-------|--------|---------------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-------------------------|-----------|------|-----------|------------------|
| | OHP | | | (Q: | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Η | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 22 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,197 | 98 | 58 | 16 | 82 | 21 | 45 | 31 | 13 | 19 | 64 | 67 | 27 | 3 | 21 | 71 | 4 | 0 | 25 | 0 |
| | 99.0% | 99.0% | 100.0% | 94.1% | 100.0% | 100.0% | 97.8% | 100.0% | 100.0% | 100.0% | 100.0% | 98.5% | 100.0% | 100.0% | 100.0% | 98.6% | 100.0% | | 100.0% | |
| Yes | 457 | 15 | 9 | 3 | 12 | 6 | 6 | 3 | 0 | 3 | 11 | 11 | 2 | 2 | 1 | 11 | 3 | 0 | 5 | 0 |
| | 20.8% | 15.3% | 15.5% | 18.8% | 14.6% | 28.6% | 13.3% | 9.7% | 0.0% | 15.8% | 17.2% | 16.4% | 7.4% | 66.7% | 4.8% | 15.5% | 75.0% | | 20.0% | |
| No | 1,740 | 83 | 49 | 13 | 70 | 15 | 39 | 28 | 13 | 16 | 53 | 56 | 25 | 1 | 20 | 60 | 1 | 0 | 20 | 0 |
| | 79.2% | 84.7% | 84.5% | 81.3% | 85.4% | 71.4% | 86.7% | 90.3% | 100.0% | 84.2% | 82.8% | 83.6% | 92.6% | 33.3% | 95.2% | 84.5% | 25.0% | | 80.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 23

In the last 6 months, how often was it easy to get this therapy for your child?

Base: All respondents who got or tried to get special therapy for their child (Q22)

| | ۵ | | | Respor Ger | ndent's nder | C | hild's Ag | e | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor \ st 6 Mon | | | pecialist ' st 6 Montl | |
|---------------------------------------|--------------|------------|------------|---------------|-----------------|------------|------------|------------|----------------------|-----------|-------------------------|---------------------------|-------------|--------------|--------|-------------------|------------|------|---------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | Ν | 0 | Р | Q | R | S | Т |
| Number in sample | 457 | 15 | 9 | 3 | 12 | 6 | 6 | 3 | 0 | 3 | 11 | 11 | 2 | 2 | 1 | 11 | 3 | 0 | 5 | 0 |
| Number missing or multiple answer | 6 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 451 | 14 | 9 | 3 | 11 | 6 | 5 | 3 | 0 | 3 | 10 | 11 | 1 | 2 | 1 | 10 | 3 | 0 | 4 | 0 |
| | 98.7% | 93.3% | 100.0% | 100.0% | 91.7% | 100.0% | 83.3% | 100.0% | | 100.0% | 90.9% | 100.0% | 50.0% | 100.0% | 100.0% | 90.9% | 100.0% | | 80.0% | |
| Never | 65 14.4% | 3 21.4% | 2 22.2% | 0 0.0% | 3 27.3% | 0.0% | 2 40.0% | 33.3% | 0 | 0 0.0% | 20.0% | 2 18.2% | 0 0.0% | 1 50.0% | 0.0% | 2 20.0% | 1 33.3% | 0 | 2 50.0% | 0 |
| Sometimes | 89 | 3 | 1 | 1 | 2 | 2 | 1 | 0 | 0 | 0 | 3 | 3 | 0 | 0 | 0 | 2 | 1 | 0 | 1 | 0 |
| | 19.7% | 21.4% | 11.1% | 33.3% | 18.2% | 33.3% | 20.0% | 0.0% | | 0.0% | 30.0% | 27.3% | 0.0% | 0.0% | 0.0% | 20.0% | 33.3% | | 25.0% | |
| Usually | 117 25.9% | 3 21.4% | 3 33.3% | 1 33.3% | 2 18.2% | 1 16.7% | 1 20.0% | 1 33.3% | 0 | 0.0% | 3 30.0% | 2 18.2% | 1 100.0% | 0 0.0% | 100.0% | 20.0% | 0.0% | 0 | 0 0.0% | 0 |
| Always | 180 39.9% | 5 35.7% | 33.3% | 1 | 4 36.4% | 3 50.0% | 20.0% | 1 | 0 | 3 100.0% | 20.0% | 4 | 0.0% | 1 50.0% | 0.0% | 4 | 1 | 0 | 1 25.0% | 0 |
| Significantly different from column:* | 33.370 | 33.1 /6 | JJ.J /0 | 30.076 | 30.7/0 | 30.070 | 20.070 | 33.3 /6 | | 100.078 | 20.078 | 30.478 | 0.076 | 30.076 | 0.076 | 40.076 | 33.378 | 3.0 | 20.070 | |
| Usually or Always | 297 | 8 | 6 | 2 | 6 | 4 | 2 | 2 | 0 | 3 | 5 | 6 | 1 | 1 | 1 | 6 | 1 | 0 | 1 | 0 |
| | 65.9% | 57.1% | 66.7% | 66.7% | 54.5% | 66.7% | 40.0% | 66.7% | | 100.0% | 50.0% | 54.5% | 100.0% | 50.0% | 100.0% | 60.0% | 33.3% | | 25.0% | |
| Significantly different from column:* | | | | | | | • | | | , | , and the second | | · | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 24

Did anyone from your child's health plan, doctor's office, or clinic help you get this therapy for your child?

Base: All respondents who got or tried to get special therapy for their child (Q22)

| | ۵ | | | | nder | Child's Age (Q74) | | | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor Vi st 6 Month | | | st 6 Mont | Visits in hs |
|---------------------------------------|--------------|-------|--------|--------|--------|----------------------|---------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-------------------------|-----------|------|-----------|-----------------|
| | OHP | | | (Q: | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 457 | 15 | 9 | 3 | 12 | 6 | 6 | 3 | 0 | 3 | 11 | 11 | 2 | 2 | 1 | 11 | 3 | 0 | 5 | 0 |
| Number missing or multiple answer | 7 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 450 | 14 | 9 | 3 | 11 | 6 | 5 | 3 | 0 | 3 | 10 | 11 | 1 | 2 | 1 | 10 | 3 | 0 | 4 | 0 |
| | 98.5% | 93.3% | 100.0% | 100.0% | 91.7% | 100.0% | 83.3% | 100.0% | | 100.0% | 90.9% | 100.0% | 50.0% | 100.0% | 100.0% | 90.9% | 100.0% | | 80.0% | |
| Yes | 315 | 10 | 8 | 2 | 8 | 4 | 3 | 3 | 0 | 3 | 6 | 8 | 1 | 1 | 1 | 8 | 1 | 0 | 3 | 0 |
| | 70.0% | 71.4% | 88.9% | 66.7% | 72.7% | 66.7% | 60.0% | 100.0% | | 100.0% | 60.0% | 72.7% | 100.0% | 50.0% | 100.0% | 80.0% | 33.3% | | 75.0% | |
| No | 135 | 4 | 1 | 1 | 3 | 2 | 2 | 0 | 0 | 0 | 4 | 3 | 0 | 1 | 0 | 2 | 2 | 0 | 1 | 0 |
| | 30.0% | 28.6% | 11.1% | 33.3% | 27.3% | 33.3% | 40.0% | 0.0% | | 0.0% | 40.0% | 27.3% | 0.0% | 50.0% | 0.0% | 20.0% | 66.7% | | 25.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 25

In the last 6 months, did you get or try to get treatment or counseling for your child for an emotional, developmental, or behavioral problem?

Base: All respondents

| | Ь | | | Ger | ndent's nder | Child's Age (Q74) | | | Respon | dent's Ed | ucation | Child's | Health S | Status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|-------|--------|--------|-----------------|----------------------|---------|----------|----------------------|-----------|-------------------------|---------------------------|----------|--------------|-------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 26 | 4 | 0 | 0 | 4 | 0 | 3 | 0 | 1 | 0 | 3 | 3 | 1 | 0 | 1 | 3 | 0 | 0 | 3 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,193 | 95 | 58 | 17 | 78 | 21 | 43 | 31 | 12 | 19 | 61 | 65 | 26 | 3 | 20 | 69 | 4 | 0 | 22 | 0 |
| | 98.8% | 96.0% | 100.0% | 100.0% | 95.1% | 100.0% | 93.5% | 100.0% | 92.3% | 100.0% | 95.3% | 95.6% | 96.3% | 100.0% | 95.2% | 95.8% | 100.0% | | 88.0% | |
| Yes | 747 | 29 | 16 | 5 | 24 | 6 | 16 | 7 | 4 | 2 | 23 | 16 | 11 | 1 | 3 | 22 | 3 | 0 | 7 | 0 |
| | 34.1% | 30.5% | 27.6% | 29.4% | 30.8% | 28.6% | 37.2% | 22.6% | 33.3% | 10.5% | 37.7% | 24.6% | 42.3% | 33.3% | 15.0% | 31.9% | 75.0% | | 31.8% | |
| No | 1,446 | 66 | 42 | 12 | 54 | 15 | 27 | 24 | 8 | 17 | 38 | 49 | 15 | 2 | 17 | 47 | 1 | 0 | 15 | 0 |
| | 65.9% | 69.5% | 72.4% | 70.6% | 69.2% | 71.4% | 62.8% | 77.4% | 66.7% | 89.5% | 62.3% | 75.4% | 57.7% | 66.7% | 85.0% | 68.1% | 25.0% | | 68.2% | |
| Significantly different from column:* | | | | | | | | | | K | J | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 26

In the last 6 months, how often was it easy to get this treatment or counseling for your child?

Base: All respondents who got or tried to get treatment for their child's emotional, developmental, or behavioral problem (Q25)

| | 0 | | | Respor Ger | | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | pecialist st 6 Montl | |
|---------------------------------------|--------------|-------|--------|---------------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State C | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Ι | | ٦ | K | L | M | N | 0 | Р | Ŋ | R | S | T |
| Number in sample | 747 | 29 | 16 | 5 | 24 | 6 | 16 | 7 | 4 | 2 | 23 | 16 | 11 | 1 | 3 | 22 | 3 | 0 | 7 | 0 |
| Number missing or multiple answer | 9 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 738 | 28 | 16 | 4 | 24 | 6 | 16 | 6 | 4 | 2 | 22 | 15 | 11 | 1 | 2 | 22 | 3 | 0 | 7 | 0 |
| | 98.8% | 96.6% | 100.0% | 80.0% | 100.0% | 100.0% | 100.0% | 85.7% | 100.0% | 100.0% | 95.7% | 93.8% | 100.0% | 100.0% | 66.7% | 100.0% | 100.0% | | 100.0% | |
| Never | 73 | 4 | 5 | 1 | 3 | 2 | 1 | 1 | 0 | 0 | 4 | 3 | 1 | 0 | 0 | 3 | 1 | 0 | 1 | 0 |
| | 9.9% | 14.3% | 31.3% | 25.0% | 12.5% | 33.3% | 6.3% | 16.7% | 0.0% | 0.0% | 18.2% | 20.0% | 9.1% | 0.0% | 0.0% | 13.6% | 33.3% | | 14.3% | |
| Sometimes | 144 | 3 | 1 | 1 | 2 | 2 | 1 | 0 | 0 | 0 | 3 | 1 | 2 | 0 | 0 | 2 | 0 | 0 | 1 | 0 |
| | 19.5% | 10.7% | 6.3% | 25.0% | 8.3% | 33.3% | 6.3% | 0.0% | 0.0% | 0.0% | 13.6% | 6.7% | 18.2% | 0.0% | 0.0% | 9.1% | 0.0% | | 14.3% | |
| Usually | 206 | 10 | 3 | 0 | 10 | 1 | 6 | 3 | 2 | 1 | 7 | 5 | 4 | 0 | 0 | 9 | 1 | 0 | 2 | 0 |
| | 27.9% | 35.7% | 18.8% | 0.0% | 41.7% | 16.7% | 37.5% | 50.0% | 50.0% | 50.0% | 31.8% | 33.3% | 36.4% | 0.0% | 0.0% | 40.9% | 33.3% | | 28.6% | |
| Always | 315 | 11 | 7 | 2 | 9 | 1 | 8 | 2 | 2 | 1 | 8 | 6 | 4 | 1 | 2 | 8 | 1 | 0 | 3 | 0 |
| | 42.7% | 39.3% | 43.8% | 50.0% | 37.5% | 16.7% | 50.0% | 33.3% | 50.0% | 50.0% | 36.4% | 40.0% | 36.4% | 100.0% | 100.0% | 36.4% | 33.3% | | 42.9% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| Usually or Always | 521 | 21 | 10 | 2 | 19 | 2 | 14 | 5 | 4 | 2 | 15 | | 8 | 1 | 2 | 17 | 2 | 0 | 5 | 0 |
| | 70.6% | 75.0% | 62.5% | 50.0% | 79.2% | 33.3% | 87.5% | 83.3% | 100.0% | 100.0% | 68.2% | 73.3% | 72.7% | 100.0% | 100.0% | 77.3% | 66.7% | | 71.4% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 27

Did anyone from your child's health plan, doctor's office, or clinic help you get this treatment or counseling for your child?

Base: All respondents who got or tried to get treatment for their child's emotional, developmental, or behavioral problem (Q25)

| | Д. | | | | ndent's nder | Child's Age (Q74) | | | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | Visits in hs |
|---------------------------------------|--------------|--------|--------|--------|-----------------|----------------------|---------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 747 | 29 | 16 | 5 | 24 | 6 | 16 | 7 | 4 | 2 | 23 | 16 | 11 | 1 | 3 | 22 | 3 | 0 | 7 | 0 |
| Number missing or multiple answer | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 739 | 29 | 16 | 5 | 24 | 6 | 16 | 7 | 4 | 2 | 23 | 16 | 11 | 1 | 3 | 22 | 3 | 0 | 7 | 0 |
| | 98.9% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 410 | 17 | 8 | 4 | 13 | 4 | 9 | 4 | 3 | 1 | 13 | 11 | 5 | 0 | 1 | 15 | 0 | 0 | 4 | 0 |
| | 55.5% | 58.6% | 50.0% | 80.0% | 54.2% | 66.7% | 56.3% | 57.1% | 75.0% | 50.0% | 56.5% | 68.8% | 45.5% | 0.0% | 33.3% | 68.2% | 0.0% | | 57.1% | |
| No | 329 | 12 | 8 | 1 | 11 | 2 | 7 | 3 | 1 | 1 | 10 | 5 | 6 | 1 | 2 | 7 | 3 | 0 | 3 | 0 |
| | 44.5% | 41.4% | 50.0% | 20.0% | 45.8% | 33.3% | 43.8% | 42.9% | 25.0% | 50.0% | 43.5% | 31.3% | 54.5% | 100.0% | 66.7% | 31.8% | 100.0% | | 42.9% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 28

In the last 6 months, did your child get care from more than one kind of health care provider or use more than one kind of health care service?

Base: All respondents

| | ۵ | | | Respoi Ger | ndent's nder | Child's Age (Q74) | | | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | Child's S La | Specialist st 6 Mont | |
|---------------------------------------|--------------|-------|--------|---------------|-----------------|----------------------|---------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|-------|-----------------------|-----------|-----------------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 2,219 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 34 | 3 | 0 | 0 | 3 | 0 | 3 | 0 | 1 | 0 | 2 | 2 | 1 | 0 | 1 | 2 | 0 | 0 | 2 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,185 | 96 | 57 | 17 | 79 | 21 | 43 | 31 | 12 | 19 | 62 | 66 | 26 | 3 | 20 | 70 | 4 | 0 | 23 | 0 |
| | 98.5% | 97.0% | 100.0% | 100.0% | 96.3% | 100.0% | 93.5% | 100.0% | 92.3% | 100.0% | 96.9% | 97.1% | 96.3% | 100.0% | 95.2% | 97.2% | 100.0% | | 92.0% | |
| Yes | 840 | 37 | 27 | 4 | 33 | 9 | 16 | 11 | 4 | 4 | 28 | 22 | 11 | 3 | 1 | 34 | 2 | 0 | 20 | 0 |
| | 38.4% | 38.5% | 47.4% | 23.5% | 41.8% | 42.9% | 37.2% | 35.5% | 33.3% | 21.1% | 45.2% | 33.3% | 42.3% | 100.0% | 5.0% | 48.6% | 50.0% | | 87.0% | |
| No | 1,345 | 59 | 30 | 13 | 46 | 12 | 27 | 20 | 8 | 15 | 34 | 44 | 15 | 0 | 19 | 36 | 2 | 0 | 3 | 0 |
| | 61.6% | 61.5% | 52.6% | 76.5% | 58.2% | 57.1% | 62.8% | 64.5% | 66.7% | 78.9% | 54.8% | 66.7% | 57.7% | 0.0% | 95.0% | 51.4% | 50.0% | | 13.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | Р | 0 | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 29

In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services?

Base: All respondents whose child got care from more than one kind of health care provider or service (Q28)

| | ۵ | | | Respor Ger | | Child's Age (Q74) | | | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor Vi st 6 Month | | | Specialist st 6 Mont | Visits in ths |
|---------------------------------------|--------------|--------|--------|---------------|--------|----------------------|---------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-------------------------|-----------|------|-------------------------|------------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 840 | 37 | 27 | 4 | 33 | 9 | 16 | 11 | 4 | 4 | 28 | 22 | 11 | 3 | 1 | 34 | 2 | 0 | 20 | 0 |
| Number missing or multiple answer | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 818 | 37 | 27 | 4 | 33 | 9 | 16 | 11 | 4 | 4 | 28 | 22 | 11 | 3 | 1 | 34 | 2 | 0 | 20 | 0 |
| | 97.4% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 529 | 22 | 20 | 3 | 19 | 4 | 9 | 8 | 4 | 3 | 15 | 13 | 7 | 2 | 0 | 21 | 1 | 0 | 14 | 0 |
| | 64.7% | 59.5% | 74.1% | 75.0% | 57.6% | 44.4% | 56.3% | 72.7% | 100.0% | 75.0% | 53.6% | 59.1% | 63.6% | 66.7% | 0.0% | 61.8% | 50.0% | | 70.0% | |
| No | 289 | 15 | 7 | 1 | 14 | 5 | 7 | 3 | 0 | 1 | 13 | 9 | 4 | 1 | 1 | 13 | 1 | 0 | 6 | 0 |
| | 35.3% | 40.5% | 25.9% | 25.0% | 42.4% | 55.6% | 43.8% | 27.3% | 0.0% | 25.0% | 46.4% | 40.9% | 36.4% | 33.3% | 100.0% | 38.2% | 50.0% | | 30.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 30

A personal doctor is the one your child would see if he or she needs a check-up, has a health problem, or gets sick or hurt. Does your child have a personal doctor?

Base: All respondents

| | ۵ | | | Respor Ger | nder | Child's Age (Q74) | | | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | st 6 Mont | Visits in ths |
|---------------------------------------|--------------|-------|--------|---------------|--------|----------------------|---------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|-------|-----------------------|-----------|------|-----------|------------------|
| | OHP | | | (Q: | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 46 | 3 | 0 | 0 | 3 | 0 | 3 | 0 | 1 | 1 | 1 | 2 | 1 | 0 | 2 | 1 | 0 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,173 | 96 | 58 | 17 | 79 | 21 | 43 | 31 | 12 | 18 | 63 | 66 | 26 | 3 | 19 | 71 | 4 | 0 | 24 | 0 |
| | 97.9% | 97.0% | 100.0% | 100.0% | 96.3% | 100.0% | 93.5% | 100.0% | 92.3% | 94.7% | 98.4% | 97.1% | 96.3% | 100.0% | 90.5% | 98.6% | 100.0% | | 96.0% | |
| Yes | 2,017 | 90 | 53 | 15 | 75 | 21 | 41 | 27 | 11 | 15 | 61 | 62 | 25 | 3 | 15 | 69 | 4 | 0 | 24 | 0 |
| | 92.8% | 93.8% | 91.4% | 88.2% | 94.9% | 100.0% | 95.3% | 87.1% | 91.7% | 83.3% | 96.8% | 93.9% | 96.2% | 100.0% | 78.9% | 97.2% | 100.0% | | 100.0% | |
| No | 156 | 6 | 5 | 2 | 4 | 0 | 2 | 4 | 1 | 3 | 2 | 4 | 1 | 0 | 4 | 2 | 0 | 0 | 0 | 0 |
| | 7.2% | 6.3% | 8.6% | 11.8% | 5.1% | 0.0% | 4.7% | 12.9% | 8.3% | 16.7% | 3.2% | 6.1% | 3.8% | 0.0% | 21.1% | 2.8% | 0.0% | | 0.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | i |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 31

In the last 6 months, how many times did your child visit his or her personal doctor for care?

Base: All respondents whose child has a personal doctor (Q30)

| | 0 | | | Respor Gen | | C | child's Ag | e | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---|----------------|-------------|--------------|---------------|--------------|-------------|-------------|--------------|----------------------|--------------|-------------------------|---------------------------|--------------|--------------|--------------|-----------------------|------------|------|-------------------------|-----------|
| | OHP | | | (Q7 | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample Number missing or multiple answer | 2,017 | 90 | 52 | 15 | 75 0 | 21 | 41 | 27 | 11 | 15 | 61 | 62 | 25 | 3 | 15 | 69 | 4 | 0 | 24 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,975 97.9% | 90 | 52 100.0% | 15 100.0% | 75 100.0% | 21 | 41 | 27 100.0% | 11 | 15 100.0% | 61 | 62 | 25 100.0% | 3 | 15 100.0% | 69 100.0% | 4 100.0% | 0 | 24 100.0% | 0 |
| None | 381 19.3% | 16 17.8% | 7 13.5% | 6 40.0% | 10 13.3% | 1 4.8% | 10 24.4% | 5 18.5% | 3 | 1 6.7% | 10 16.4% | 13 21.0% | 3 12.0% | 0.0% | 11 73.3% | 5 7.2% | 0.0% | 0 | 1 4.2% | 0 |
| 1 time | 678 34.3% | 31 34.4% | 20 38.5% | 1 6.7% | 30 40.0% | 7 33.3% | 15 36.6% | 9 33.3% | 4 36.4% | 4 26.7% | 22 36.1% | 19 30.6% | 11 44.0% | 1 33.3% | 4 26.7% | 26 37.7% | 1 25.0% | 0 | 6 25.0% | 0 |
| 2 | 465 23.5% | 26 28.9% | 14 26.9% | 5 33.3% | 21 28.0% | 7 33.3% | 12 29.3% | 7 25.9% | 2 18.2% | 5 33.3% | 19 31.1% | 19 30.6% | 6 24.0% | 1 33.3% | 0.0% | 25 36.2% | 0.0% | 0 | 11 45.8% | 0 |
| 3 | 232 11.7% | 11 12.2% | 6 11.5% | 1 6.7% | 10 13.3% | 5 23.8% | 7.3% | 2 7.4% | 0.0% | 4 26.7% | 7 11.5% | 9 14.5% | 2 8.0% | 0 0.0% | 0.0% | 8 11.6% | 2 50.0% | 0 | 3 12.5% | 0 |
| 4 | 113 5.7% | 4 4.4% | 4 7.7% | 2 13.3% | 2 2.7% | 1 4.8% | 0.0% | 3 11.1% | 0.0% | 1 6.7% | 3 4.9% | 2 3.2% | 1 4.0% | 1 33.3% | 0.0% | 4 5.8% | 0.0% | 0 | 3 12.5% | 0 |
| 5 to 9 | 91 4.6% | 2.2% | 1.9% | 0 0.0% | 2.7% | 0.0% | 1 2.4% | 3.7% | 2 | 0.0% | 0.0% | 0.0% | 2 8.0% | 0.0% | 0.0% | 1.4% | 1 25.0% | 0 | 0.0% | 0 |
| 10 or more times | 15 0.8% | 0.0% | 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0 0.0% | 0 |
| 2 or more times | 916 46.4% | 43 47.8% | 25 48.1% | 8 53.3% | 35 46.7% | 13 61.9% | 16 39.0% | 13 48.1% | | 10 66.7% | 29 47.5% | 30 48.4% | 11 44.0% | 2 66.7% | 0.0% | 38 55.1% | 3 75.0% | 0 | 17 70.8% | 0 |
| Significantly different from column:* | | | | | | | | | | | | | | | Р | 0 | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 31a

In the last 6 months, how often did you have a hard time speaking with or understanding your child's personal doctor because you spoke different languages?

| | ۵ | | | Respoi Ger | ndent's nder | C | hild's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor \ st 6 Mon | | | Specialist \ st 6 Month | |
|---------------------------------------|--------------|-----------|-----------|---------------|-----------------|--------|-----------|-----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|-----------|-------------------|-----------|------|----------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 1,594 | 74 | 45 | 9 | 65 | 20 | 31 | 22 | 8 | 14 | 51 | 49 | 22 | 3 | 4 | 64 | 4 | 0 | 23 | 0 |
| Number missing or multiple answer | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,588 | 74 | 45 | 9 | 65 | 20 | 31 | 22 | 8 | 14 | 51 | 49 | 22 | 3 | 4 | 64 | 4 | 0 | 23 | 0 |
| | 99.6% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Never | 1,447 | 70 | 42 | 8 | 62 | 20 | 29 | 20 | 7 | 13 | 49 | 47 | 21 | 2 | 4 | 60 | 4 | 0 | 22 | 0 |
| | 91.1% | 94.6% | 93.3% | 88.9% | 95.4% | 100.0% | 93.5% | 90.9% | 87.5% | 92.9% | 96.1% | 95.9% | 95.5% | 66.7% | 100.0% | 93.8% | 100.0% | | 95.7% | |
| Sometimes | 78 | 3 | 1 | 1 | 2 | 0 | 1 | 2 | 0 | 1 | 2 | 2 | 0 | 1 | 0 | 3 | 0 | 0 | 1 | 0 |
| | 4.9% | 4.1% | 2.2% | 11.1% | 3.1% | 0.0% | 3.2% | 9.1% | 0.0% | 7.1% | 3.9% | 4.1% | 0.0% | 33.3% | 0.0% | 4.7% | 0.0% | | 4.3% | |
| Usually | 22 1.4% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0.0% | 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | - | 0.0% | 0 | 0.0% | 0 |
| Always | 41 | 1 | 2 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | | 0 | 0 | 0 | 0 |
| | 2.6% | 1.4% | 4.4% | 0.0% | 1.5% | 0.0% | 3.2% | 0.0% | 12.5% | 0.0% | 0.0% | 0.0% | 4.5% | 0.0% | 0.0% | 1.6% | 0.0% | | 0.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| Usually or Always | 63 | 1 | 2 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Significantly different from column:* | 4.0% | 1.4% | 4.4% | 0.0% | 1.5% | 0.0% | 3.2% | 0.0% | 12.5% | 0.0% | 0.0% | 0.0% | 4.5% | 0.0% | 0.0% | 1.6% | 0.0% | | 0.0% | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 32

In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?

| | <u> </u> | | | Respor Gen | | C | Child's Ag | e | Respon | ident's Ed | lucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|----------------|-------------|-------------|---------------|-------------|-------------|-------------|-------------|----------------------|-------------|-------------------------|---------------------------|-------------|--------------|-------------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q7 | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 1,594 | 74 | 45 | 9 | 65 | 20 | 31 | 22 | 8 | 14 | 51 | 49 | 22 | 3 | 4 | 64 | 4 | 0 | 23 | 0 |
| Number missing or multiple answer | 7 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,587 | 73 | 45 | 9 | 64 | 20 | 31 | 21 | 8 | 13 | 51 | 49 | 21 | 3 | 4 | 64 | 4 | 0 | 23 | 0 |
| | 99.6% | 98.6% | 100.0% | 100.0% | 98.5% | 100.0% | 100.0% | 95.5% | 100.0% | 92.9% | 100.0% | 100.0% | 95.5% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Never | 28 1.8% | 1 1.4% | 2 4.4% | 0.0% | 1 1.6% | 0.0% | 0.0% | 1 4.8% | 0.0% | 0.0% | 1 2.0% | 1 2.0% | 0 0.0% | 0.0% | 0.0% | 1 1.6% | 0.0% | 0 | 0 0.0% | 0 |
| Sometimes | 61 | 1.470 | 4.470 | 0.0% | 1.0 /6 | 0.078 | 0.0 % | 4.070 | 0.0 % | 0.078 | 2.076 | 2.076 | 0.0 % | 0.0 % | 0.0 % | 1.0 /8 | 1 | 0 | 0.0 % | 0 |
| | 3.8% | 1.4% | 6.7% | 0.0% | 1.6% | 5.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2.0% | 2.0% | 0.0% | 0.0% | 0.0% | 0.0% | 25.0% | | 0.0% | |
| Usually | 231 | 7 | 6 | 2 | 5 | 0 | 5 | 2 | 0 | 1 | 5 | 2 | 3 | 2 | 0 | 7 | 0 | 0 | 3 | 0 |
| | 14.6% | 9.6% | | 22.2% | 7.8% | 0.0% | 16.1% | | 0.0% | 7.7% | 9.8% | 4.1% | 14.3% | 66.7% | 0.0% | | 0.0% | | 13.0% | |
| Always | 1,267 79.8% | 64 87.7% | 34 75.6% | 7 77.8% | 57 89.1% | 19 95.0% | 26 83.9% | 18 85.7% | | 12 92.3% | 44 86.3% | 45 91.8% | 18 85.7% | 1 33.3% | 4 100.0% | 56 87.5% | 75.0% | 0 | 20 87.0% | 0 |
| Significantly different from column:* | . 0.070 | J 70 | . 3.570 | 77.570 | 3570 | 33.370 | 00.070 | 55 76 | . 55.576 | 02.070 | 55.576 | 01.070 | 33 70 | 33.370 | .00.070 | 0070 | . 0.070 | | 0070 | |
| Usually or Always | 1,498 | 71 | 40 | 9 | 62 | 19 | 31 | 20 | 8 | 13 | 49 | 47 | 21 | 3 | 4 | 63 | 3 | 0 | 23 | 0 |
| | 94.4% | 97.3% | 88.9% | 100.0% | 96.9% | 95.0% | 100.0% | 95.2% | 100.0% | 100.0% | 96.1% | 95.9% | 100.0% | 100.0% | 100.0% | 98.4% | 75.0% | | 100.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 33

In the last 6 months, how often did your child's personal doctor listen carefully to you?

| | <u> </u> | | | Respor Ger | nder | C | Child's Ag | e | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | pecialist st 6 Montl | |
|---------------------------------------|--------------|--------|--------|---------------|--------|--------|------------|------------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 1,594 | 74 | 45 | 9 | 65 | 20 | 31 | 22 | 8 | 14 | 51 | 49 | 22 | 3 | 4 | 64 | 4 | 0 | 23 | 0 |
| Number missing or multiple answer | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,589 | 74 | 45 | 9 | 65 | 20 | 31 | 22 | 8 | 14 | 51 | 49 | 22 | 3 | 4 | 64 | 4 | 0 | 23 | 0 |
| | 99.7% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Never | 20 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Sometimes | 1.3% | 0.0% | 4.4% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | |
| Sometimes | 59 3.7% | 6.8% | 4.4% | 1 11.1% | 6.2% | 0.0% | 3.2% | 4 18.2% | 0.0% | 14.3% | 3.9% | 4.1% | 4.5% | 66.7% | 0.0% | 6.3% | 0.0% | | 8.7% | |
| Usually | 245 | 11 | 11 | 1 | 10 | 1 | 6 | 4 | 0 | 1 | 10 | 6 | 5 | 0 | 0 | 11 | 0 | 0 | 6 | 0 |
| , | 15.4% | 14.9% | 24.4% | 11.1% | 15.4% | 5.0% | 19.4% | 18.2% | 0.0% | 7.1% | 19.6% | 12.2% | 22.7% | 0.0% | 0.0% | 17.2% | 0.0% | | 26.1% | |
| Always | 1,265 | 58 | 30 | | 51 | 19 | 24 | 14 | 8 | 11 | 39 | 41 | 16 | 1 | 4 | 49 | 4 | 0 | 15 | 0 |
| | 79.6% | 78.4% | 66.7% | 77.8% | 78.5% | 95.0% | 77.4% | 63.6% | 100.0% | 78.6% | 76.5% | 83.7% | 72.7% | 33.3% | 100.0% | 76.6% | 100.0% | | 65.2% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| Usually or Always | 1,510 | 69 | 41 | 8 | 61 | 20 | 30 | 18 | 8 | 12 | 49 | 47 | 21 | 1 | 4 | 60 | 4 | 0 | 21 | 0 |
| | 95.0% | 93.2% | 91.1% | 88.9% | 93.8% | 100.0% | 96.8% | 81.8% | 100.0% | 85.7% | 96.1% | 95.9% | 95.5% | 33.3% | 100.0% | 93.8% | 100.0% | | 91.3% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 34

In the last 6 months, how often did your child's personal doctor show respect for what you had to say?

| A B Number in sample | 2018 | (Q: | 79) | | | | | aciit 3 Lu | ucation | Child's | Health S | tatus | | st 6 Mont | isits in hs | | st 6 Month | Visits in |
|---|--------------------|--------|--------|--------|---------|----------|----------------------|------------|-------------------------|---------------------------|----------|--------------|--------|-----------|----------------|------|------------|-----------|
| A B Number in sample 1,594 Number missing or multiple answer 4 Number no experience NA Usable responses 1,590 99.7% 100 | _ | | | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| Number in sample 1,594 Number missing or multiple answer 4 Number no experience NA Usable responses 1,590 99.7% 100 | | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| Number missing or multiple answer 4 Number no experience NA Usable responses 1,590 99.7% 100 | С | D | E | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number no experience NA Usable responses 1,590 99.7% 100 | 74 4 | 4 9 | 65 | 20 | 31 | 22 | 8 | 14 | 51 | 49 | 22 | 3 | 4 | 64 | 4 | 0 | 23 | 0 |
| Usable responses 1,590 99.7% 100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 99.7% 100 | NA N | NA NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 74 4 | 4 9 | 65 | 20 | 31 | 22 | 8 | 14 | 51 | 49 | 22 | 3 | 4 | 64 | 4 | 0 | 23 | 0 |
| Never 16 | . 0% 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| | 0 | 2 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | .0% 4.5% | 6.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | |
| Sometimes 53 | 4 | 2 1 | 3 | 1 | 1 | 2 | 0 | 1 | 3 | 3 | 0 | 1 | 0 | 4 | 0 | 0 | 2 | 0 |
| | . 4% 4.5% | 11.1% | 4.6% | 5.0% | 3.2% | 9.1% | 0.0% | 7.1% | 5.9% | 6.1% | 0.0% | 33.3% | 0.0% | 6.3% | 0.0% | | 8.7% | |
| Usually 181 | 11 | 5 2 | 9 | 0 | 8 | 3 | 1 | 1 | 9 | 6 | 5 | 0 | 0 | 11 | 0 | 0 | 4 | 0 |
| | .9% 13.69 | 22.2% | 13.8% | 0.0% | 25.8% | 13.6% | 12.5% | 7.1% | 17.6% | 12.2% | 22.7% | 0.0% | 0.0% | 17.2% | 0.0% | | 17.4% | |
| Always 1,340 | 59 3 | 4 6 | 53 | 19 | 22 | 17 | 7 | 12 | 39 | 40 | 17 | 2 | 4 | 49 | 4 | 0 | 17 | 0 |
| | . 7% 77.3% | 66.7% | 81.5% | 95.0% | 71.0% | 77.3% | 87.5% | 85.7% | 76.5% | 81.6% | 77.3% | 66.7% | 100.0% | 76.6% | 100.0% | | 73.9% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | |
| Usually or Always 1,521 | 70 4 | 8 | 62 | 19 | 30 | 20 | 8 | 13 | 48 | 46 | 22 | 2 | 4 | 60 | 4 | 0 | 21 | 0 |
| 95.7% 94 | .6% 90.9% | 88.9% | 95.4% | 95.0% | 96.8% | 90.9% | 100.0% | 92.9% | 94.1% | 93.9% | 100.0% | 66.7% | 100.0% | 93.8% | 100.0% | | 91.3% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 35

Is your child able to talk with doctors about his or her health care?

Base: All respondents whose child has a personal doctor and visited their personal doctor to get care (Q30 & Q31)

| | ۵ | | | Respor Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor Vi st 6 Month | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|-------|--------|---------------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-------------------------|-----------|------|-------------------------|-----------|
| | 어무 | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 1,594 | 74 | 45 | 9 | 65 | 20 | 31 | 22 | 8 | 14 | 51 | 49 | 22 | 3 | 4 | 64 | 4 | 0 | 23 | 0 |
| Number missing or multiple answer | 10 | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,584 | 72 | 45 | 9 | 63 | 19 | 31 | 22 | 8 | 14 | 49 | 47 | 22 | 3 | 4 | 63 | 3 | 0 | 22 | 0 |
| | 99.4% | 97.3% | 100.0% | 100.0% | 96.9% | 95.0% | 100.0% | 100.0% | 100.0% | 100.0% | 96.1% | 95.9% | 100.0% | 100.0% | 100.0% | 98.4% | 75.0% | | 95.7% | |
| Yes | 1,121 | 57 | 33 | 6 | 51 | 10 | 25 | 22 | 7 | 13 | 36 | 38 | 17 | 2 | 3 | 51 | 2 | 0 | 14 | 0 |
| | 70.8% | 79.2% | 73.3% | 66.7% | 81.0% | 52.6% | 80.6% | 100.0% | 87.5% | 92.9% | 73.5% | 80.9% | 77.3% | 66.7% | 75.0% | 81.0% | 66.7% | | 63.6% | |
| No | 463 | 15 | 12 | 3 | 12 | 9 | 6 | 0 | 1 | 1 | 13 | 9 | 5 | 1 | 1 | 12 | 1 | 0 | 8 | 0 |
| | 29.2% | 20.8% | 26.7% | 33.3% | 19.0% | 47.4% | 19.4% | 0.0% | 12.5% | 7.1% | 26.5% | 19.1% | 22.7% | 33.3% | 25.0% | 19.0% | 33.3% | | 36.4% | |
| Significantly different from column:* | | | | | | G | F | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 36

In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for your child to understand?

Base: All respondents whose child has a personal doctor, visited their personal doctor to get care, and is able to talk with his/her doctors (Q30, Q31, & Q35)

| | ٥. | | | Respor Gen | | C | hild's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | specialist ' st 6 Month | |
|---------------------------------------|--------------|-------|--------|---------------|--------|--------|-----------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|----------------------------|-----------|
| | OHP | | | (Q7 | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Η | | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 1,121 | 57 | 33 | 6 | 51 | 10 | 25 | 22 | 7 | 13 | 36 | 38 | 17 | 2 | 3 | 51 | 2 | 0 | 14 | 0 |
| Number missing or multiple answer | 16 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,105 | 56 | 33 | 6 | 50 | 10 | 24 | 22 | 7 | 13 | 35 | 37 | 17 | 2 | 3 | 50 | 2 | 0 | 14 | 0 |
| | 98.6% | 98.2% | 100.0% | 100.0% | 98.0% | 100.0% | 96.0% | 100.0% | 100.0% | 100.0% | 97.2% | 97.4% | 100.0% | 100.0% | 100.0% | 98.0% | 100.0% | | 100.0% | |
| Never | 12 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1.1% | 0.0% | 3.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | |
| Sometimes | 61 | 3 | 2 | 0 | 3 | 0 | 2 | 1 | 1 | 0 | 2 | 0 | 3 | 0 | 0 | 3 | 0 | 0 | 1 | 0 |
| | 5.5% | 5.4% | 6.1% | 0.0% | 6.0% | 0.0% | 8.3% | 4.5% | 14.3% | 0.0% | 5.7% | 0.0% | 17.6% | 0.0% | 0.0% | 6.0% | 0.0% | | 7.1% | |
| Usually | 242 | 12 | 8 | 2 | 10 | 3 | 3 | 6 | 0 | 4 | 7 | 6 | 4 | 2 | 0 | 12 | 0 | 0 | 7 | 0 |
| | 21.9% | 21.4% | | 33.3% | 20.0% | 30.0% | 12.5% | 27.3% | 0.0% | 30.8% | 20.0% | 16.2% | 23.5% | 100.0% | 0.0% | | 0.0% | | 50.0% | |
| Always | 790 | 41 | 22 | 4 | 37 | 7 | 19 | 15 | 6 | 9 | 26 | 31 | 10 | 0 | 3 | 35 | 2 | 0 | 6 | 0 |
| | 71.5% | 73.2% | 66.7% | 66.7% | 74.0% | 70.0% | 79.2% | 68.2% | 85.7% | 69.2% | 74.3% | 83.8% | 58.8% | 0.0% | 100.0% | 70.0% | 100.0% | | 42.9% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| Usually or Always | 1,032 | 53 | 30 | 6 | 47 | 10 | 22 | 21 | 6 | 13 | 33 | 37 | 14 | 2 | 3 | 47 | 2 | 0 | 13 | 0 |
| | 93.4% | 94.6% | 90.9% | 100.0% | 94.0% | 100.0% | 91.7% | 95.5% | 85.7% | 100.0% | 94.3% | 100.0% | 82.4% | 100.0% | 100.0% | 94.0% | 100.0% | | 92.9% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 37

In the last 6 months, how often did your child's personal doctor spend enough time with your child?

| | 0 | | | Respor Ger | | C | child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|--------|--------|---------------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|----------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State C | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Ι | | J | K | L | M | N | 0 | Р | Q | R | S | Т |
| Number in sample | 1,594 | 74 | 45 | 9 | 65 | 20 | 31 | 22 | 8 | 14 | 51 | 49 | 22 | 3 | 4 | 64 | 4 | 0 | 23 | 0 |
| Number missing or multiple answer | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,586 | 74 | 45 | 9 | 65 | 20 | 31 | 22 | 8 | 14 | 51 | 49 | 22 | 3 | 4 | 64 | 4 | 0 | 23 | 0 |
| | 99.5% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Never | 32 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| | 2.0% | 1.4% | 0.0% | 0.0% | 1.5% | 0.0% | 3.2% | 0.0% | 0.0% | 0.0% | 2.0% | 2.0% | 0.0% | 0.0% | 0.0% | 1.6% | 0.0% | | 0.0% | |
| Sometimes | 118 | 4 | 2 | 0 | 4 | 0 | 1 | 3 | 0 | 1 | 2 | 1 | 2 | 1 | 0 | 3 | 0 | 0 | 2 | 0 |
| | 7.4% | 5.4% | 4.4% | 0.0% | 6.2% | 0.0% | 3.2% | 13.6% | 0.0% | 7.1% | 3.9% | 2.0% | 9.1% | 33.3% | 0.0% | 4.7% | 0.0% | | 8.7% | |
| Usually | 354 | 16 | 14 | 3 | 13 | 5 | 5 | 6 | 1 | 3 | 12 | 7 | 7 | 2 | 0 | 15 | 1 | 0 | 6 | 0 |
| | 22.3% | 21.6% | | 33.3% | 20.0% | 25.0% | 16.1% | 27.3% | 12.5% | 21.4% | 23.5% | 14.3% | 31.8% | 66.7% | 0.0% | 23.4% | 25.0% | | 26.1% | |
| Always | 1,082 | 53 | 29 | 6 | 47 | 15 | 24 | 13 | 7 | 10 | 36 | 40 | 13 | 0 | 4 | 45 | 3 | 0 | 15 | 0 |
| | 68.2% | 71.6% | 64.4% | 66.7% | 72.3% | 75.0% | 77.4% | 59.1% | 87.5% | 71.4% | 70.6% | 81.6% | 59.1% | 0.0% | 100.0% | 70.3% | 75.0% | | 65.2% | |
| Significantly different from column:* | | | | | | | | | | | | М | L | | | | | | | |
| Usually or Always | 1,436 | 69 | 43 | 9 | 60 | 20 | 29 | 19 | 8 | 13 | 48 | 47 | 20 | 2 | 4 | 60 | 4 | 0 | 21 | 0 |
| | 90.5% | 93.2% | 95.6% | 100.0% | 92.3% | 100.0% | 93.5% | 86.4% | 100.0% | 92.9% | 94.1% | 95.9% | 90.9% | 66.7% | 100.0% | 93.8% | 100.0% | | 91.3% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 38

In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?

Base: All respondents whose child has a personal doctor and visited their personal doctor to get care (Q30 & Q31)

| | Д. | | | Respor Gen | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor Vi st 6 Month | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|-------|--------|---------------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-------------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q7 | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Η | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 1,594 | 74 | 45 | 9 | 65 | 20 | 31 | 22 | 8 | 14 | 51 | 49 | 22 | 3 | 4 | 64 | 4 | 0 | 23 | 0 |
| Number missing or multiple answer | 18 | 2 | 0 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,576 | 72 | 45 | 9 | 63 | 20 | 30 | 22 | 7 | 14 | 50 | 47 | 22 | 3 | 4 | 62 | 4 | 0 | 22 | 0 |
| | 98.9% | 97.3% | 100.0% | 100.0% | 96.9% | 100.0% | 96.8% | 100.0% | 87.5% | 100.0% | 98.0% | 95.9% | 100.0% | 100.0% | 100.0% | 96.9% | 100.0% | | 95.7% | |
| Yes | 1,392 | 60 | 33 | 7 | 53 | 20 | 24 | 16 | 5 | 12 | 43 | 41 | 18 | 1 | 2 | 53 | 3 | 0 | 19 | 0 |
| | 88.3% | 83.3% | 73.3% | 77.8% | 84.1% | 100.0% | 80.0% | 72.7% | 71.4% | 85.7% | 86.0% | 87.2% | 81.8% | 33.3% | 50.0% | 85.5% | 75.0% | | 86.4% | |
| No | 184 | 12 | 12 | 2 | 10 | 0 | 6 | 6 | 2 | 2 | 7 | 6 | 4 | 2 | 2 | 9 | 1 | 0 | 3 | 0 |
| | 11.7% | 16.7% | 26.7% | 22.2% | 15.9% | 0.0% | 20.0% | 27.3% | 28.6% | 14.3% | 14.0% | 12.8% | 18.2% | 66.7% | 50.0% | 14.5% | 25.0% | | 13.6% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 39

In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor?

Base: All respondents whose child has a personal doctor and visited their personal doctor to get care (Q30 & Q31)

| | Δ. | | | | ndent's nder | C | Child's Ag | е | Respor | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Montl | | | Specialist st 6 Mont | Visits in hs |
|---------------------------------------|--------------|--------|--------|--------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|------------------------|-----------|------|-------------------------|-----------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Η | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 1,594 | 74 | 44 | 9 | 65 | 20 | 31 | 22 | 8 | 14 | 51 | 49 | 22 | 3 | 4 | 64 | 4 | 0 | 23 | 0 |
| Number missing or multiple answer | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,587 | 74 | 44 | 9 | 65 | 20 | 31 | 22 | 8 | 14 | 51 | 49 | 22 | 3 | 4 | 64 | 4 | 0 | 23 | 0 |
| | 99.6% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 862 | 35 | 28 | 2 | 33 | 10 | 14 | 10 | 3 | 4 | 27 | 21 | 11 | 3 | 1 | 30 | 4 | 0 | 18 | 0 |
| | 54.3% | 47.3% | 63.6% | 22.2% | 50.8% | 50.0% | 45.2% | 45.5% | 37.5% | 28.6% | 52.9% | 42.9% | 50.0% | 100.0% | 25.0% | 46.9% | 100.0% | | 78.3% | |
| No | 725 | 39 | 16 | 7 | 32 | 10 | 17 | 12 | 5 | 10 | 24 | 28 | 11 | 0 | 3 | 34 | 0 | 0 | 5 | 0 |
| | 45.7% | 52.7% | 36.4% | 77.8% | 49.2% | 50.0% | 54.8% | 54.5% | 62.5% | 71.4% | 47.1% | 57.1% | 50.0% | 0.0% | 75.0% | 53.1% | 0.0% | | 21.7% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 40

In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

Base: All respondents whose child has a personal doctor, visited their personal doctor, and got care from a doctor/health care provider besides his/her personal doctor (Q30, Q31, & Q39)

| | <u> </u> | | | Respor Gen | | C | child's Ag | e | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V | | | pecialist st 6 Montl | |
|---------------------------------------|--------------|------------|------------|---------------|------------|------------|------------|------------|----------------------|-----------|-------------------------|---------------------------|------------|---------------------|--------|----------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q7 | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 862 | 35 | 28 | 2 | 33 | 10 | 14 | 10 | 3 | 4 | 27 | 21 | 11 | 3 | 1 | 30 | 4 | 0 | 18 | 0 |
| Number missing or multiple answer | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 845 | 35 | 28 | 2 | 33 | 10 | 14 | 10 | 3 | 4 | 27 | 21 | 11 | 3 | 1 | 30 | 4 | 0 | 18 | 0 |
| | 98.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Never | 50 | 3 | 3 | 1 | 2 | 1 | 1 | 1 | 0 | 0 | 2 | 0 | 1 | 2 | 0 | 3 | 0 | 0 | 2 | 0 |
| _ | 5.9% | 8.6% | 10.7% | 50.0% | 6.1% | 10.0% | 7.1% | 10.0% | 0.0% | 0.0% | 7.4% | 0.0% | 9.1% | 66.7% | 0.0% | 10.0% | 0.0% | | 11.1% | |
| Sometimes | 99 | 4 | 4 | 0 | 4 | 2 | 2 | 0 | 0 | 0 | 4 | 3 | 1 | 0 | 0 | 2 | 2 | 0 | 2 | 0 |
| I I II - | 11.7% | 11.4% | 14.3% | 0.0% | 12.1% | 20.0% | 14.3% | 0.0% | 0.0% | 0.0% | 14.8% | 14.3% | 9.1% | 0.0% | 0.0% | 6.7% | 50.0% | | 11.1% | |
| Usually | 225 26.6% | 8 22.9% | 8 28.6% | 50.0% | 7 21.2% | 1 10.0% | 7.1% | 5 50.0% | 0.0% | 50.0% | 6 22.2% | 23.8% | 2 18.2% | 33.3% | 0.0% | 23.3% | 25.0% | 0 | 5 27.8% | 0 |
| Always | 471 | 22.5% | 13 | | 20 | 10.076 | 10 | | 3 | 20.078 | 15 | 13 | 70.2 /6 | 33.3 / ₀ | 0.078 | 23.378 | 23.0 /6 | 0 | 27.076 | 0 |
| | 55.7% | 57.1% | 46.4% | 0.0% | 60.6% | 60.0% | 71.4% | | 100.0% | 50.0% | 55.6% | 61.9% | 63.6% | 0.0% | 100.0% | 60.0% | 25.0% | | 50.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| Usually or Always | 696 | 28 | 21 | 1 | 27 | 7 | 11 | 9 | 3 | 4 | 21 | 18 | 9 | 1 | 1 | 25 | 2 | 0 | 14 | 0 |
| | 82.4% | 80.0% | 75.0% | 50.0% | 81.8% | 70.0% | 78.6% | 90.0% | 100.0% | 100.0% | 77.8% | 85.7% | 81.8% | 33.3% | 100.0% | 83.3% | 50.0% | | 77.8% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 41

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

Base: All respondents whose child has a personal doctor (Q30)

| | 0 | | | Respor Ger | | C | hild's Age | • | Respon | dent's Ed | ucation | Child's | Health S | status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | Visits in |
|-----------------------------------|--------------|-------------|-------------|---------------|-------------|-------------|-------------|------------|----------------------|------------|-------------------------|---------------------------|------------|--------------|------------|-----------------------|------------|---------|-------------------------|-----------|
| | 어된 | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 2,017 | 90 | 53 | 15 | 75 | 21 | 41 | 27 | 11 | 15 | 61 | 62 | 25 | 3 | 15 | 69 | 4 | 0 | 24 | 0 |
| Number missing or multiple answer | 39 | 2 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | | 0 |
| Number no experience | NA 1.978 | NA 88 | NA 53 | NA 15 | NA 73 | NA 19 | NA 41 | NA 27 | NA 11 | NA 15 | NA 59 | NA 60 | NA 25 | NA | NA 15 | NA 67 | NA | NA 0 | NA 23 | NA |
| Usable responses | 98.1% | 97.8% | 100.0% | 100.0% | 97.3% | 90.5% | 100.0% | 100.0% | 100.0% | 100.0% | 96.7% | 96.8% | 100.0% | 100.0% | 100.0% | 97.1% | 100.0% | U | 95.8% | U |
| Worst personal doctor possible | 50.176 | 97.6% | 100.0 % | 0.00.0 | 97.576 | 90.576 | 00.078 | 00.07 | 100.0% | 00.078 | 90.7 /6 | 90.07 | 100.076 | 0.00 | 0.00 | 97.176 | 100.0% | 0 | 93.676 | 0 |
| | 0.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | |
| 1 | 5 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0.3% | 0.0% | 1.9% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | |
| 2 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0.2% | 0.0% | 1.9% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | |
| 3 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0.5% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | |
| 4 | 10 0.5% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0.0% | 0 |
| 5 | 0.5% 42 | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0.0% | |
| | 2.1% | 3.4% | 5.7% | 6.7% | 2.7% | 0.0% | 4.9% | 3.7% | 0.0% | 6.7% | 3.4% | 5.0% | 0.0% | 0.0% | 6.7% | 3.0% | 0.0% | | 0.0% | J |
| 6 | 45 | 5 | 1 | 1 | 4 | 0.070 | 1 | 3 | 0.070 | 1 | 3 | 1 | 2 | 2 | 070 | 5.076 | 0.070 | 0 | 3 | 0 |
| | 2.3% | 5.7% | 1.9% | 6.7% | 5.5% | 0.0% | 2.4% | 11.1% | 0.0% | 6.7% | 5.1% | 1.7% | 8.0% | 66.7% | 0.0% | 7.5% | 0.0% | | 13.0% | |
| 7 | 110 | 5 | 4 | 3 | 2 | 0 | 5 | 0 | 1 | 0 | 3 | 3 | 2 | 0 | 1 | 4 | 0 | 0 | 1 | 0 |
| | 5.6% | 5.7% | 7.5% | 20.0% | 2.7% | 0.0% | 12.2% | 0.0% | 9.1% | 0.0% | 5.1% | 5.0% | 8.0% | 0.0% | 6.7% | 6.0% | 0.0% | | 4.3% | |
| 8 | 307 15.5% | 15 17.0% | 11 20.8% | 4 26.7% | 11 15.1% | 4 21.1% | 4 9.8% | 7 25.9% | 1 9.1% | 2 13.3% | 12 20.3% | 10 16.7% | 4 16.0% | 1 33.3% | 4 26.7% | 10 14.9% | 1 25.0% | 0 | 3 13.0% | 0 |
| 9 | 399 | 17.0% | 12 | 20.7 /0 | 13.176 | Δ1.170 Δ | 3.0 /6 Q | 23.376 | 3.170 | 10.070 | 20.376 | 10.776 | 10.076 | 00.076 | 20.1 /0 | 14.976 | 25.076 | 0 | 15.076 | 0 |
| | 20.2% | 20.5% | 22.6% | 6.7% | 23.3% | 21.1% | 22.0% | 18.5% | 27.3% | 20.0% | 18.6% | 23.3% | 16.0% | 0.0% | 26.7% | 19.4% | 25.0% | | 17.4% | |
| 10 Best personal doctor possible | 1,041 | 42 | 20 | 5 | 37 | 11 | 20 | 11 | 6 | 8 | 28 | 29 | 13 | 0 | 5 | 33 | 2 | 0 | 12 | 0 |
| | 52.6% | 47.7% | 37.7% | 33.3% | 50.7% | 57.9% | 48.8% | 40.7% | 54.5% | 53.3% | 47.5% | 48.3% | 52.0% | 0.0% | 33.3% | 49.3% | 50.0% | | 52.2% | |

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 41

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

Base: All respondents whose child has a personal doctor (Q30)

| | | | | | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | Specialist ' st 6 Montl | |
|--|----------------|-------------------|--------------------|---------------|-----------------|---------------|---------------|------------|----------------------|-------------|-------------------------|---------------------------|--------------------|--------------|--------------------|-----------------------|-------------------|-------|----------------------------|-------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | рооЭ | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | - 1 | J | K | L | М | N | 0 | P | Q | R | S | Т |
| Number in sample Number missing or multiple answer | 2,017 39 | 90 2 | 53 0 | 15 0 NA | 75 2 | 21 2 NA | 41 0 NA | 27 0 | 11 0 | 15 0 | 61 2 | 62 2 NA | 25 0 | 3 0 NA | 15 0 | 2 | 0 | 0 | 24 1 | 0 |
| Number no experience Usable responses | 1,978 98.1% | NA 88 97.8% | NA 53 100.0% | 15 | 73 97.3% | 19 90.5% | 41 | 27 | 11 | 15 | NA 59 96.7% | 60 | NA 25 100.0% | 3 100.0% | NA 15 100.0% | 67 | NA 4 100.0% | 0 | NA 23 95.8% | NA 0 |
| 0 to 4 | 34 1.7% | 0 0.0% | 2 3.8% | 0 | 0 0.0% | 0 0.0% | 0.0% | 0 | 0 | 0 0.0% | 0.0% | 0 | 0.0% | 0.0% | 0 0.0% | 0 | 0.0% | 0 | 0 0.0% | 0 |
| 5 | 42 2.1% | 3 3.4% | 3 5.7% | 1 6.7% | 2 2.7% | 0 0.0% | 2 4.9% | 1 3.7% | 0.0% | 1 6.7% | 2 3.4% | 3 5.0% | 0.0% | 0.0% | 1 6.7% | 2 3.0% | 0.0% | 0 | 0 0.0% | 0 |
| 6 or 7 | 155 7.8% | 10 11.4% | 5 9.4% | 4 26.7% | 6 8.2% | 0 0.0% | 6 14.6% | | 9.1% | 1 6.7% | 6 10.2% | 4 6.7% | 4 16.0% | 2 66.7% | 1 6.7% | 9 13.4% | 0.0% | 0 | 4 17.4% | 0 |
| 8 to 10 | 1,747 88.3% | 75 85.2% | 43 81.1% | 10 66.7% | 65 89.0% | 19 100.0% | 33 80.5% | | | 13 86.7% | 51 86.4% | | 21 84.0% | 1 33.3% | 13 86.7% | 56 83.6% | 4 100.0% | 0 | 19 82.6% | 0 |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| 0 to 6 | 121 6.1% | 8 9.1% | 6 11.3% | 2 13.3% | 6 8.2% | 0.0% | 3 7.3% | 4 14.8% | 0.0% | 2 13.3% | 5 8.5% | 4 6.7% | 2 8.0% | 2 66.7% | 1 6.7% | 7 10.4% | 0.0% | 0 | 3 13.0% | 0 |
| 7 to 8 | 417 21.1% | 20 22.7% | 15 28.3% | 7 46.7% | 13 17.8% | 4 21.1% | 9 22.0% | 7 25.9% | 2 18.2% | 2 13.3% | 15 25.4% | - | 6 24.0% | 1 33.3% | 5 33.3% | 14 20.9% | 1 25.0% | 0 | 4 17.4% | 0 |
| 9 to 10 | 1,440 72.8% | 60 68.2% | 32 60.4% | 6 40.0% | 54 74.0% | 15 78.9% | 29 70.7% | | - | 11 73.3% | 39 66.1% | - | 17 68.0% | 0.0% | 9 60.0% | 46 68.7% | 3 75.0% | 0 | 16 69.6% | 0 |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 42

Does your child have any medical, behavioral, or other health conditions that have lasted for more than <u>3 months</u>?

Base: All respondents whose child has a personal doctor (Q30)

| | ОНР | | | Respor Gen | ider | (Q74) | | | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor Vi | | | st 6 Mont | Visits in |
|---------------------------------------|---------------|-------|--------|---------------|---------------|--------|--------|----------|----------------------|---------------|-------------------------|---------------------------|------------|--------------|--------|---------------|-----------|------|--------------|-----------|
| | 2019 State Oh | 2019 | 2018 | Male (Q) | (©) Female | 0 to 5 | | 14 to 18 | Less than HS grad | HS grad (080) | Some College or more | Excellent or Very Good | (Q58) | Fair or Poor | None | t ot t 4 (02) | 5 or more | None | 4 ot 6 (Q47) | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,017 | 90 | 53 | 15 | 75 | 21 | 41 | 27 | 11 | 15 | 61 | 62 | 25 | 3 | 15 | 69 | 4 | 0 | 24 | 0 |
| Number missing or multiple answer | 29 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,988 | 89 | 53 | 15 | 74 | 20 | 41 | 27 | 11 | 15 | 60 | 61 | 25 | 3 | 15 | 68 | 4 | 0 | 23 | 0 |
| | 98.6% | 98.9% | 100.0% | 100.0% | 98.7% | 95.2% | 100.0% | 100.0% | 100.0% | 100.0% | 98.4% | 98.4% | 100.0% | 100.0% | 100.0% | 98.6% | 100.0% | | 95.8% | |
| Yes | 992 | 42 | 31 | 8 | 34 | 10 | 19 | 12 | 2 | 7 | 31 | 26 | 13 | 3 | 2 | 36 | 4 | 0 | 21 | 0 |
| | 49.9% | 47.2% | 58.5% | 53.3% | 45.9% | 50.0% | 46.3% | 44.4% | 18.2% | 46.7% | 51.7% | 42.6% | 52.0% | 100.0% | 13.3% | 52.9% | 100.0% | | 91.3% | |
| No | 996 | 47 | 22 | 7 | 40 | 10 | 22 | 15 | 9 | 8 | 29 | 35 | 12 | 0 | 13 | 32 | 0 | 0 | 2 | 0 |
| | 50.1% | 52.8% | 41.5% | 46.7% | 54.1% | 50.0% | 53.7% | 55.6% | 81.8% | 53.3% | 48.3% | 57.4% | 48.0% | 0.0% | 86.7% | 47.1% | 0.0% | | 8.7% | |
| Significantly different from column:* | | - | | | | | | | K | | | | | - | Р | 0 | _ | | - | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 43

Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life?

Base: All respondents whose child has a personal doctor and has medical, behavioral, other health conditions that has lasted for more than 3 months (Q30 & Q42)

| | | | | | nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V | | | st 6 Mont | Visits in ths |
|---------------------------------------|------------|-------|--------|--------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|----------|-----------|------|-----------|------------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 992 | 42 | 31 | 8 | 34 | 10 | 19 | 12 | 2 | 7 | 31 | 26 | 13 | 3 | 2 | 36 | 4 | 0 | 21 | 0 |
| Number missing or multiple answer | 18 | 4 | 0 | 0 | 4 | 1 | 2 | 1 | 0 | 0 | 3 | 2 | 1 | 1 | 0 | 2 | 2 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 974 | 38 | 31 | 8 | 30 | 9 | 17 | 11 | 2 | 7 | 28 | 24 | 12 | 2 | 2 | 34 | 2 | 0 | 20 | 0 |
| | 98.2% | 90.5% | 100.0% | 100.0% | 88.2% | 90.0% | 89.5% | 91.7% | 100.0% | 100.0% | 90.3% | 92.3% | 92.3% | 66.7% | 100.0% | 94.4% | 50.0% | | 95.2% | |
| Yes | 868 | 36 | 26 | 8 | 28 | 9 | 16 | 10 | 2 | 7 | 26 | 23 | 11 | 2 | 2 | 32 | 2 | 0 | 20 | 0 |
| | 89.1% | 94.7% | 83.9% | 100.0% | 93.3% | 100.0% | 94.1% | 90.9% | 100.0% | 100.0% | 92.9% | 95.8% | 91.7% | 100.0% | 100.0% | 94.1% | 100.0% | | 100.0% | |
| No | 106 | 2 | 5 | 0 | 2 | 0 | 1 | 1 | 0 | 0 | 2 | 1 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| | 10.9% | 5.3% | 16.1% | 0.0% | 6.7% | 0.0% | 5.9% | 9.1% | 0.0% | 0.0% | 7.1% | 4.2% | 8.3% | 0.0% | 0.0% | 5.9% | 0.0% | | 0.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 44

Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your family's day-to-day life?

Base: All respondents whose child has a personal doctor and has medical, behavioral, other health conditions that has lasted for more than 3 months (Q30 & Q42)

| | | | | | nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V | | | st 6 Mont | Visits in ths |
|---------------------------------------|------------|-------|--------|--------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|----------|-----------|------|-----------|------------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 992 | 42 | 30 | 8 | 34 | 10 | 19 | 12 | 2 | 7 | 31 | 26 | 13 | 3 | 2 | 36 | 4 | 0 | 21 | 0 |
| Number missing or multiple answer | 22 | 4 | 0 | 0 | 4 | 0 | 3 | 1 | 0 | 0 | 3 | 2 | 1 | 1 | 0 | 3 | 1 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 970 | 38 | 30 | 8 | 30 | 10 | 16 | 11 | 2 | 7 | 28 | 24 | 12 | 2 | 2 | 33 | 3 | 0 | 20 | 0 |
| | 97.8% | 90.5% | 100.0% | 100.0% | 88.2% | 100.0% | 84.2% | 91.7% | 100.0% | 100.0% | 90.3% | 92.3% | 92.3% | 66.7% | 100.0% | 91.7% | 75.0% | | 95.2% | |
| Yes | 823 | 34 | 24 | 8 | 26 | 10 | 14 | 9 | 2 | 7 | 24 | 21 | 11 | 2 | 2 | 29 | 3 | 0 | 18 | 0 |
| | 84.8% | 89.5% | 80.0% | 100.0% | 86.7% | 100.0% | 87.5% | 81.8% | 100.0% | 100.0% | 85.7% | 87.5% | 91.7% | 100.0% | 100.0% | 87.9% | 100.0% | | 90.0% | |
| No | 147 | 4 | 6 | 0 | 4 | 0 | 2 | 2 | 0 | 0 | 4 | 3 | 1 | 0 | 0 | 4 | 0 | 0 | 2 | 0 |
| | 15.2% | 10.5% | 20.0% | 0.0% | 13.3% | 0.0% | 12.5% | 18.2% | 0.0% | 0.0% | 14.3% | 12.5% | 8.3% | 0.0% | 0.0% | 12.1% | 0.0% | | 10.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | į |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 45

In the last 6 months, did you make any appointments for your child to see a specialist?

Base: All respondents

| | IР | | | Ger | ndent's nder | Child's Age (Q74) | | | Respon | dent's Ed | ucation | Child's | Health S | status | | Doctor V st 6 Mont | | Child's S La | st 6 Mont | |
|---------------------------------------|--------------|-------|--------|--------|-----------------|-------------------|---------|----------|----------------------|-----------|-------------------------|---------------------------|----------|--------------|--------|-----------------------|-----------|-----------------|-----------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 10 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,209 | 98 | 58 | 17 | 81 | 21 | 45 | 31 | 13 | 18 | 64 | 67 | 27 | 3 | 21 | 71 | 4 | 0 | 25 | 0 |
| | 99.5% | 99.0% | 100.0% | 100.0% | 98.8% | 100.0% | 97.8% | 100.0% | 100.0% | 94.7% | 100.0% | 98.5% | 100.0% | 100.0% | 100.0% | 98.6% | 100.0% | | 100.0% | |
| Yes | 639 | 26 | 23 | 4 | 22 | 7 | 8 | 10 | 1 | 3 | 21 | 14 | 9 | 3 | 1 | 25 | 0 | 0 | 25 | 0 |
| | 28.9% | 26.5% | 39.7% | 23.5% | 27.2% | 33.3% | 17.8% | 32.3% | 7.7% | 16.7% | 32.8% | 20.9% | 33.3% | 100.0% | 4.8% | 35.2% | 0.0% | | 100.0% | |
| No | 1,570 | 72 | 35 | 13 | 59 | 14 | 37 | 21 | 12 | 15 | 43 | 53 | 18 | 0 | 20 | 46 | 4 | 0 | 0 | 0 |
| | 71.1% | 73.5% | 60.3% | 76.5% | 72.8% | 66.7% | 82.2% | 67.7% | 92.3% | 83.3% | 67.2% | 79.1% | 66.7% | 0.0% | 95.2% | 64.8% | 100.0% | | 0.0% | |
| Significantly different from column:* | | | | | | | | | | - | _ | | | | Р | 0 | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 46

In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?

Base: All respondents who made an appointment for their child to see a specialist (Q45)

| | Д | | | Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | Health S | Status | | Doctor \ st 6 Mon | | | Specialist \ st 6 Month | |
|---------------------------------------|--------------|-------------|------------|------------|-----------------|------------|------------|------------|----------------------|------------|-------------------------|---------------------------|------------|--------------|--------|-------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | ı | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 639 | 26 | 23 | 4 | 22 | 7 | 8 | 10 | 1 | 3 | 21 | 14 | 9 | 3 | 1 | 25 | 0 | 0 | 25 | 0 |
| Number missing or multiple answer | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 636 | 26 | 23 | 4 | 22 | 7 | 8 | 10 | 1 | 3 | 21 | 14 | 9 | 3 | 1 | 25 | 0 | 0 | 25 | 0 |
| | 99.5% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | | 100.0% | |
| Never | 34 5.3% | 3 11.5% | 2 8.7% | 1 25.0% | 2 9.1% | 2 28.6% | 0.0% | 1 10.0% | 0.0% | 0.0% | 2 9.5% | 7.1% | 0.0% | 2 66.7% | 0.0% | 3 12.0% | 0 | 0 | 3 12.0% | 0 |
| Sometimes | 112 | 11.370 | 0.1 /0 | 23.0 /6 | 9.170 A | 20.078 | 0.0 /6 | 10.076 | 0.078 | 0.0 /6 | 9.576 | 1.170 | 0.078 | 00.7 /6 | 0.078 | 12.076 | 0 | 0 | 12.076 | |
| | 17.6% | 15.4% | 13.0% | 0.0% | 18.2% | 28.6% | 12.5% | 10.0% | 0.0% | 0.0% | 19.0% | 7.1% | 33.3% | 0.0% | 0.0% | 16.0% | | | 16.0% | |
| Usually | 185 29.1% | 6 23.1% | 4 17.4% | 1 25.0% | 5 22.7% | 0.0% | 2 25.0% | 3 30.0% | 0.0% | 1 33.3% | 5 23.8% | 3 21.4% | 2 22.2% | 1 33.3% | 0.0% | 6 24.0% | 0 | 0 | 6 24.0% | 0 |
| Always | 305 48.0% | 13 50.0% | 14 | 2 50.0% | 11 50.0% | 3 42.9% | 5 62.5% | 5 | 1 | 2 66.7% | 10 47.6% | 9 | 4 44.4% | 0.0% | 1 | 12 | 0 | 0 | 12 48.0% | 0 |
| Significantly different from column:* | 48.0% | 50.0% | 60.9% | 50.0% | 30.0% | 42.9% | 02.5% | 50.0% | 100.0% | 00.7% | 47.0% | 04.3% | 44.4% | 0.0% | 100.0% | 48.0% | | | 46.0% | |
| Usually or Always | 490 | 19 | 18 | 2 | 16 | 3 | 7 | Ω | 1 | 2 | 15 | 12 | 6 | 1 | 1 | 18 | 0 | 0 | 18 | 0 |
| Ostally of Always | 77.0% | 73.1% | 78.3% | 75.0% | 72.7% | 42.9% | 87.5% | 80.0% | 100.0% | 100.0% | | | 66.7% | 33.3% | 100.0% | | | | 72.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 47

How many specialists has your child seen in the last 6 months?

Base: All respondents who made an appointment for their child to see a specialist (Q45)

| | 0 | | | | espondent's Gender Child's Age | | | | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | Specialist S st 6 Montl | |
|---|--------------|-----------|------------|---------|--------------------------------|----------|-----------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|----------|-----------------------|-----------|---------|----------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State C | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 639 | 26 | 23 | 4 | 22 | 7 | 8 | 10 | 1 | 3 | 21 | 14 | 9 | 3 | 1 | 25 | 0 | 0 | 25 | 0 |
| Number missing or multiple answer Number no experience | 3 NA | 1 NA | 0 NA | 0 NA | 1 NA | 0 NA | 0 NA | NA | 0 NA | 0 NA | 1 NA | 1 NA | 0 NA | 0 NA | 0 NA | 1 NA | 0 NA | 0 NA | 0 NA | 0 NA |
| Usable responses | 636 | NA 25 | 23 | NA 4 | NA 21 | INA 7 | NA 0 | NA 0 | NA 1 | NA 2 | 20 | 13 | INA O | NA 2 | INA 1 | NA 24 | NA 0 | NA 0 | NA 25 | NA O |
| Osable responses | 99.5% | 96.2% | 100.0% | 100.0% | 95.5% | 100.0% | 100.0% | 90.0% | 100.0% | 100.0% | 95.2% | - | 100.0% | 100.0% | 100.0% | 96.0% | | | 100.0% | |
| None | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4.4% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | | 0.0% | |
| 1 specialist | 344 | 17 | 16 | 3 | 14 | 5 | 4 | 8 | 1 | 3 | 12 | 8 | 7 | 2 | 0 | 17 | 0 | 0 | 17 | 0 |
| 2 | 54.1% 157 | 68.0% | 69.6% | 75.0% | 66.7% | 71.4% | 50.0% | 88.9% | 100.0% | 100.0% | 60.0% | 61.5% | 77.8% | 66.7% | 0.0% | 70.8% | | | 68.0% | |
| 2 | 24.7% | 24.0% | 3 13.0% | 25.0% | 23.8% | 28.6% | 25.0% | 11.1% | 0.0% | 0.0% | 30.0% | 30.8% | 11.1% | 33.3% | 100.0% | 20.8% | | | 24.0% | |
| 3 | 57 | 24.070 | 4 | 25.070 | 23.070 | 0 | 25.070 | 0 | 0.070 | 0.070 | 20.070 | 1 | 1 11.170 | 0 | 0 | 20.070 | 0 | 0 | 24.070 | 0 |
| | 9.0% | 8.0% | 17.4% | 0.0% | 9.5% | 0.0% | 25.0% | 0.0% | 0.0% | 0.0% | 10.0% | 7.7% | 11.1% | 0.0% | 0.0% | 8.3% | | | 8.0% | |
| 4 | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3.5% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | | 0.0% | |
| 5 or more specialists | 28 4.4% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 0.0% | 0 | 0 | 0.0% | 0 |
| 3 or more specialists | 107 | 2 | 4 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 0 | 2 | 0 | 0 | 2 | 0 |
| Significantly different from column:* | 16.8% | 8.0% | 17.4% | 0.0% | 9.5% | 0.0% | 25.0% | 0.0% | 0.0% | 0.0% | 10.0% | 7.7% | 11.1% | 0.0% | 0.0% | 8.3% | | | 8.0% | |
| NA - Not Applicable | | | | | | | | 1 | | | | | | | | | | | i | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 48

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents whose child saw a specialist (Q45 & Q47)

| | 0 | | | Respor Ger | | C | Child's Ag | Э | Respon | dent's Ed | lucation | Child's | Health S | Status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---|--------------|------------|--------------------|---------------|-------------|------------|------------|----------|----------------------|------------|-------------------------|---------------------------|------------|--------------|-----------|-----------------------|-----------|---------|-------------------------|-----------|
| | 어된 | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | M | N | 0 | Р | Q | R | S | Т |
| Number in sample Number missing or multiple answer | 608 | 25 1 | 23 0 | 0 | 21 1 | 7 1 | 0 | 9 | 0 | 0 | 20 1 | 13 | 9 | 0 | 0 | 24 1 | 0 | 0 | 25 1 | 0 |
| Number no experience | NA 507 | NA 24 | NA | NA | NA | NA | NA | NA | NA | NA | NA 40 | NA 40 | NA | NA | NA | NA 00 | NA | NA 0 | NA 04 | NA |
| Usable responses | 597 98.2% | 96.0% | 23 100.0% | 100.0% | 20 95.2% | 85.7% | 100.0% | 100.0% | 100.0% | 100.0% | 19 95.0% | 12 92.3% | 100.0% | 100.0% | 100.0% | 23 95.8% | 0 | 0 | 24 96.0% | 0 |
| 0 Worst specialist possible | 90.2% | 90.0% | 100.0% | 100.0% | 95.2% | 05.7% | 100.0% | 100.0% | 100.0% | 100.0% | 95.0% | 92.3% | 100.0% | 100.0% | 100.0% | 95.6% | 0 | 0 | 90.0% | |
| - 1. 1.1.1 -position possible | 0.8% | 4.2% | 8.7% | 0.0% | 5.0% | 0.0% | 0.0% | 11.1% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 33.3% | 0.0% | 4.3% | | | 4.2% | |
| 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | | 0.0% | |
| 2 | 0.3% | 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0 | 0.0% | 0 |
| 3 | 1 0.2% | 0 0.0% | 0.0% | 0.0% | 0 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 0.0% | 0 0.0% | 0.0% | 0 0.0% | 0.0% | 0 | 0 | 0 0.0% | 0 |
| 4 | 8 1.3% | 0 0.0% | 0.0% | 0.0% | 0 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 0.0% | 0 0.0% | 0.0% | 0 0.0% | 0.0% | 0 | 0 | 0 0.0% | 0 |
| 5 | 15 2.5% | 0.0% | 1 4.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0 | 0.0% | 0 |
| 6 | 18 3.0% | 1 4.2% | 2 8.7% | 1 25.0% | 0.0% | 0.0% | 0.0% | 11.1% | 0.0% | 1 33.3% | 0.0% | 0.0% | 0.0% | 1 33.3% | 0.0% | 1 4.3% | 0 | 0 | 1 4.2% | 0 |
| 7 | 43 7.2% | 0 0.0% | 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0 | 0.0% | 0 |
| 8 | 92 15.4% | 4 16.7% | 1 4.3% | 0.0% | 4 20.0% | 3 50.0% | 1 12.5% | 0.0% | 0.0% | 0.0% | 4 21.1% | 3 25.0% | 1 11.1% | 0.0% | 0.0% | 4 17.4% | 0 | 0 | 4 16.7% | 0 |
| 9 | 126 21.1% | 3 12.5% | 4.3% 5 21.7% | 1 25.0% | 20.0% | 16.7% | 12.5% | 11.1% | 0.0% | 0.0% | 3 15.8% | 0.0% | 2 22.2% | 1 33.3% | 0.0% | 3 13.0% | 0 | 0 | 3 12.5% | 0 |
| 10 Best specialist possible | 285 47.7% | 15 62.5% | 12 52.2% | 25.0% | 13 65.0% | 33.3% | 75.0% | 66.7% | 1 100.0% | 66.7% | 12 63.2% | 9 75.0% | 66.7% | 0.0% | 1 100.0% | 14 | 0 | 0 | 12.5% 15 62.5% | C |

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 48

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents whose child saw a specialist (Q45 & Q47)

| | | | | | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor \ st 6 Mon | | | Specialist st 6 Montl | |
|---|-----------------|---------------|---------------|--------------|-----------------|--------------|--------------|--------------|----------------------|--------------|-------------------------|---------------------------|--------------|--------------|--------------|-------------------|-----------|--------------|-----------------------|--------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample Number missing or multiple answer Number no experience | 608 11 NA | 25 1 NA | 23 0 NA | 4 0 NA | 21 1 NA | 7 1 NA | 8 0 NA | 9 0 NA | 1 0 NA | 3 0 NA | 20 1 NA | 1 | 9 0 NA | 3 0 NA | 1 0 NA | 24 1 NA | 0 | 0 0 NA | 25 1 NA | 0 0 NA |
| Usable responses | 597 98.2% | 24 96.0% | 23 100.0% | 4 | 20 95.2% | 6 85.7% | 8 | 9 | 1 | 3 | 19 | 12 | 9 | 3 | 1 | 23 | 0 | 0 | 24 96.0% | 0 |
| 0 to 4 | 18 3.0% | 1 4.2% | 2 8.7% | 0 | 1 5.0% | 0 0.0% | 0.0% | 1 | 0 | 0 0.0% | 0 | 0 | 0 0.0% | 1 33.3% | 0 0.0% | 1 | 0 | 0 | 1 4.2% | 0 |
| 5 | 15 2.5% | 0 0.0% | 1 4.3% | 0 0.0% | 0 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0 0.0% | 0.0% | 0 0.0% | 0 0.0% | 0.0% | 0 0.0% | | 0 | 0 | 0 0.0% | 0 |
| 6 or 7 | 61 10.2% | 1 4.2% | 2 8.7% | 1 25.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 11.1% | 0 0.0% | 1 33.3% | 0.0% | 0 0.0% | 0 0.0% | 1 33.3% | 0 0.0% | 1 4.3% | 0 | 0 | 1 4.2% | 0 |
| 8 to 10 | 503 84.3% | 22 91.7% | 18 78.3% | 3 75.0% | 19 95.0% | 6 100.0% | 8 100.0% | | 1 100.0% | 2 66.7% | 19 100.0% | | 9 100.0% | 1 33.3% | 1 100.0% | 21 91.3% | 0 | 0 | 22 91.7% | 0 |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| 0 to 6 | 51 8.5% | 2 8.3% | 5 21.7% | 1 25.0% | 1 5.0% | 0 0.0% | 0.0% | 2 22.2% | 0.0% | 1 33.3% | 0.0% | 0.0% | 0.0% | 2 66.7% | 0.0% | 2 8.7% | 0 | 0 | 2 8.3% | 0 |
| 7 to 8 | 135 22.6% | 4 16.7% | 1 4.3% | 0 0.0% | 4 20.0% | 3 50.0% | 1 12.5% | 0.0% | 0.0% | 0 0.0% | 4 21.1% | 3 25.0% | 1 11.1% | 0.0% | 0 0.0% | 4 17.4% | 0 | 0 | 4 16.7% | 0 |
| 9 to 10 | 411 68.8% | 18 75.0% | 17 73.9% | 3 75.0% | 15 75.0% | 3 50.0% | 7 87.5% | 7 77.8% | 1 100.0% | 2 66.7% | 15 78.9% | - | 88.9% | 1 33.3% | 1 100.0% | 17 73.9% | _ | 0 | 18 75.0% | 0 |
| Significantly different from column:* | | | | | | | | | | - | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 49

In the last 6 months, did you get information or help from customer service at your child's health plan?

Base: All respondents

| | 0 | | | | ndent's nder | (| Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | tatus | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|--------|--------|--------|------------------|-----------------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------|
| | 어무 | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | emale) to 5 | | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,191 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| | 98.7% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 553 | 27 | 19 | 5 | 22 | 8 | 10 | 9 | 3 | 8 | 16 | 16 | 9 | 2 | 2 | 22 | 2 | 0 | 10 | 0 |
| | 25.2% | 27.3% | 32.8% | 29.4% | 26.8% | 38.1% | 21.7% | 29.0% | 23.1% | 42.1% | 25.0% | 23.5% | 33.3% | 66.7% | 9.5% | 30.6% | 50.0% | | 40.0% | |
| No | 1,638 | 72 | 39 | 12 | 60 | 13 | 36 | 22 | 10 | 11 | 48 | 52 | 18 | 1 | 19 | 50 | 2 | 0 | 15 | 0 |
| | 74.8% | 72.7% | 67.2% | 70.6% | 73.2% | 61.9% | 78.3% | 71.0% | 76.9% | 57.9% | 75.0% | 76.5% | 66.7% | 33.3% | 90.5% | 69.4% | 50.0% | | 60.0% | |
| Significantly different from column:* | | | | | , and the second | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 50

In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed?

Base: All respondents who got information from child's health plan customer service (Q49)

| | | | | Respoi Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V | | | pecialist st 6 Montl | |
|---------------------------------------|--------------|-------|--------|---------------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|----------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State C | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | _ | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 553 | 27 | 19 | 5 | 22 | 8 | 10 | 9 | 3 | 8 | 16 | 16 | 9 | 2 | 2 | 22 | 2 | 0 | 10 | 0 |
| Number missing or multiple answer | 14 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 539 | 26 | 19 | 5 | 21 | 8 | 9 | 9 | 3 | 8 | 15 | 15 | 9 | 2 | 2 | 21 | 2 | 0 | 10 | 0 |
| | 97.5% | 96.3% | 100.0% | 100.0% | 95.5% | 100.0% | 90.0% | 100.0% | 100.0% | 100.0% | 93.8% | 93.8% | 100.0% | 100.0% | 100.0% | 95.5% | 100.0% | | 100.0% | |
| Never | 22 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 |
| | 4.1% | 3.8% | 0.0% | 20.0% | 0.0% | 12.5% | 0.0% | 0.0% | 0.0% | 0.0% | 6.7% | 0.0% | 0.0% | 50.0% | 0.0% | 4.8% | 0.0% | | 10.0% | |
| Sometimes | 80 | 1 | 3 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| | 14.8% | 3.8% | 15.8% | 0.0% | 4.8% | 0.0% | 0.0% | 11.1% | 33.3% | 0.0% | 0.0% | 0.0% | 11.1% | 0.0% | 0.0% | 0.0% | 50.0% | | 0.0% | |
| Usually | 150 | 8 | 6 | 1 | 7 | 3 | 2 | 3 | 0 | 5 | 3 | 6 | 1 | 1 | 1 | 6 | 1 | 0 | 3 | 0 |
| | 27.8% | 30.8% | 31.6% | 20.0% | 33.3% | 37.5% | 22.2% | 33.3% | 0.0% | 62.5% | | | 11.1% | 50.0% | 50.0% | 28.6% | 50.0% | | 30.0% | |
| Always | 287 | 16 | 10 | 3 | 13 | 4 | 7 | 5 | 2 | 3 | 11 | - | 7 | 0 | 1 | 14 | _ | 0 | 6 | 0 |
| | 53.2% | 61.5% | 52.6% | 60.0% | 61.9% | 50.0% | 77.8% | 55.6% | 66.7% | 37.5% | 73.3% | 60.0% | 77.8% | 0.0% | 50.0% | 66.7% | 0.0% | | 60.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| Usually or Always | 437 | 24 | 16 | 4 | 20 | 7 | 9 | | 2 | 8 | 14 | | 8 | 1 | 2 | 20 | | 0 | 9 | 0 |
| | 81.1% | 92.3% | 84.2% | 80.0% | 95.2% | 87.5% | 100.0% | 88.9% | 66.7% | 100.0% | 93.3% | 100.0% | 88.9% | 50.0% | 100.0% | 95.2% | 50.0% | | 90.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 51

In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?

Base: All respondents who got information from child's health plan customer service (Q49)

| | Ь. | | | Respor Gen | | C | Child's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | specialist ' st 6 Month | |
|---------------------------------------|--------------|--------|--------|---------------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|----------------------------|-----------|
| | OHP | | | (Q7 | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | M | N | 0 | Р | Ю | R | S | T |
| Number in sample | 553 | 27 | 19 | 5 | 22 | 8 | 10 | 9 | 3 | 8 | 16 | 16 | 9 | 2 | 2 | 22 | 2 | 0 | 10 | 0 |
| Number missing or multiple answer | 16 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 537 | 26 | 19 | 5 | 21 | 8 | 9 | 9 | 3 | 8 | 15 | 15 | 9 | 2 | 2 | 21 | 2 | 0 | 10 | 0 |
| | 97.1% | 96.3% | 100.0% | 100.0% | 95.5% | 100.0% | 90.0% | 100.0% | 100.0% | 100.0% | 93.8% | 93.8% | 100.0% | 100.0% | 100.0% | 95.5% | 100.0% | | 100.0% | |
| Never | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1.1% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | |
| Sometimes | 27 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5.0% | 0.0% | 10.5% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | |
| Usually | 105 | 6 | 2 | 1 | 5 | 0 | 1 | 5 | 1 | 2 | 3 | 3 | 2 | 1 | 0 | 5 | 1 | 0 | 3 | 0 |
| | 19.6% | 23.1% | 10.5% | 20.0% | 23.8% | 0.0% | 11.1% | 55.6% | 33.3% | 25.0% | 20.0% | 20.0% | 22.2% | 50.0% | 0.0% | 23.8% | 50.0% | | 30.0% | |
| Always | 399 | 20 | 15 | 4 | 16 | 8 | 8 | 4 | 2 | 6 | 12 | 12 | 7 | 1 | 2 | 16 | 1 | 0 | 7 | 0 |
| | 74.3% | 76.9% | 78.9% | 80.0% | 76.2% | 100.0% | 88.9% | 44.4% | 66.7% | 75.0% | 80.0% | 80.0% | 77.8% | 50.0% | 100.0% | 76.2% | 50.0% | | 70.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| Usually or Always | 504 | 26 | 17 | 5 | 21 | 8 | 9 | 9 | 3 | 8 | 15 | 15 | 9 | 2 | 2 | 21 | 2 | 0 | 10 | 0 |
| | 93.9% | 100.0% | 89.5% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 52

In the last 6 months, did your child's health plan give you any forms to fill out?

Base: All respondents

| | Д. | | | Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|-------|--------|--------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 52 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,167 | 98 | 57 | 17 | 81 | 20 | 46 | 31 | 13 | 18 | 64 | 67 | 27 | 3 | 21 | 72 | 3 | 0 | 25 | 0 |
| | 97.7% | 99.0% | 100.0% | 100.0% | 98.8% | 95.2% | 100.0% | 100.0% | 100.0% | 94.7% | 100.0% | 98.5% | 100.0% | 100.0% | 100.0% | 100.0% | 75.0% | | 100.0% | |
| Yes | 686 | 23 | 18 | 7 | 16 | 5 | 8 | 10 | 4 | 4 | 14 | 15 | 6 | 2 | 5 | 15 | 1 | 0 | 7 | 0 |
| | 31.7% | 23.5% | 31.6% | 41.2% | 19.8% | 25.0% | 17.4% | 32.3% | 30.8% | 22.2% | 21.9% | 22.4% | 22.2% | 66.7% | 23.8% | 20.8% | 33.3% | | 28.0% | |
| No | 1,481 | 75 | 39 | 10 | 65 | 15 | 38 | 21 | 9 | 14 | 50 | 52 | 21 | 1 | 16 | 57 | 2 | 0 | 18 | 0 |
| | 68.3% | 76.5% | 68.4% | 58.8% | 80.2% | 75.0% | 82.6% | 67.7% | 69.2% | 77.8% | 78.1% | 77.6% | 77.8% | 33.3% | 76.2% | 79.2% | 66.7% | | 72.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 53

In the last 6 months, how often were the forms from your child's health plan easy to fill out?**

Base: All respondents who answered Q52

| | 0 | | | Respor Gen | | C | child's Age |) | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | pecialist st 6 Montl | |
|---------------------------------------|----------------|-------------|-------------|---------------|-------------|-------------|-------------|-------------|----------------------|-------------|-------------------------|---------------------------|-------------|--------------|-------------|-----------------------|-------------|------|-------------------------|-----------|
| | OHP | | | (Q7 | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 2,167 | 98 | 57 | 17 | 81 | 20 | 46 | 31 | 13 | 18 | 64 | 67 | 27 | 3 | 21 | 72 | 3 | 0 | 25 | 0 |
| Number missing or multiple answer | 13 | 2 | 0 | 1 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,154 | 96 | 57 | 16 | 80 | 19 | 46 | 30 | 12 | 18 | 63 | 65 | 27 | 3 | 19 | 72 | 3 | 0 | 25 | 0 |
| | 99.4% | 98.0% | 100.0% | 94.1% | 98.8% | 95.0% | 100.0% | 96.8% | 92.3% | 100.0% | 98.4% | 97.0% | 100.0% | 100.0% | 90.5% | 100.0% | 100.0% | | 100.0% | |
| Never | 28 1.3% | 2 2.1% | 1 1.8% | 1 6.3% | 1 1.3% | 0 0.0% | 1 2.2% | 1 3.3% | 1 8.3% | 0.0% | 0.0% | 1 1.5% | 0 0.0% | 1 33.3% | 0.0% | 2 2.8% | 0.0% | 0 | 1 4.0% | 0 |
| Sometimes | 113 | 1 | 3 | 0.070 | 1 | 0.070 | 1 | 0.070 | 0.070 | 0.070 | 1 | 0 | 1 | 0 | 1 | 0 | 0.070 | 0 | 1 | 0 |
| | 5.2% | 1.0% | 5.3% | 0.0% | 1.3% | 0.0% | 2.2% | 0.0% | 0.0% | 0.0% | 1.6% | 0.0% | 3.7% | 0.0% | 5.3% | 0.0% | 0.0% | | 4.0% | |
| Usually | 240 | 7 | 7 | 4 | 3 | 1 | 1 | 5 | 0 | 2 | 5 | 5 | 1 | 1 | 1 | 6 | 0 | 0 | 3 | 0 |
| | 11.1% | 7.3% | 12.3% | 25.0% | 3.8% | 5.3% | 2.2% | 16.7% | 0.0% | 11.1% | 7.9% | | 3.7% | 33.3% | 5.3% | 8.3% | 0.0% | | 12.0% | |
| Always | 1,773 82.3% | 86 89.6% | 46 80.7% | 11 68.8% | 75 93.8% | 18 94.7% | 43 93.5% | 24 80.0% | 11 91.7% | 16 88.9% | 57 90.5% | 59 90.8% | 25 92.6% | 1 33.3% | 17 89.5% | 64 88.9% | 3 100.0% | 0 | 20 80.0% | 0 |
| Significantly different from column:* | 02.070 | 00.070 | 00.70 | 00.070 | 55.570 | J-1.70 | 00.070 | 00.070 | 01.770 | 00.070 | 55.576 | 55.576 | JZ.070 | 00.070 | 00.070 | 00.070 | 100.070 | | 00.070 | |
| Usually or Always | 2,013 | 93 | 53 | 15 | 78 | 19 | 44 | 29 | 11 | 18 | 62 | 64 | 26 | 2 | 18 | 70 | 3 | 0 | 23 | 0 |
| | 93.5% | 96.9% | 93.0% | 93.8% | 97.5% | 100.0% | 95.7% | 96.7% | 91.7% | 100.0% | 98.4% | 98.5% | 96.3% | 66.7% | 94.7% | 97.2% | 100.0% | | 92.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

^{**}Respondents answering "No" to question 52 are reported to NCQA as "Always" in question 53, and are used in calculating the Customer Service composite score.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 54

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

Base: All respondents

| | 0 | | | Respoi Ger | ndent's nder | C | Child's Ag | Э | Respon | dent's Ed | ucation | Child's | Health S | status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---|--------------|-------------|-------------|---------------|-----------------|------------|-------------|------------|----------------------|------------|-------------------------|---------------------------|------------|--------------|-------------|-----------------------|------------|------|-------------------------|-----------|
| | 어된 | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | M | N | 0 | Р | Q | R | S | Т |
| Number in sample Number missing or multiple answer | 2,219 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 0 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer Number no experience | 25 NA | NA | 0 NA | 1 NA | 0 NA | 0 NA | 1 NA | 0 NA | 0 NA | 0 NA | 0 NA | NA | 0 NA | 0 NA | 0 NA | 1 NA | 0 NA | NA | NA | 0 NA |
| Usable responses | 2,194 | 98 | 57 | 16 | 82 | 21 | 45 | 31 | 13 | 19 | 64 | 67 | 27 | 3 | 21 | 71 | 4 | 0 | 25 | 0 |
| | 98.9% | 99.0% | 100.0% | 94.1% | 100.0% | 100.0% | 97.8% | 100.0% | 100.0% | 100.0% | 100.0% | 98.5% | 100.0% | 100.0% | 100.0% | 98.6% | 100.0% | | 100.0% | |
| 0 Worst health plan possible | 3 0.1% | 0 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 0.0% | 0 0.0% | 0.0% | 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0.0% | 0 | 0 0.0% | 0 |
| 1 | 6 0.3% | 0 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 0.0% | 0.0% | 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0.0% | 0.0% | 0 | 0 0.0% | 0 |
| 2 | 7 0.3% | 0.0% | 1.8% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0.0% | 0 |
| 3 | 16 0.7% | 1.0% | 1.8% | 0.0% | 1.2% | 0.0% | 0.0% | 3.2% | 7.7% | 0.0% | 0.0% | 0.0% | 3.7% | 0.0% | 0.0% | 0.0% | 1 25.0% | 0 | 0.0% | 0 |
| 4 | 24 1.1% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0.0% | 0 |
| 5 | 90 4.1% | 3 3.1% | 1.8% | 0.0% | 3.7% | 0.0% | 1 2.2% | 6.5% | 0.0% | 0.0% | 2 3.1% | 0.0% | 2 7.4% | 1 33.3% | 0.0% | 3 4.2% | 0.0% | 0 | 1 4.0% | 0 |
| 6 | 102 4.6% | 3 3.1% | 5 8.8% | 2 12.5% | 1.2% | 0.0% | 0.0% | 3 9.7% | 0.0% | 1 5.3% | 2 3.1% | 2 3.0% | 0.0% | 1 33.3% | 1 4.8% | 2.8% | 0.0% | 0 | 1 4.0% | 0 |
| 7 | 214 9.8% | 13 13.3% | 8 14.0% | 3 18.8% | 10 12.2% | 3 14.3% | 6 13.3% | 4 12.9% | 1 7.7% | 1 5.3% | 11 17.2% | 6 9.0% | 6 22.2% | 1 33.3% | 1 4.8% | 12 16.9% | 0.0% | 0 | 7 28.0% | 0 |
| 8 | 433 19.7% | 20 20.4% | 10 17.5% | 2 12.5% | 18 22.0% | 6 28.6% | 8 17.8% | 6 19.4% | 1 7.7% | 2 10.5% | 17 26.6% | 13 19.4% | 6 22.2% | 0.0% | 6 28.6% | 12 16.9% | 1 25.0% | 0 | 3 12.0% | 0 |
| 9 | 409 18.6% | 23 23.5% | 13 22.8% | 6 37.5% | 17 20.7% | 6 28.6% | 11 24.4% | 6 19.4% | 2 15.4% | 8 42.1% | 13 20.3% | 18 26.9% | 5 18.5% | 0 0.0% | 3 14.3% | 18 25.4% | 2 50.0% | 0 | 5 20.0% | 0 |
| 10 Best health plan possible | 890 40.6% | 35 35.7% | 18 31.6% | 3 18.8% | 32 39.0% | 6 28.6% | 19 42.2% | 9 29.0% | 8 61.5% | 7 36.8% | 19 29.7% | 28 41.8% | 7 25.9% | 0 0.0% | 10 47.6% | 24 33.8% | 0.0% | 0 | 8 32.0% | 0 |

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 54

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

Base: All respondents

| | | | | | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V | | | Specialist S st 6 Montl | |
|---|-------------------|---------------|---------------|---------------|-----------------|---------------|---------------|------------|----------------------|---------------|-------------------------|---------------------------|---------------|--------------|---------------|---------------|--------------|--------------|----------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample Number missing or multiple answer Number no experience | 2,219 25 NA | 99 1 NA | 57 0 NA | 17 1 NA | 82 0 NA | 21 0 NA | 46 1 NA | 0 | 13 0 NA | 19 0 NA | 64 0 NA | 68 1 NA | 27 0 NA | 3 0 NA | 21 0 NA | 72 1 NA | 4 0 NA | 0 0 NA | 25 0 NA | 0 |
| Usable responses | 2,194 98.9% | 98 99.0% | 57 100.0% | 16 | 82 | 21 100.0% | 45 97.8% | 31 | 13 | 19 100.0% | 64 100.0% | 67 | 27 100.0% | 3 100.0% | 21 | 71 | 4 100.0% | 0 | 25 100.0% | 0 |
| 0 to 4 | 56 2.6% | 1 1.0% | 2 3.5% | 0 | 1 1.2% | 0 0.0% | 0 0.0% | 1 | 1 7.7% | 0 0.0% | 0 0.0% | 0 | 1 3.7% | 0 0.0% | 0 0.0% | 0 | 1 25.0% | 0 | 0 0.0% | 0 |
| 5 | 90 4.1% | 3 3.1% | 1 1.8% | 0 0.0% | 3 3.7% | 0 0.0% | 1 2.2% | 6.5% | 0 0.0% | 0 0.0% | 2 3.1% | 0 0.0% | 2 7.4% | 1 33.3% | 0 0.0% | 3 4.2% | 0.0% | 0 | 1 4.0% | 0 |
| 6 or 7 | 316 14.4% | 16 16.3% | 13 22.8% | 5 31.3% | 11 13.4% | 3 14.3% | 6 13.3% | 7 22.6% | | 2 10.5% | 13 20.3% | 8 11.9% | 6 22.2% | 2 66.7% | 9.5% | 14 19.7% | 0.0% | 0 | 8 32.0% | 0 |
| 8 to 10 | 1,732 78.9% | 78 79.6% | 41 71.9% | 11 68.8% | 67 81.7% | 18 85.7% | 38 84.4% | | 11 84.6% | 17 89.5% | 49 76.6% | 59 88.1% | 18 66.7% | 0.0% | 19 90.5% | 54 76.1% | 3 75.0% | 0 | 16 64.0% | 0 |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| 0 to 6 | 248 11.3% | 7 7.1% | 8 14.0% | 2 12.5% | 5 6.1% | 0.0% | 1 2.2% | 6 19.4% | 7.7% | 5.3% | 4 6.3% | 2 3.0% | 3 11.1% | 2 66.7% | 4.8% | 5 7.0% | 1 25.0% | 0 | 2 8.0% | 0 |
| 7 to 8 | 647 29.5% | 33 33.7% | 18 31.6% | 5 31.3% | 28 34.1% | 9 42.9% | 14 31.1% | | 2 15.4% | 3 15.8% | 28 43.8% | 19 28.4% | 12 44.4% | 1 33.3% | 7 33.3% | 24 33.8% | 1 25.0% | 0 | 10 40.0% | 0 |
| 9 to 10 | 1,299 59.2% | 58 59.2% | 31 54.4% | 9 56.3% | 49 59.8% | 12 57.1% | 30 66.7% | - | 10 76.9% | 15 78.9% | 32 50.0% | 46 68.7% | 12 44.4% | 0.0% | 13 61.9% | 42 59.2% | 2 50.0% | 0 | 13 52.0% | 0 |
| Significantly different from column:* | | | | | | | | | | K | J | М | L | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 55

In the last 6 months, did you get or refill any prescription medicines for your child?

Base: All respondents

| | ۵ | | | | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | tatus | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|-------|--------|-------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | ı | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 28 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,191 | 98 | 57 | 16 | 82 | 21 | 45 | 31 | 13 | 19 | 64 | 67 | 27 | 3 | 21 | 71 | 4 | 0 | 25 | 0 |
| | 98.7% | 99.0% | 100.0% | 94.1% | 100.0% | 100.0% | 97.8% | 100.0% | 100.0% | 100.0% | 100.0% | 98.5% | 100.0% | 100.0% | 100.0% | 98.6% | 100.0% | | 100.0% | |
| Yes | 1,135 | 49 | 34 | 8 | 41 | 8 | 24 | 16 | 4 | 9 | 36 | 31 | 15 | 2 | 5 | 41 | 2 | 0 | 19 | 0 |
| | 51.8% | 50.0% | 59.6% | 50.0% | 50.0% | 38.1% | 53.3% | 51.6% | 30.8% | 47.4% | 56.3% | 46.3% | 55.6% | 66.7% | 23.8% | 57.7% | 50.0% | | 76.0% | |
| No | 1,056 | 49 | 23 | 8 | 41 | 13 | 21 | 15 | 9 | 10 | 28 | 36 | 12 | 1 | 16 | 30 | 2 | 0 | 6 | 0 |
| | 48.2% | 50.0% | 40.4% | 50.0% | 50.0% | 61.9% | 46.7% | 48.4% | 69.2% | 52.6% | 43.8% | 53.7% | 44.4% | 33.3% | 76.2% | 42.3% | 50.0% | | 24.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | Р | 0 | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 56

In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan?

Base: All respondents whose child got a prescription for medicine or refilled a prescription (Q55)

| | ۵ | | | Respor Ger | nder | C | Child's Ag | е | Respon | ident's Ed | lucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|-----------|-----------|---------------|-----------|------------------|------------|----------|----------------------|------------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|------------------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 1,135 | 49 | 34 | 8 | 41 | 8 | 24 | 16 | 4 | 9 | 36 | 31 | 15 | 2 | 5 | 41 | 2 | 0 | 19 | 0 |
| Number missing or multiple answer | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,120 | 49 | 34 | 8 | 41 | 8 | 24 | 16 | 4 | 9 | 36 | 31 | 15 | 2 | 5 | 41 | 2 | 0 | 19 | 0 |
| | 98.7% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Never | 13 1.2% | 1 2.0% | 1 2.9% | 0.0% | 1 2.4% | 1 12.5% | 0.0% | 0.0% | 0.0% | 0.0% | 1 2.8% | 1 3.2% | 0 0.0% | 0.0% | 0.0% | 1 2.4% | 0.0% | 0 | 1 5.3% | 0 |
| Sometimes | 111 | 4 | 2.070 | 0.070 | 4 | 0 | 2.070 | 2.070 | 1 | 0.070 | 3 | 2 | 2 | 0.070 | 1 | 2.470 | 1 | 0 | 3 | 0 |
| | 9.9% | 8.2% | 2.9% | 0.0% | 9.8% | 0.0% | 8.3% | 12.5% | 25.0% | 0.0% | 8.3% | 6.5% | 13.3% | 0.0% | 20.0% | 4.9% | 50.0% | | 15.8% | |
| Usually | 264 | 12 | 12 | 2 | 10 | 2 | 2 | 7 | 0 | 1 | 11 | 4 | 6 | 2 | 1 | 11 | 0 | 0 | 9 | 0 |
| | 23.6% | 24.5% | 35.3% | 25.0% | 24.4% | 25.0% | 8.3% | 43.8% | 0.0% | 11.1% | 30.6% | 12.9% | 40.0% | 100.0% | 20.0% | 26.8% | 0.0% | | 47.4% | |
| Always | 732 | 32 | 20 | 6 | 26 | 5 | 20 | 7 | 3 | 8 | 21 | 24 | 7 | 0 | 3 | 27 | 1 | 0 | 6 | 0 |
| | 65.4% | 65.3% | 58.8% | 75.0% | 63.4% | 62.5% | 83.3% | 43.8% | 75.0% | 88.9% | 58.3% | 77.4% | 46.7% | 0.0% | 60.0% | 65.9% | 50.0% | | 31.6% | |
| Significantly different from column:* | | , | | | | , and the second | Н | G | | | , and the second | | | | | | , and the second | | | |
| Usually or Always | 996 | 44 | 32 | 8 | 36 | 7 | 22 | 14 | 3 | 9 | 32 | 28 | 13 | 2 | 4 | 38 | 1 | 0 | 15 | 0 |
| | 88.9% | 89.8% | 94.1% | 100.0% | 87.8% | 87.5% | 91.7% | 87.5% | 75.0% | 100.0% | 88.9% | 90.3% | 86.7% | 100.0% | 80.0% | 92.7% | 50.0% | | 78.9% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 57

Did anyone from your child's health plan, doctor's office, or clinic help you get your child's prescription medicines?

Base: All respondents whose child got a prescription for medicine or refilled a prescription (Q55)

| | Ь | | | | nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor Vi st 6 Month | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|--------|--------|--------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-------------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 1,135 | 49 | 34 | 8 | 41 | 8 | 24 | 16 | 4 | 9 | 36 | 31 | 15 | 2 | 5 | 41 | 2 | 0 | 19 | 0 |
| Number missing or multiple answer | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,111 | 49 | 34 | 8 | 41 | 8 | 24 | 16 | 4 | 9 | 36 | 31 | 15 | 2 | 5 | 41 | 2 | 0 | 19 | 0 |
| | 97.9% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 721 | 31 | 20 | 5 | 26 | 5 | 13 | 12 | 2 | 8 | 21 | 21 | 8 | 1 | 1 | 28 | 1 | 0 | 14 | 0 |
| | 64.9% | 63.3% | 58.8% | 62.5% | 63.4% | 62.5% | 54.2% | 75.0% | 50.0% | 88.9% | 58.3% | 67.7% | 53.3% | 50.0% | 20.0% | 68.3% | 50.0% | | 73.7% | |
| No | 390 | 18 | 14 | 3 | 15 | 3 | 11 | 4 | 2 | 1 | 15 | 10 | 7 | 1 | 4 | 13 | 1 | 0 | 5 | 0 |
| | 35.1% | 36.7% | 41.2% | 37.5% | 36.6% | 37.5% | 45.8% | 25.0% | 50.0% | 11.1% | 41.7% | 32.3% | 46.7% | 50.0% | 80.0% | 31.7% | 50.0% | | 26.3% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 57a

A regular dentist is one your child would go to for check-ups and cleanings or when he or she has a cavity or tooth pain. Does your child have a regular dentist?

Base: All respondents

| | <u>م</u> | | | Respoi Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor V st 6 Mont | | Child's S | Specialist st 6 Mont | |
|---------------------------------------|--------------|-------|--------|---------------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|-------|-----------------------|-----------|-----------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 84 | 6 | 0 | 1 | 5 | 3 | 2 | 1 | 2 | 1 | 2 | 5 | 1 | 0 | 2 | 2 | 1 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,135 | 93 | 58 | 16 | 77 | 18 | 44 | 30 | 11 | 18 | 62 | 63 | 26 | 3 | 19 | 70 | 3 | 0 | 24 | 0 |
| | 96.2% | 93.9% | 100.0% | 94.1% | 93.9% | 85.7% | 95.7% | 96.8% | 84.6% | 94.7% | 96.9% | 92.6% | 96.3% | 100.0% | 90.5% | 97.2% | 75.0% | | 96.0% | |
| Yes | 1,815 | 78 | 50 | 12 | 66 | 15 | 40 | 23 | 10 | 15 | 52 | 53 | 23 | 1 | 17 | 57 | 3 | 0 | 18 | 0 |
| | 85.0% | 83.9% | 86.2% | 75.0% | 85.7% | 83.3% | 90.9% | 76.7% | 90.9% | 83.3% | 83.9% | 84.1% | 88.5% | 33.3% | 89.5% | 81.4% | 100.0% | | 75.0% | |
| No | 320 | 15 | 8 | 4 | 11 | 3 | 4 | 7 | 1 | 3 | 10 | 10 | 3 | 2 | 2 | 13 | 0 | 0 | 6 | 0 |
| | 15.0% | 16.1% | 13.8% | 25.0% | 14.3% | 16.7% | 9.1% | 23.3% | 9.1% | 16.7% | 16.1% | 15.9% | 11.5% | 66.7% | 10.5% | 18.6% | 0.0% | | 25.0% | |
| Significantly different from column:* | | | | | | | | | | | | | - | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 57b

In the last 6 months, did your child go to a dentist's office or clinic for care?

Base: All respondents

| | ۵ | | | Respoi Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | Child's S La | st 6 Mont | |
|---------------------------------------|--------------|-------|--------|---------------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|-------|-----------------------|-----------|-----------------|-----------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 72 | 4 | 0 | 0 | 4 | 2 | 2 | 0 | 1 | 1 | 1 | 4 | 0 | 0 | 1 | 2 | 1 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,147 | 95 | 58 | 17 | 78 | 19 | 44 | 31 | 12 | 18 | 63 | 64 | 27 | 3 | 20 | 70 | 3 | 0 | 24 | 0 |
| | 96.8% | 96.0% | 100.0% | 100.0% | 95.1% | 90.5% | 95.7% | 100.0% | 92.3% | 94.7% | 98.4% | 94.1% | 100.0% | 100.0% | 95.2% | 97.2% | 75.0% | | 96.0% | |
| Yes | 1,435 | 67 | 38 | 10 | 57 | 14 | 36 | 17 | 10 | 14 | 42 | 47 | 19 | 0 | 11 | 51 | 3 | 0 | 16 | 0 |
| | 66.8% | 70.5% | 65.5% | 58.8% | 73.1% | 73.7% | 81.8% | 54.8% | 83.3% | 77.8% | 66.7% | 73.4% | 70.4% | 0.0% | 55.0% | 72.9% | 100.0% | | 66.7% | |
| No | 712 | 28 | 20 | 7 | 21 | 5 | 8 | 14 | 2 | 4 | 21 | 17 | 8 | 3 | 9 | 19 | 0 | 0 | 8 | 0 |
| | 33.2% | 29.5% | 34.5% | 41.2% | 26.9% | 26.3% | 18.2% | 45.2% | 16.7% | 22.2% | 33.3% | 26.6% | 29.6% | 100.0% | 45.0% | 27.1% | 0.0% | | 33.3% | |
| Significantly different from column:* | | | | | | | Ι | G | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 57c

In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating your child?

Base: All respondents whose child visited their dentist's office or clinic for care (Q57b)

| | ОНР | | | Ger | | C | child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | pecialist ' | |
|---------------------------------------|------------|--------|--------|--------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------|-----------|
| | ㅎ | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 1,435 | 67 | 37 | 10 | 57 | 14 | 36 | 17 | 10 | 14 | 42 | 47 | 19 | 0 | 11 | 51 | 3 | 0 | 16 | 0 |
| Number missing or multiple answer | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,419 | 67 | 37 | 10 | 57 | 14 | 36 | 17 | 10 | 14 | 42 | 47 | 19 | 0 | 11 | 51 | 3 | 0 | 16 | 0 |
| | 98.9% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Never | 26 | 2 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 2 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| | 1.8% | 3.0% | 0.0% | 10.0% | 1.8% | 0.0% | 2.8% | 5.9% | 0.0% | 7.1% | 2.4% | 4.3% | 0.0% | | 9.1% | 2.0% | 0.0% | | 0.0% | |
| Sometimes | 86 | 3 | 2 | 0 | 3 | 0 | 3 | 0 | 0 | 1 | 2 | 2 | 1 | 0 | 0 | 3 | 0 | 0 | 2 | 0 |
| | 6.1% | 4.5% | 5.4% | 0.0% | 5.3% | 0.0% | 8.3% | 0.0% | 0.0% | 7.1% | 4.8% | 4.3% | 5.3% | | 0.0% | 5.9% | 0.0% | | 12.5% | |
| Usually | 253 | 8 | 12 | 1 | 7 | 1 | 4 | 3 | 1 | 2 | 5 | 4 | 3 | 0 | 1 | 7 | 0 | 0 | 4 | 0 |
| | 17.8% | 11.9% | 32.4% | 10.0% | 12.3% | 7.1% | | | | 14.3% | 11.9% | | 15.8% | | 9.1% | | 0.0% | | 25.0% | |
| Always | 1,054 | 54 | 23 | 8 | 46 | 13 | 28 | | _ | 10 | 34 | 39 | 15 | 0 | 9 | 40 | 3 | 0 | 10 | 0 |
| | 74.3% | 80.6% | 62.2% | 80.0% | 80.7% | 92.9% | 77.8% | 76.5% | 90.0% | 71.4% | 81.0% | 83.0% | 78.9% | | 81.8% | 78.4% | 100.0% | | 62.5% | |
| Significantly different from column:* | | С | | | | | | | | | | | | | | | | | | |
| Usually or Always | 1,307 | 62 | 35 | 9 | 53 | 14 | 32 | - | | | 39 | - | 18 | 0 | 10 | | 3 | 0 | 14 | 0 |
| | 92.1% | 92.5% | 94.6% | 90.0% | 93.0% | 100.0% | 88.9% | 94.1% | 100.0% | 85.7% | 92.9% | 91.5% | 94.7% | | 90.9% | 92.2% | 100.0% | | 87.5% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 57d

In the last 6 months, if your child needed to see a dentist right away because of a dental emergency, how often did he or she get to see a dentist as soon as you wanted?

Base: All respondents

| | | | | Respo Ger | ndent's nder | C | Child's Ag | Э | Respon | dent's Ed | lucation | Child's | Health S | Status | | Doctor \ st 6 Mon | | | Specialist st 6 Mont | Visits in ths |
|---------------------------------------|--------------|-------------|-------------|--------------|-----------------|-----------|------------|------------|----------------------|------------|-------------------------|---------------------------|------------|--------------|------------|-------------------|-----------|------|-------------------------|------------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State C | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 53 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 131 | 9 | 0 | 1 | 8 | 2 | 5 | 2 | 2 | 1 | 5 | 7 | 1 | 0 | 3 | 5 | 1 | 0 | 1 | 0 |
| Number no experience | 1615 | 79 | 36 | 13 | 66 | 18 | 35 | 25 | 9 | 13 | 55 | 55 | 22 | 2 | 16 | 59 | 3 | 0 | 21 | 0 |
| Usable responses | 473 21.3% | 11 11.1% | 17 32.1% | 3 17.6% | 8 9.8% | 1 4.8% | 6 13.0% | 4 12.9% | 2 15.4% | 5 26.3% | 4 6.3% | 6 8.8% | 4 14.8% | 1 33.3% | 2 9.5% | 8 11.1% | 0.0% | 0 | 3 12.0% | 0 |
| Never | 185 | 3 | 3 | 17.070 | 1 | 1.070 | 10.070 | 12.570 | 10.470 | 1 | 2.070 | 2.070 | 14.070 | 00.070 | 0.070 | 2 | 0.070 | 0 | 12.070 | 0 |
| | 39.1% | 27.3% | 17.6% | 66.7% | 12.5% | 100.0% | 16.7% | 25.0% | 0.0% | 20.0% | 50.0% | 33.3% | 25.0% | 0.0% | 0.0% | 25.0% | | | 0.0% | J |
| Sometimes | 80 | 2 | 2 | 0 | 2 | 0 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 0 |
| | 16.9% | 18.2% | 11.8% | 0.0% | 25.0% | 0.0% | 16.7% | 25.0% | 0.0% | 20.0% | 25.0% | 16.7% | 25.0% | 0.0% | 50.0% | 12.5% | | | 33.3% | |
| Usually | 82 17.3% | 3 27.3% | 2 11.8% | 1 33.3% | 2 25.0% | 0 0.0% | 1 16.7% | 2 50.0% | 0 0.0% | 2 40.0% | 1 25.0% | 1 16.7% | 1 25.0% | 1 100.0% | 0 0.0% | 3 37.5% | 0 | 0 | 2 66.7% | 0 |
| Always | 126 | 3 | 10 | 00.070 | 3 | 0.070 | 3 | 00.070 | 2.070 | 1 | 0 | 2 | 1 | 0 | 1 | 2 | 0 | 0 | 00.770 | 0 |
| 1 | 26.6% | 27.3% | 58.8% | 0.0% | 37.5% | 0.0% | 50.0% | 0.0% | 100.0% | 20.0% | 0.0% | 33.3% | 25.0% | 0.0% | 50.0% | 25.0% | | | 0.0% | ļ |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| Usually or Always | 208 44.0% | 6 54.5% | 12 70.6% | 1 33.3% | 5 62.5% | 0.0% | 4 66.7% | 2 50.0% | 100.0% | 3 60.0% | 1 25.0% | 3 50.0% | 2 50.0% | 1 100.0% | 1 50.0% | 5 62.5% | 0 | 0 | 2 66.7% | 0 |
| Significantly different from column:* | 44.0 /8 | 34.376 | 7 0.0 /6 | 55.5 /6 | 02.376 | 0.076 | 00.7 /6 | 30.0 /6 | 100.076 | 00.076 | 23.078 | 50.076 | 30.0 % | 100.076 | 30.076 | 02.576 | | | 00.7 /6 | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 57e

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?

Base: All respondents

| | | | | Respoi Ger | | C | Child's Age | Э | Respon | dent's Ed | ucation | Child's | Health S | status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---|--------------|-------------|-------------|---------------|-------------|-------------|-------------|-------------|----------------------|------------|-------------------------|---------------------------|-------------|--------------|-------------|-----------------------|-----------|---------|-------------------------|-----------|
| | 어된 | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | M | N | 0 | Р | Q | R | S | T |
| Number in sample | 2,219 | 99 | 54 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer Number no experience | 144 NA | 9 NA | 0 NA | 0 NA | 9 NA | 3 NA | 2 NA | 3 NA | 0 NA | 2 NA | 7 NA | 8 NA | 0 NA | 0 NA | 2 NA | 6 NA | 1 NA | 0 | 3 NA | NA NA |
| Usable responses | 2,075 | 90 | NA 54 | 17 | 73 | NA 18 | NA 44 | NA 28 | 13 | 17 | NA 57 | 60 | NA 27 | INA 3 | 19 | NA 66 | INA 3 | NA 0 | NA 22 | - INA |
| osable responses | 93.5% | 90.9% | 100.0% | 100.0% | 89.0% | 85.7% | 95.7% | 90.3% | 100.0% | 89.5% | 89.1% | 88.2% | 100.0% | 100.0% | 90.5% | 91.7% | 75.0% | | 88.0% | |
| 0 Extremely Difficult | 92 4.4% | 0 0.0% | 2 3.7% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0.0% | 0 |
| 1 | 25 | 0.0 /8 | 3.7 /0 | 0.078 | 1 | 0.0 % | 0.0 % | 0.0 % | 0.0% | 0.0 % | 1 | 0.0% | 0.0 % | 0.0 % | 0.0% | 0.0 % | 0.0 % | 0 | 0.0 /8 | |
| | 1.2% | 1.1% | 1.9% | 0.0% | 1.4% | 0.0% | 2.3% | 0.0% | 0.0% | 0.0% | 1.8% | 0.0% | 3.7% | 0.0% | 0.0% | 1.5% | 0.0% | | 4.5% | |
| 2 | 51 2.5% | 1 1.1% | 0.0% | 0.0% | 1 1.4% | 0 0.0% | 0 0.0% | 1 3.6% | 0 0.0% | 0 0.0% | 1 1.8% | 0 0.0% | 1 3.7% | 0 0.0% | 0 0.0% | 1 1.5% | 0.0% | 0 | 0.0% | 0 |
| 3 | 47 2.3% | 3.3% | 3.7% | 0.0% | 3 4.1% | 0.0% | 1 2.3% | 7.1% | 0.0% | 1 5.9% | 3.5% | 0.0% | 3 11.1% | 0.0% | 0.0% | 3 4.5% | 0.0% | 0 | 9.1% | 0 |
| 4 | 56 | 4 | 2 | 0 | 4 | 1 | 3 | 0 | 0 | 1 | 3 | 3 | 1 | 0 | 1 | 3 | 0 | 0 | 1 | 0 |
| 5 | 2.7% 166 | 4.4% 7 | 3.7% | 0.0% | 5.5% 5 | 5.6% 0 | 6.8% 6 | 0.0% 1 | 0.0% | 5.9% | 5.3% 3 | 5.0% 5 | 3.7% | 0.0% 1 | 5.3% | 4.5% 7 | 0.0% | 0 | 4.5% | C |
| 6 | 8.0% 76 | 7.8% | 5.6% 1 | 11.8% | 6.8% | 0.0% | 13.6% 1 | 3.6% 1 | 7.7% | 17.6% 1 | 5.3% | 8.3% | 3.7% | 33.3% 0 | 0.0% | 10.6% | 0.0% | 0 | 4.5% 0 | 0 |
| - | 3.7% | 3.3% | 1.9% | 5.9% | 2.7% | 5.6% | 2.3% | 3.6% | 0.0% | 5.9% | 3.5% | 5.0% | 0.0% | 0.0% | 0.0% | 4.5% | 0.0% | | 0.0% | |
| / | 145 7.0% | 5 5.6% | 2 3.7% | 5.9% | 5.5% | 2 11.1% | 2 4.5% | 1 3.6% | 0.0% | 0.0% | 5.3% | 4 6.7% | 1 3.7% | 0.0% | 2 10.5% | 3 4.5% | 0.0% | 0 | 9.1% | |
| 8 | 269 13.0% | 13 14.4% | 7 13.0% | 4 23.5% | 9 12.3% | 2 11.1% | 6 13.6% | 5 17.9% | 1 7.7% | 2 11.8% | 10 17.5% | 9 15.0% | 3 11.1% | 1 33.3% | 2 10.5% | 11 16.7% | 0.0% | 0 | 3 13.6% | 0 |
| 9 | 256 12.3% | 14 15.6% | 5 9.3% | 4 23.5% | 10 13.7% | 2 11.1% | 7 15.9% | 5 17.9% | 4 30.8% | 2 11.8% | 7 12.3% | 7 11.7% | 6 22.2% | 1 33.3% | 3 15.8% | 10 15.2% | 0.0% | 0 | 3 13.6% | 0 |
| 10 Extremely Easy | 892 43.0% | 39 43.3% | 29 53.7% | 5 29.4% | 34 46.6% | 10 55.6% | 17 38.6% | 12 42.9% | 7 53.8% | 7 41.2% | 25 43.9% | 29 48.3% | 10 37.0% | 0.0% | 11 57.9% | 24 36.4% | 3 100.0% | 0 | 9 40.9% | 0 |

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 57e

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?

Base: All respondents

| | | | | Respoi Ger | | C | hild's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | Specialist S st 6 Montl | |
|---|--------------------|---------------|---------------|---------------|---------------|---------------|---------------|-------------|----------------------|---------------|-------------------------|---------------------------|---------------|--------------|---------------|-----------------------|--------------|--------------|----------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State C | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample Number missing or multiple answer Number no experience | 2,219 144 NA | 99 9 NA | 54 0 NA | 17 0 NA | 82 9 NA | 21 3 NA | 46 2 NA | 3 | 0 | 19 2 NA | 64 7 NA | 68 8 NA | 27 0 NA | 3 0 NA | 21 2 NA | 72 6 NA | 4 1 NA | 0 0 NA | 25 3 NA | 0 |
| Usable responses | 2,075 93.5% | 90.9% | 54 100.0% | 17 | 73 89.0% | 18 85.7% | 44 95.7% | 28 | 13 | 17 89.5% | 57 89.1% | 60 | 27 100.0% | 3 100.0% | 19 | 66 91.7% | 3 75.0% | 0 | 22 88.0% | 0 |
| 0 to 4 | 271 13.1% | 9 10.0% | 7 13.0% | 0 | 9 12.3% | 1 5.6% | 5 11.4% | 3 | 0 | 2 11.8% | 7 12.3% | 3 5.0% | 6 22.2% | 0 0.0% | 1 5.3% | 8 12.1% | 0.0% | 0 | 4 18.2% | 0 |
| 5 | 166 8.0% | 7 7.8% | 3 5.6% | 2 11.8% | 5 6.8% | 0 0.0% | 6 13.6% | 1 3.6% | 1 7.7% | 3 17.6% | 3 5.3% | 5 8.3% | 1 3.7% | 1 33.3% | 0 0.0% | 7 10.6% | 0 0.0% | 0 | 1 4.5% | 0 |
| 6 or 7 | 221 10.7% | 8 8.9% | 3 5.6% | 2 11.8% | 6 8.2% | 3 16.7% | 3 6.8% | 7.1% | 0 0.0% | 1 5.9% | 5 8.8% | 7 11.7% | 1 3.7% | 0 0.0% | 2 10.5% | 6 9.1% | 0 0.0% | 0 | 2 9.1% | 0 |
| 8 to 10 | 1,417 68.3% | 66 73.3% | 41 75.9% | 13 76.5% | 53 72.6% | 14 77.8% | 30 68.2% | 22 78.6% | | 11 64.7% | 42 73.7% | 45 75.0% | 19 70.4% | 2 66.7% | 16 84.2% | 45 68.2% | 3 100.0% | 0 | 15 68.2% | 0 |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| 0 to 6 | 513 24.7% | 19 21.1% | 11 20.4% | 3 17.6% | 16 21.9% | 2 11.1% | 12 27.3% | | 7.7% | 6 35.3% | 12 21.1% | 11 18.3% | 7 25.9% | 1 33.3% | 5.3% | 18 27.3% | 0.0% | 0 | 5 22.7% | 0 |
| 7 to 8 | 414 20.0% | 18 20.0% | 9 16.7% | 5 29.4% | 13 17.8% | 4 22.2% | 8 18.2% | 6 21.4% | 1 7.7% | 2 11.8% | 13 22.8% | 13 21.7% | 4 14.8% | 1 33.3% | 4 21.1% | 14 21.2% | 0 0.0% | 0 | 5 22.7% | 0 |
| 9 to 10 | 1,148 55.3% | 53 58.9% | 34 63.0% | 9 52.9% | 44 60.3% | 12 66.7% | 24 54.5% | 17 60.7% | 11 84.6% | 9 52.9% | 32 56.1% | 36 60.0% | 16 59.3% | 1 33.3% | 14 73.7% | 34 51.5% | 3 100.0% | 0 | 12 54.5% | 0 |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 58

In general, how would you rate your child's overall health?

Base: All respondents

| | | | | Respor Ger | ndent's nder | C | hild's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | Specialist \ st 6 Month | |
|---------------------------------------|--------------|-----------|-----------|---------------|-----------------|--------|-----------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|----------------------------|-----------|
| | ОНР | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | ļ |
| | 2019 State C | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | _ | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 22 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | | NA | NA | NA | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,197 | 98 | 58 | 17 | 81 | 21 | 45 | 31 | 13 | 19 | 63 | 68 | 27 | 3 | 21 | 71 | 4 | 0 | 25 | 0 |
| | 99.0% | 99.0% | 100.0% | 100.0% | 98.8% | 100.0% | 97.8% | 100.0% | 100.0% | 100.0% | 98.4% | 100.0% | 100.0% | 100.0% | 100.0% | 98.6% | 100.0% | | 100.0% | |
| Poor | 19 0.9% | 1 1.0% | 2 3.4% | 5.9% | 0.0% | 0.0% | 0.0% | 3.2% | 0.0% | 5.3% | 0 0.0% | 0.0% | 0.0% | 1 33.3% | 0.0% | 1 1.4% | 0.0% | 0 | 4.0% | 0 |
| Fair | 174 | 2 | 2 | 1 | 1 | 1 | 0.070 | 1 | 0.070 | 0.070 | 1 | 0.070 | 0.070 | 2 | 0.070 | 2 | 0.070 | 0 | 2 | 0 |
| | 7.9% | 2.0% | 3.4% | 5.9% | 1.2% | 4.8% | 0.0% | 3.2% | 0.0% | 0.0% | 1.6% | 0.0% | 0.0% | 66.7% | 0.0% | 2.8% | 0.0% | | 8.0% | |
| Good | 567 | 27 | 14 | 3 | 24 | 2 | 12 | 13 | 6 | 4 | 17 | 0 | 27 | 0 | 6 | 19 | 1 | 0 | 9 | 0 |
| | 25.8% | 27.6% | 24.1% | 17.6% | 29.6% | 9.5% | | | 46.2% | 21.1% | 27.0% | | 100.0% | 0.0% | 28.6% | 26.8% | 25.0% | | 36.0% | |
| Very Good | 779 | 36 | 26 | 4 | 32 | 8 | 19 | _ | 3 | 6 | 26 | 36 | 0 | 0 | 7 | 27 | 2 | 0 | 9 | 0 |
| Free Hand | 35.5% | 36.7% | 44.8% | 23.5% | 39.5% | 38.1% | | 25.8% | 23.1% | 31.6% | 41.3% | | 0.0% | 0.0% | 33.3% | 38.0% | 50.0% | | 36.0% | |
| Excellent | 658 | 32 | 14 | 8 | 24 | 10 | 14 | 8 | 20.00 | 40.40 | 19 | 32 | 0 | 0 | 8 | 22 | 1 05.007 | 0 | 40.000 | 0 |
| Significantly different from column:* | 29.9% | 32.7% | 24.1% | 47.1% | 29.6% | 47.6% | 31.1% | 25.8% | 30.8% | 42.1% | 30.2% | 47.1% M | 0.0% L | 0.0% | 38.1% | 31.0% | 25.0% | | 16.0% | |
| Excellent or Very Good | 1,437 | 68 | 40 | 12 | 56 | 18 | 33 | 16 | 7 | 14 | 45 | 68 | - 0 | 0 | 15 | 49 | 3 | 0 | 13 | 0 |
| | 65.4% | 69.4% | 69.0% | | 69.1% | 85.7% | 73.3% | | 53.8% | 73.7% | 71.4% | 100.0% | 0.0% | 0.0% | 71.4% | 69.0% | 75.0% | | 52.0% | |
| Significantly different from column:* | | | | | | Н | | F | | | | М | L | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 59

In general, how would you rate your child's overall mental or emotional health?

Base: All respondents

| | | | | Respor Ger | | C | hild's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | specialist ' st 6 Montl | |
|---------------------------------------|--------------|-------------|-------------|---------------|-------------|--------|-------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|------------|------|----------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State C | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | _ | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | | NA | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,197 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| | 99.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Poor | 93 4.2% | 5 5.1% | 2 3.5% | 5.9% | 4 4.9% | 9.5% | 1 2.2% | 6.5% | 7.7% | 0.0% | 3 4.7% | 1 1.5% | 2 7.4% | 2 66.7% | 0.0% | 3 4.2% | 2 50.0% | 0 | 3 12.0% | 0 |
| Fair | 403 | 14 | 9 | 4 | 10 | 3.070 | 5 | 5 | 1.170 | 1 | 12 | 7 | 5 | 1 | 3 | 10 | 0 | 0 | 4 | 0 |
| | 18.3% | 14.1% | 15.8% | 23.5% | 12.2% | 14.3% | 10.9% | 16.1% | 7.7% | 5.3% | 18.8% | 10.3% | 18.5% | 33.3% | 14.3% | 13.9% | 0.0% | | 16.0% | |
| Good | 586 | 28 | 16 | 5 | 23 | 1 | 16 | | 4 | 7 | 15 | 14 | 14 | 0 | 6 | 21 | 0 | 0 | 6 | 0 |
| Very Good | 26.7% | 28.3% | 28.1% | 29.4% | 28.0% | 4.8% | 34.8% 13 | | 30.8% | 36.8% | 23.4% | 20.6% 22 | 51.9% | 0.0% | 28.6% | 29.2% | 0.0% | | 24.0% | |
| very Good | 560 25.5% | 26 26.3% | 19 33.3% | 3 17.6% | 23 28.0% | 28.6% | 28.3% | | 23.1% | 21.1% | 19 29.7% | 32.4% | 4 14.8% | 0.0% | 19.0% | 20 27.8% | 50.0% | | 24.0% | |
| Excellent | 555 | 26 | 11 | 4 | 22 | 9 | 11 | 6 | 4 | 7 | 15 | 24 | 2 | 0.070 | 8 | 18 | 0 | 0 | 6 | 0 |
| | 25.3% | 26.3% | 19.3% | 23.5% | 26.8% | 42.9% | 23.9% | 19.4% | 30.8% | 36.8% | | 35.3% | 7.4% | 0.0% | 38.1% | 25.0% | 0.0% | | 24.0% | |
| Significantly different from column:* | | | | | | | | | | | | М | L | | | | | | | |
| Excellent or Very Good | 1,115 | 52 | 30 | 7 | 45 | 15 | 24 | | | 11 | 34 | 46 | 6 | 0 | 12 | 38 | 2 | 0 | 12 | 0 |
| | 50.8% | 52.5% | 52.6% | 41.2% | 54.9% | 71.4% | 52.2% | 41.9% | 53.8% | 57.9% | 53.1% | 67.6% | 22.2% | 0.0% | 57.1% | 52.8% | 50.0% | | 48.0% | |
| Significantly different from column:* | | | | | | Н | | F | | | | M | L | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 60

Does your child currently need or use medicine prescribed by a doctor (other than vitamins)?

Base: All respondents

| | Δ. | | | Respoi Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|-------|--------|---------------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|-------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 13 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,206 | 98 | 58 | 17 | 81 | 21 | 46 | 30 | 12 | 19 | 64 | 68 | 26 | 3 | 20 | 72 | 4 | 0 | 25 | 0 |
| | 99.4% | 99.0% | 100.0% | 100.0% | 98.8% | 100.0% | 100.0% | 96.8% | 92.3% | 100.0% | 100.0% | 100.0% | 96.3% | 100.0% | 95.2% | 100.0% | 100.0% | | 100.0% | |
| Yes | 832 | 27 | 26 | 5 | 22 | 3 | 10 | 13 | 2 | 8 | 17 | 15 | 11 | 1 | 1 | 22 | 3 | 0 | 13 | 0 |
| | 37.7% | 27.6% | 44.8% | 29.4% | 27.2% | 14.3% | 21.7% | 43.3% | 16.7% | 42.1% | 26.6% | 22.1% | 42.3% | 33.3% | 5.0% | 30.6% | 75.0% | | 52.0% | |
| No | 1,374 | 71 | 32 | 12 | 59 | 18 | 36 | 17 | 10 | 11 | 47 | 53 | 15 | 2 | 19 | 50 | 1 | 0 | 12 | 0 |
| | 62.3% | 72.4% | 55.2% | 70.6% | 72.8% | 85.7% | 78.3% | 56.7% | 83.3% | 57.9% | 73.4% | 77.9% | 57.7% | 66.7% | 95.0% | 69.4% | 25.0% | | 48.0% | |
| Significantly different from column:* | | AC | | | | Н | Ι | FG | | | | M | L | | Р | 0 | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 61

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child needs/uses medicine prescribed by a doctor (Q60)

| | 0 | | | | ndent's nder | (| Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|--------|--------|--------|------------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State C | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 832 | 27 | 26 | 5 | 22 | 3 | 10 | 13 | 2 | 8 | 17 | 15 | 11 | 1 | 1 | 22 | 3 | 0 | 13 | 0 |
| Number missing or multiple answer | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 824 | 27 | 26 | 5 | 22 | 3 | 10 | 13 | 2 | 8 | 17 | 15 | 11 | 1 | 1 | 22 | 3 | 0 | 13 | 0 |
| | 99.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 738 | 25 | 23 | 4 | 21 | 3 | 9 | 12 | 1 | 7 | 17 | 13 | 11 | 1 | 1 | 20 | 3 | 0 | 13 | 0 |
| | 89.6% | 92.6% | 88.5% | 80.0% | 95.5% | 100.0% | 90.0% | 92.3% | 50.0% | 87.5% | 100.0% | 86.7% | 100.0% | 100.0% | 100.0% | 90.9% | 100.0% | | 100.0% | |
| No | 86 | 2 | 3 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| | 10.4% | 7.4% | 11.5% | 20.0% | 4.5% | 0.0% | 10.0% | 7.7% | 50.0% | 12.5% | 0.0% | 13.3% | 0.0% | 0.0% | 0.0% | 9.1% | 0.0% | | 0.0% | |
| Significantly different from column:* | | | | , | , and the second | | | | | | | , and the second | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 62

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child needs/uses medicine prescribed by a doctor for medical/behavioral/other health condition (Q60 & Q61)

| | Д | | | Ger | | C | hild's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|-------|--------|--------|--------|--------|-----------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 738 | 25 | 23 | 4 | 21 | 3 | 9 | 12 | 1 | 7 | 17 | 13 | 11 | 1 | 1 | 20 | 3 | 0 | 13 | 0 |
| Number missing or multiple answer | 5 | 2 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 733 | 23 | 23 | 3 | 20 | 3 | 8 | 11 | 1 | 6 | 16 | 11 | 11 | 1 | 1 | 18 | 3 | 0 | 12 | 0 |
| | 99.3% | 92.0% | 100.0% | 75.0% | 95.2% | 100.0% | 88.9% | 91.7% | 100.0% | 85.7% | 94.1% | 84.6% | 100.0% | 100.0% | 100.0% | 90.0% | 100.0% | | 92.3% | |
| Yes | 692 | 22 | 23 | 3 | 19 | 3 | 7 | 11 | 1 | 5 | 16 | 11 | 10 | 1 | 1 | 17 | 3 | 0 | 12 | 0 |
| | 94.4% | 95.7% | 100.0% | 100.0% | 95.0% | 100.0% | 87.5% | 100.0% | 100.0% | 83.3% | 100.0% | 100.0% | 90.9% | 100.0% | 100.0% | 94.4% | 100.0% | | 100.0% | |
| No | 41 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| | 5.6% | 4.3% | 0.0% | 0.0% | 5.0% | 0.0% | 12.5% | 0.0% | 0.0% | 16.7% | 0.0% | 0.0% | 9.1% | 0.0% | 0.0% | 5.6% | 0.0% | | 0.0% | |
| Significantly different from column:* | | - | | | | | | | | | | | - | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 63

Does your child need or use more medical care, more mental health services, or more educational services than is usual for most children of the same age?

Base: All respondents

| | Ь | | | Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | Health S | status | | Doctor Vi st 6 Month | | | st 6 Mont | Visits in hs |
|---------------------------------------|--------------|--------|--------|--------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|----------|--------------|--------|-------------------------|-----------|------|-----------|-----------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Η | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 56 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 41 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,178 | 99 | 56 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| | 98.2% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 830 | 34 | 25 | 3 | 31 | 10 | 15 | 8 | 2 | 5 | 26 | 21 | 10 | 2 | 3 | 26 | 4 | 0 | 14 | 0 |
| | 38.1% | 34.3% | 44.6% | 17.6% | 37.8% | 47.6% | 32.6% | 25.8% | 15.4% | 26.3% | 40.6% | 30.9% | 37.0% | 66.7% | 14.3% | 36.1% | 100.0% | | 56.0% | |
| No | 1,348 | 65 | 31 | 14 | 51 | 11 | 31 | 23 | 11 | 14 | 38 | 47 | 17 | 1 | 18 | 46 | 0 | 0 | 11 | 0 |
| | 61.9% | 65.7% | 55.4% | 82.4% | 62.2% | 52.4% | 67.4% | 74.2% | 84.6% | 73.7% | 59.4% | 69.1% | 63.0% | 33.3% | 85.7% | 63.9% | 0.0% | | 44.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 64

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child needs/uses more medical care/mental health/educational services than usual for children of same age (Q63)

| | <u>م</u> | | | Respor Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Montl | | | Specialist st 6 Mont | Visits in hs |
|---------------------------------------|--------------|--------|--------|---------------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|------------------------|-----------|------|-------------------------|-----------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 830 | 34 | 25 | 3 | 31 | 10 | 15 | 8 | 2 | 5 | 26 | 21 | 10 | 2 | 3 | 26 | 4 | 0 | 14 | 0 |
| Number missing or multiple answer | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 822 | 34 | 25 | 3 | 31 | 10 | 15 | 8 | 2 | 5 | 26 | 21 | 10 | 2 | 3 | 26 | 4 | 0 | 14 | 0 |
| | 99.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 750 | 29 | 22 | 3 | 26 | 9 | 14 | 5 | 2 | 4 | 22 | 17 | 9 | 2 | 1 | 23 | 4 | 0 | 14 | 0 |
| | 91.2% | 85.3% | 88.0% | 100.0% | 83.9% | 90.0% | 93.3% | 62.5% | 100.0% | 80.0% | 84.6% | 81.0% | 90.0% | 100.0% | 33.3% | 88.5% | 100.0% | | 100.0% | |
| No | 72 | 5 | 3 | 0 | 5 | 1 | 1 | 3 | 0 | 1 | 4 | 4 | 1 | 0 | 2 | 3 | 0 | 0 | 0 | 0 |
| | 8.8% | 14.7% | 12.0% | 0.0% | 16.1% | 10.0% | 6.7% | 37.5% | 0.0% | 20.0% | 15.4% | 19.0% | 10.0% | 0.0% | 66.7% | 11.5% | 0.0% | | 0.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 65

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child needs/uses more medical care/mental health/educational services than usual for children of same age for medical/behavioral/other health condition (Q63 & Q64)

| | Д. | | | Respor Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor V st 6 Montl | | | Specialist st 6 Mont | Visits in ths |
|---------------------------------------|--------------|--------|--------|---------------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|------------------------|-----------|------|-------------------------|------------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 750 | 29 | 22 | 3 | 26 | 9 | 14 | 5 | 2 | 4 | 22 | 17 | 9 | 2 | 1 | 23 | 4 | 0 | 14 | 0 |
| Number missing or multiple answer | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 747 | 29 | 22 | 3 | 26 | 9 | 14 | 5 | 2 | 4 | 22 | 17 | 9 | 2 | 1 | 23 | 4 | 0 | 14 | 0 |
| | 99.6% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 733 | 28 | 22 | 3 | 25 | 8 | 14 | 5 | 2 | 4 | 21 | 16 | 9 | 2 | 1 | 22 | 4 | 0 | 13 | 0 |
| | 98.1% | 96.6% | 100.0% | 100.0% | 96.2% | 88.9% | 100.0% | 100.0% | 100.0% | 100.0% | 95.5% | 94.1% | 100.0% | 100.0% | 100.0% | 95.7% | 100.0% | | 92.9% | |
| No | 14 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| | 1.9% | 3.4% | 0.0% | 0.0% | 3.8% | 11.1% | 0.0% | 0.0% | 0.0% | 0.0% | 4.5% | 5.9% | 0.0% | 0.0% | 0.0% | 4.3% | 0.0% | | 7.1% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 66

Is your child limited or prevented in any way in his or her ability to do the things most children of the same age can do?

Base: All respondents

| | Д | | | Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor V st 6 Mont | | | pecialist st 6 Mont | |
|---------------------------------------|--------------|--------|--------|--------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,190 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| | 98.7% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 604 | 28 | 19 | 5 | 23 | 7 | 13 | 7 | 2 | 4 | 21 | 16 | 9 | 3 | 2 | 21 | 4 | 0 | 13 | 0 |
| | 27.6% | 28.3% | 33.3% | 29.4% | 28.0% | 33.3% | 28.3% | 22.6% | 15.4% | 21.1% | 32.8% | 23.5% | 33.3% | 100.0% | 9.5% | 29.2% | 100.0% | | 52.0% | |
| No | 1,586 | 71 | 38 | 12 | 59 | 14 | 33 | 24 | 11 | 15 | 43 | 52 | 18 | 0 | 19 | 51 | 0 | 0 | 12 | 0 |
| | 72.4% | 71.7% | 66.7% | 70.6% | 72.0% | 66.7% | 71.7% | 77.4% | 84.6% | 78.9% | 67.2% | 76.5% | 66.7% | 0.0% | 90.5% | 70.8% | 0.0% | | 48.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 67

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child is limited/prevented in ability to do things children of the same age can do (Q66)

| | Ь | | | Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|--------|--------|--------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 604 | 28 | 19 | 5 | 23 | 7 | 13 | 7 | 2 | 4 | 21 | 16 | 9 | 3 | 2 | 21 | 4 | 0 | 13 | 0 |
| Number missing or multiple answer | 8 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 596 | 27 | 19 | 4 | 23 | 7 | 13 | 6 | 2 | 4 | 20 | 15 | 9 | 3 | 1 | 21 | 4 | 0 | 13 | 0 |
| | 98.7% | 96.4% | 100.0% | 80.0% | 100.0% | 100.0% | 100.0% | 85.7% | 100.0% | 100.0% | 95.2% | 93.8% | 100.0% | 100.0% | 50.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 541 | 27 | 17 | 4 | 23 | 7 | 13 | 6 | 2 | 4 | 20 | 15 | 9 | 3 | 1 | 21 | 4 | 0 | 13 | 0 |
| | 90.8% | 100.0% | 89.5% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| No | 55 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9.2% | 0.0% | 10.5% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 68

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child is limited/prevented in ability to do things because of medical/behavioral/other health condition (Q66 & Q67)

| | H- | | | Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor Vi | | | st 6 Mont | Visits in hs |
|---------------------------------------|--------------|--------|--------|--------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------|-----------|------|-----------|-----------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 541 | 27 | 17 | 4 | 23 | 7 | 13 | 6 | 2 | 4 | 20 | 15 | 9 | 3 | 1 | 21 | 4 | 0 | 13 | 0 |
| Number missing or multiple answer | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 538 | 27 | 17 | 4 | 23 | 7 | 13 | 6 | 2 | 4 | 20 | 15 | 9 | 3 | 1 | 21 | 4 | 0 | 13 | 0 |
| | 99.4% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 533 | 27 | 17 | 4 | 23 | 7 | 13 | 6 | 2 | 4 | 20 | 15 | 9 | 3 | 1 | 21 | 4 | 0 | 13 | 0 |
| | 99.1% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| No | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0.9% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 69

Does your child need or get special therapy such as physical, occupational, or speech therapy?

Base: All respondents

| | | | | | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | tatus | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|-------|--------|--------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 23 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,196 | 98 | 57 | 17 | 81 | 21 | 45 | 31 | 13 | 19 | 63 | 67 | 27 | 3 | 21 | 72 | 3 | 0 | 25 | 0 |
| | 99.0% | 99.0% | 100.0% | 100.0% | 98.8% | 100.0% | 97.8% | 100.0% | 100.0% | 100.0% | 98.4% | 98.5% | 100.0% | 100.0% | 100.0% | 100.0% | 75.0% | | 100.0% | |
| Yes | 550 | 18 | 16 | 2 | 16 | 9 | 8 | 1 | 0 | 4 | 13 | 13 | 3 | 2 | 1 | 15 | 2 | 0 | 9 | 0 |
| | 25.0% | 18.4% | 28.1% | 11.8% | 19.8% | 42.9% | 17.8% | 3.2% | 0.0% | 21.1% | 20.6% | 19.4% | 11.1% | 66.7% | 4.8% | 20.8% | 66.7% | | 36.0% | |
| No | 1,646 | 80 | 41 | 15 | 65 | 12 | 37 | 30 | 13 | 15 | 50 | 54 | 24 | 1 | 20 | 57 | 1 | 0 | 16 | 0 |
| | 75.0% | 81.6% | 71.9% | 88.2% | 80.2% | 57.1% | 82.2% | 96.8% | 100.0% | 78.9% | 79.4% | 80.6% | 88.9% | 33.3% | 95.2% | 79.2% | 33.3% | | 64.0% | |
| Significantly different from column:* | | | | | | G | F | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 70

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child needs/gets special therapy (Q69)

| | _ | | | Respor Ger | ndent's nder | C | Child's Ag | е | Respor | dent's Ed | lucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | Visits in hs |
|---------------------------------------|--------------|-------|--------|---------------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 550 | 18 | 16 | 2 | 16 | 9 | 8 | 1 | 0 | 4 | 13 | 13 | 3 | 2 | 1 | 15 | 2 | 0 | 9 | 0 |
| Number missing or multiple answer | 8 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 542 | 17 | 16 | 2 | 15 | 8 | 8 | 1 | 0 | 3 | 13 | 12 | 3 | 2 | 1 | 15 | 1 | 0 | 9 | 0 |
| | 98.5% | 94.4% | 100.0% | 100.0% | 93.8% | 88.9% | 100.0% | 100.0% | | 75.0% | 100.0% | 92.3% | 100.0% | 100.0% | 100.0% | 100.0% | 50.0% | | 100.0% | |
| Yes | 439 | 14 | 13 | 2 | 12 | 6 | 7 | 1 | 0 | 2 | 11 | 9 | 3 | 2 | 1 | 12 | 1 | 0 | 8 | 0 |
| | 81.0% | 82.4% | 81.3% | 100.0% | 80.0% | 75.0% | 87.5% | 100.0% | | 66.7% | 84.6% | 75.0% | 100.0% | 100.0% | 100.0% | 80.0% | 100.0% | | 88.9% | |
| No | 103 | 3 | 3 | 0 | 3 | 2 | 1 | 0 | 0 | 1 | 2 | 3 | 0 | 0 | 0 | 3 | 0 | 0 | 1 | 0 |
| | 19.0% | 17.6% | 18.8% | 0.0% | 20.0% | 25.0% | 12.5% | 0.0% | | 33.3% | 15.4% | 25.0% | 0.0% | 0.0% | 0.0% | 20.0% | 0.0% | | 11.1% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 71

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child needs/gets special therapy for medical/behavioral/other health condition (Q69 & Q70)

| | Ь | | | | nder | C | Child's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor V st 6 Monti | | | st 6 Mont | Visits in hs |
|---------------------------------------|--------------|--------|--------|--------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|------------------------|-----------|------|-----------|-----------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 439 | 14 | 13 | 2 | 12 | 6 | 7 | 1 | 0 | 2 | 11 | 9 | 3 | 2 | 1 | 12 | 1 | 0 | 8 | 0 |
| Number missing or multiple answer | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 432 | 14 | 13 | 2 | 12 | 6 | 7 | 1 | 0 | 2 | 11 | 9 | 3 | 2 | 1 | 12 | 1 | 0 | 8 | 0 |
| | 98.4% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 419 | 14 | 11 | 2 | 12 | 6 | 7 | 1 | 0 | 2 | 11 | 9 | 3 | 2 | 1 | 12 | 1 | 0 | 8 | 0 |
| | 97.0% | 100.0% | 84.6% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| No | 13 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3.0% | 0.0% | 15.4% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 72

Does your child have any kind of emotional, developmental, or behavioral problem for which he or she needs or gets treatment or counseling?

Base: All respondents

| | Д | | | Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|--------|--------|--------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,187 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| | 98.6% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 841 | 36 | 24 | 3 | 33 | 9 | 16 | 10 | 3 | 5 | 28 | 22 | 12 | 1 | 2 | 28 | 4 | 0 | 9 | 0 |
| | 38.5% | 36.4% | 42.1% | 17.6% | 40.2% | 42.9% | 34.8% | 32.3% | 23.1% | 26.3% | 43.8% | 32.4% | 44.4% | 33.3% | 9.5% | 38.9% | 100.0% | | 36.0% | |
| No | 1,346 | 63 | 33 | 14 | 49 | 12 | 30 | 21 | 10 | 14 | 36 | 46 | 15 | 2 | 19 | 44 | 0 | 0 | 16 | 0 |
| | 61.5% | 63.6% | 57.9% | 82.4% | 59.8% | 57.1% | 65.2% | 67.7% | 76.9% | 73.7% | 56.3% | 67.6% | 55.6% | 66.7% | 90.5% | 61.1% | 0.0% | | 64.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | Р | 0 | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 73

Has this problem lasted or is it expected to last for at least 12 months?

Base: All respondents whose child has emotional, developmental or behavioral problem for which s/he gets treatment (Q72)

| | Ь | | | Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor Vi st 6 Month | | | st 6 Mont | Visits in hs |
|---------------------------------------|--------------|--------|--------|--------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-------------------------|-----------|------|-----------|-----------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 841 | 36 | 24 | 3 | 33 | 9 | 16 | 10 | 3 | 5 | 28 | 22 | 12 | 1 | 2 | 28 | 4 | 0 | 9 | 0 |
| Number missing or multiple answer | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 817 | 36 | 24 | 3 | 33 | 9 | 16 | 10 | 3 | 5 | 28 | 22 | 12 | 1 | 2 | 28 | 4 | 0 | 9 | 0 |
| | 97.1% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Yes | 783 | 35 | 23 | 3 | 32 | 9 | 15 | 10 | 3 | 5 | 27 | 21 | 12 | 1 | 2 | 27 | 4 | 0 | 9 | 0 |
| | 95.8% | 97.2% | 95.8% | 100.0% | 97.0% | 100.0% | 93.8% | 100.0% | 100.0% | 100.0% | 96.4% | 95.5% | 100.0% | 100.0% | 100.0% | 96.4% | 100.0% | | 100.0% | |
| No | 34 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| | 4.2% | 2.8% | 4.2% | 0.0% | 3.0% | 0.0% | 6.3% | 0.0% | 0.0% | 0.0% | 3.6% | 4.5% | 0.0% | 0.0% | 0.0% | 3.6% | 0.0% | | 0.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 74

What is your child's age?

Base: All respondents

| Base: All respondents | | | | | ndent's | (| Child's Ag | ۵ | Resnon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V | | | Specialist | |
|---------------------------------------|----------------|-------------|--------------|--------------|-------------|--------------|--------------|--------------|----------------------|--------------|-------------------------|---------------------------|--------------|--------------|--------------|-------------|------------|------|-------------|-----------|
| | _ | | | Ger | nder | | ina s Ag | • | rrespon | uonto Eu | ucalion | Cilia | , icaiii c | natus | Las | st 6 Mont | ths | La | st 6 Mont | hs |
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | _ | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 27 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,192 98.8% | 98 99.0% | 58 100.0% | 17 100.0% | 81 98.8% | 21 100.0% | 46 100.0% | 31 100.0% | 13 100.0% | 19 100.0% | 63 98.4% | 67 98.5% | 27 100.0% | 3 100.0% | 21 100.0% | 71 98.6% | 100.0% | 0 | 24 96.0% | 0 |
| Less than 1 year old | 2 0.1% | 0 0.0% | 0 0.0% | 0.0% | 0 0.0% | 0.0% | 0 0.0% | 0 0.0% | 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 | 0 0.0% | 0 |
| 1 year old | 73 3.3% | 1 1.0% | 5 8.6% | 0.0% | 1 1.2% | 1 4.8% | 0.0% | 0.0% | 0.0% | 0.0% | 1 1.6% | 1 1.5% | 0 0.0% | 0 0.0% | 0 0.0% | 1 1.4% | 0.0% | 0 | 1 4.2% | 0 |
| 2 years old | 95 4.3% | 6 6.1% | 1 1.7% | 1 5.9% | 5 6.2% | 6 28.6% | 0.0% | 0.0% | 0.0% | 1 5.3% | 5 7.9% | 5 7.5% | 0.0% | 1 33.3% | 0.0% | 4 5.6% | 2 50.0% | 0 | 2 8.3% | 0 |
| 3 years old | 102 4.7% | 2.0% | 2 3.4% | 0.0% | 2 2.5% | 2 9.5% | 0.0% | 0.0% | 1 7.7% | 0.0% | 1.6% | 2 3.0% | 0 0.0% | 0 0.0% | 1 4.8% | 1 1.4% | 0 | 0 | 1 4.2% | 0 |
| 4 to 6 years old | 287 13.1% | 17 17.3% | 9 15.5% | 1 5.9% | 16 19.8% | 12 57.1% | 5 10.9% | 0.0% | 1 7.7% | 3 15.8% | 13 20.6% | 13 19.4% | 4 14.8% | 0 0.0% | 3 14.3% | 13 18.3% | 0.0% | 0 | 5 20.8% | 0 |
| 7 to 9 years old | 354 16.1% | 21 21.4% | 5 8.6% | 2 11.8% | 19 23.5% | 0 0.0% | 21 45.7% | 0 0.0% | 3 23.1% | 6 31.6% | 11 17.5% | 15 22.4% | 5 18.5% | 0 0.0% | 5 23.8% | 16 22.5% | 0 0.0% | 0 | 4 16.7% | 0 |
| 10 to 13 years old | 587 26.8% | 20 20.4% | 5 8.6% | 3 17.6% | 17 21.0% | 0 0.0% | 20 43.5% | 0 0.0% | 4 30.8% | 2 10.5% | 13 20.6% | 15 22.4% | 5 18.5% | 0 0.0% | 4 19.0% | 15 21.1% | 1 25.0% | 0 | 2 8.3% | 0 |
| 14 to 18 years old | 692 31.6% | 31 31.6% | 31 53.4% | 10 58.8% | 21 25.9% | 0 0.0% | 0 0.0% | 31 100.0% | 4 30.8% | 7 36.8% | 19 30.2% | 16 23.9% | 13 48.1% | 2 66.7% | 8 38.1% | 21 29.6% | 1 25.0% | 0 | 9 37.5% | 0 |
| 3 years old or younger | 272 12.4% | 9 9.2% | 8 13.8% | 1 5.9% | 8 9.9% | 9 42.9% | 0 0.0% | 0.0% | 1 7.7% | 1 5.3% | 7 11.1% | 8 11.9% | 0 0.0% | 1 33.3% | 1 4.8% | 6 8.5% | 2 50.0% | 0 | 4 16.7% | 0 |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 75

Is your child male or female?

Base: All respondents

| | 0 | | | | ndent's nder | (| Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|--------|--------|--------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | T |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,192 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| | 98.8% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Male | 1,181 | 59 | 31 | 10 | 49 | 15 | 25 | 19 | 8 | 10 | 39 | 41 | 14 | 3 | 15 | 41 | 2 | 0 | 14 | 0 |
| | 53.9% | 59.6% | 53.4% | 58.8% | 59.8% | 71.4% | 54.3% | 61.3% | 61.5% | 52.6% | 60.9% | 60.3% | 51.9% | 100.0% | 71.4% | 56.9% | 50.0% | | 56.0% | |
| Female | 1,011 | 40 | 27 | 7 | 33 | 6 | 21 | 12 | 5 | 9 | 25 | 27 | 13 | 0 | 6 | 31 | 2 | 0 | 11 | 0 |
| | 46.1% | 40.4% | 46.6% | 41.2% | 40.2% | 28.6% | 45.7% | 38.7% | 38.5% | 47.4% | 39.1% | 39.7% | 48.1% | 0.0% | 28.6% | 43.1% | 50.0% | | 44.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 76

Is your child of Hispanic or Latino origin or descent?

Base: All respondents

| | ۵ | | | Respor Gen | nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | st 6 Mont | Visits in hs |
|---------------------------------------|--------------|-------|--------|---------------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-----------|-----------------|
| | OHP | | | (Q7 | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 45 | 3 | 0 | 1 | 2 | 0 | 2 | 1 | 0 | 1 | 0 | 2 | 0 | 1 | 0 | 3 | 0 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,174 | 96 | 57 | 16 | 80 | 21 | 44 | 30 | 13 | 18 | 64 | 66 | 27 | 2 | 21 | 69 | 4 | 0 | 24 | 0 |
| | 98.0% | 97.0% | 100.0% | 94.1% | 97.6% | 100.0% | 95.7% | 96.8% | 100.0% | 94.7% | 100.0% | 97.1% | 100.0% | 66.7% | 100.0% | 95.8% | 100.0% | | 96.0% | |
| Yes, Hispanic or Latino | 719 | 19 | 17 | 4 | 15 | 0 | 10 | 9 | 4 | 4 | 11 | 12 | 6 | 1 | 9 | 9 | 0 | 0 | 3 | 0 |
| | 33.1% | 19.8% | 29.8% | 25.0% | 18.8% | 0.0% | 22.7% | 30.0% | 30.8% | 22.2% | 17.2% | 18.2% | 22.2% | 50.0% | 42.9% | 13.0% | 0.0% | | 12.5% | |
| No, not Hispanic or Latino | 1,455 | 77 | 40 | 12 | 65 | 21 | 34 | 21 | 9 | 14 | 53 | 54 | 21 | 1 | 12 | 60 | 4 | 0 | 21 | 0 |
| | 66.9% | 80.2% | 70.2% | 75.0% | 81.3% | 100.0% | 77.3% | 70.0% | 69.2% | 77.8% | 82.8% | 81.8% | 77.8% | 50.0% | 57.1% | 87.0% | 100.0% | | 87.5% | |
| Significantly different from column:* | | Α | | | | | | | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 77

What is your child's race? Mark one or more.

Base: All respondents

| · | | | | | | | | | | | | | | | | | | | | |
|---|--------------|-------|-------|---------------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|----------|--------------|-------|-----------------------|-----------|------|-----------|-----------|
| | | | | Respor Ger | ndent's nder | C | hild's Age | e | Respon | dent's Ed | lucation | Child's | Health S | Status | | Doctor V st 6 Mont | | | st 6 Mont | |
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State C | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | H | 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 58 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 177 | 6 | 3 | 3 | 3 | 1 | 3 | 2 | 1 | 1 | 2 | 5 | 0 | 1 | 3 | 2 | 0 | 0 | 1 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,042 | 93 | 55 | 14 | 79 | 20 | 43 | 29 | 12 | 18 | 62 | 63 | 27 | 2 | 18 | 70 | 4 | 0 | 24 | 0 |
| | 92.0% | 93.9% | 94.8% | 82.4% | 96.3% | 95.2% | 93.5% | 93.5% | 92.3% | 94.7% | 96.9% | 92.6% | 100.0% | 66.7% | 85.7% | 97.2% | 100.0% | | 96.0% | |
| White | 1,627 | 83 | 53 | 14 | 69 | 19 | 37 | 26 | 9 | 16 | 57 | 57 | 23 | 2 | 17 | 62 | 4 | 0 | 23 | 0 |
| | 79.7% | 89.2% | 96.4% | 100.0% | 87.3% | 95.0% | 86.0% | 89.7% | 75.0% | 88.9% | 91.9% | 90.5% | 85.2% | 100.0% | 94.4% | 88.6% | 100.0% | | 95.8% | |
| Black or African-American | 129 | 1 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| | 6.3% | 1.1% | 1.8% | 0.0% | 1.3% | 0.0% | 0.0% | 3.4% | 0.0% | 5.6% | 0.0% | 0.0% | 3.7% | 0.0% | 0.0% | 1.4% | 0.0% | | 0.0% | |
| Asian | 147 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| N C 11 " 4 D C 11 1 | 7.2% | 1.1% | 0.0% | 0.0% | 1.3% | 0.0% | 2.3% | 0.0% | 0.0% | 0.0% | 1.6% | 1.6% | 0.0% | 0.0% | 0.0% | 1.4% | 0.0% | | 0.0% | |
| Native Hawaiian or other Pacific Islander | 32 1.6% | 2.2% | 0.0% | 0.0% | 2.5% | 0.0% | 4.7% | 0.0% | 8.3% | 5.6% | 0.0% | 3.2% | 0.0% | 0.0% | 0.0% | 2.9% | 0.0% | | 0.0% | 0 |
| American Indian or Alaska Native | 186 | 5 | 9 | 2.070 | 2.570 | 1 | 4.776 | 0.070 | 3.570 | 0.070 | 4 | 3.270 | 1 | 1 | 0.070 | 5 | 0.070 | 0 | 2.070 | 0 |
| 1 | 9.1% | 5.4% | 16.4% | 14.3% | 3.8% | 5.0% | 9.3% | 0.0% | 8.3% | 0.0% | 6.5% | 4.8% | 3.7% | 50.0% | 0.0% | 7.1% | 0.0% | | 8.3% | |
| Other | 295 | 16 | 2 | 1 | 15 | 2 | 10 | 4 | 4 | 3 | 9 | 13 | 3 | 0 | 3 | 12 | 0 | 0 | 2 | 0 |
| NA Not Applicable | 14.4% | 17.2% | 3.6% | 7.1% | 19.0% | 10.0% | 23.3% | 13.8% | 33.3% | 16.7% | 14.5% | 20.6% | 11.1% | 0.0% | 16.7% | 17.1% | 0.0% | | 8.3% | |

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 78

What is your age?

Base: All respondents

| | 0. | | | Respor Ger | | C | Child's Age | Э | Respon | dent's Ed | ucation | Child's | s Health S | Status | | Doctor V | | | specialist st 6 Mont | |
|---|--------------|-------------|-------------|---------------|-------------|---------|-------------|----------|----------------------|-----------|-------------------------|---------------------------|-------------|--------------|----------|-------------|-----------|----------|-------------------------|-----------|
| | ОНР | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | M | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer Number no experience | 35 NA | NA | 0 NA | NA | 1 NA | 1 NA | 0 NA | NA | NA | 0 NA | 1 NA | 1 NA | 0 NA | 0 NA | NA | 1 NA | NA | NA | NA | NA NA |
| Usable responses | 2,184 | 98 | 57 | 17 | NA 81 | 20 | NA 46 | 31 | 13 | 19 | 63 | 67 | NA 27 | NA 2 | NA 21 | 71 | INA 4 | INA O | NA 25 | - INA |
| Osable responses | 98.4% | 99.0% | 100.0% | 100.0% | 98.8% | 95.2% | 100.0% | 100.0% | 100.0% | 100.0% | 98.4% | 98.5% | 100.0% | 100.0% | 100.0% | 98.6% | 100.0% | | 100.0% | |
| Under 18 | 85 | 3 | 3 | 0 | 3 | 0 | 1 | 1 | 2 | 0 | 1 | 2 | 1 | 0 | 1 | 2 | 0 | 0 | 1 | 0 |
| | 3.9% | 3.1% | 5.3% | 0.0% | 3.7% | 0.0% | 2.2% | 3.2% | 15.4% | 0.0% | 1.6% | 3.0% | 3.7% | 0.0% | 4.8% | 2.8% | 0.0% | | 4.0% | |
| 18 to 24 | 61 | 1 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| | 2.8% | 1.0% | 3.5% | 0.0% | 1.2% | 5.0% | 0.0% | 0.0% | 0.0% | 0.0% | 1.6% | 1.5% | 0.0% | 0.0% | 0.0% | 1.4% | 0.0% | | 4.0% | |
| 25 to 34 | 493 | 18 | 12 | 3 | 15 | 6 | 12 | 0 | 3 | 6 | 9 | 12 | 5 | 1 | 5 | 11 | 2 | 0 | 4 | 0 |
| 35 to 44 | 22.6% 744 | 18.4% 32 | 21.1% 13 | 17.6% | 18.5% 30 | 30.0% | 26.1% 15 | 0.0% | 23.1% | 31.6% | 14.3% 21 | 17.9% 18 | 18.5% 13 | 33.3% | 23.8% | 15.5% 23 | 50.0% | | 16.0% | |
| 33 10 44 | 34.1% | 32.7% | 22.8% | 11.8% | 37.0% | 35.0% | 32.6% | 32.3% | 46.2% | 21.1% | 33.3% | 26.9% | 48.1% | 33.3% | 33.3% | 32.4% | 50.0% | | 28.0% | |
| 45 to 54 | 496 | 33 | 14 | 8 | 25 | 5 | 13 | 15 | 2 | 6 | 23 | 25 | 7 | 1 | 5 | 26 | 00.070 | 0 | 10 | C |
| | 22.7% | 33.7% | 24.6% | 47.1% | 30.9% | 25.0% | 28.3% | 48.4% | 15.4% | 31.6% | 36.5% | 37.3% | 25.9% | 33.3% | 23.8% | 36.6% | 0.0% | | 40.0% | |
| 55 to 64 | 168 | 3 | 7 | 1 | 2 | 1 | 1 | 1 | 0 | 1 | 2 | 2 | 1 | 0 | 0 | 3 | 0 | 0 | 2 | 0 |
| | 7.7% | 3.1% | 12.3% | 5.9% | 2.5% | 5.0% | 2.2% | 3.2% | 0.0% | 5.3% | 3.2% | 3.0% | 3.7% | 0.0% | 0.0% | 4.2% | 0.0% | | 8.0% | |
| 65 to 74 | 108 | 8 | 4 | 3 | 5 | 0 | 4 | 4 | 0 | 2 | 6 | 7 | 0 | 0 | 3 | 5 | 0 | 0 | 0 | 0 |
| 75 or older | 4.9% | 8.2% | 7.0% | 17.6% | 6.2% | 0.0% | 8.7% | 12.9% | 0.0% | 10.5% | 9.5% | 10.4% | 0.0% | 0.0% | 14.3% | 7.0% | 0.0% | | 0.0% | |
| 75 OF Older | 29 1.3% | 0 0.0% | 2 3.5% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | 0.0% | |
| 35 or older | 1,545 | 76 | 40 | 14 | 62 | 13 | 33 | 30 | 8 | 13 | 52 | 52 | 21 | 2 | 15 | 57 | 2 | 0 | 19 | (|
| | 70.7% | 77.6% | 70.2% | 82.4% | 76.5% | 65.0% | 71.7% | 96.8% | 61.5% | 68.4% | 82.5% | 77.6% | 77.8% | 66.7% | 71.4% | 80.3% | 50.0% | | 76.0% | |
| Significantly different from column:* | | | | | | | Н | G | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 79

Are you male or female?

Base: All respondents

| | ۵ | | | | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | tatus | | Doctor V st 6 Mont | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|--------|--------|--------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,197 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| | 99.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | |
| Male | 343 | 17 | 10 | 17 | 0 | 2 | 5 | 10 | 1 | 5 | 10 | 12 | 3 | 2 | 5 | 11 | 0 | 0 | 4 | 0 |
| | 15.6% | 17.2% | 17.5% | 100.0% | 0.0% | 9.5% | 10.9% | 32.3% | 7.7% | 26.3% | 15.6% | 17.6% | 11.1% | 66.7% | 23.8% | 15.3% | 0.0% | | 16.0% | |
| Female | 1,854 | 82 | 47 | 0 | 82 | 19 | 41 | 21 | 12 | 14 | 54 | 56 | 24 | 1 | 16 | 61 | 4 | 0 | 21 | 0 |
| | 84.4% | 82.8% | 82.5% | 0.0% | 100.0% | 90.5% | 89.1% | 67.7% | 92.3% | 73.7% | 84.4% | 82.4% | 88.9% | 33.3% | 76.2% | 84.7% | 100.0% | | 84.0% | |
| Significantly different from column:* | | | | | | | Ι | G | | | | | | | | | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 80

What is the highest grade or level of school that you have completed?

Base: All respondents

| | 0 | | | Respoi Ger | ndent's nder | C | hild's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor V st 6 Mont | | | Specialist ' st 6 Month | |
|--|----------------|-------------|-------------|---------------|-----------------|------------|-------------|-------------|----------------------|-----------|-------------------------|---------------------------|-------------|--------------|------------|-----------------------|-----------|------|----------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | E | F | G | Н | - 1 | J | K | L | M | N | 0 | Р | Q | R | S | T |
| Number in sample | 2,219 | 99 | 57 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 41 | 3 | 0 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 0 | 2 | 0 | | 1 | 2 | 0 | 0 | 1 | 0 |
| Number no experience Usable responses | NA | NA 96 | NA 57 | NA 16 | NA 80 | NA 21 | NA 44 | NA 30 | NA 13 | NA 19 | NA 64 | NA 66 | NA 27 | NA | NA 20 | NA 70 | NA | NA | NA 24 | NA |
| Osable responses | 2,178 98.2% | 97.0% | 100.0% | 94.1% | 97.6% | 100.0% | 95.7% | 96.8% | | 100.0% | 100.0% | 97.1% | 100.0% | 66.7% | 95.2% | 97.2% | 100.0% | U | 96.0% | U |
| 8th grade or less | 190 | 37.070 | 100.070 | 34.170 | 27.070 | 0 | 2 | 30.070 | 3 | 0 | 00.078 | 27.170 | 100.078 | 00.7 /0 | 33.270 | 37.270 | 0 | 0 | 0.070 | 0 |
| | 8.7% | 3.1% | 3.5% | 6.3% | 2.5% | 0.0% | 4.5% | 3.3% | 23.1% | 0.0% | 0.0% | 3.0% | 3.7% | 0.0% | 10.0% | 1.4% | 0.0% | | 0.0% | |
| Some high school, but did not graduate | 216 | 10 | 4 | 0 | 10 | 1 | 6 | 3 | 10 | 0 | 0 | 5 | 5 | 0 | 2 | 7 | 1 | 0 | 1 | 0 |
| | 9.9% | 10.4% | 7.0% | 0.0% | 12.5% | 4.8% | 13.6% | 10.0% | 76.9% | 0.0% | 0.0% | 7.6% | 18.5% | 0.0% | 10.0% | 10.0% | 25.0% | | 4.2% | |
| High school graduate or GED | 592 | 19 | 19 | 5 | 14 | 4 | 8 | 7 | 0 | 19 | 0 | 14 | 4 | 1 | 4 | 13 | 1 | 0 | 3 | 0 |
| | 27.2% | 19.8% | 33.3% | 31.3% | 17.5% | 19.0% | 18.2% | 23.3% | 0.0% | 100.0% | 0.0% | | 14.8% | 50.0% | 20.0% | 18.6% | 25.0% | | 12.5% | |
| Some college or 2-year degree | 756 34.7% | 39 40.6% | 25 43.9% | 25.0% | 35 43.8% | 38.1% | 16 36.4% | 14 46.7% | 0.0% | 0.0% | 39 60.9% | 23 34.8% | 14 51.9% | 1 50.0% | 40.0% | 29 41.4% | 50.0% | 0 | 11 45.8% | 0 |
| 4-year college graduate | 243 | 14 | 43.576 | 23.076 | 43.6 % | 20.176 | 30.4 // | 40.7 /6 | 0.078 | 0.0 % | 14 | 12 | 21.970 | 30.0 % 0 | 40.076 | 12 | 30.0 % | 0 | 43.076 | |
| . ,g- g | 11.2% | 14.6% | 8.8% | 18.8% | 13.8% | 9.5% | 20.5% | 10.0% | 0.0% | 0.0% | 21.9% | | 7.4% | 0.0% | 10.0% | 17.1% | 0.0% | | 20.8% | |
| More than 4-year college degree | 181 8.3% | 11 11.5% | 2 3.5% | 3 18.8% | 8 10.0% | 6 28.6% | 3 6.8% | 2 6.7% | 0.0% | 0.0% | 11 17.2% | 10 | 1 3.7% | 0 0.0% | 2 10.0% | 8 11.4% | 0.0% | 0 | 4 16.7% | 0 |
| 4-year college graduate or more | 424 19.5% | 25 26.0% | 7 12.3% | 6 37.5% | 19 23.8% | 8 38.1% | 12 27.3% | 5 16.7% | 0.0% | 0 0.0% | 25 39.1% | 22 33.3% | 3 11.1% | 0 0.0% | 4 20.0% | 20 28.6% | 0.0% | 0 | 9 37.5% | 0 |
| Significantly different from column:* | | С | | | | | | | | K | J | М | L | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

PrimaryHealth
CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019) 11670

Question 81

How are you related to the child?

Base: All respondents

| | 0 | | | Respor Gen | | C | child's Ag | Э | Respon | dent's Ed | ucation | Child's | Health S | Status | | Doctor V | | | Specialist st 6 Montl | |
|---|----------------|-------------|-------------|---------------|-------------|-------------|-------------|-------------|----------------------|-------------|-------------------------|---------------------------|-------------|--------------|-------------|-------------|-----------|------|--------------------------|-----------|
| | ОНР | | | (Q7 | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State C | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Η | - 1 | J | K | L | M | N | 0 | Р | Q | R | S | Т |
| Number in sample Number missing or multiple answer | 2,219 79 | 99 2 | 54 0 | 17 0 | 82 2 | 21 0 | 46 1 | 31 0 | 13 0 | 19 0 | 64 2 | 68 1 | 27 0 | 3 | 21 0 | 72 2 | 4 0 | 0 | 25 1 | 0 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,140 | 97 | 54 | 17 | 80 | 21 | 45 | 31 | 13 | 19 | 62 | 67 | 27 | 3 | 21 | 70 | 4 | 0 | 24 | 0 |
| | 96.4% | 98.0% | 100.0% | 100.0% | 97.6% | 100.0% | 97.8% | 100.0% | 100.0% | 100.0% | 96.9% | 98.5% | 100.0% | 100.0% | 100.0% | 97.2% | 100.0% | | 96.0% | |
| Mother or father | 1,846 86.3% | 77 79.4% | 43 79.6% | 13 76.5% | 64 80.0% | 16 76.2% | 36 80.0% | 25 80.6% | 12 92.3% | 15 78.9% | 48 77.4% | 54 80.6% | 21 77.8% | 2 66.7% | 18 85.7% | 53 75.7% | | 0 | 18 75.0% | 0 |
| Grandparent | 155 7.2% | 8 8.2% | 5 9.3% | 2 11.8% | 6 7.5% | 1 4.8% | 5 11.1% | 2 6.5% | 0.0% | 3 15.8% | 4 6.5% | 7 10.4% | 1 3.7% | 0.0% | 2 9.5% | 6 8.6% | 0 | 0 | 2 8.3% | 0 |
| Aunt or uncle | 15 0.7% | 1.0% | 1.9% | 0.0% | 1.3% | 0.0% | 0.0% | 1 3.2% | 0.0% | 0.0% | 1.6% | 1.5% | 0.0% | 0.0% | 0.0% | 1.4% | 0 | 0 | 1 4.2% | 0 |
| Older brother or sister | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0 | 0.0% | 0 |
| Other relative | 7 0.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0 | 0.0% | 0 |
| Legal guardian | 76 3.6% | 7.2% | 3.7% | 0.0% | 7 8.8% | 9.5% | 3 6.7% | 2 6.5% | 7.7% | 1 5.3% | 5 8.1% | 3 4.5% | 4 14.8% | 0.0% | 0.0% | 7 10.0% | 0 | 0 | 2 8.3% | 0 |
| Someone else | 41 1.9% | 4 | 3 5.6% | 2 11.8% | 2 2.5% | 2 9.5% | 1 2.2% | 1 3.2% | 0.0% | 0.0% | 4 6.5% | 2 3.0% | 1 3.7% | 1 33.3% | 1 4.8% | 3 4.3% | 0 | 0 | 1 4.2% | 0 |

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 82

Did someone help you complete this survey?

Base: All respondents (Please note that members who responded on the phone were not asked this question.)

| | Д. | | | Respor Ger | nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor V st 6 Mont | | | st 6 Mont | Visits in hs |
|---------------------------------------|--------------|-------|--------|---------------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|-----------------------|-----------|------|-----------|-----------------|
| | OHP | | | (Q: | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 43 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 973 | 37 | 0 | 6 | 31 | 9 | 18 | 10 | 6 | 7 | 24 | 26 | 10 | 1 | 11 | 22 | 3 | 0 | 9 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 1,246 | 62 | 43 | 11 | 51 | 12 | 28 | 21 | 7 | 12 | 40 | 42 | 17 | 2 | 10 | 50 | 1 | 0 | 16 | 0 |
| | 56.2% | 62.6% | 100.0% | 64.7% | 62.2% | 57.1% | 60.9% | 67.7% | 53.8% | 63.2% | 62.5% | 61.8% | 63.0% | 66.7% | 47.6% | 69.4% | 25.0% | | 64.0% | |
| Yes | 42 | 1 | 2 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| | 3.4% | 1.6% | 4.7% | 9.1% | 0.0% | 0.0% | 3.6% | 0.0% | 0.0% | 0.0% | 2.5% | 2.4% | 0.0% | 0.0% | 0.0% | 2.0% | 0.0% | | 0.0% | |
| No | 1,204 | 61 | 41 | 10 | 51 | 12 | 27 | 21 | 7 | 12 | 39 | 41 | 17 | 2 | 10 | 49 | 1 | 0 | 16 | 0 |
| | 96.6% | 98.4% | 95.3% | 90.9% | 100.0% | 100.0% | 96.4% | 100.0% | 100.0% | 100.0% | 97.5% | 97.6% | 100.0% | 100.0% | 100.0% | 98.0% | 100.0% | | 100.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | - | | | | |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 83

How did that person help you? Mark one or more.

Base: All respondents who received help completing this survey (Q82) (Please note that members who responded on the phone were not asked this question.)

| | 0 | | | Respor Ger | | (| Child's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor V | | | Specialist st 6 Mont | Visits in hs |
|---|--------------|-------------|-------------|---------------|--------|--------|-------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|------|-------------|-----------|------|-------------------------|-----------------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | М | Ν | 0 | Р | Q | R | S | Т |
| Number in sample | 42 | 1 | 58 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Number missing or multiple answer | 1 | 0 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Usable responses | 39 92.9% | 1 100.0% | 1 1.7% | 1 100.0% | 0 | 0 | 1 100.0% | 0 | 0 | 0 | | 1 100.0% | 0 | 0 | 0 | 1 100.0% | 0 | 0 | 0 | 0 |
| Read the questions to me | 20 51.3% | 0 0.0% | 0.0% | 0.0% | 0 | 0 | 0.0% | 0 | 0 | 0 | | 0 0.0% | 0 | 0 | 0 | 0.0% | 0 | 0 | 0 | 0 |
| Wrote down the answers I gave | 15 38.5% | 0.0% | 0 | 0 | 0 | 0 | 0.0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0% | 0 | 0 | 0 | 0 |
| Answered the questions for me | 8 20.5% | 0.0% | 1 100.0% | 0.0% | 0 | 0 | 0.0% | 0 | 0 | 0 | 0 0.0% | 0.0% | 0 | 0 | 0 | 0.0% | 0 | 0 | 0 | 0 |
| Translated the questions into my language | 10 25.6% | 0.0% | 0.0% | 0.0% | 0 | 0 | 0.0% | 0 | 0 | 0 | 0.0% | 0.0% | 0 | 0 | 0 | 0.0% | 0 | 0 | 0 | 0 |
| Helped in some other way | 8 20.5% | 1 100.0% | 0 0.0% | 1 100.0% | 0 | 0 | 1 100.0% | 0 | 0 | 0 | 1 100.0% | 1 100.0% | 0 | 0 | 0 | 1 100.0% | 0 | 0 | 0 | 0 |

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 83a

Is your child between the ages of 3 and 5 years old?

Base: All respondents

| | ۵ | | | Respoi Ger | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | ucation | Child's | s Health S | status | | Doctor V st 6 Mont | | | Specialist st 6 Montl | |
|---------------------------------------|--------------|-------|--------|---------------|-----------------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|-------|-----------------------|-----------|------|-----------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 2,219 | 99 | 56 | 17 | 82 | 21 | 46 | 31 | 13 | 19 | 64 | 68 | 27 | 3 | 21 | 72 | 4 | 0 | 25 | 0 |
| Number missing or multiple answer | 59 | 3 | 0 | 0 | 3 | 0 | 2 | 1 | 2 | 0 | 1 | 2 | 1 | 0 | 2 | 1 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 2,160 | 96 | 56 | 17 | 79 | 21 | 44 | 30 | 11 | 19 | 63 | 66 | 26 | 3 | 19 | 71 | 4 | 0 | 25 | 0 |
| | 97.3% | 97.0% | 100.0% | 100.0% | 96.3% | 100.0% | 95.7% | 96.8% | 84.6% | 100.0% | 98.4% | 97.1% | 96.3% | 100.0% | 90.5% | 98.6% | 100.0% | | 100.0% | |
| Yes | 294 | 16 | 6 | 1 | 15 | 14 | 2 | 0 | 2 | 3 | 11 | 13 | 2 | 0 | 3 | 12 | 0 | 0 | 4 | 0 |
| | 13.6% | 16.7% | 10.7% | 5.9% | 19.0% | 66.7% | 4.5% | 0.0% | 18.2% | 15.8% | 17.5% | 19.7% | 7.7% | 0.0% | 15.8% | 16.9% | 0.0% | | 16.0% | |
| No | 1,866 | 80 | 50 | 16 | 64 | 7 | 42 | 30 | 9 | 16 | 52 | 53 | 24 | 3 | 16 | 59 | 4 | 0 | 21 | 0 |
| | 86.4% | 83.3% | 89.3% | 94.1% | 81.0% | 33.3% | 95.5% | 100.0% | 81.8% | 84.2% | 82.5% | 80.3% | 92.3% | 100.0% | 84.2% | 83.1% | 100.0% | | 84.0% | |
| Significantly different from column:* | | | | | | GH | F | F | | | | | - | | | | | | | 1 |

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 83b

When he or she is paying attention, how often can this child follow instructions to complete a simple task?

| | H- | | | Respoi Ger | nder | C | Child's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor V | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|-------|--------|---------------|--------|--------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|----------|-----------|------|-------------------------|-----------|
| | 분 | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 294 | 16 | 6 | 1 | 15 | 14 | 2 | 0 | 2 | 3 | 11 | 13 | 2 | 0 | 3 | 12 | 0 | 0 | 4 | 0 |
| Number missing or multiple answer | 4 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 290 | 15 | 6 | 0 | 15 | 13 | 2 | 0 | 2 | 3 | 10 | 12 | 2 | 0 | 3 | 12 | 0 | 0 | 4 | 0 |
| | 98.6% | 93.8% | 100.0% | 0.0% | 100.0% | 92.9% | 100.0% | | 100.0% | 100.0% | 90.9% | 92.3% | 100.0% | | 100.0% | 100.0% | | | 100.0% | |
| None of the time | 16 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| | 5.5% | 6.7% | 0.0% | | 6.7% | 7.7% | 0.0% | | 0.0% | 0.0% | 10.0% | 0.0% | 50.0% | | 0.0% | 8.3% | | | 25.0% | |
| Some of the time | 58 | 4 | 1 | 0 | 4 | 3 | 1 | 0 | 0 | 1 | 3 | 3 | 0 | 0 | 1 | 3 | 0 | 0 | 1 | 0 |
| | 20.0% | 26.7% | 16.7% | | 26.7% | 23.1% | 50.0% | | 0.0% | 33.3% | 30.0% | 25.0% | 0.0% | | 33.3% | 25.0% | | | 25.0% | |
| Most of the time | 109 | 4 | 3 | 0 | 4 | 4 | 0 | 0 | 0 | 0 | 4 | 3 | 1 | 0 | 0 | 4 | 0 | 0 | 1 | 0 |
| | 37.6% | 26.7% | 50.0% | | 26.7% | 30.8% | 0.0% | | 0.0% | 0.0% | 40.0% | 25.0% | 50.0% | | 0.0% | 33.3% | | | 25.0% | |
| All of the time | 107 | 6 | 2 | 0 | 6 | 5 | 1 | 0 | 2 | 2 | 2 | 6 | 0 | 0 | 2 | 4 | 0 | 0 | 1 | 0 |
| | 36.9% | 40.0% | 33.3% | | 40.0% | 38.5% | 50.0% | | 100.0% | 66.7% | 20.0% | 50.0% | 0.0% | | 66.7% | 33.3% | | | 25.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| All of the time or Most of the time | 216 | 10 | 5 | 0 | 10 | 9 | 1 | 0 | 2 | 2 | 6 | 9 | 1 | 0 | 2 | 8 | 0 | 0 | 2 | 0 |
| | 74.5% | 66.7% | 83.3% | | 66.7% | 69.2% | 50.0% | | 100.0% | 66.7% | 60.0% | 75.0% | 50.0% | | 66.7% | 66.7% | | | 50.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 83c

How often does this child play well with others?

| | | | | | ndent's nder | C | Child's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor V | | | Specialist st 6 Mont | |
|---------------------------------------|--------------|-----------|-----------|------|-----------------|-----------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|--------|----------|-----------|------|-------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State C | 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | ı | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 294 | 16 | 6 | 1 | 15 | 14 | 2 | 0 | 2 | 3 | 11 | 13 | 2 | 0 | 3 | 12 | 0 | 0 | 4 | 0 |
| Number missing or multiple answer | 3 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 291 | 15 | 6 | 0 | 15 | 13 | 2 | 0 | 2 | 3 | 10 | 12 | 2 | 0 | 3 | 12 | 0 | 0 | 4 | 0 |
| | 99.0% | 93.8% | 100.0% | 0.0% | 100.0% | 92.9% | 100.0% | | 100.0% | 100.0% | 90.9% | 92.3% | 100.0% | | 100.0% | 100.0% | | | 100.0% | |
| None of the time | 7 2.4% | 0 0.0% | 0 0.0% | 0 | 0 0.0% | 0 0.0% | 0.0% | 0 | 0.0% | 0 0.0% | 0.0% | 0.0% | 0.0% | 0 | 0.0% | 0.0% | 0 | 0 | 0 0.0% | 0 |
| Some of the time | 52 | 4 | 3 | 0 | 0.076 | 0.078 | 0.0 % | 0 | 0.0 % | 0.078 | 0.076 | 0.078 | 0.076 | 0 | 0.0 % | 0.076 | 0 | 0 | 0.0 % | |
| | 17.9% | 26.7% | 50.0% | | 26.7% | 30.8% | 0.0% | | 0.0% | 0.0% | 40.0% | 25.0% | 50.0% | | 0.0% | 33.3% | | | 50.0% | Ŭ. |
| Most of the time | 136 | 7 | 2 | 0 | 7 | 5 | 2 | 0 | 1 | 1 | 5 | 5 | 1 | 0 | 2 | 5 | 0 | 0 | 2 | 0 |
| | 46.7% | 46.7% | 33.3% | | 46.7% | 38.5% | 100.0% | | 50.0% | 33.3% | 50.0% | 41.7% | 50.0% | | 66.7% | 41.7% | | | 50.0% | |
| All of the time | 96 | 4 | 1 | 0 | 4 | 4 | 0 | 0 | 1 | 2 | 1 | 4 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 0 |
| | 33.0% | 26.7% | 16.7% | | 26.7% | 30.8% | 0.0% | | 50.0% | 66.7% | 10.0% | 33.3% | 0.0% | | 33.3% | 25.0% | | | 0.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| All of the time or Most of the time | 232 | 11 | 3 | 0 | 11 | 9 | 2 | 0 | 2 | 3 | 6 | 9 | 1 | 0 | 3 | 8 | 0 | 0 | 2 | 0 |
| | 79.7% | 73.3% | 50.0% | | 73.3% | 69.2% | 100.0% | | 100.0% | 100.0% | 60.0% | 75.0% | 50.0% | | 100.0% | 66.7% | | | 50.0% | |
| Significantly different from column:* | | · | | | | | | | | | | | | · | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 83d

How often can this child calm down when excited or all wound up?

| | Ь | | | Ger | | C | child's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | pecialist \ st 6 Month | |
|---------------------------------------|--------------|------------|------------|--------|------------|------------|------------|----------|----------------------|------------|-------------------------|---------------------------|------------|--------------|------------|-----------------------|-----------|------|------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | I | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 294 | 16 | 6 | 1 | 15 | 14 | 2 | 0 | 2 | 3 | 11 | 13 | 2 | 0 | 3 | 12 | 0 | 0 | 4 | 0 |
| Number missing or multiple answer | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 293 | 16 | 6 | 1 | 15 | 14 | 2 | 0 | 2 | 3 | 11 | 13 | 2 | 0 | 3 | 12 | 0 | 0 | 4 | 0 |
| | 99.7% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | 100.0% | | | 100.0% | |
| None of the time | 5 1.7% | 1 6.3% | 0 0.0% | 0.0% | 1 6.7% | 1 7.1% | 0.0% | 0 | 0.0% | 0.0% | 9.1% | 0.0% | 1 50.0% | 0 | 0.0% | 1 8.3% | 0 | 0 | 1 25.0% | 0 |
| Some of the time | 84 | 8 | 2 | 1 | 7 | 7 | 1 | 0 | 0 | 0 | 8 | 6 | 1 | 0 | 0 | 7 | 0 | 0 | 2 | 0 |
| | 28.7% | 50.0% | 33.3% | 100.0% | 46.7% | 50.0% | 50.0% | | 0.0% | 0.0% | 72.7% | 46.2% | 50.0% | | 0.0% | 58.3% | | | 50.0% | |
| Most of the time | 143 48.8% | 4 25.0% | 3 50.0% | 0.0% | 4 26.7% | 3 21.4% | 1 50.0% | 0 | 1 50.0% | 2 66.7% | 9.1% | 4 30.8% | 0.0% | 0 | 2 66.7% | 2 16.7% | 0 | 0 | 1 25.0% | 0 |
| All of the time | 40.076 | 23.0 /8 | 1 | 0.078 | 3 | 3 | 0.078 | 0 | 1 | 1 | 3.170 | 30.078 | 0.078 | 0 | 1 | 2 | 0 | 0 | 20.070 | 0 |
| | 20.8% | 18.8% | 16.7% | 0.0% | 20.0% | 21.4% | 0.0% | | 50.0% | 33.3% | 9.1% | - | 0.0% | | 33.3% | 16.7% | | | 0.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| All of the time or Most of the time | 204 | 7 | 4 | 0 | 7 | 6 | 1 | 0 | 2 | 3 | 2 | 7 | 0 | 0 | 3 | 4 | 0 | 0 | 1 | 0 |
| | 69.6% | 43.8% | 66.7% | 0.0% | 46.7% | 42.9% | 50.0% | | 100.0% | 100.0% | 18.2% | 53.8% | 0.0% | | 100.0% | 33.3% | | | 25.0% | |
| Significantly different from column:* | | Α | | | | | | | | | , | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 83e

How often does this child lose control of his or her temper when things do not go his or her way?

| | Ь | | | Ger | | C | child's Ag | е | Respon | dent's Ed | lucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | | pecialist \ st 6 Month | |
|---------------------------------------|--------------|------------|------------|-------------|------------|------------|------------|----------|----------------------|-----------|-------------------------|---------------------------|------------|--------------|------------|-----------------------|-----------|------|------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | _ | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 294 | 16 | 6 | 1 | 15 | 14 | 2 | 0 | 2 | 3 | 11 | 13 | 2 | 0 | 3 | 12 | 0 | 0 | 4 | 0 |
| Number missing or multiple answer | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Usable responses | 292 | 16 | 6 | 1 | 15 | 14 | 2 | 0 | 2 | 3 | 11 | 13 | 2 | 0 | 3 | 12 | 0 | 0 | 4 | 0 |
| | 99.3% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | 100.0% | 100.0% | | | 100.0% | |
| None of the time | 49 16.8% | 2 12.5% | 2 33.3% | 0.0% | 2 13.3% | 2 14.3% | 0.0% | 0 | 0.0% | 0.0% | 2 18.2% | 1 7.7% | 1 50.0% | 0 | 0.0% | 2 16.7% | 0 | 0 | 1 25.0% | 0 |
| Some of the time | 186 | 12.370 | 33.576 | 0.070 | 10.570 | 9 | 1 | 0 | 0.070 | 3 | 10.270 | 7.770 | 0.070 | 0 | 0.070 | 8 | 0 | 0 | 25.070 | 0 |
| | 63.7% | 62.5% | 50.0% | 0.0% | 66.7% | 64.3% | 50.0% | | 50.0% | 100.0% | 54.5% | 69.2% | 0.0% | | 66.7% | 66.7% | | | 50.0% | |
| Most of the time | 41 14.0% | 4 25.0% | 1 16.7% | 1 100.0% | 3 20.0% | 3 21.4% | 1 50.0% | 0 | 1 50.0% | 0.0% | 3 27.3% | 3 23.1% | 1 50.0% | 0 | 1 33.3% | 2 16.7% | 0 | 0 | 1 25.0% | 0 |
| All of the time | 16 5.5% | 0.0% | 0.0% | 0 | 0.0% | 0.0% | 0.0% | 0 | 0.0% | 0.0% | 0.0% | 0 | 0.0% | 0 | 0.0% | 0.0% | 0 | 0 | 0.0% | 0 |
| Significantly different from column:* | 3.3 /6 | 0.076 | 0.078 | 0.076 | 0.0 /6 | 0.078 | 0.076 | | 0.0 % | 0.076 | 0.078 | 0.076 | 0.0 % | | 0.076 | 0.076 | | | 0.078 | |
| All of the time or Most of the time | 57 | 4 | 1 | 1 | 3 | 3 | 1 | 0 | 1 | 0 | 3 | 3 | 1 | 0 | 1 | 2 | 0 | 0 | 1 | 0 |
| | 19.5% | 25.0% | 16.7% | 100.0% | 20.0% | 21.4% | 50.0% | | 50.0% | 0.0% | 27.3% | 23.1% | 50.0% | | 33.3% | 16.7% | | | 25.0% | |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

Question 83f

In the past 6 months, were you ever asked to keep your child home from any child care or preschool because of their behavior (things like hitting, kicking, biting, tantrums or disobeying)?

| | 0 | | | Respoi Ger | ndent's nder | C | Child's Age |) | Respon | ident's Ed | lucation | Child's | s Health S | Status | | Doctor V st 6 Mont | | Child's S | pecialist st 6 Mont | |
|--|--------------|-------------|-------------|---------------|-----------------|-------------|-------------|----------|----------------------|-------------|-------------------------|---------------------------|------------|--------------|-------------|-----------------------|-----------|-----------|------------------------|-----------|
| | OHP | | | (Q | 79) | | (Q74) | | | (Q80) | | | (Q58) | | | (Q7) | | | (Q47) | |
| | 2019 State (| 2019 | 2018 | Male | Female | 0 to 5 | 6 to 13 | 14 to 18 | Less than HS grad | HS grad | Some College or more | Excellent or Very Good | Good | Fair or Poor | None | 1 to 4 | 5 or more | None | 1 to 4 | 5 or more |
| | Α | В | С | D | Е | F | G | Н | _ | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| Number in sample | 294 | 16 | 6 | 1 | 15 | 14 | 2 | 0 | 2 | 3 | 11 | 13 | 2 | 0 | 3 | 12 | 0 | 0 | 4 | 0 |
| Number missing or multiple answer | 5 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Number no experience | 36 | 1 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| Usable responses | 253 | 14 | 4 | 1 | 13 | 13 | 1 | 0 | 1 | 3 | 10 | 11 | 2 | 0 | 2 | 11 | 0 | 0 | 3 | 0 |
| | 86.1% | 87.5% | 66.7% | 100.0% | 86.7% | 92.9% | 50.0% | | 50.0% | 100.0% | 90.9% | 84.6% | 100.0% | | 66.7% | 91.7% | | | 75.0% | |
| No | 234 92.5% | 11 78.6% | 4 100.0% | 1 100.0% | 10 76.9% | 10 76.9% | 1 100.0% | 0 | 1 100.0% | 3 100.0% | 7 70.0% | 10 90.9% | 0 0.0% | 0 | 2 100.0% | 8 72.7% | 0 | 0 | 1 33.3% | 0 |
| Yes, I was told to pick up my child early on 1 or more days | 12 4.7% | 1 7.1% | 0.0% | 0.0% | 1 7.7% | 1 7.7% | 0 0.0% | 0 | 0.0% | 0.0% | 1 10.0% | 0 0.0% | 1 50.0% | 0 | 0 0.0% | 1 9.1% | 0 | 0 | 0 0.0% | 0 |
| Yes, I had to keep my child home for 1 full day or more | 4 1.6% | 1 7.1% | 0.0% | 0 0.0% | 1 7.7% | 1 7.7% | 0 0.0% | 0 | 0.0% | 0.0% | 1 10.0% | 9.1% | 0 0.0% | 0 | 0 0.0% | 1 9.1% | 0 | 0 | 1 33.3% | 0 |
| Yes permanently, I was told my child could no longer attend this childcare center or | 3 1.2% | 1 7.1% | 0.0% | 0.0% | 1 7.7% | 1 7.7% | 0 0.0% | 0 | 0.0% | 0.0% | 1 10.0% | 0.0% | 1 50.0% | 0 | 0.0% | 1 9.1% | 0 | 0 | 1 33.3% | 0 |
| Significantly different from column:* | | | | | | | | | | | | | | | | | | | | |
| No | 234 92.5% | 11 78.6% | 4 100.0% | 1 100.0% | 10 76.9% | 10 76.9% | 1 100.0% | 0 | 1 100.0% | 3 100.0% | 7 70.0% | 10 90.9% | 0 0.0% | 0 | 2 100.0% | 8 72.7% | 0 | 0 | 1 33.3% | 0 |
| Significantly different from column:* | | | | | | | | • | | | | | | | | | | | | |

A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

SURVEY INSTRUMENT



Survey Instructions

Answer each question by marking the box to the left of your answer.

You are sometimes told to skip over some questions in this survey. When this happens you will see an arrow with a note that tells you what question to answer next, like this:

 \square_1 Yes \rightarrow *If Yes, Go to Question 1*

□₂ No

Personally identifiable information will not be made public and will only be released in accordance with federal laws and regulations.

You may choose to answer this survey or not. If you choose not to, this will not affect the benefits you get. You may notice a number on the cover of this survey. This number is ONLY used to let us know if you returned your survey so we don't have to send you reminders.

If you want to know more about this study, please call 1-833-257-1377. For the hearing or speech impaired, call 711 to use the Telecommunications Relay Service (TRS).

Please answer the questions for the child listed on the envelope. Please do not answer for any other children.

1. Our records show that your child is now in Oregon Health Plan. Is that right?

 \square_1 Yes \rightarrow If Yes, Go to Question 3

□₂ No

What is the name of your child's health plan? (Please print)

Your Child's Health Care in the Last 6 Months

These questions ask about your child's health care. Do <u>not</u> include care your child got when he or she stayed overnight in a hospital. Do <u>not</u> include the times your child went for dental care visits.

3. In the last 6 months, did your child have an illness, injury, or condition that <u>needed care right away</u> in a clinic, emergency room, or doctor's office?

□₁ Yes

 \square_2 No \rightarrow If No, Go to Question 5

| 4. | In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed? Never Sometimes Usually Always | 8. | In the last 6 months, did you and your child's doctor or other health provider talk about specific things you could do to prevent illness in your child? Yes No |
|----|---|-----|--|
| 5. | In the last 6 months, did you make any appointments for a <u>check-up or routine care</u> for your child at a doctor's office or clinic? \square_1 Yes \square_2 No \rightarrow If No, Go to Question 7 | 9. | In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers? Never Sometimes Usually Always |
| 6. | In the last 6 months, when you made an appointment for a <u>check-up or routine care</u> for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed? Never Sometimes Usually | 10. | In the last 6 months, did you and your child's doctor or other health provider talk about starting or stopping a prescription medicine for your child? \square_1 Yes \square_2 No \Rightarrow If No, Go to Question 14 |
| 7. | ☐₄ Always In the last 6 months, <u>not</u> counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care? | 11. | Did you and a doctor or other health provider talk about the reasons you might want your child to take a medicine? Yes No |
| | \square_0 None → <i>If None, Go to Question 16</i> \square_1 1 time \square_2 2 \square_3 3 \square_4 4 \square_5 5 to 9 | 12. | Did you and a doctor or other health provider talk about the reasons you might <u>not</u> want your child to take a medicine? $\Box_1 \text{ Yes} \\ \Box_2 \text{ No}$ |
| | □ ₆ 10 or more times | 13. | When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child? Yes No |

| 14. | Using any number from 0 to 10, where 0 is the | | |
|-----|--|-----|---|
| | worst health care possible and 10 is the best | 18. | In the last 6 months, did you get the help you needed from your child's doctors or other |
| | health care possible, what number would you use to rate all your child's health care in the | | health providers in contacting your child's |
| | last 6 months? | | school or daycare? |
| | □₀ 0 Worst health care possible | | ☐₁ Yes |
| | \square_1 1 | | □₂ No |
| | \square_2 2 | | |
| | □ ₃ 3 □ ₄ 4 | 5 | Specialized Services |
| | □ ₅ 5 | | |
| | □ ₆ 6 | 19. | Special medical equipment or devices include |
| | □ ₇ 7 □ ₈ 8 | | a walker, wheelchair, nebulizer, feeding tubes, or oxygen equipment. In the last 6 months, |
| | □, 9 | | did you get or try to get any special medical |
| | \square_{10} 10 Best health care possible | | equipment or devices for your child? |
| | | | ☐₁ Yes |
| 15. | In the last 6 months, how often was it easy | | \square_2 No \rightarrow If No, Go to Question 22 |
| | to get the care, tests, or treatment your child needed? | 20. | In the last 6 months, how often was it easy to |
| | □₁ Never | | get special medical equipment or devices for |
| | ☐₂ Sometimes | | your child? |
| | ☐₃ Usually | | □₁ Never□₂ Sometimes |
| | □₄ Always | | |
| 16 | Is your child now enrolled in any kind of school | | □₄ Always |
| 10. | or daycare? | | |
| | □₁ Yes | 21. | Did anyone from your child's health plan, |
| | \square_2 No \Rightarrow <i>If No, Go to Question 19</i> | | doctor's office, or clinic help you get special medical equipment or devices for your child? |
| 17 | In the last C menths, did you need your shild's | | □₁ Yes |
| 17. | In the last 6 months, did you need your child's doctors or other health providers to contact | | \square_{2} No |
| | a school or daycare center about your child's | | |
| | health or health care? | 22. | In the last 6 months, did you get or try to get special therapy such as physical, occupational, |
| | \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 19</i> | | or speech therapy for your child? |
| | 12 No / IJ No, Go to Question 19 | | |
| | | | \square_2 No \Rightarrow If No, Go to Question 25 |
| | | | |

| 23. | In the last 6 months, how often was it easy to get this therapy for your child? \[\bigcup_1 \text{Never} \\ \bigcup_2 \text{Sometimes} \\ \bigcup_3 \text{Usually} \\ \bigcup_4 \text{Always} | 29. In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services? ☐₁ Yes ☐₂ No |
|-----|--|---|
| 24. | Did anyone from your child's health plan, doctor's office, or clinic help you get this therapy for your child? | Your Child's Personal Doctor |
| | □₁ Yes □₂ No | 30. A personal doctor is the one your child would see if he or she needs a checkup, has a health problem, or gets sick or hurt. Does your child |
| 25. | In the last 6 months, did you get or try to get treatment or counseling for your child for an emotional, developmental, or behavioral problem? | have a personal doctor? \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 45</i> |
| | \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 28</i> | 31. In the last 6 months, how many times did you child visit his or her personal doctor for care? |
| 26. | In the last 6 months, how often was it easy to get this treatment or counseling for your child? \[\bigcup_1 \text{Never} \\ \bigcup_2 \text{Sometimes} \\ \bigcup_3 \text{Usually} \\ \bigcup_4 \text{Always} \end{always} | \square_0 None → If None, Go to Question 41 \square_1 1 time \square_2 2 \square_3 3 \square_4 4 \square_5 5 to 9 \square_6 10 or more times |
| 27. | Did anyone from your child's health plan, doctor's office, or clinic help you get this treatment or counseling for your child? Yes No | 31a. In the last 6 months, how often did you have a hard time speaking with or understanding your child's personal doctor because you spoke different languages? Never Sometimes |
| 28. | In the last 6 months, did your child get care from more than one kind of health care provider or use more than one kind of health care service? Yes | □₃ Usually □₄ Always |
| | \square_2 No \rightarrow <i>If No, Go to Question 30</i> | |

| 32. | In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand? Never Sometimes Usually Always | 37. | In the last 6 months, how often did your child's personal doctor spend enough time with your child? Never Sometimes Usually Always |
|-----|---|-----|---|
| 33. | In the last 6 months, how often did your child's personal doctor listen carefully to you? Never Sometimes Usually Always | | In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving? Yes No |
| 34. | In the last 6 months, how often did your child's personal doctor show respect for what you had to say? Never Sometimes Usually Always | | In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor? ☐ Yes ☐ No → If No, Go to Question 41 In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these |
| 35. | Is your child able to talk with doctors about his or her health care? $\square_1 \text{ Yes}$ $\square_2 \text{ No } \Rightarrow \textit{If No, Go to Question 37}$ | | doctors or other health providers? \[\sum_1 \text{Never} \] \[\sum_2 \text{Sometimes} \] \[\sum_3 \text{Usually} \] \[\sum_4 \text{Always} \] |
| 36. | In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for <u>your child</u> to understand? Never Sometimes Usually Always | | |

| 41. | Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the | G | etting Health Care from Specialists |
|-----|--|-----|---|
| | best personal doctor possible, what number would you use to rate your child's personal doctor? | in | Then you answer the next questions, do not clude dental visits or care your child got when |
| | 0 Worst personal doctor possible | n | e or she stayed overnight in a hospital. |
| | \Box_{1} 1 \Box_{2} 2 \Box_{3} 3 \Box_{4} 4 \Box_{5} 5 \Box_{6} 6 \Box_{7} 7 \Box_{8} 8 | | Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and other doctors who specialize in one area of health care. In the last 6 months, did you make any appointments for your child to see a specialist? |
| | □ ₉ 9 | | \square_2 No \rightarrow <i>If No, Go to Question 49</i> |
| | \square_{10} 10 Best personal doctor possible | | |
| 42. | Does your child have any medical, behavioral, or other health conditions that have lasted for more than $\frac{3 \text{ months}}{2}$? \square_1 Yes \square_2 No \Rightarrow If No, Go to Question 45 | 46. | In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed? Never Sometimes Usually Always |
| 43. | Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life? | 47. | How many specialists has your child seen in the last 6 months? |
| | □₁ Yes □₂ No | | \square_0 None \rightarrow <i>If None, Go to Question 49</i> \square_1 1 specialist \square_2 2 |
| 44. | Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your <u>family's</u> day-to-day life? | | \square_3 3 \square_4 4 \square_5 5 or more specialists |
| | ☐₁ Yes ☐₂ No | | |

| 48. We want to know your rating of the specialist your child saw most often in the last 6 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist? □₀ 0 Worst specialist possible □₁ 1 □₂ 2 | 51. In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect? Never Sometimes Usually Always |
|--|--|
| $ \Box_{3} 3 $ $ \Box_{4} 4 $ $ \Box_{5} 5 $ $ \Box_{6} 6 $ $ \Box_{7} 7 $ | 52. In the last 6 months, did your child's health plan give you any forms to fill out? □₁ Yes □₂ No → If No, Go to Question 54 |
| □ _s 8 □ _s 9 | 53. In the last 6 months, how often were the forms from your child's health plan easy to fill out? ☐₁ Never |
| ☐ 10 Best specialist possible | ☐₂ Sometimes ☐₃ Usually ☐₄ Always |
| Your Child's Health Plan | □₄ Always |
| The next questions ask about your experience with your child's health plan. | 54. Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you |
| 49. In the last 6 months, did you get information or help from customer service at your child's health plan? □₁ Yes □₂ No → If No, Go to Question 52 50. In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed? □₁ Never □₂ Sometimes □₃ Usually □₄ Always | use to rate your child's health plan? |
| | 55. In the last 6 months, did you get or refill any prescription medicines for your child? ☐₁ Yes ☐₂ No → If No. Go to Question 57a |

| 56. In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan? □₁ Never □₂ Sometimes □₃ Usually □₄ Always 57. Did anyone from your child's health plan, doctor's office, or clinic help you get your child's prescription medicines? □₁ Yes □₂ No | 57d. In the last 6 months, if your child needed to see a dentist right away because of a dental emergency, how often did he or she get to see a dentist as soon as you wanted? |
|---|--|
| Access to Dental Care | it was for you to find a dentist for your child? |
| 57a. A regular dentist is one your child would go to for check-ups and cleanings or when he or she has a cavity or tooth pain. Does your child have a regular dentist? Yes No 57b. In the last 6 months, did your child go to a dentist's office or clinic for care? Yes | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| \square_2 No \rightarrow <i>If No, Go to Question 57d</i> | About Your Child and You |
| 57c. In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating your child? Never Sometimes Usually Always | 58. In general, how would you rate your child's overall health? ☐ Excellent ☐ Very good ☐ Good ☐ Fair ☐ Poor |

| 59. | In general, how would you rate your child's overall mental or emotional health? Excellent Very good Good Fair Poor | | Is your child limited or prevented in any way in his or her ability to do the things most children of the same age can do? \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 69</i> Is this because of any medical, behavioral, or |
|-----|---|-----|--|
| | | | other health condition? |
| 60. | Does your child currently need or use medicine prescribed by a doctor (other than vitamins)? $\square_1 \text{ Yes}$ | | \square_1 Yes \square_2 No \Rightarrow <i>If No, Go to Question 69</i> |
| | \square_2 No \rightarrow <i>If No, Go to Question 63</i> | 68. | Is this a condition that has lasted or is expected to last for at least 12 months? |
| 61. | Is this because of any medical, behavioral, or other health condition? | | □₁ Yes □₂ No |
| | \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 63</i> | 69. | Does your child need or get special therapy such as physical, occupational, or speech |
| 62. | Is this a condition that has lasted or is expected to last for at least 12 months? $\Box_{_1} \ \ \text{Yes} \\ \Box_{_2} \ \ \text{No}$ | | therapy? $\square_1 \text{ Yes}$ $\square_2 \text{ No } \Rightarrow \textbf{If No, Go to Question 72}$ |
| 63. | Does your child need or use more medical care, more mental health services, or more educational services than is usual for most children of the same age? | 70. | Is this because of any medical, behavioral, or other health condition? \square_1 Yes \square_2 No \Rightarrow If No, Go to Question 72 |
| | \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 66</i> | 71. | Is this a condition that has lasted or is expected to last for at least 12 months? $\square_{_1} \text{ Yes}$ |
| 64. | Is this because of any medical, behavioral, or other health condition? | | □₂ No |
| | \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 66</i> | 72. | Does your child have any kind of emotional, developmental, or behavioral problem for which he or she needs or gets treatment or |
| 65. | Is this a condition that has lasted or is expected to last for at least 12 months? | | counseling? Yes |
| | ☐₁ Yes ☐₂ No | | \square_2 No \rightarrow <i>If No, Go to Question 74</i> |

| 73. | Has this problem lasted or is it expected to last for at least 12 months? Yes No | 79. | Are you male or female? Male Female |
|-----|--|-----|--|
| | What is <u>your child's</u> age? □₀₀ Less than 1 year old YEARS OLD <i>(write in)</i> Is your child male or female? □₁ Male □₂ Female | 80. | What is the highest grade or level of school that you have completed? |
| 76. | Is your child of Hispanic or Latino origin or descent? Yes, Hispanic or Latino No, not Hispanic or Latino | 81. | How are you related to the child? Mother or father Grandparent Aunt or uncle Older brother or sister |
| 77. | What is your child's race? Mark one or more. a Whiteb Black or African-Americanc Asian | | ☐₅ Other relative ☐₅ Legal guardian ☐₁ Someone else |
| | □ Native Hawaiian or other PacificIslander□ American Indian or Alaska Native□ Other | 82. | Did someone help you complete this survey: $\square_1 \text{ Yes} \rightarrow \textit{If Yes, Go to Question 83}$ $\square_2 \text{ No} \rightarrow \textit{If No, Go to Question 83a}$ |
| 78. | What is your age? Under 18 18 to 24 25 to 34 35 to 44 45 to 54 55 to 64 65 to 74 75 or older | 83. | How did that person help you? Mark one or more. Read the questions to me Buck Wrote down the answers I gave Canswered the questions for me Translated the questions into my language Helped in some other way |

Kindergarten Readiness

| 83a. Is your child between the ages of 3 and 5 years old? |
|---|
| \square_1 Yes \Rightarrow If Yes, Go to Question 83b |
| \square , No \rightarrow Thank you. Please return the |
| survey in the postage-paid |
| , |
| envelope. |
| 83b. When he or she is paying attention, how often |
| can this child follow instructions to complete a |
| simple task? |
| \square_1 All of the time |
| \square_2 Most of the time |
| Some of the time |
| None of the time |
| 14 None of the time |
| 83c. How often does this child play well with |
| others? |
| |
| \square_1 All of the time |
| \square_2 Most of the time |
| $\square_{\scriptscriptstyle 3}$ Some of the time |
| $\square_{\scriptscriptstyle 4}$ None of the time |
| 83d. How often can this child calm down when |
| excited or all wound up? |
| · |
| $\square_{\scriptscriptstyle 1}$ All of the time |
| $\square_{\scriptscriptstyle 2}$ Most of the time |
| $\square_{\scriptscriptstyle 3}$ Some of the time |
| $\square_{\scriptscriptstyle 4}$ None of the time |
| |
| 83e. How often does this child lose control of his or |
| her temper when things do not go his or her way? |
| \square_1 All of the time |
| ☐, Most of the time |
| Some of the time |
| \square_4 None of the time |
| □ ₄ None of the time |

| 83T. | r. <u>In the past 6 months,</u> were you ever asked | | | | | | |
|------|---|---|--|--|--|--|--|
| | to keep your child home from any child | | | | | | |
| | care or preschool because of their behavior | | | | | | |
| | (things li | ike hitting, kicking, biting, tantrums or | | | | | |
| | disobeyi | ng)? | | | | | |
| | | This child did not attend childcare or | | | | | |
| | | preschool | | | | | |
| | | No | | | | | |
| | \square_3 | Yes, I was told to pick up my child | | | | | |
| | | early on 1 or more days | | | | | |
| | \square_4 | Yes, I had to keep my child home for | | | | | |
| | | 1 full day or more | | | | | |
| | | Yes permanently, I was told my child | | | | | |

could no longer attend this childcare

Thank You

Please return the completed survey in the postage-paid envelope to:

center or preschool

Center for the Study of Services PO Box 10820 Herndon, VA 20172

Please do not include any other correspondence.



Instrucciones para el cuestionario

Conteste cada pregunta marcando el cuadrito que aparece a la izquierda de la respuesta que usted elija.

A veces hay que saltarse alguna pregunta del cuestionario. Cuando esto ocurra, verá una flecha con una nota que le indicará cuál es la siguiente pregunta a la que tiene que pasar. Por ejemplo:

La información personal identificable no se hará pública y solo se dará a conocer de conformidad con las leyes y reglamentos federales.

Usted puede optar por responder a esta encuesta o no. Si decide no participar, esto no afectará los beneficios que obtenga. Usted notará un número en la portada de esta encuesta. Este número se utiliza SOLO para hacernos saber si usted ya envió su encuesta para que no tengamos que enviarle recordatorios.

Si quiere informarse más sobre este estudio, llame al 1-833-257-1377. Las personas con problemas de audición o del habla pueden llamar al 711 para usar el Servicio de Retransmisión de Telecomunicaciones (TRS).

Por favor conteste las preguntas para el niño cuyo nombre está anotado en el sobre. No las conteste para ningún otro niño.

- Nuestros registros muestran que su niño está ahora con Oregon Health Plan. ¿Es correcta esta información?
 - \square_1 Sí \rightarrow Si contestó "Sí", pase a la pregunta 3
 - □₂ No
- ¿Cómo se llama el plan de salud de su niño? (Por favor escriba en letra de molde)

La atención médica que recibió su niño en los últimos 6 meses

Estas preguntas son acerca de la atención médica que ha recibido su niño. <u>No</u> incluya la atención que recibió su niño cuando pasó la noche hospitalizado. <u>No</u> incluya las consultas de su niño con el dentista.

- 3. En los últimos 6 meses, ¿tuvo su niño una enfermedad, lesión o problema de salud para el cual <u>necesitó atención inmediata</u> en una clínica, en una sala de emergencia o en un consultorio médico?
 - ☐₁ Sí
 - No → Si contestó "No", pase a la pregunta 5

| 4. | En los últimos 6 meses, cuando su niño necesitó atención inmediata, ¿con qué frecuencia atendieron a su niño tan pronto como él o ella lo necesitaba? Nunca A veces La mayoría de las veces Siempre | 9. | En los últimos 6 meses, ¿hablaron usted y el doctor u otro profesional médico de su niño sobre cosas específicas que usted podría hace para prevenir que su niño se enferme? Sí No En los últimos 6 meses, ¿con qué frecuencia le |
|----|---|----|--|
| 5. | En los últimos 6 meses, ¿hizo alguna cita para un chequeo o una consulta regular para su niño en un consultorio médico o en una clínica? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 7 | 9. | contestaron sus preguntas los doctores u otros profesionales médicos de su niño? Nunca A veces La mayoría de las veces Siempre |
| 6. | En los últimos 6 meses, ¿con qué frecuencia consiguió una cita para un chequeo o una consulta regular para su niño en un consultorio médico o en una clínica tan pronto como su niño la necesitaba? Nunca A veces La mayoría de las veces | | En los últimos 6 meses, ¿hablaron usted y el doctor u otro profesional médico de su niño sobre comenzar o suspender una medicina recetada? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 14 ¿Hablaron usted y un doctor u otro profesiona |
| 7. | □₄ Siempre En los últimos 6 meses, sin contar las veces en que su niño fue a una sala de emergencia, ¿cuántas veces fue su niño a un consultorio médico o a una clínica para que lo atendieran? □₀ Ninguna vez → Si contestó "Ninguna vez", pase a la pregunta 16 □₁ 1 vez □₂ 2 □₃ 3 □₄ 4 □₅ 5 a 9 □₆ 10 veces o más | | médico sobre las razones por las que tal vez usted quiera que su niño tome una medicina? Sí No ¿Hablaron usted y un doctor u otro profesiona médico sobre las razones por las que tal vez usted no quiera que su niño tome una medicina? Sí No Cuando hablaron de comenzar o suspender una medicina recetada para su niño, ¿le preguntó un doctor u otro profesional médico sobre lo que usted creía que sería lo mejor para su niño? Sí No |

| 14. | Usando un número del 0 al 10, el 0 siendo la peor atención médica posible y el 10 la mejor atención médica posible, ¿qué número usaría para calificar toda la atención médica que su niño ha recibido en los últimos 6 meses? | 18. | En los últimos 6 meses, ¿consiguió la ayuda de los doctores o los otros profesionales médicos de su niño que necesitaba para ponerse en contacto con la escuela o guardería de su niño? Sí No |
|-----|---|-----|--|
| | □₂ 2 □₃ 3 | S | Servicios especializados |
| | \square_4 4 \square_5 5 \square_6 6 \square_7 7 \square_8 8 \square_9 9 \square_{10} 10 La mejor atención médica posible | 19. | En el equipo o dispositivo médico especial se incluye un andador, silla de ruedas, nebulizador, tubos de alimentación o equipo de oxígeno. En los últimos 6 meses, ¿consiguió o intentó conseguir algún equipo o dispositivo médico especial para su niño? Sí |
| 15. | En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir la atención, las pruebas o el | | □₂ No → Si contestó "No", pase a la pregunta 22 |
| | tratamiento que su niño necesitaba? \[\begin{aligned} \ \ldots \\ \text{2} \\ \text{A veces} \\ \ldots \\ \text{3} \\ \text{La mayoría de las veces} \\ \dag{1}_4 \\ \text{Siempre} \end{aligned} | 20. | En los últimos 6 meses, ¿con qué frecuencia fue fácil conseguir equipo o dispositivos médicos especiales para su niño? Nunca |
| 16. | ¿Está matriculado actualmente su niño en algún tipo de escuela o guardería/cuidado infantil? | | ☐₂ A veces ☐₃ La mayoría de las veces ☐₄ Siempre |
| | □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 19 | 21. | ¿Alguien del plan de salud, del consultorio médico o clínica de su niño le ayudó a conseguir el equipo o dispositivos médicos especiales para su niño? |
| 17. | En los últimos 6 meses, ¿necesitó que los doctores o los otros profesionales médicos de su niño se pusieran en contacto con una escuela o guardería acerca de la salud o la | | □₁ Sí □₂ No |
| | atención médica de su niño? ☐ Sí ☐ No → Si contestó "No", pase a la pregunta 19 | 22. | En los últimos 6 meses, ¿consiguió o intentó conseguir terapia especial para su niño tal como terapia física, ocupacional o del habla? |
| | proganta 13 | | $\square_{\scriptscriptstyle 2}$ No \rightarrow Si contestó "No", pase a la pregunta 25 |

| 23. | En los últimos 6 meses, ¿con qué frecuencia fue fácil conseguir esta terapia para su niño? | 29. En los últimos 6 meses, ¿alguien del plan de salud, consultorio médico o clínica de su niño le ayudó a coordinar la atención médica de su niño entre estos profesionales o servicios diferentes? □₁ Sí □₂ No |
|-----|---|---|
| 24. | ¿Alguien del plan de salud, consultorio médico o clínica de su niño le ayudó a conseguir esta | |
| | terapia para su niño? | El doctor personal de su niño |
| | □₁ Sí | 30. El doctor personal es aquel a quien su niño va |
| | □₂ No | si necesita un chequeo, tiene un problema de |
| 25 | En los últimos 6 meses, ¿consiguió o intentó | salud o si se enferma o lastima. ¿Tiene su niño |
| 23. | conseguir tratamiento o consejería para su niño, | un doctor personal? □₁ Sí |
| | para un problema emocional, de desarrollo o de | \square_2 No \Rightarrow Si contestó "No", pase a la |
| | comportamiento? | pregunta 45 |
| | \square_2 No \rightarrow Si contestó "No", pase a la | 31. En los últimos 6 meses, ¿cuántas veces fue su |
| | pregunta 28 | niño a ver a su doctor personal para recibir |
| 26 | En los últimos é mosos i con qué fracuencia | atención médica? |
| 20. | En los últimos 6 meses, ¿con qué frecuencia fue fácil conseguir este tratamiento o | □₀ Ninguna vez → Si contestó "Ninguna vez", pase a la |
| | consejería para su niño? | pregunta 41 |
| | □₁ Nunca | □₁ 1 vez |
| | □₂ A veces□₃ La mayoría de las veces | |
| | ☐ ₄ Siempre | □ ₃ 3 □ ₄ 4 |
| | | □₅ 5 a 9 |
| 27. | ¿Alguien del plan de salud, consultorio médico | ☐ 10 veces o más |
| | o clínica de su niño le ayudó a conseguir este tratamiento o consejería para su niño? | 24. 5. 5. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. |
| | □₁ Sí | 31a. En los últimos 6 meses, ¿con qué frecuencia se le hizo difícil hablar con el doctor personal de |
| | □₂ No | su niño o entenderlo porque hablaban idiomas |
| 20 | Fullo áltimos Carones trocibió en mixo | diferentes? |
| 28. | En los últimos 6 meses, ¿recibió su niño atención de más de un tipo de profesional | □₁ Nunca □₂ A veces |
| | médico, o usó más de un tipo de servicio de | ☐₃ La mayoría de las veces |
| | salud? | □₄ Siempre |
| | \square_1 Sí \square_2 No \rightarrow Si contestó "No", pase a la | |
| | | |

pregunta 30

| 32. | En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le explicó las cosas sobre la salud de su niño de una manera fácil de entender? Nunca A veces La mayoría de las veces Siempre | 37. | En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño pasó suficiente tiempo con su niño? Nunca A veces La mayoría de las veces Siempre |
|-----|--|-----|--|
| 33. | En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le escuchó a usted con atención? Nunca A veces La mayoría de las veces | | En los últimos 6 meses, ¿habló el doctor personal de su niño con usted sobre cómo su niño se estaba sintiendo, estaba creciendo o se estaba comportando? Sí No |
| 34. | ☐₄ Siempre En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño demostró respeto por lo que usted tenía que decir? ☐₁ Nunca ☐₂ A veces | 39. | En los últimos 6 meses, ¿atendió a su niño algún doctor u otro profesional médico además de su doctor personal? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 41 |
| | ☐₃ La mayoría de las veces ☐₄ Siempre | 40. | En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño parecía estar informado y al día acerca de la atención que su |
| 35. | ¿Su niño puede hablar con los doctores sobre su atención médica? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 37 | | niño había recibido de estos doctores u otros profesionales médicos? Nunca A veces La mayoría de las veces Siempre |
| 36. | En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le explicó las cosas a <u>su niño</u> de una manera fácil de entender? Nunca A veces La mayoría de las veces Siempre | | |

| 41. | Usando un número del 0 al 10, el 0 siendo el peor doctor personal posible y el 10 el mejor doctor personal posible, ¿qué número usaría | La atención médica que recibió de especialistas |
|-----|--|---|
| | para calificar al doctor personal de su niño? | Al contestar las siguientes preguntas <u>no</u> incluya las veces que su niño fue a ver al dentista ni la atención que recibió cuando pasó la noche hospitalizado. |
| | \square_4 4 \square_5 5 \square_6 6 \square_7 7 \square_8 8 \square_9 9 \square_{10} 10 El mejor doctor personal posible | 45. Los especialistas son doctores que se especializan en un área de la medicina. Pueden ser cirujanos, doctores especialistas en el corazón, las alergias, la piel y otras áreas. En los últimos 6 meses, ¿hizo alguna cita para su niño con un especialista? □₁ Sí □₂ No → Si contestó "No", pase a la |
| 42. | ¿Tiene su niño alguna condición médica, de comportamiento u otra condición de salud que ha durado por más de <u>3 meses</u> ? Sí No <i>> Si contestó "No", pase a la pregunta 45</i> | pregunta 49 46. En los últimos 6 meses, ¿con qué frecuencia consiguió una cita con un especialista para su niño tan pronto como él o ella la necesitaba? |
| 43. | ¿El doctor o enfermera personal de su niño entiende cómo estas condiciones médicas, de comportamiento u otras condiciones de salud afectan la vida cotidiana de su niño? Sí No | ☐₂ A veces ☐₃ La mayoría de las veces ☐₄ Siempre 47. ¿Cuántos especialistas ha visto su niño en los últimos 6 meses? |
| 44. | ¿El doctor o enfermera personal de su niño entiende cómo estas condiciones médicas, de comportamiento u otras condiciones de salud afectan la vida cotidiana de su <u>familia</u> ? Sí No | □₀ Ninguno → Si contestó "Ninguno", pase a la pregunta 49 □₁ 1 especialista □₂ 2 □₃ 3 □₄ 4 □₅ 5 especialistas o más |

| | . Queremos saber cómo califica al especialista al que su niño fue con más frecuencia en los últimos 6 meses. Usando un número del 0 al 10, el 0 siendo el peor especialista posible y el 10 el mejor especialista posible, ¿qué número usaría para calificar a ese especialista? □₀ 0 El peor especialista posible □₁ 1 □₂ 2 □₃ 3 | 51. En los últimos 6 meses, ¿con qué frecuencia el personal de servicio al cliente del plan de salud de su niño le trató con cortesía y respeto? ☐ Nunca ☐ A veces ☐ La mayoría de las veces ☐ Siempre 52. En los últimos 6 meses, ¿le dio el plan de salud de su niño algún formulario para llenar? | | |
|-----|--|--|--|--|
| | □₄ 4 □₅ 5 □₆ 6 □₇ 7 □₈ 8 | 53. | □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 54 En los últimos 6 meses, ¿con qué frecuencia | |
| | ☐, 9 ☐, 10 El mejor especialista posible | | fueron fáciles de llenar los formularios del plan de salud de su niño? Nunca | |
| E | l plan de salud de su niño | | \square_2 A veces | |
| | as siguientes preguntas se refieren a su xperiencia con el plan de salud de su niño. | | □₃ La mayoría de las veces□₄ Siempre | |
| 49. | En los últimos 6 meses, ¿recibió información o ayuda de parte del servicio al cliente del plan de salud de su niño? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 52 | 54. | Usando un número del 0 al 10, el 0 siendo el peor plan de salud posible y el 10 el mejor plan de salud posible, ¿qué número usaría para calificar al plan de salud de su niño? | |
| 50. | En los últimos 6 meses, ¿con qué frecuencia el servicio al cliente del plan de salud de su niño le dio la información o ayuda que usted necesitaba? | | \square_3 3 5 \square_4 4 \square_5 5 \square_6 6 \square_7 7 \square_8 8 \square_9 9 \square_{10} 10 El mejor plan de salud posible | |

Medicinas recetadas 57c. En los últimos 6 meses, ¿con qué frecuencia el personal dental o el dentista le explicaron lo que le hacían mientras trataron a su niño? 55. En los últimos 6 meses, ¿consiguió alguna ■ Nunca medicina recetada o renovó una receta para ☐, A veces una medicina recetada para su niño? ☐₃ La mayoría de las veces □₁ Sí □₄ Siempre \square , No \rightarrow Si contestó "No", pase a la pregunta 57a 57d. En los últimos 6 meses, si su niño necesitó ver a un dentista de inmediato por una emergencia 56. En los últimos 6 meses, ¿con qué frecuencia fue dental, ¿con qué frecuencia él o ella pudo ver a fácil conseguir medicinas recetadas para su niño un dentista tan pronto como usted quería? a través de su plan de salud? ■₁ Nunca □₁ Nunca ☐ A veces A veces □₃ La mayoría de las veces □₃ La mayoría de las veces ☐₄ Siempre □₄ Siempre ☐ Mi niño no tuvo una emergencia dental en los últimos 6 meses 57. ¿Alguien del plan de salud, consultorio médico o clínica de su niño le ayudó a conseguir las medicinas recetadas para su niño? 57e. Usando un número del 0 al 10, el 0 siendo extremadamente difícil y el 10 □₁ Sí extremadamente fácil, ¿qué número usaría ☐, No para calificar cuán fácil le fue encontrar un dentista para su niño? □ 0 Extremadamente difícil Acceso a atención dental □ ₁ 1 \square , 2 57a. Un dentista regular es a quien su niño va a ver □ 3 para un chequeo y limpieza o cuando tiene una carie o un dolor de diente. ¿Su niño tiene un □ 5 dentista regular? □, 6 □₁ Sí 7

□。9

☐₁₀ 10 Extremadamente fácil

, No

□₁ Sí

57b. En los últimos 6 meses, ¿fue su niño al

dental para recibir atención?

consultorio de un dentista o a una clínica

 \square , No \rightarrow Si contestó "No", pase a la pregunta 57d

Acerca de usted y de su niño

| | Acerca de usted y de su niño | 63. | ¿Necesita o usa su niño más servicios médicos, de salud mental o educativos de lo que es |
|-----|---|-----|---|
| 58. | En general, ¿cómo calificaría toda la salud de su niño? Excelente Muy buena Buena Regular Mala | 64. | normal para la mayoría de los niños de la misma edad? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 66 ¿Es esto debido a alguna condición médica, de |
| F0 | | | comportamiento u otra condición de salud? |
| 59. | En general, ¿cómo calificaría toda la salud mental o emocional de su niño? Excelente Muy buena | | □₂ No → Si contestó "No", pase a la pregunta 66 |
| | □₃ Buena □₄ Regular □₅ Mala | 65. | ¿Es ésta una condición que ha durado o que se espera que dure por lo menos 12 meses? Sí No |
| 60. | ¿Actualmente necesita o usa su niño una medicina recetada por un doctor (aparte de vitaminas)? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 63 | 66. | ¿Está su niño limitado o impedido de alguna manera en su habilidad de hacer lo que pueden hacer la mayoría de los niños de la misma edad? |
| 61. | ¿Es esto debido a alguna condición médica, de | | □₂ No → Si contestó "No", pase a la pregunta 69 |
| | comportamiento u otra condición de salud? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 63 | 67. | ¿Es esto debido a alguna condición médica, de comportamiento u otra condición de salud? Sí No > Si contestó "No", pase a la |
| 62. | ¿Es ésta una condición que ha durado o que se espera que dure por lo menos 12 meses? | 68. | pregunta 69 ¿Es ésta una condición que ha durado o que se espera que dure por lo menos 12 meses? □₁ Sí □₂ No |

| 69. | ¿Necesita o recibe su niño terapia especial, tal como terapia física, ocupacional o del habla? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 72 | 77. | ¿A qué raza pertenece su niño? Por favor marque una o más. Blanca Negra o afroamericana Asiática Mativo de Hawái o de otras islas del |
|-----|---|-----|--|
| 70. | ¿Es esto debido a alguna condición médica, de comportamiento u otra condición de salud? $\Box_{\scriptscriptstyle 1}$ Sí | | Pacífico ☐ Indígena americano o nativo de Alaska ☐ Otra |
| | \square_{2} No \Rightarrow Si contestó "No", pase a la | | |
| | pregunta 72 | 78. | ¿Qué edad tiene <u>usted</u> ? |
| | | | ☐。 Menos de 18 años |
| 71. | ¿Es ésta una condición que ha durado o que se | | ☐ ₁ 18 a 24 |
| | espera que dure por lo menos 12 meses? | | \square_2 25 a 34 \square_3 35 a 44 |
| | ☐₁ Sí □₂ No | | □ ₄ 45 a 54 |
| | | | \square_5 55 a 64 |
| 72 | ¿Tiene su niño algún problema emocional, de | | ☐ ₆ 65 a 74 |
| , | desarrollo o de comportamiento, para el cual | | ☐ ₇ 75 años o más |
| | necesita o recibe tratamiento o consejería? | | |
| | □₁ Sí | 79. | ¿Es usted hombre o mujer? |
| | \square_2 No \Rightarrow Si contestó "No", pase a la | | ☐₁ Hombre |
| | pregunta 74 | | ☐₂ Mujer |
| 73. | ¿Ha durado este problema o se espera que dure por lo menos 12 meses? | 80. | ¿Cuál es el grado o nivel escolar más alto que usted ha completado? |
| | \square_1 Sí | | \square_1 8 años de escuela o menos |
| | \square_1 No | | \square_2 9 a 12 años de escuela, pero sin |
| | | | graduarse |
| 74. | ¿Qué edad tiene <u>su niño</u> ? | | ☐₃ Graduado de la escuela secundaria |
| | □ _∞ Menos de un año | | (high school), Diploma de escuela |
| | AÑOS (escriba la respuesta) | | secundaria, preparatoria o su |
| | , | | equivalente (o GED) ☐₄ Algunos cursos universitarios o un |
| 75. | ¿Es su niño de sexo masculino o femenino? | | título universitario de un programa de |
| | ☐₁ Masculino | | 2 años |
| | ☐₂ Femenino | | ☐₅ Título universitario de 4 años |
| | | | $\square_{\scriptscriptstyle 6}$ Título universitario de más de 4 años |
| 76. | ¿Es su niño de origen o ascendencia hispana o latina? | | |
| | $\square_{\scriptscriptstyle 1}$ Sí, hispano o latino | | |

 $\square_{\scriptscriptstyle 2}$ No, ni hispano ni latino

| 81. ¿Qué relación tiene con el niño? Madre o padre Abuelo o abuela Tía o tío Hermano o hermana mayor Otro familiar Tutor legal del niño Otra persona | 83c. ¿Con qué frecuencia el niño juega bien con los demás? Siempre Casi siempre Algunas veces Nunca |
|---|--|
| 82. ¿Le ayudó alguien a completar esta encuesta? □₁ Sí → Si contestó "Sí", pase a la pregunta 83 □₂ No → Si contestó "No", pase a la pregunta 83a | cuando está excitado? Siempre Casi siempre Algunas veces Nunca |
| 83. ¿Cómo le ayudó a usted esta persona? Marque una o más. Me leyó las preguntas Anotó las respuestas que le di Contestó las preguntas por mí Tradujo las preguntas a mi idioma Me ayudó de otra forma | 83e. ¿Con qué frecuencia pierde el niño el control de su temperamento cuando las cosas no salen a su manera? Siempre Casi siempre Algunas veces Nunca |
| Preparación para el kindergarten | 83f. En los ultimos 6 meses, ¿alguna vez le pidieron que el niño se quedara en casa y no fuera a la guardería o preescolar debido a su |
| 83a. ¿Su niño tiene entre 3 y 5 años de edad? □₁ Sí → Si contestó "Sí", pase a la pregunta 83b □₂ No → Gracias. Por favor, devuelva esta encuesta en el sobre con el porte o franqueo pagado. | comportamiento (por golpear, patear, morder, hacer rabietas o desobedecer)? I El niño no asistió a la guardería ni al preescolar No Sí, me dijeron que recogiera al niño temprano 1 o más días sí, tuve que mantener al niño en |
| 83b. Cuando el niño está prestando atención, ¿con qué frecuencia puede seguir instrucciones para completar una tarea simple? Siempre Casi siempre Algunas veces | casa por 1 día completo o más □₅ Sí, me dijeron que el niño ya no podría asistir a la guardería preescolar |

□₄ Nunca

Gracias

Por favor devuelva esta encuesta en el sobre con el porte o franqueo pagado a:

Center for the Study of Services PO Box 10820 Herndon, VA 20172

Por favor no incluya cualquier otra correspondencia.

CALCULATION GUIDELINES FOR GLOBAL PROPORTIONS

NCQA's HEDIS 2019, Volume 3: Specifications for Survey Measures contains detailed guidelines for calculation of survey results. These guidelines include:

- Criteria for including a survey in the results calculation. A questionnaire must have the final disposition code of *Complete and Valid Survey* to be included in the calculation of plan-level scores.
- Rules for handling appropriately answered questions (i.e., questions that comply with survey skip-pattern instructions).
- Rules for handling inappropriately answered questions (e.g., unanswered questions, multiple-mark questions, questions that should have been skipped, and questions within a skip pattern of an inappropriately answered or skipped gate item).
- Rules for calculating denominators for questions and composites. The denominator for a question is equal to the total number of responses to that question. The denominator for a composite is the average number of responses across all questions in the composite.
- Rules for calculating rolling average composites and question summary rates. For OHA analysis, rolling average measures were calculated using single year rates.
- Rules for handling changes in submission entity (i.e., if a health plan changes how it reports CAHPS results from one year to the next.)

COMPOSITE GLOBAL PROPORTIONS

Global Proportions are *average* proportions of respondents who gave the plan a favorable rating on each question in a composite. There are three steps needed to calculate the composite global proportion:

Step 1

For each question in a composite, count the number of members who selected a favorable response option:

- For all composite questions except those in the Shared Decision Making composite, the favorable responses are Usually and Always.
- For the Shared Decision Making questions, the favorable response is Yes.

Step 2

For each question, determine the proportion of respondents rating favorably (i.e., Usually/Always or Yes).

Step 3

Calculate the average proportion rating favorably across all the questions in the composite. These are the composite global proportions. Note: each question in a composite is weighted equally, regardless of how many members respond.

Using the example above, here is an illustration of the step-by-step calculation of the *Getting Care Quickly* composite global proportion. Missing responses are not included in the denominator.

| Response option | Q4 | Q6 | Global Proportion |
|--------------------|--------------|--------------|----------------------------|
| Never or Sometimes | 1 / 5 = 0.20 | 1 / 4 = 0.25 | (0.20 + 0.25) / 2 = 0.2250 |
| Usually | 2 / 5 = 0.40 | 1 / 4 = 0.25 | (0.40 + 0.25) / 2 = 0.3250 |
| Always | 2 / 5 = 0.40 | 2 / 4 = 0.50 | (0.40 + 0.50) / 2 = 0.4500 |
| Always or Usually | 4 / 5 = 0.80 | 3 / 4 = 0.75 | (0.80 + 0.75) / 2 = 0.7750 |

Therefore, 80.00 percent and 75.00 percent of members respectively provided favorable responses to the *Getting Care Quickly* questions Q4 and Q6. Averaging these two proportions yields the global proportion score of 77.50 percent for the *Getting Care Quickly* composite.

GLOSSARY OF TERMS

Attributes

Areas of health plan performance and member experience assessed with the CAHPS survey

Benchmark

A reference score (e.g., the State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate) against which performance on the measure is assessed. See *Comparisons to Benchmarks and Prior-Year Results*.

CAHPS 5.0H Surveys

Consumer Assessment of Healthcare Providers and Systems (CAHPS) is a series of surveys designed to collect consumer feedback on their health care experiences. The CAHPS 5.0H Health Plan Survey asks members to report on their experiences with access to appointments and care through their health plan, communication with doctors available through the plan, and customer service. The Commercial plan version asks about member experiences in the previous 12 months, whereas the Medicaid version refers to the previous six (6) months. The Medicaid version is available for adults and children; the Commercial version is for adults only. The Adult survey is intended for respondents who are 18 and older; the Child survey asks parents or guardians about the experiences of children 17 and younger. Health plans report survey results as part of HEDIS data collection. NCQA uses survey results in health plan performance reports, to inform accreditation decisions, and to create national benchmarks for care. Health plans might also collect CAHPS survey data for internal quality improvement purposes.

Composite Measures

Composite measures combine results from related survey questions into a single score to summarize health plan performance in a specific area of care or service. The set of applicable composites varies slightly by survey version. See *Experience of Care Measures*.

Confidence Level

A confidence level is associated with tests of statistical significance of observed differences in survey scores. It is expressed as a percentage and represents how often the observed difference (e.g., between the plan's current-year rate and the relevant benchmark rate) is real and not simply due to chance. A 95% confidence level associated with a statistical test means that if repeated samples were surveyed, in 95 out of 100 samples the observed measure score would be truly different from the comparison score.

Correlation

A degree of association between two variables, or attributes, typically measured by the *Pearson correlation coefficient*. The coefficient value of 1 indicates a strong positive relationship; -1 indicates a strong negative relationship; zero indicates no relationship at all.

Denominator (*n*, or Usable Responses)

Number of valid (appropriately answered) responses available to calculate a measure result. Examples of inappropriately answered questions include ambiguously marked answers, multiple marks when a single answer choice is expected, and responses that violate survey skip patterns. The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite. If the denominator is less than 30 responses, a measure result of "Low n" was assigned.

Disposition

The final status given to a member record in the survey sample at the end of the study (e.g., completed survey, refusal, non-response, etc.) See *Member Dispositions and Response Rate*.

Effectiveness of Care

Effectiveness of Care measures are relevant to Adult surveys only and include Flu Vaccinations for Adults Ages 18–64 (FVA) and Medical Assistance with Smoking and Tobacco Use Cessation (MSC).

Eligible Population

Members who are eligible to participate in the survey based on the following criteria:

- Current enrollment (as of the date the sample frame is generated). Some members may no longer be enrolled by the time they complete the survey. They become ineligible and will be excluded from survey results based on their responses to the first two questions on the survey, which confirm membership.
- Continuous enrollment (six months for Medicaid, with no more than one enrollment break of 45 days or less);
- Member age (18 years old or older for the Adult survey and 17 years old or younger for the Child survey as of November 30 of the measurement year);
- Primary coverage (through Medicaid or a commercial product line for Medicaid and Commercial surveys, respectively).

Global proportions

Applies to composite measures. The proportion of respondents selecting the favorable response(s) (e.g., Always or Usually) averaged across the questions that make up the composite. See Question Summary Rates and Composite Global Proportions.

HEDIS

The Healthcare Effectiveness Data and Information Set (HEDIS) is a set of performance measures in the managed care industry, developed and maintained by NCQA. HEDIS was designed to allow consumers to compare health plan performance to other plans and to national or regional benchmarks as well as to track year-to-year performance. HEDIS is one component of NCQA's accreditation process, although some plans submit HEDIS data without seeking accreditation. CAHPS measures are a subset of HEDIS.

Key Drivers and Priorities for Improvement

Key Drivers are plan attributes that have been shown to be closely related to members' overall assessment of the plan. Performance on these attributes predicts how the plan is rated overall and, viewed from the industry perspective, helps to distinguish high-rated plans from poorly rated plans. Specific priorities for improvement for *your organization* are identified based on how it is currently performing on the key driver attributes compared to industry best practices.

NCQA

The National Committee for Quality Assurance (NCQA) is an independent non-profit organization that works to improve health care quality through the administration of evidence-based standards, measures, programs, and accreditation. NCQA manages voluntary accreditation programs for individual physicians, health plans, and medical groups. Health plans seek accreditation and measure performance through the administration and submission of the Healthcare Effectiveness Data and Information Set (HEDIS) and Consumer Assessment of Healthcare Providers and Systems (CAHPS) survey.

Question Summary Rate

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest (typically representing the most favorable outcome(s) from a given question on the survey). Many survey items use a *Never, Sometimes, Usually,* or *Always* response scale, with *Always* being the most favorable outcome. Results are typically reported as the proportion of members selecting *Usually* or *Always*. See *Question Summary Rates and Composite Global Proportions*.

Response Rate

Survey response rate is calculated using the following formula:

| Response Rate = | Complete and Eligible Surveys |
|-----------------|---|
| | [Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts |
| | + Added to Do Not Call (DNC) List] |

Sample size

OHA's methodology used a sample size of 1,000 for Adult Medicaid samples, 800 for Child Medicaid samples, and 450 for Child Medicaid with Chronic Conditions samples.

Statistically Significant Difference

When survey results are calculated based on sample data and compared to a benchmark score (e.g., State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate), the question is whether the observed difference is real or due to chance. A difference is said to be statistically significant at a given confidence level (e.g., 95%) if it has a 95% chance of being true.

Trending

Comparison of survey results over time

Usable Responses (n)

See Denominator

Valid Response

Any acceptable (falling within a pre-defined set) response to a survey question that follows the NCQA skip pattern rules and data cleaning guidelines.