

Behavioral Health Diagnosis Codes for YSHCN Program Eligibility

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|---|
| F70 | Mild intellectual disabilities |
| F71 | Moderate intellectual disabilities |
| F72 | Severe intellectual disabilities |
| F73 | Profound intellectual disabilities |
| F78 | Other intellectual disabilities |
| F78.A1 | SYNGAP1-related intellectual disability |
| F78.A9 | Other genetic related intellectual disability |
| F79 | Unspecified intellectual disabilities |
| F80.1 | Expressive language disorder |
| F80.2 | Mixed receptive-expressive language disorder |
| F80.4 | Speech and language development delay due to hearing loss |
| F80.81 | Childhood onset fluency disorder (stuttering) |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| F81 | Specific developmental disorders of scholastic skills |
| F81.0 | Specific reading disorder |
| F81.2 | Mathematics disorder |
| F81.8 | Other developmental disorders of scholastic skills |
| F81.81 | Disorder of written expression |
| F81.89 | Other developmental disorders of scholastic skills |
| F81.9 | Developmental disorder of scholastic skills, unspecified |
| F82 | Specific developmental disorder of motor function |
| F84.0 | Autistic disorder |
| F84.3 | Other childhood disintegrative disorder |
| F84.5 | Asperger's syndrome |
| F88 | Global developmental delay |
| F90 | Attention-deficit hyperactivity disorders |
| F90.0 | Attention-deficit hyperactivity disorder, predominantly inattentive type |
| F90.1 | Attention-deficit hyperactivity disorder, predominantly hyperactive type |
| F90.2 | Attention-deficit hyperactivity disorder, combined type |
| F90.8 | Attention-deficit hyperactivity disorder, other type |
| F90.9 | Attention-deficit hyperactivity disorder, unspecified type |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| F95.1 | Chronic motor or vocal tic disorder |
| F95.2 | Tourette's disorder |
| F06.0 | Psychotic disorder due to another medical condition (Psychotic disorder with hallucinations due to known physiological condition) |
| F06.2 | Psychotic disorder due to another medical condition (Psychotic disorder with delusions due to known physiological condition) |
| F20.0 | Paranoid schizophrenia |
| F20.1 | Disorganized schizophrenia |
| F20.2 | Catatonic schizophrenia |
| F20.3 | Undifferentiated schizophrenia |
| F20.5 | Residual schizophrenia |
| F20.8 | Other schizophrenia |
| F20.81 | Schizophreniform disorder |
| F20.89 | Other schizophrenia |
| F20.9 | Schizophrenia |
| F21 | Schizotypal disorder |
| F25 | Schizoaffective disorders |
| F25.0 | Schizoaffective disorder, bipolar type |
| F25.1 | Schizoaffective disorder, depressive type |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|---|
| F25.8 | Other schizoaffective disorders |
| F25.9 | Schizoaffective disorder, unspecified |
| F28 | Other specified schizophrenia spectrum disorder |
| F29 | Unspecified schizophrenia spectrum disorder |
| F22 | Delusional disorders |
| F23 | Brief psychotic disorder |
| F24 | Shared psychotic disorder |
| F31 | Bipolar disorder |
| F31.0 | Bipolar disorder, current episode hypomanic |
| F31.1 | Bipolar disorder, current episode manic without psychotic features |
| F31.10 | Bipolar disorder, current episode manic without psychotic features, unspecified |
| F31.11 | Bipolar disorder, current episode manic without psychotic features, mild |
| F31.12 | Bipolar disorder, current episode manic without psychotic features, moderate |
| F31.13 | Bipolar disorder, current episode manic without psychotic features, severe |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|---|
| F31.2 | Bipolar disorder, current episode manic severe with psychotic features |
| F31.3 | Bipolar disorder, current episode depressed, mild or moderate severity |
| F31.30 | Bipolar disorder, current episode depressed, mild or moderate severity, unspecified |
| F31.31 | Bipolar disorder, current episode depressed, mild |
| F31.32 | Bipolar disorder, current episode depressed, moderate |
| F31.4 | Bipolar disorder, current episode depressed, severe, without psychotic features |
| F31.5 | Bipolar disorder, current episode depressed, severe, with psychotic features |
| F31.6 | Bipolar disorder, current episode mixed |
| F31.60 | Bipolar disorder, current episode mixed, unspecified |
| F31.61 | Bipolar disorder, current episode mixed, mild |
| F31.62 | Bipolar disorder, current episode mixed, moderate |
| F31.63 | Bipolar disorder, current episode mixed, severe, without psychotic features |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| F31.64 | Bipolar disorder, current episode mixed, severe, with psychotic features |
| F31.7 | Bipolar disorder, currently in remission |
| F31.71 | Bipolar disorder, in partial remission, most recent episode hypomanic |
| F31.72 | Bipolar disorder, in full remission, most recent episode hypomanic |
| F31.73 | Bipolar disorder, in partial remission, most recent episode manic |
| F31.75 | Bipolar disorder, in partial remission, most recent episode depressed |
| F31.77 | Bipolar disorder, in partial remission, most recent episode mixed |
| F31.78 | Bipolar disorder, in full remission, most recent episode mixed |
| F31.8 | Other bipolar disorders |
| F31.81 | Bipolar II disorder |
| F31.89 | Other bipolar disorder |
| F31.9 | Bipolar disorder, unspecified |
| F34.0 | Cyclothymic disorder |
| F33.1 | Major depressive disorder, recurrent, moderate |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|---|
| F33.2 | Major depressive disorder, recurrent severe without psychotic features |
| F33.3 | Major depressive disorder, recurrent, severe with psychotic symptoms |
| F33.4 | Major depressive disorder, recurrent, in remission |
| F33.41 | Major depressive disorder, recurrent, in partial remission |
| F33.8 | Other recurrent depressive disorders |
| F33.9 | Major depressive disorder, recurrent, unspecified |
| F34.8 | Disruptive mood dysregulation disorder |
| F06.4 | Anxiety disorder due to another medical condition |
| F40.0 | Agoraphobia |
| F41.0 | Panic disorder |
| F41.1 | Generalized anxiety disorder |
| F41.9 | Unspecified anxiety disorder |
| F93 | Separation anxiety disorder |
| F94 | Selective mutism |
| F06.8 | Obsessive-compulsive and related disorder or other specified mental disorder due to another medical condition |
| F42 | Obsessive compulsive disorder, hoarding, and related disorders |
| F42.2 | (Mixed obsessional thoughts and acts) |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| F42.3 | (Hoarding disorder) |
| F42.4 | (Excoriation [skin-picking] disorder) |
| F42.8 | (Other obsessive-compulsive disorder) |
| F42.9 | Obsessive-compulsive disorder, unspecified |
| F45.22 | Body dysmorphic disorder |
| F63.3 | Trichotillomania (hair pulling disorder) |
| F43 | Acute stress disorder |
| F43.1 | PTSD |
| F43.12 | (PTSD, chronic) |
| F94.1 | Reactive attachment disorder |
| F44.0 | Dissociative amnesia |
| F44.81 | Dissociative identity disorder |
| F44.89 | (Other specified dissociative disorder) |
| F45.22 | Body dysmorphic disorder |
| F45.8 | (Other specified somatic symptom and related disorder) |
| F48.1 | (Dissociative disorders. Depersonalization/Derealization disorder) |
| F44.4 | Conversion disorder with motor symptom or deficit |
| F44.5 | Conversion disorder with seizures or convulsions |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| F44.6 | Conversion disorder with sensory symptom or deficit |
| F44.7 | Conversion disorder with mixed symptom presentation |
| F45.21 | Hypochondriasis / (Somatic symptom and related disorders. Illness anxiety disorder) |
| F50 | Eating disorders |
| F50.0 | Anorexia nervosa |
| F50.01 | Anorexia nervosa, restricting type |
| F50.02 | Anorexia nervosa, binge eating/purging type |
| F50.2 | Bulimia nervosa |
| F50.8 | (Feeding and eating disorders. In adults) / Other eating disorders |
| F50.81 | Binge eating disorder |
| F50.89 | (Other specified feeding or eating disorder) |
| F98.3 | (Feeding and eating disorders. In children) [Pica] |
| F98.1 | Encopresis not due to a substance or known physiological condition |
| F64 | Gender dysphoria |
| F63 | Impulse disorders |
| F63.1 | Pyromania / (Disruptive, impulse control, and conduct disorders. Pyromania) |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| F63.2 | Kleptomania |
| F63.81 | Intermittent explosive disorder |
| F91.1 | Conduct disorder, childhood-onset type |
| F91.2 | Conduct disorder, adolescent-onset type |
| F91.3 | Oppositional defiant disorder |
| F91.8 | Other conduct disorders |
| F91.9 | Conduct disorder, unspecified |
| F10.2* | F10.22288 Now alcohol use disorder moderate, severe, alcohol intoxication with severe Sx, alcohol withdrawal with severe Sx, alcohol-induced disorders |
| F10.21 | Alcohol dependence, in remission |
| F10.9* | Alcohol induced disorders; F10.96 Alcohol use, unspecified with alcohol-induced persisting amnestic disorder |
| F10.96 | Alcohol use, unspecified with alcohol-induced persisting amnestic disorder |
| F11.1* | Opioid use disorder and intoxication, mild |
| F11.2* | Opioid use disorder and intoxication, severe |
| F11.20 | Opioid dependence, uncomplicated |
| F11.21 | Opioid dependence, in remission |
| F11.9* | Opioid induced disorders |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|---|
| F12.2* | Cannabis dependence |
| F12.20 | (Substance-related and addictive disorders. Moderate, severe) |
| F13.1* | Sedative, hypnotic, or anxiolytic-related abuse |
| F13.2* | Sedative, hypnotic, or anxiolytic-related dependence |
| F13.20 | Sedative, hypnotic or anxiolytic dependence, uncomplicated |
| F13.21 | Sedative, hypnotic or anxiolytic dependence, in remission |
| F14.2* | Cocaine dependence |
| F14.20 | Cocaine dependence, uncomplicated |
| F15.2* | Other stimulant dependence |
| F15.20 | Other stimulant dependence, uncomplicated |
| F15.21 | Other stimulant dependence, in remission |
| F16.2* | Hallucinogen dependence |
| F16.20 | Hallucinogen dependence, uncomplicated |
| F16.21 | Hallucinogen dependence, in remission |
| F18.2* | Inhalant dependence |
| F18.20 | Inhalant dependence, uncomplicated |
| F18.21 | Inhalant dependence, in remission |
| F19.2* | Other psychoactive substance dependence |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|---|
| F19.20 | Other psychoactive substance dependence, uncomplicated |
| F19.21 | Other psychoactive substance dependence, in remission |
| F63.0 | Pathological gambling |
| F02.811 | Dementia in other diseases classified elsewhere, unspecified severity, with agitation |
| F02.818 | Dementia in other diseases classified elsewhere, unspecified severity, with other behavioral disturbance |
| F02.82 | Dementia in other diseases classified elsewhere, unspecified severity, with psychotic disturbance |
| F02.83 | Dementia in other diseases classified elsewhere, unspecified severity, with mood disturbance |
| F02.84 | Dementia in other diseases classified elsewhere, unspecified severity, with anxiety |
| F02.A0 | Dementia in other diseases classified elsewhere, mild, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F02.A11 | Dementia in other diseases classified elsewhere, mild, with agitation |
| F02.A18 | Dementia in other diseases classified elsewhere, mild, with other behavioral disturbance |
| F02.A2 | Dementia in other diseases classified elsewhere, mild, with psychotic disturbance |
| F02.A3 | Dementia in other diseases classified elsewhere, mild, with mood disturbance |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|---|
| F02.A4 | Dementia in other diseases classified elsewhere, mild, with anxiety |
| F02.B0 | Dementia in other diseases classified elsewhere, moderate, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F02.B11 | Dementia in other diseases classified elsewhere, moderate, with agitation |
| F02.B18 | Dementia in other diseases classified elsewhere, moderate, with other behavioral disturbance |
| F02.B2 | Dementia in other diseases classified elsewhere, moderate, with psychotic disturbance |
| F02.B3 | Dementia in other diseases classified elsewhere, moderate, with mood disturbance |
| F02.B4 | Dementia in other diseases classified elsewhere, moderate, with anxiety |
| F02.C0 | Dementia in other diseases classified elsewhere, severe, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F02.C11 | Dementia in other diseases classified elsewhere, severe, with agitation |
| F02.C18 | Dementia in other diseases classified elsewhere, severe, with other behavioral disturbance |
| F02.C2 | Dementia in other diseases classified elsewhere, severe, with psychotic disturbance |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| F02.C3 | Dementia in other diseases classified elsewhere, severe, with mood disturbance |
| F02.C4 | Dementia in other diseases classified elsewhere, severe, with anxiety |
| F03.911 | Unspecified dementia, unspecified severity, with agitation |
| F03.918 | Unspecified dementia, unspecified severity, with other behavioral disturbance |
| F03.92 | Unspecified dementia, unspecified severity, with psychotic disturbance |
| F03.93 | Unspecified dementia, unspecified severity, with mood disturbance |
| F03.94 | Unspecified dementia, unspecified severity, with anxiety |
| F03.A0 | Unspecified dementia, mild, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F03.A11 | Unspecified dementia, mild, with agitation |
| F03.A18 | Unspecified dementia, mild, with other behavioral disturbance |
| F03.A2 | Unspecified dementia, mild, with psychotic disturbance |
| F03.A3 | Unspecified dementia, mild, with mood disturbance |
| F03.A4 | Unspecified dementia, mild, with anxiety |
| F03.B0 | Unspecified dementia, moderate, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| F03.B11 | Unspecified dementia, moderate, with agitation |
| F03.B18 | Unspecified dementia, moderate, with other behavioral disturbance |
| F03.B2 | Unspecified dementia, moderate, with psychotic disturbance |
| F03.B3 | Unspecified dementia, moderate, with mood disturbance |
| F03.B4 | Unspecified dementia, moderate, with anxiety |
| F03.C0 | Unspecified dementia, severe, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F03.C11 | Unspecified dementia, severe, with agitation |
| F03.C18 | Unspecified dementia, severe, with other behavioral disturbance |
| F03.C2 | Unspecified dementia, severe, with psychotic disturbance |
| F03.C3 | Unspecified dementia, severe, with mood disturbance |
| F03.C4 | Unspecified dementia, severe, with anxiety |
| G10 | Huntington's disease |
| F60 | Specific personality disorders |
| F60.0 | Paranoid personality disorder |
| F60.1 | Schizoid personality disorder |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|---|
| F60.2 | Antisocial personality disorder |
| F60.3 | Borderline personality disorder |
| F60.4 | Histrionic personality disorder |
| F60.5 | Obsessive-compulsive personality disorder |
| F60.6 | Avoidant personality disorder |
| F60.7 | Dependent personality disorder |
| F60.8 | Other specific personality disorders |
| F60.81 | Narcissistic personality disorder |
| F60.89 | Other specific personality disorders |
| F60.9 | Personality disorder, unspecified |
| F65* | Paraphilic disorder |
| G04 | Encephalitis, myelitis and encephalomyelitis |
| G04.0 | Acute disseminated encephalitis and encephalomyelitis (ADEM) |
| G04.3 | Acute necrotizing hemorrhagic encephalopathy |
| G04.31 | Postinfectious acute necrotizing hemorrhagic encephalopathy |
| G04.32 | Postimmunization acute necrotizing hemorrhagic encephalopathy |
| G04.8 | Other encephalitis, myelitis and encephalomyelitis |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| G04.81 | Other encephalitis and encephalomyelitis |
| G04.9 | Encephalitis, myelitis and encephalomyelitis, unspecified |
| G04.90 | Encephalitis and encephalomyelitis, unspecified |
| G05 | Encephalitis, myelitis and encephalomyelitis in disease classified elsewhere |
| G05.3 | Encephalitis and encephalomyelitis in disease classified elsewhere |
| G09 | Sequelae of inflammatory diseases of central nervous system |
| G11.0 | Congenital nonprogressive ataxia |
| G11.1 | Early-onset cerebellar ataxia |
| G11.10 | Early-onset cerebellar ataxia, unspecified |
| G11.3 | Cerebellar ataxia with defective DNA repair |
| G11.8 | Other hereditary ataxias |
| G12 | Spinal muscular atrophy and related syndromes |
| G12.0 | Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] |
| G12.1 | Other inherited spinal muscular atrophy |
| G12.2 | Motor neuron disease |
| G12.21 | Amyotrophic lateral sclerosis |
| G12.25 | Progressive spinal muscle atrophy |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| G12.29 | Other motor neuron disease |
| G12.8 | Other spinal muscular atrophies and related syndromes |
| G12.9 | Spinal muscular atrophy, unspecified |
| G14 | Postpolio syndrome |
| G23 | Other degenerative diseases of basal ganglia |
| G23.0 | Hallervorden-Spatz disease |
| G23.1 | Progressive supranuclear ophthalmoplegia [Steele- Richardson-Olszewski] |
| G23.2 | Striatonigral degeneration |
| G23.8 | Other specified degenerative diseases of basal ganglia |
| G25.82 | Stiff-man syndrome |
| G31.81 | Alpers disease |
| G31.82 | Leigh's disease |
| G31.9 | Degenerative disease of nervous system, unspecified |
| G32.0 | Subacute combined degeneration of spinal cord in diseases classified elsewhere |
| G35 | Multiple sclerosis |
| G37.2 | Central pontine myelinolysis |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| G37.5 | Concentric sclerosis [Balo] of central nervous system |
| G37.8 | Other specified demyelinating diseases of central nervous system |
| G37.9 | Demyelinating disease of central nervous system, unspecified |
| G40.0 | Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset |
| G40.00 | Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable |
| G40.001 | Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable, with status epilepticus |
| G40.009 | Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable, without status epilepticus |
| G40.011 | Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, with status epilepticus |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| G40.101 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, with status epilepticus |
| G40.109 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, without status epilepticus |
| G40.11 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable |
| G40.2 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures |
| G40.209 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, not intractable, without status epilepticus |
| G40.21 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable |
| G40.219 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| | syndromes with complex partial seizures, intractable, without status epilepticus |
| | |
| G40.3 | Generalized idiopathic epilepsy and epileptic syndromes |
| G40.30 | Generalized idiopathic epilepsy and epileptic syndromes, not intractable |
| G40.301 | Generalized idiopathic epilepsy and epileptic syndromes, not intractable, with status epilepticus |
| G40.309 | Generalized idiopathic epilepsy and epileptic syndromes, not intractable, without status epilepticus |
| G40.31 | Generalized idiopathic epilepsy and epileptic syndromes, intractable |
| G40.311 | Generalized idiopathic epilepsy and epileptic syndromes, intractable, with status epilepticus |
| G40.319 | Generalized idiopathic epilepsy and epileptic syndromes, intractable, without status epilepticus |
| G40.4 | Other generalized epilepsy and epileptic syndromes |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|---|
| G40.40 | Other generalized epilepsy and epileptic syndromes, not intractable |
| G40.401 | Other generalized epilepsy and epileptic syndromes, not intractable, with status epilepticus |
| G40.409 | Other generalized epilepsy and epileptic syndromes, not intractable, without status epilepticus |
| G40.41 | Other generalized epilepsy and epileptic syndromes, intractable |
| G40.411 | Other generalized epilepsy and epileptic syndromes, intractable, with status epilepticus |
| G40.419 | Other generalized epilepsy and epileptic syndromes, intractable, without status epilepticus |
| G40.42 | Cyclin-Dependent Kinase-Like 5 Deficiency Disorder |
| G40.5 | Epileptic seizures related to external causes |
| G40.50 | Epileptic seizures related to external causes, not intractable |
| G40.501 | Epileptic seizures related to external causes, not intractable, with status epilepticus |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| G40.509 | Epileptic seizures related to external causes, not intractable, without status epilepticus |
| G40.511 | Special epileptic syndromes, intractable, with status epilepticus |
| G40.80 | Other epilepsy |
| G40.801 | Other epilepsy, not intractable, with status epilepticus |
| G40.809 | Other epilepsy, not intractable, without status epilepticus |
| G40.811 | Lennox-Gastaut syndrome, not intractable, with status epilepticus |
| G40.812 | Lennox-Gastaut syndrome, not intractable, without status epilepticus |
| G40.813 | Lennox-Gastaut syndrome, intractable, with status epilepticus |
| G40.814 | Lennox-Gastaut syndrome, intractable, without status epilepticus |
| G40.819 | Other epilepsy, intractable, without status epilepticus |
| G40.82 | Epileptic spasms |
| G40.821 | Epileptic spasms, not intractable, with status epilepticus |
| G40.822 | Epileptic spasms, not intractable, without status epilepticus |
| G40.823 | Epileptic spasms, intractable, with status epilepticus |
| G40.824 | Epileptic spasms, intractable, without status epilepticus |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|--|
| G40.833 | Dravet syndrome, intractable, with status epilepticus |
| G40.834 | Dravet syndrome, intractable, without status epilepticus |
| G40.9 | Epilepsy, unspecified |
| G40.90 | Epilepsy, unspecified, not intractable |
| G40.901 | Epilepsy, unspecified, not intractable, with status epilepticus |
| G40.909 | Epilepsy, unspecified, not intractable, without status epilepticus |
| G40.91 | Epilepsy, unspecified, intractable |
| 169.920 | Aphasia following unspecified cerebrovascular disease |
| 169.921 | Dysphasia following unspecified cerebrovascular disease |
| 169.922 | Dysarthria following unspecified cerebrovascular disease |
| 169.923 | Fluency disorder following unspecified cerebrovascular disease |
| B25.9 | Cytomegaloviral disease, unspecified |
| Q90.2 | Trisomy 21 |
| Q90.9 | Down syndrome, unspecified |
| Q99.2 | Fragile X chromosome |
| 1169.31 | Cognitive deficits following cerebral infarction |

| ICD-10 Diagnosis Code The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits. | ICD-10 Diagnosis Code Description |
|--|-----------------------------------|
| * Indicates that all subcodes are included. | |

You can get this document in other languages, large print, braille or a format you prefer free of charge. Contact the Children & Families programs at

1115waiver.renewal@odhsoha.oregon.gov or 503-945-5772. We accept all relay calls.

Medicaid Division Children & Families Programs 500 Summer Street, NE Salem, OR 97301-1097 503-945-5772 Oregon.gov/yshcn

