

MIECHV Benchmark Measures: Brief Version



Benchmark	Measure	Target Population	Measurement	Collection Schedule	Data Source
Maternal and Newborn Health	(1) Preterm Birth	Pregnant women enrolled in home visiting prior to 37 weeks gestation	Percent of infants who are born preterm following program enrollment	EHS/HFA: Enrollment-Parent, Enrollment-Child NFP: Enrollment-child	EHS/HFA: M1-Enrollment-Parent M4-Enrollment-Child NFP: MIECHV Infant Birth
	(2) Breastfeeding	Infants (among mothers enrolled prenatally) who reached six months of age during the reporting period	Percent of infants (among mothers enrolled prenatally) who received any amount of breast milk at age six months	EHS/HFA: Enrollment-Child, Child's Age: 6, 12, 18, 24, 30, 36 months NFP: Infant birth 6, 12, 18, 24 months	EHS/HFA: M4-Enrollment-Child M9-Baby's Age 6 mos-Child M12-Baby's Age 12 mos-Child M14-Baby's Age 18 mos-Child M17-Baby's Age 24 mos-Child M20-Baby's Age 30 mos-Child M23-Baby's Age 36 mos-Child NFP: MIECHV Infant Birth Infant Health Care (6, 12, 18, 24 months)

Benchmark	Measure	Target Population	Measurement	Collection Schedule	Data Source
	(3) Depression Screening	Primary caregivers with at least three months enrollment	Percent of primary caregivers screened for depression within three months of delivery (for those enrolled prenatally) or within three months of enrollment	(a) Within 3 months of Child's Enrollment (for those not enrolled prenatally) or (b) Within 3 months of delivery (for those enrolled prenatally)	EHS/HFA: M5-Child's Enrollment Tool-Parent NFP: N2 - Addendum to NFP PHQ-9
	(4) Well-Child Visit	Enrolled index children	Percent of enrolled children who received the last recommended well-child visit based on the AAP schedule	EHS/HFA: Enrollment-Child, Child's Age: 3, 6, 12, 18, 24, 30 months NFP: Every home visit	EHS/HFA: M4-Enrollment-Child M7-Baby's Age 3 mos-Child M9-Baby's Age 6 mos-Child M12-Baby's Age 12 mos-Child M14-Baby's Age 18 mos-Child M17-Baby's Age 24 mos-Child M20-Baby's Age 30 mos-Child NFP: Home Visit Encounter

Benchmark	Measure	Target Population	Measurement	Collection Schedule	Data Source
	(5) Postpartum Care	Mothers enrolled prenatally or within 30 days of giving birth who remain enrolled for at least eight weeks postpartum	Percent of mothers enrolled prenatally or within 30 days after delivery who received a postpartum visit with a healthcare provider within eight weeks	<p>EHS/HFA: If child was 30 days or younger & enrolled with mom: within 3 months post-enrollment–OR- If mom enrolled prenatally: Child’s age: 3 months</p> <p>NFP: During post-partum home visits</p>	<p>EHS/HFA: M6C-3 mos Post-Enroll-Parent; M6P- Baby’s Age 3 mos-Parent</p> <p>NFP: Home Visit Encounter</p>
	(6) Tobacco Cessation	Primary caregivers enrolled for three months who used tobacco at enrollment	Percent of primary caregivers who reported using tobacco at enrollment and were referred to tobacco cessation counseling services within three months of enrollment	Enrollment-Parent & as referrals are made	<p>EHS/HFA: M1-Enrollment-Parent M2B-Referral Tracking & Follow-up</p> <p>NFP: MIECHV Demographics Pregnancy-Intake M2B Referral Tracking and Follow-up</p>

Benchmark	Measure	Target Population	Measurement	Collection Schedule	Data Source
Child Injuries, Abuse, Neglect, Maltreatment and Emergency Department Visits	(7) Safe Sleep	Index children less than one year during the reporting period	Percent of infants that are always placed to sleep on their backs, without bed-sharing or soft bedding	EHS/HFA: Enrollment-Child, Child's Age: 3, 6, 12 months NFP: Infant Birth, 3, 6, 12 months	EHS/HFA: M4-Enrollment-Child M7-Baby's Age 3 mos-Child M9-Baby's Age 6 mos-Child M12-Baby's Age 12 mos-Child NFP: MIECHV Infant Birth N3 Baby's Age 3 Months-Index Child; Infant Health Care
	(8) Child Injury	Index children	Number of primary caregiver-reported nonfatal injury related visits to the Emergency Department since enrollment	EHS/HFA: Child's Age: 6, 12, 18, 24, 30, 36 months NFP: Every visit	EHS/HFA: M9-Baby's Age 6 mos-Child M12-Baby's Age 12 mos-Child M14-Baby's Age 18 mos-Child M17-Baby's Age 24 mos-Child M20-Baby's Age 30 mos-Child M23-Baby's Age 36 mos-Child NFP: Home Visit Encounter
	(9) Child Maltreatment	Index children	Number of index children with at least one investigated case of maltreatment since enrollment	NA	State Automated Child Welfare Information System (SACWIS)

Benchmark	Measure	Target Population	Measurement	Collection Schedule	Data Source
School Readiness	(10) Parent-Child Interaction	Primary caregivers with index children in the target age range	Number of caregivers who receive an observation of the caregiver-child interaction by the home visitor	EHS/HFA: Child's Age: 12, 24 months NFP: Infancy 1-3 mos Infancy 8-10 mos Toddler 15-17 mos Toddler 21-23 mos	EHS/EFA: M12-Baby's Age 12 mos-Child M17-Baby's Age 24 mos-Child NFP: DANCE ETO Coding Sheet
	(11) Early Language and Literacy Activities	Primary caregivers with index children	Number of index children with a family member who reported that during a typical week s/ he read, told stories and or sang songs with their child daily	EHS/HFA: Enrollment-Child, Child's Age: 3, 6, 12, 18, 24, 30, 36 months NFP: Infant Birth and child ages, 3, 6, 12, 18, 24 months	EHS/HFA: M4-Enrollment-Child M7-Baby's Age 3 mos-Child M9-Baby's Age 6 mos-Child M12-Baby's Age 12 mos-Child M14-Baby's Age 18 mos-Child M17-Baby's Age 24 mos-Child M20-Baby's Age 30 mos-Child M23-Baby's Age 36 mos-Child NFP: MIECHV Infant Birth N3 - Baby's Age 3 mos - Index child Infant Health Care

Benchmark	Measure	Target Population	Measurement	Collection Schedule	Data Source
	(12) Developmental Screening	Primary caregivers with index children ages 9 – 30 months	Percent of children with a timely screen for developmental delays	<p>EHS/HFA: Child's Age: 9/10, 18, 24, 30 months</p> <p>NFP: Child Age 9/10 and 18 months</p>	<p>EHS/HFA: ASQ Screening for 9/10, 18, 24, & 30 Months of Age - Index Child</p> <p>NFP: ASQ: ETO and MIECHV Follow-up at Risk Combined; ASQ At Risk Developmental Delay-Referral Racking and Follow-up</p>
	(13) Behavioral Concerns	Postnatal primary caregivers with index children	Number of home visits where the primary caregiver is asked if they have any concerns regarding their child's development, behavior or learning	Each visit	<p>EHS/HFA: Visit Date Report</p> <p>NFP: Home Visit Encounter</p>

Benchmark	Measure	Target Population	Measurement	Collection Schedule	Data Source
Crime or Domestic Violence	(14) Intimate Partner Violence	Primary caregivers enrolled for at least six months	Number of primary caregivers who are screened for intimate partner violence	<p>EHS/HFA: Within 6 months of Parent Enrollment, 12, 24, 36 months</p> <p>NFP: 5-7th visit and infant age 12 weeks</p>	<p>EHS/HFA: M3-Enrollment Tool-Parent M11-Baby's Age 12 mos-Parent M16-Baby's Age 24 mos-Parent M22-Baby's Age 36 mos-Parent</p> <p>NFP: N1-Addendum to Clinical IPV Assessment Form 5th-7th VISIT; N4-Addendum to Clinical IPV Assessment Form - 12 WEEKS</p>

Benchmark	Measure	Target Population	Measurement	Collection Schedule	Data Source
Family Economic Self-Sufficiency	(15) Primary Caregiver Education	Primary caregivers without a high school diploma or equivalent at enrollment	Percent of primary caregivers without a high school diploma or equivalent at enrollment who subsequently enrolled in, maintained continuous enrollment in or completed a high school diploma or equivalent since enrollment	<p>EHS/HFA: Enrollment-Parent, Child's age: 6, 12, 18, 24, 30, 36 months</p> <p>NFP: Enrollment, 6, 12, 18, 24</p>	<p>EHS/HFA: M1-Enrollment-Parent M8-Baby's Age 6 mos-Parent M11-Baby's Age 12 mos-Parent M13-Baby's Age 18 mos-Parent M16-Baby's Age 24 mos-Parent M19-Baby's Age 30 mos-Parent M22-Baby's Age 36 mos-Parent</p> <p>NFP: MIECHV Demographic Pregnancy-Intake; MIECHV Demographics Update</p>
	(16) Continuity of Insurance Coverage	Primary caregivers enrolled for at least six months	Primary caregivers who had continuous health insurance for at least six consecutive months	<p>EHS/HFA: Enrollment-Parent, Child's age: 3 (if enrolled prenatally), 6, 12, 18, 24, 30, 36 months</p> <p>NFP: Every home visit</p>	<p>EHS/HFA: M1-Enrollment-Parent M6P- Baby's Age 3 mos-Parent M8-Baby's Age 6 mos-Parent M11-Baby's Age 12 mos-Parent M13-Baby's Age 18 mos-Parent</p> <p>NFP: Home Visitor Encounter</p>

Benchmark	Measure	Target Population	Measurement	Collection Schedule	Data Source
Coordination and Referrals to Community Resources and Supports	(17) Completed Depression Referrals	Primary caregivers who screened positive for depressive symptoms and were referred for services	Percent of primary caregivers who were referred for services and received one or more service contacts	As referrals are made and/or services received	M2B-Referral Tracking & Follow-up
	(18) Completed Developmental Referrals	Index children screening at risk for developmental delays	Percent of index children screening at risk for developmental delays who receive services in a timely manner	EHS/HFA: Child's age: 9/10,18,24,30 months & as referrals are made and/ or services received NFP: Child age 9/10 and 18 months	ASQ-At Risk Developmental Delay-Referral Tracking and Follow-up
	(19) Intimate Partner Violence Referrals	Primary caregivers who screened positive for intimate partner violence	Percent of primary caregivers who screened positive for intimate partner violence and received referral information for intimate partner violence services	EHS/HFA: Within 6 months of Parent Enrollment, Child's age: 12, 24, 36 NFP: 5-7th visit and infant age 12 weeks	EHS/HFA: M3-MIECHV Enrollment Tool-Parent M11-Baby's Age 12 mos-Parent M16-Baby's Age 24 mos-Parent M22-Baby's Age 36 mos-Parent NFP: N1-Addedum to Clinical IPV Assessment Form 5th-7th VISIT N4-Addedum to Clinical IPV Assessment Form -12 WEEKS