

**Table III**  
**OAR 333-077-0125**

**Condition of NEWBORN AFTER DELIVERY that  
Requires Transfer or Consultation**

Conditions highlighted in red boxes indicate high-risk conditions that, when condition develops, will require the transfer of a client to hospital-based care.

Conditions in the yellow boxes indicate potentially risky conditions that require consultation with a provider of perinatal care as defined under OAR 333-077-0125.

The list of high-risk conditions and potentially risky conditions is not comprehensive, and other physical, behavioral health, obstetric, or fetal conditions may arise that require consultation or transfer to hospital-based care. Having multiple risk conditions requiring consultation may increase the risk sufficiently to indicate the need to transfer care.

Apgar	<ul style="list-style-type: none"> <li>• Low Apgar score &lt; 5 at 5 minutes or &lt; 7 at 10 minutes</li> </ul>
Birth injury	<ul style="list-style-type: none"> <li>• Significant birth injury</li> <li>• Enlarging cephalohematoma</li> </ul>
	<ul style="list-style-type: none"> <li>• Excessive bruising</li> </ul>
Blood glucose	<ul style="list-style-type: none"> <li>• Hyperglycemia unresponsive to treatment</li> <li>• Hypoglycemia unresponsive to treatment</li> </ul>
Congenital anomaly	<ul style="list-style-type: none"> <li>• Unexpected and life-threatening</li> </ul>
	<ul style="list-style-type: none"> <li>• Expected and documented, life-threatening</li> </ul>
Gastrointestinal	<ul style="list-style-type: none"> <li>• Persistent projectile or bilious vomiting</li> <li>• Emesis of fresh blood</li> </ul>
Infection	<ul style="list-style-type: none"> <li>• Persistent inability to maintain temperature between 97 to 100 degrees Fahrenheit or 36 to 37 degrees Celsius.</li> <li>• Evident or suspected infection</li> </ul>
Neurological	<ul style="list-style-type: none"> <li>• Persistent, unexplained hypotonia</li> <li>• Seizures</li> </ul>
Respiratory	<ul style="list-style-type: none"> <li>• Central Cyanosis</li> <li>• Unresolved Pallor</li> </ul>
	<ul style="list-style-type: none"> <li>• Heart rate less than 80 or greater than 160 (at rest) without improvement.</li> <li>• Persistent cardiac murmur</li> <li>• Respiration rate greater than 100 within the first two hours postpartum, and greater than 80 thereafter, lasting more than one hour without improvement.</li> </ul>
Weight	<ul style="list-style-type: none"> <li>• Weight less than 2,270 grams (five pounds)</li> </ul>