

SHOW Program Required Minimum Value Measures

The following are the required minimum values for the approved measures for the State Home Oil Weatherization (SHOW) Program:

Heating Systems Measures:

Heating systems	Is more efficient than previous and replaces existing units
Replacement components	
Safety/efficiency measures	
Insulation, sealing, repair, or replacement of ductwork	
Programmable thermostat	N/A

Insulation measures:

Ceilings/attics	R-38 or fills the cavity
Floors/subfloors	R-25 or fills the cavity
Exterior walls/knee walls	R-21 or fills the cavity

Window and door measures:

Exterior windows	Minimum value rating of U-0.30
Exterior door with full/partial glass	
Exterior doors without glass	Minimum value rating of U-0.30
Exterior doors	Insulated or solid core

Health and Safety/Building Code Requirements measures:

Occupant health and safety and building code requirements (including but not limited to combustion appliance safety testing, assessment/repair of hazards, and addressing moisture intrusion and air quality issues and addressing shared vent or flue issues).	N/A
---	-----

Air infiltration measures:

Promote less conditioned air loss, reduce moisture intrusion, and support the other measures applied to the pressure boundary (include but not limited to the application of caulking, installation of weatherstripping and conducting pressure testing).	N/A
---	-----

If you have any additional questions, please feel free to reach out to the SHOW Program Analyst.